

XV. Gehalt des wässrigen Kali's an trockenem Kali.

Spec. Gew.	Kaliproc.	Spec. Gew.	Kaliproc.
1,3300	28,290	1,1437	14,145
1,3131	27,158	1,1308	13,013
1,2966	26,027	1,1182	11,882
1,2805	24,895	1,1059	10,750
1,2648	23,764	1,0938	9,619
1,2493	22,632	1,0819	8,487
1,2342	21,500	1,0703	7,355
1,2268	20,935	1,0589	6,224
1,2122	19,803	1,0478	5,002
1,1979	18,671	1,0369	3,961
1,1838	17,540	1,0260	2,829
1,1702	16,408	1,0153	1,697
1,1568	15,277	1,0050	0,5658

XVI. Gehalt des wässrigen einfach-kohlensauren Kali's an trockenem Salze.

Spec. Gew.	Proc.	Spec. Gew.	Proc.	Spec. Gew.	Proc.
1,4812	40,504	1,3177	26,432	1,1282	11,748
1,4750	40,139	1,3078	25,454	1,1166	10,769
1,4626	39,160	1,2980	24,475	1,1052	9,760
1,4504	38,181	1,2836	23,496	1,0940	8,811
1,4384	37,202	1,2694	22,517	1,0829	7,832
1,4265	36,223	1,2554	21,538	1,0719	6,853
1,4147	35,244	1,2417	20,539	1,0611	5,874
1,4030	34,265	1,2282	19,580	1,0505	4,895
1,3915	33,286	1,2150	18,601	1,0401	3,916
1,3808	32,307	1,2020	17,622	1,0299	2,934
1,3692	31,328	1,1892	16,643	1,0108	1,958
1,3585	30,349	1,1766	15,664	1,0098	0,979
1,3480	29,360	1,1642	14,685	1,0048	0,489
1,3378	28,391	1,1520	13,706		
1,3277	27,412	1,1400	12,727		