

1721

1721

FREIHEIT IN BINDUNG

EX LIBRIS

LÖSETEICH VOM ZWANG



Dr. Helmut Bester

Dv 1062 <sup>1786</sup>

UNIVERSITÄTSBIBLIOTHEK  
- Medizinische Abt. -  
DÜSSELDORF

V 2243

EX LIBRIS



*Presented by the Executors  
of the late D. Manning -  
Pharmacopœia Meadiana:*

Faithfully gathered from

ORIGINAL

PRESRIPTIONS,

CONTAINING

The most Elegant METHODS

OF

CURE in DISEASES.

To which are annexed,

USEFUL

OBSERVATIONS

UPON EACH

PRESRIPTION.

THE

WHOLE digested under proper HEADS.

---

*Simplex Munditiis.*

---

L O N D O N :

Printed for JOHN HINTON, at the King's-  
Arms, in Newgate-Street.

M.DCC.LVI.

[Price One Shilling and Six-Pence.]



THE NEW SYSTEM OF  
TREATING  
THE  
PRESBYTERIAN

CURE IN DISEASES

OBSERVATIONS

PRESBYTERIAN

WHICH IS THE PROPER METHOD


LONDON:

Printed for John Johnson, at the Sign of the Sun, in St. Paul's Church-yard.

[The Sun Dialling and Clock Works]



THE  
P R E F A C E.

 *N Order to obtain a proper Insight into the Knowledge and Cure of Diseases, it has always been found necessary for Students in Physick to propose to themselves some Person eminent for Skill in his Profession as their Pattern and Guide, by diligent Attendance on whose Practice to confirm Theory by Experience. Such Advantage the Author of these Sheets proposed to himself, in remarking, from Time to Time through a Series of Years, the Effects of the several Remedies*

## iv      P R E F A C E.

*medies therein compiled, which Method of Proceeding afforded him the best Criterion of their Goodness. Many of the Prescriptions being composed of Medicines prepared according to the old College Dispensatory, as they are copied exactly with the rest from the Doctor's genuine Recipes, and their Efficacy has been equally proved, it was thought fit to retain them, and present the same to the Publick as they are in the Originals.*

*Nothing need be said to prove the Authenticity of the Recipes, as no one, the least used to peruse Originals of the Kind, will have any Doubt concerning them; and others who have not had that Advantage, may easily satisfy themselves by obtaining a Survey of such, and making a proper Comparison.*

CON-



[ v ]

---

---

# CONTENTS.

## FEVERS.

<b>C</b> ontinual Fevers	— — —	Page 1
--------------------------	-------	--------

### FEVERS attended with ERUPTIONS.

<i>The Miliary and Petechial Fever and Erysipelas</i>	— — —	7
---	-------	---

### Particular FEVERS.

<i>A Pleurisy</i>	— — —	11
<i>Intermitting and Epidemick Fevers</i>	— — —	19
<i>Slow or Heſtick Fevers</i>	— — —	23

### DISEASES of the HEAD.

<i>The Apoplexy</i>	— — —	29
<i>The Palsy</i>	— — —	31
<i>St. Vitus's Dance</i>	— — —	35
<i>The Epilepsy, Vertigo, and Tetanus</i>	— — —	36
<i>Madneſs</i>	— — —	40
<i>The Quinſy</i>	— — —	41

### The DISEASES of the BREAST.

<i>The Aſhma</i>	— — —	43
<i>The Diſeaſes of the Heart</i>	— — —	45

The DISEASES of the STOMACH and INTESTINES.	— — —	46
---	-------	----

<i>The Hæmorrhoides</i>	— — —	53
<i>A Diar-</i>		

<i>A Diarrhœa</i>	—	—	Page 56
<i>The Bloody Flux</i>	—	—	59
<i>The Niac Passion</i>	—	—	63
<i>Worms</i>	—	—	64
<i>The Dropsy</i>	—	—	65

## DISEASES of the LIVER.

<i>The Jaundice</i>	—	—	67
<i>The Diabetes</i>	—	—	69

## The DISEASES of the KIDNIES and BLADDER.

—	—	—	70
---	---	---	----

The DISEASES of the EYES.	—	75
---------------------------	---	----

PAINS in the JOINTS.	—	86
----------------------	---	----

The GOUT.	—	76
-----------	---	----

## The DISEASES of the SKIN.

<i>The Leprosy and Itch</i>	—	—	87
<i>Scrophulous Diseases</i>	—	—	90
<i>The Scurvy</i>	—	—	92

The HYPOCHONDRIACAL DISEASE.	95
------------------------------	----

The AFFECTIONS of the MIND.	—	ibid.
-----------------------------	---	-------

## The DISEASES of WOMEN.

<i>The Suppression of the Menstrual Discharges</i>	95	
<i>The Excess of the Menstrual Discharges</i>	—	99
<i>The Fluor Albus</i>	—	100
<i>The Hysterical Disease</i>	—	103
<i>Difficult Birth</i>	—	104

VENEREAL DISEASES.	—	ibid.
--------------------	---	-------



*Pharmacopœia Meadiana.*

F E V E R S.

CONTINUAL FEVERS.

*Hauftus Bezoardici.*

R Aq. Ceraf. Nigr.  $\zeta$ jss. Aq. Pæon. comp.  $\zeta$ ss.  
Pulv. è Chel. C. comp.  $\mathcal{D}$ j. Syr. Croci, q. s.  
m. f. Hauftus.

R Aq. Ceraf. Nigr.  $\zeta$ j. Aq. Pæon. comp.  
Cinnam. ten.  $\bar{a}a$   $\zeta$ ss. Pulv. è Chel. Cancr.  
C.  $\mathcal{D}$ ss. Confect. Raleigh.  $\mathcal{D}$ j. Syr. è Succ.  
Cherm.  $\zeta$ ij. m. f. Hauftus.

*Bezoartick Draughts.*

Take Black Cherry Water, one Ounce and an  
Half: Compound Piony Water, Half an  
Ounce: Compound Powder of Crabs Claws,  
one Scruple: Syrup of Saffron, a sufficient  
Quantity. Mix and make a Draught.

B

Take

Take Black Cherry Water, one Ounce: Compound Piony and small Cinnamon Waters, of each Half an Ounce: Compound Powder of Crabs Claws, Half a Scruple: *Rawleigh's* Confection, one Scruple: Syrup of the Juice of Kermes, two Drachms. Mix and make a Draught.

*Observations.*

These are proper Alexipharmicks in most continual, malignant, and epidemical Fevers, and in the Small-pox and Measles. They are ordered to be given once in six or eight Hours, according to the Degree of the Disease.

*Bolus Cephalicus.*

℞ Pulv. è Chel. Cancr. C. ʒj. Castor. Russ. Rad. Serpent. Virg. Spec. Diamb. āā gr. vj. Conf. Alchem. q. f. m. f. Bolus octava quaque Hora sumendus.

*The Cephalick Bolus.*

Take Compound Powder of Crabs Claws, one Scruple: *Russia* Castor, Snake Root powdered, and Species Diambra, of each six Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus, to be taken every eight Hours.

*Observations.*

This is given in most nervous Cases attended with a Fever, and is of Service in bringing to their due Tone the decayed Fibres of the Stomach.

*Bolus*

*Bolus Stomachicus.*

℞ Spec. Diamb. ʒss. Croc. Castor. Ruff.  
pulv. āā gr. v. Confect. Alcherm. q. f.  
m. f. Bolus, octava quaque Hora sumend.

*The Stomach Bolus.*

Take Species Diambra, Half a Scruple: Saffron  
and *Ruffia* Castor powdered, of each five  
Grains: Confection of Kermes, a sufficient  
Quantity. Mix and make a Bolus, to be  
taken every eight Hours.

*Observations.*

This is intended to comfort the Stomach,  
and retrieve its natural Warmth in hard Drink-  
ers when afflicted with slow nervous Fevers, at-  
tended with great Faintness, and Loss of Ap-  
petite. It stimulates and warms the nervous  
Fibres relaxed and impaired by preceding De-  
bauches, and promotes a free Circulation of  
the Blood; re-invigorating its languid Motion,  
and causing a greater Flow of Spirits into the  
*Tubuli* of the Nerves.

*Emplastrum Cephalicum.*

℞ Empl. Cephalic. cum duplici Quantitate  
Euphorbii parati, ʒss. Galbani colati, ʒj.  
m. f. Emplastra totos Pedes obvolvenda.

*The Cephalick Plaister.*

Take Cephalick Plaister, prepared with a dou-  
ble Quantity of Euphorbium, Half an Ounce:  
Strained Galbanum, an Ounce. Mix and  
make Plaisters to roll the Feet in.

*Observations.*

These are applied in Fevers that violently affect the Head.

*Emplastr. ad Dolorem Capitis.*

℞ Empl. Epispastic. Picis Burgund. āā Partes æquales. m. f. Emplastrum Occipiti rasō applicandum, ad magnitudinem Palmæ Manus.

*The Plaister for a Pain in the Head.*

Take Blister Plaister and *Burgundy* Pitch, of each equal Parts. Mix and make a Plaister the Bigness of the Palm of the Hand, to be applied to the hinder Part of the Head, after it is shaved.

*Observations.*

This answers the Intention its Title expresses, and is good in Fevers attended with Coma, Delirium, or Lethargy.

*Julepum Restrings.*

℞ Aq. Lactis Alex. ℥vj. Cinnam. ten. ℥iv. Paon. comp. ℥ij. Syr. Cydonior q. s. m. f. Julepum.

*The Restringsent Julep.*

Take Alexiterial Milk Water, six Ounces : Small Cinnamon Water, four Ounces : Compound Piony Water, two Ounces : Syrup of Quinces, a sufficient Quantity. Mix and make a Julep.

*Julepum*

*Julepum Album.*

℞ Julep. Cretac. Batean. ℥v. Aq. Cinnam.  
ten. ℥ij. m. f. Julepum.

*The White Julep.*

Take *Bates's* Chalk Julep, five Ounces : Small  
Cinnamon Water, two Ounces. Mix and  
make a Julep.

*Julepum Cardiacum.*

℞ Aq. Lactis Alexit. ℥vj. Ceraf. Nigr. Pæon.  
comp. āā ℥ij. Conf. Alchem. q. f. m. f.  
Julepum.

*The Cardiack Julep.*

Take Alexiterial Milk Water, six Ounces :  
Black Cherry and Piony Waters, of each  
two Ounces : Confection of Kermes, a suf-  
ficient Quantity. Mix and make a Julep.

*Julepum Cephalicum.*

℞ Aq. Lactis Alexit. Ceraf. Nigr. āā ℥iij. Pæ-  
on. comp. ℥ij. Spir. Lavend. comp. Tinct.  
Castor. Ruff. āā ℥iij. m. f. Julepum.

*The Cephalick Julep.*

Take Alexiterial Milk Water and Black Cher-  
ry Water, of each three Ounces : Compound  
Piony Water, two Ounces : Compound Spi-  
rit of Lavender and Tincture of *Russia* Cas-  
tor, of each three Drachms. Mix and make  
a Julep.

*Julepum Stomachicum.*

℞ Aq. Lactis Alex. Cerafor. Nigr. āā ℥iij.  
Absinth. mag. comp. ℥ij. Syr. e Cort. Au-  
rant. ℥ss. m. f. Julepum.

*The*

*The Stomach Julep.*

Take Alexiterial Milk and Black Cherry Waters, of each three Ounces: Wormwood Water, of the greater Composition, two Ounces: Syrup of Orange-peel, Half an Ounce. Mix and make a Julep.

*Julepum de Croco.*

℞ Aq. Ceraf. Nigr. ℥vj. Tinct. Croci, Aq. Pæon. comp. āā ℥ij. Conf. Alchem. ℥ij. Sacch. alb. q. f. m. f. Julepum.

*The Saffron Julep.*

Take Black Cherry Water, six Ounces: Tincture of Saffron and Piony Water, of each two Ounces: Confection of Kermes, two Drachms: Loaf-Sugar, a sufficient Quantity. Mix and make a Julep.

*Julepum Perlatum.*

℞ Aq. Lactis Alexit. Ceraf. Nigr. āā ℥iij. Epidem. Pæon. comp. āā ℥j. Margarit. ppt. ℥j. Sacch. alb. q. f. m. f. Julepum.

*The Pearl Julep.*

Take Alexiterial Milk Water and Black Cherry Water, of each three Ounces: Epidemic and Piony Waters, of each an Ounce: Pearl prepared, one Drachm: Loaf-Sugar, a sufficient Quantity. Mix and make a Julep.

*Julepum Perlatum Nephriticum.*

℞ Aq. Lactis Alexit. Nephritic. āā ℥iv. Margarit. ppt. ℥j. Spir. Nitr. Dulc. ℥ss. Sacch. alb. q. f. m. f. Julepum.



*The Nephritick Pearl Julep.*

Take Alexiterial Milk and Nephritick Waters, of each four Ounces: Pearl prepared, one Drachm: Sweet Spirit of Nitre, Half a Drachm: White Sugar, a sufficient Quantity. Mix and make a Julep.

*Observations.*

The Efficacy of Juleps is not to be relied on in Cases of Consequence; their Intention in general being only as pleasant Vehicles to convey Medicines of greater Energy to the Stomach.

---

FEVERS *attended with* ERUPTIONS.

*The Miliary and Petechial Fever and Erysipelas.*

*Bolus Cardiacus.*

℞ Pulv. è Chel. Cancr. comp. ʒj. Margarit. ppt. ʒfs. Conf. Alchem. q. f. m. f. Bolus.

*The Cardiac Bolus.*

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus.

*Observations.*

This is given in the Miliary and Petechial Fever every six or eight Hours, as the Symptoms require, with the Pearl Julep.

*Pulvis*

8 *Pharmacopœia Meadiana.*

*Pulvis Cardiacus.*

℞ Pulv. è Chel. Cancr. comp. ʒj. Margarit.  
ppt. ʒſs. m. f. Pulvis h. f. & mane fumend.  
cum Coch. iv. Julepi Perlat.

*The Cordial Powder.*

Take compound Powder of Crabs Claws, one  
Scruple : Pearl prepared, Half a Scruple.  
Mix and make a Powder to be taken Night  
and Morning, with four Spoonfuls of the  
Pearl Julep.

*Observations.*

This is good in Fevers, attended with Erup-  
tions, to promote Perſpiration, and in the Small-  
Pox.

*Electarium Cardiacum Reſtring.*

℞ Conf. Fracaſt. ſ. m. ʒj. Lapid. Contrayerv.  
Chel. Cancr. ppt. āā ʒjſs. Syr. Caryoph. q. ſ.  
m. f. Electarium fumat Quantitatem Nucis  
Moſchatae, omni Nocte Hora Somni, cum  
Coch. iv. Julepi Cardiaci.

*The Cordial Reſtringent Electuary.*

Take *Fracaſtorius's* Confection, made without  
Honey, one Ounce : Contrayerva Stone and  
Crabs Claws prepared, of each one Drachm  
and an Half : Syrup of Clove Gilly-flowers,  
a ſufficient Quantity. Mix and make an  
Electuary. The Quantity of a Nutmeg to  
be taken every Night, at going to Reſt, with  
four Spoonfuls of the Cardiack Julep.

*Observations.*

This is given in Fevers and Eryſipelas, at-  
tended with a Diarrhœa.

*Apo-*

*Apozema Cardiacum.*

℞ Decoct. alb. ℥ij. Aq. Cinnam. fort. ℥ij.  
Sacchar. albissim. q. s. m. f. Apozema.

*The Cardiac Apozem.*

Take white Drink, a Quart : Strong Cinnamon Water, two Ounces : Refined Sugar, a sufficient Quantity. Mix and make an Apozem.

*Observations.*

This is given for common Drink in all acute Cases, inclining to a Looseness.

*Apozema Pectorale.*

℞ Decoct. Pectoral. ℥ij.

*The Pectoral Apozem.*

Take Pectoral Decoction, a Quart.

*Observations.*

This is ordered for common Drink in Petechial and other Fevers, attended with a Cough.

*Enema Emolliens.*

℞ Decoct. commun. ℥ss. Syr. Violar. Ol. Lini, āā ℥ij. m. f. Enema.

*The Emollient Clyster.*

Take the common Decoction, Half a Pint : Syrup of Violets and Linseed Oil, of each two Ounces. Mix and make a Clyster.

*Observations.*

This is given in the Small-Pox and Petechial Fevers, when strong irritating Clysters are not required.

*Hauftus Paregorici.*

℞ Aq. Ceraf. Nigr. Lactis Alexit. āā ʒvj. Syr.  
de Mecon. ʒj. m. f. Hauftus fumat Nocte.

*Paregorick Draughts.*

Take Black Cherry and Alexiterial Milk Water, of each fix Drachms: Diacodium, one Ounce. Mix and make a Draught to be taken at Night.

℞ Aq. Ceraf. Nigr. ʒjfs. Aq. Pæon. comp. ʒfs.  
Laud. Liquid. gutt. xv. Syr. de Mecon. ʒijj.  
Sp. Lavend. comp. Sp. Sal. Volat. Oleof. āā  
gutt. x. m. f. Hauftus.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Liquid Laudanum, fifteen Drops: Diacodium, three Drachms: Compound Spirit of Lavender and Oily Spirit of Volatile Salt, of each ten Drops. Mix and make a Draught.

*Observations.*

These are given in the Small-Pox, to procure Rest, and in other Cafes, where Opiates are required.

*Hauftus Cathartici.*

℞ Infuf. Senæ, ʒij. Mannæ opt. ʒvj. Syr. Ros.  
Solut. ʒfs. m. f. Potio mane fumenda debito  
Regimine.

*Purging Draughts.*

Take Infusion of Sena, two Ounces: Best Manna, fix Drachms: Solutive Syrup of Roses, Half an Ounce. Mix and make a  
Potion

Potion to be taken in the Morning, with proper Regimen.

R. Infus. Senæ, ꝑijss. Syr. è Spin. Cerv. Ros. Solutiv. āā ꝑss. Sp. Lavend. comp. ꝑss. m. f. Haustus primo mane sumendus.

Take Infusion of Sena, two Ounces and an Half: Syrup of Buckthorn and Roses Solutive, of each Half an Ounce: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken in the Morning early.

*Observations.*

These are the general Rule for Catharticks after Mercurials, or alone, as the Case may require.

---

*Particular FEVERS.*

*A Pleurisy.*

*Bolus Balsamicus.*

R Sperm. Ceti, Spec. Diatragacanth. frigid. āā gr. xij. Mithrid. ꝑss. Syr. Balsamic. q. f. m. f. Bolus sexta vel octava quaque Hora sumendus.

*The Balsamick Bolus.*

Take Sperma Ceti and cooling Species of Gum Tragacanth, of each twelve Grains: Mithridate, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus, to be taken every six or eight Hours.

*Observations.*

This is ordered in Coughs, Pleurifies, inward Bruises, and many Distempers of the Breast; is balsamick, anodyne, and alexipharmick.

*Boli Cordiales Balsamici.*

℞ Pulv. è Chel. Cancr. comp. Sperm. Ceti,  $\bar{a}\bar{a}$  ℥ss. Croc. & Castor. Russ. pulv.  $\bar{a}\bar{a}$  gr. iij. Syr. Caryoph. q. f. m. f. Haustus sexta vel octava quoque Hora fumendus.

*Cordial Balsamick Boluses.*

Take compound Powder of Crabs Claws and Sperma Ceti, of each Half a Scruple: Saffron and *Russia* Castor powdered, of each three Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus to be taken every six or eight Hours.

℞ Lapid. Contrayerv. Sperm. Ceti,  $\bar{a}\bar{a}$  gr. xv. Croci pulv. gr. v. Syr. Caryoph. q. f. m. f. Bolus.

Take Contrayerva Stone and Sperma Ceti, of each fifteen Grains: Saffron powdered, five Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus.

℞ Sperm. Ceti, Pulv. è Chel. Cancr. comp.  $\bar{a}\bar{a}$  ℥j. Balf. Gileadens. ℥ss. Syr. Balsamic. q. f. m. f. Bolus.

Take Sperma Ceti and compound Powder of Crabs Claws, of each one Scruple: Balm of *Gilead*, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus.

*Obfer-*

*Observations.*

These are used in Disorders of the Lungs, Pleurifies, Consumptions, and Coughs with Fevers: And are likewise of great Service, when given soon after Delivery, to heal and allay the Pain and Soreness of the Uterus, by inducing an agreeable Relaxation and Diaphoresis. They may be rendered more anodyne and proper in the latter Case, by the Addition of Half a Scruple of Mithridate to each, which is generally required to appease the Spasms and painful Contractions of the Membranes, called the After-Pains.

*Confectio Pectoralis.*

R. Conf. Rosar. Rubr. ℥j. Spec. Diatragacanth. frigid. Terr. Japon. pulv. āā ℥j. Syr. Balsamic. q. s. m. f. Confectio, sumat Cochl. ij. Theæ sæpè ut urgeat Tussis.

*The Pectoral Confection.*

Take Conserv. of Red Roses, one Ounce: The cooling Species of Gum Tragacanth and *Japan* Earth powdered, of each one Drachm: Balsamic Syrup, a sufficient Quantity, to make a Confection. Two Tea Spoonfuls to be taken often, when the Cough is troublesome.

*Observations.*

This is ordered in a Pleurisy, attended with a Cough and Spitting of Blood; is cooling, balsamick, and restraining.

*Emplaf-*

*Pharmacopœia Meadiana.**Emplastrum Discutiens.*

℞ Empl. Diachyl. cum Gummis Stict. Paracels. āā Partes æquales, m. f. Emplastrum Thoraci applicandum.

*The Discutient Plaister.*

Take Diachylon Plaister made with the Gums, and *Paracelsus's* Stictick Plaister, of each equal Parts. Mix and make a Plaister to be applied to the Breast.

*Observations.*

This is applied to the Thorax for any Inflammation, or Soreness of that Part, proceeding from Cold.

*Enema Carminativum.*

℞ Decoct. commun. ℥x. Syr. Violar. Mell. Mercur. āā ℥jss. Elect. è Bacc. Lauri ℥ss. Sal. commun. ℥ij. m. f. Enema.

*The Carminative Clyster.*

Take the common Decoction, ten Ounces: Syrup of Violets and Honey of Mercury, of each one Ounce and an Half: Electuary of Laurel Berries, Half an Ounce: Common Salt, three Drachms. Mix and make a Clyster,

*Observations.*

This is ordered to relax the Belly in Pleurifies, and set at Liberty Wind pent up in the Hypochondria.

*Guttule Volatiles.*

℞ Sp. Corn. Cerv. per se, ℥j. capiat gutt. xx. frequenter ex haustu Seri Lactis Vinofi.

*The*



*The Volatile Drops.*

Take Spirit of Hartshorn, one Ounce. Twenty Drops to be taken frequently in a Draught of Wine Whey.

*Observations.*

These are ordered in Inflammations of the Pleura, attended with an acute Fever, to attenuate the Sickness of the Blood.

*Hauftus Oleosi.*

℞ Ol. Lini S. I. extract. ℥j. Tinct. Croci ʒij. Aq. Puleg. ʒvj. m. f. Hauftus quinta vel sexta quaque Hora sumendus.

*Oily Draughts.*

Take cold drawn Linfeed Oil, one Ounce : Tincture of Saffron, two Drachms : Pennyroyal Water, six Drachms. Mix and make a Draught to be taken every five or six Hours.

℞ Ol. Amygd. dulc. Ol. Lini recent. āā ℥ss. Syr. de Mecon. ℥ss. Sp. C. Cerv. gutt. xx. m. f. Hauftus.

Take Oil of sweet Almonds and Linfeed Oil, fresh drawn, of each Half an Ounce : Diacodium, Half an Ounce : Spirit of Hartshorn, twenty Drops. Mix and make a Draught.

℞ Ol. Amygd. dulc. ℥j. Aq. Cinnam. ten. ʒvj. Syr. Cap. Vener. ℥ss. Sp. Sulph. gutt. x. m. f. Hauftus.

Take Oil of sweet Almonds, one Ounce : Small Cinnamom Water, six Drachms :  
Syrup

Syrup of Maidenhair, Half an Ounce : Spirit of Sulphur, ten Drops. Mix and make a Draught.

*Observations.*

These are given in dry Coughs, Hoarseness, Wheezing, and Pleurifies; are lubricating, pectoral, and anodyne.

*Haustus Volatilis.*

℞ Sperm. Ceti solut. ʒss. Sal. Vol. C. C. ℥ss.  
Aq. Alex. simp. ʒij. Aq. Pæon. comp. ʒij.  
Syr. Balsamic. ʒj. m. f. Haustus sexta quaque Hora fumendus.

*The Volatile Draught.*

Take Sperma Ceti dissolved, Half a Drachm : Volatile Salt of Hartshorn, Half a Scruple : Simple Alexiterial Water, two Ounces : Compound Piony Water, three Drachms : Balsamick Syrup, one Drachm. Mix and make a Draught to be taken every six Hours.

*Observations.*

This the Doctor ordered with good Success in the Gouty Pleurisy, after Bleeding, with a Spoonful of *the Pectoral Linctus*, to be taken in the Intervals. The Case was an inveterate Gout, which shifted from the Foot to the Acromion of the Shoulder, and after a Day or two seized on the Pleura, and caused acute Pain, with almost total Stoppage of Respiration. It is of a penetrating balsamick Quality, dissolves the Lentor of the Blood, and makes it circulate freely through the small Vessels of the Pleura, and other Capillaries of the Body.

*Lina-*

*Linamentum Pleuriticum.*

℞ Ung. de Althæa, Ol. Palmæ, āā ℥j. Ol.  
Macis per Express. ℥ij. Sp. Sal. Ammon. ℥j.  
m. f. Linamentum Partes affectas illinan-  
dum.

*The Linament for a Pleurisy.*

Take Ointment of Marshmallows and Palm  
Oil, of each one Ounce: Oil of Mace, by  
Expression, two Drachms: Spirit of Salt  
Ammoniack, one Drachm. Mix and make  
a Linament to anoint the Parts affected.

*Observations.*

This is excellent in Pleurisies and Pains of  
the Side, attended with a Cough, being of an  
emollient and discutient Quality.

*Linct. Incrassantes.*

℞ Conf. Rosar. Rubr. ℥jss. Spec. Diatragacanth.  
frigid. ℥ijj. Syr. Capill. Ven. q. f. m. f.  
Linctus sumat Cochlearium mediocre sæpe  
urgente Tussi.

*Incrassating Linctuses.*

Take Conserve of Red Roses, one Ounce and  
an Half: Cooling Species of Gum Traga-  
canth, three Drachms: Syrup of Maiden-  
hair, a sufficient Quantity. Mix and make  
a Linctus. A moderate Spoonful to be  
taken often, when the Cough is troublesome.

℞ Ol. Amyg. Dulc. Syr. Capill. Ven. āā ℥ij.  
Sacchar. cand. alb. ℥jss. m. f. Linctus sumat  
Cochl. i. ampl. quarta quaque Hora.

D

Take

Take Oil of Sweet Almonds and Syrup of Maidenhair, of each two Ounces : White Sugar Candy, Half an Ounce. Mix and make a Linctus. One large Spoonful to be taken every four Hours.

*Observations.*

These are given to thicken sharp Rheums that prick and stimulate the Fibres of the Larynx, and by their Irritation excite a frequent and troublesome Cough. They are balsamick, pectoral, and agglutinant.

*Linctus Pectoralis.*

R Syr. Capill. Ven. Ol. Amygd. Dulc.  $\bar{a}\bar{a}$   $\bar{z}$ ij.  
Sacchar. Alb.  $\bar{z}$ j. Spir. Sulph. gutt. x. m. f.  
Linctus.

*The Pectoral Linctus.*

Take Syrup of Maidenhair and Oil of Sweet Almonds, of each two Ounces : Loaf Sugar, One Drachm : Spirit of Sulphur, ten Drops. Mix and make a Linctus.

*Observations.*

This is given in Coughs, Pleurifies, Inflammations of the Lungs, and Consumptions ; is lubricating, pectoral, and balsamick ; takes off the Acrimony of the Rheum, and, by loosening the viscid Matter that falls on the Larynx, promotes its Discharge, and relieves the Cough.

*Inter-*

*Intermitting and Epidemick FEVERS.*

*Haustus Antifebrificus.*

℞ Cort. Perua opt. pulv. ℥ij. Aq. Ceraf. Nigr.  
℥j. Aq. Pæon. comp. ℥ss. Syr. Caryoph.  
q. f. m. f. Haustus tertia vel quarta quaque  
Hora sumendus.

*The Antifebrifick Draught.*

Take the best Bark powdered, two Scruples :  
Black Cherry Water, one Ounce : Com-  
pound Piony Water, Half an Ounce : Sy-  
rup of Clove Gilly-flowers, a sufficient Quan-  
tity. Mix and make a Draught to be taken  
every three or four Hours, when the Fit  
is off.

*Observations.*

This is given between the Fits of the Ague ;  
where there is a regular Intermiffion, should be  
continued till the Patient hath missed the Fit  
once, and be repeated afterwards three Times  
a Day, for a few Days, to prevent a Relapse.  
Observe, this should generally be preceded by  
a proper Emetick, to discharge the Phlegm  
and bilious Matter, lodged in the Stomach,  
which otherwise will often prevent the Bark  
from taking Effect, and cause it to purge.

*Haustus Stomachicus Amarus.*

℞ Infuf. Amar. Simpl. ℥jss. Aq. Abfinth.  
mag. comp. ℥ss. Spirit Lavend. comp. ℥ss.  
m. f. Haustus Mane ac Vesperi sumend.

*The Bitter Stomach Draught.*

Take the Simple Bitter Infusion, one Ounce and an Half : The greater Composition of Wormwood Water, Half an Ounce : Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken Morning and Evening.

*Observations.*

This is beneficial to the Stomach, and is often ordered after a Course of the Bark, to strengthen Digestion, and prevent a Return of the Fever, for both which Purposes it is well adapted.

*Haustus Salinus.*

℞ Sal. Absinth. ꝑss. Succ. Limon. Aq. Cinnamon. ten. āā ʒj. Syr. è Cort. Aurant. ʒij. m. f.  
Haustus quarta quaque Hora sumendus.

*The Saline Draught.*

Take Salt of Wormwood, Half a Drachm : Juice of Lemons and Small Cinnamon Water, of each one Ounce : Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every four Hours.

*Observations.*

This often carries off a recent Intermittent, without the Bark, or brings the Fits to a regular Intermiffion ; is of Service in the Jaundice, helps Vomiting, and is accounted a good Stomachick. It is best fresh made.

*Pulvis*

*Pulvis Febrifugus.*

℞ Pulv. Cortic. Peruv. opt. ℥j. Serpentar. Virg. ℥j. m. f. Pulvis dividend. in Dof. xii. fumat unam quarta quaque Hora, absente Paroxyfmo, cum Vin. Rubr.

*The Febrifuge Powder.*

Take Powder of the best *Peruvian Bark*, one Ounce: *Snake-root*, one Drachm. Mix and make a Powder to be divided into twelve Doses; one of which are to be taken every four Hours, when the Paroxyfm is off, with Red Wine.

*Observations.*

This is good in Intermittents, and, in Cases where the Fibres are oppressed with a Load of cold phlegmatick Humours, takes better Effect than the Bark given alone: Although it must be allowed, that in general the Bark is most advantageously administered by itself.

*Tinctura Antifebrifica.*

℞ Cort. Peruv. opt. pulv. ℥j. Cort. Aurantior. Sal. Tartar. āā ℥j. coque in Aquæ Fontan. q. f. ad colatur. ℔j. adde. Aq. Absinth. mag. comp. Aq. Pæon. comp. āā ℥ij. m. f. Tinctura fumat Cochl. iv. vel vj. quarta quaque Hora, absente Febre.

*The Antifebrifick Tincture.*

Take Powder of the best Bark, one Ounce: Orange Peel and Salt of Tartar, of each one Drachm; boil them in a sufficient Quantity of Spring Water to a Pint. Strain it, and add the greater Composition of Wormwood Water

Water and compound Piony Water, of each two Ounces. Mix and make a Tincture. Four or six large Spoonfuls to be taken every four Hours, in the Absence of the Fever.

*Observations.*

This is given in Intermittents, when the Bark cannot be taken in Substance. The Ingredients must be boiled in three Pints of Water at least, to a Pint, to extract sufficient Virtue from the Bark, to answer the Intention of an Antifebrifick.

*Tinctura Amara Febrifuga.*

℞ Cort. Peruv. ℥ss. Cort. Aurantior. Sem. Cardamom. min. Rad. Zedoar. āā ʒj. Sal. Absinth. ʒss. infunde in Aquæ bullientis ℥xij. colaturæ adde Aq. Absinth. mag. comp. ℥iv. m. f. Tinctura sumat Cochl. iv. Hora ante Prandium & Hora quinta Pomeridiana.

*The Bitter Febrifuge Tincture.*

Take *Peruvian* Bark, Half an Ounce : Orange Peel, Lesser Cardamoms and Zedoary, of each one Drachm : Salt of Wormwood, Half a Drachm. Infuse them in twelve Ounces of boiling Water. To the strained Liquor add Wormwood Water of the greater Composition, four Ounces. Mix and make a Tincture. Four Spoonfuls to be taken an Hour before Dinner, and at Five in the Afternoon.

*Observations.*

This is a warm Stomachick, promotes Digestion, and prevents the Return of intermitting Fevers,



Fevers, after the Patient hath left off taking the Bark.

*Elixir Acidum.*

℞ Tinct. Spec. Diamb. Elix. Vitriol. Mynsicht.  $\bar{a}\bar{a}$   $\bar{z}$ ss. m. sumat Cochlearium minimum Hora undecima Matutina & quinta Pomeridiana ex Cyatho Aquæ Bristolienf. tepefact.

*The Acid Elixir.*

Take Tincture of Species Diambra and Mynsicht's Elixir of Vitriol, of each Half an Ounce: Mix them together. A Tea Spoonful to be taken at Eleven in the Forenoon, and at Five in the Afternoon, in a Glass of warm Bristol Water.

*Observations.*

This is excellent to strengthen the Stomach and Organs of Chylification, after they have been relaxed and weakened by the long Continuance of Intermitting Fevers. It braces up the Fibres of the whole Body, and stops profuse Sweats.

---

*Slow or Heetick FEVERS.*

*Electarium Alterans.*

℞ Conf. Rosar. Rubr.  $\bar{z}$ j. Spec. Diatrag. frigid. Chel. Cancr. ppt.  $\bar{a}\bar{a}$   $\bar{z}$ j. Syr. Capill. Veneris q. s. m. f. Electarium sumat quantitatem Nucis Moschatae omni Mane cum Lactis Asinini ℥ss.

*The*

*The Alterative Electuary.*

Take Conserve of Red Roses, one Ounce :  
Cooling Species of Gum Tragacanth and  
Crabs Claws prepared, of each one Drachm :  
Syrup of Maidenhair, a sufficient Quantity.  
Mix and make an Electuary. The Quantity  
of a Nutmeg to be taken every Morning,  
with Half a Pint of Asses Milk.

*Observations.*

This is a good Pectoral in Defluxions of  
Rheum that cause tickling Coughs, is like-  
wise a good Restorative, and of Service in con-  
sumptive Cases.

*Electarium Lujulatum.*

℞ Conf. Lujulæ, ℥jss. Chel. & Ocul. Cancror.  
ppt. āā ℥ij. Syr. de Althæa q. f. m. f. Elec-  
tarium sumat Quantitatem Nucis Moschatae  
bis in Die superbibendo Haustum Vini Albi  
Aqua Bristoliensi commisti.

*The Sorrel Electuary.*

Take Conserve of Wood Sorrel, one Ounce  
and an Half : Crabs Claws and Eyes pre-  
pared, of each two Drachms : Syrup of  
Marshmallows, a sufficient Quantity. Mix  
and make an Electuary. The Quantity of  
a Nutmeg to be taken twice a Day, drink-  
ing after it a Draught of White Wine and  
Bristol Water mixed.

*Electaria Corroborantia.*

℞ Conf. Fruct. Cynosbat. Rosar. Rubr. āā ℥vj.  
Spec. Diatragacanth. frig. ℥ij. Gum. Guai-  
ac.

ac. & Terr. Japonic. pulv. āā ʒj. Syr. è Ros-  
fis sicc. q. f. m. f. Electarium sum. Quan-  
titem Nucis Moschatæ bis in Die.

*Strengthening Electuaries.*

Take Conserve of Hips and Red Roses, of  
each six Drachms: Cooling Species of Gum  
Tragacanth, three Drachms: Gum Guaia-  
cum and Japan Earth powdered, of each one  
Drachm: Syrup of dried Roses, a sufficient  
Quantity. Mix and make an Electuary.  
The Quantity of a Nutmeg to be taken  
twice a Day.

℞ Conf. Rad. Symphyt. Rosar. Rubr. āā ʒj.  
Gum. Tragacanth. Terr. Japonic. pulv.  
Coral. Rubr. ppt. āā ʒij. Syr. de Symphyto  
q. f. m. f. Electarium. Sumat Quantita-  
tem Nucis Moschatæ Mane ac Vesperi cum  
Aquæ Bristoliens. ℥ss.

Take Conserve of Comfrey Roots and Red  
Roses, of each one Ounce: Gum Traga-  
cath and Japan Earth powdered, Red Co-  
ral prepared, of each two Drachms: Syrup  
of Comfrey, a sufficient Quantity. Mix and  
make an Electuary. The Quantity of a  
Nutmeg to be taken Morning and Evening,  
with Half a Pint of Bristol Water.

*Observations.*

These are of Service in Consumptions, Spit-  
ting of Blood, Fluor Albus, Seminal Weak-  
nesses, old Gleets, &c. They strengthen and  
restore the decayed Tone of the respective Parts,  
and by their incrassating Quality alter the Tex-  
E ture

ture of the Blood, and render it more nutritive and balsamick.

*Electarium Pectorale.*

℞ Sacch. Rosar. ℥jss. Spec. Diatragacanth. frig. ℥ij. Chel. & Ocul. Cancr. ppt. āā ℥ij. Syr. Balsamic. q. s. m. f. Electarium. Sumat Quantitatem Nucis Jugland. omni Mane cum Haustu Lactis Vaccin. recent. Sacchar. alb.edulcorat.

*The Pectoral Electuary.*

Take Sugar of Roses, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Crabs Claws and Eyes prepared, of each two Drachms: Balsamick Syrup, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Walnut to be taken every Morning, with a Draught of new Cow's Milk, sweetened with Loaf Sugar.

*Observations.*

This is good in consumptive Cases and Ulcerations of the Lungs, and destroys Acidities in the *Primæ Viæ*.

*Emulso Balsamica.*

℞ Sperm. Ceti solut. ℥ij. affunde Aq. Ceraf. Nigr. ℥vij. Cinnam. ten. ℥ij. Sacc. alb. q. s. m. f. Emulso de qua bibat Haustum tepide frequenter.

*The Balsamick Emulsion.*

Take Sperma Ceti dissolved, three Drachms: Add to it Black Cherry Water, eight Ounces: Small

Small Cinnamom Water, two Ounces :  
White Sugar, a sufficient Quantity. Mix  
and make an Emulsion. A Draught of it  
to be taken often a little warm.

*Observations.*

This is an excellent balsamick Remedy in  
all Coughs, Hoarseness and Soreness of the  
Breast.

*Haustus cum Milleped.*

℞ Milleped. viv. No. LX. contusis affunde  
Aq. Nephritic. ꝓij. fiat Expressio, adde Sp.  
Lavend. comp. ꝓj. Syr. Balsamic. ꝓj. m. f.  
Haustus Mane & Sero sumend.

*The Draught with Millepedes.*

Take sixty Millepedes alive, bruise them, and  
pour on Nephritick Water, three Drachms :  
Compound Spirit of Lavender, one Drachm :  
Balsamick Syrup, two Drachms. Mix and  
make a Draught to be taken Morning and  
Evening.

*Observations.*

This is given in Hectical Complaints, where  
the Lungs are supposed to have Schrophulous  
Tubercles. It is likewise good in Dropsies and  
Nephritick Cases, to open Obstructions in the  
urinary Passages, and evacuate viscid Humours  
congested in the Glands of any Part of the Bo-  
dy; which renders it useful in the Jaundice,  
and in short all Glandular Diseases.

*Haustus Traumaticus.*

℞ Balf. Gileadenf. solut. ℥j. Aq. Ceras. Nigr.  
E 2 ʒjss.

ʒjss. Pæon. comp. Syr. Balsamic. āā ʒij.  
m. f. Hautf. sumend. Mane & Sero.

*The Vulnerary Draught.*

Take Balm of *Gilead* dissolved, a Scruple :  
Black Cherry Water, one Ounce and an  
Half : Compound Piony Water and Balsa-  
mick Syrup, of each two Drachms. Mix  
and make a Draught to be taken Night and  
Morning.

*Observations.*

This is ordered in Ulcers of the Lungs, and  
inward Bruises of the Thorax ; is a warm de-  
tergent Balsam, comforts and strengthens the  
nervous Fibres, and dissolves Coagulations of  
Blood proceeding from Wounds, Bruises, or  
other external Injuries.

*Haustus Antihæctus.*

℞ Sal. Absinth. ʒss. Succ. Limon. ʒvj. Aq.  
Cinnam. ten. ʒj. Sacch. alb. q. f. m. f.  
Hautf. sumend. sexta quaque Hora.

*The Antihæctick Draught.*

Take Salt of Wormwood, Half a Drachm :  
Juice of Lemons, six Drachms : Small Cin-  
namon Water, one Ounce : Sugar, a suffi-  
cient Quantity. Mix and make a Draught  
to be taken every six Hours.

*Observations.*

This is ordered to attemper the hæctick Heat  
attendant in consumptive Cafes ; which it ef-  
fects, in an admirable Manner, by allaying the  
Acrimony of the Blood and Juices, and open-  
ing

ing the Obstructions that are the Cause of their irregular Circulation and increased feverish Motion.

*Pulvis Alterativus.*

℞ Ocul. Cancr. ppt. Chel. Cancr. ppt. Margarit. ppt. āā ℥j. m. f. Pulvis fumendus omni Mane & Nocte cum Lactis Asinin. lbs.

*The Alterative Powder.*

Take Crabs Eyes, Crabs Claws, and Pearl prepared, of each one Scruple. Mix and make a Powder to be taken every Night and Morning, with Half a Pint of Asses Milk.

*Observations.*

This is given in Coughs, Hecticks, and Consumptions, to prevent the Asses Milk from turning sour on the Stomach.

---

*Of the Diseases of the HEAD.*

*The Apoplexy.*

*Haustus Catharticus.*

℞ Spec. pro Elect. Caryocost. ℥ij. vel ʒj. Vini Alb. ʒj. m. f. Haustus primo Mane fumendus cum Regimine.

*The Cathartick Draught.*

Take Species for the Clove and Costus Electuary, two Scruples, or one Drachm: White Wine, two Ounces. Mix and make a Draught to be taken in the Morning early, with proper Regimen.

*Obfer-*

*Observations.*

This is a warm stimulating Cathartick, and therefore very proper in Apoplexies, Rheumatisms, and other Cases, where the Nerves are oppressed. It discharges viscid Matter from the excretory Ducts of the Glands, and frees the whole Habit from the Load of Humours that clog and obstruct the elastick Motion of the animal Fibres.

*Haustus Aloeticus.*

℞ Tinct. Sacræ Vinos. ℥jss. Sp. Lavend. comp. ℥j. m. f. Haustus Hora Somni sumendus.

*The Aloe Draught.*

Take Tincture of Hiera Picra, made with Wine, two Ounces and an Half: Compound Spirit of Lavender, one Drachm. Mix and make a Draught to be taken going to Rest.

*Observations.*

This in some Measure answers the Intention of the foregoing Cathartick Draught, but is not so violent in its Operation; for which Reason it is more proper for Persons of weaker Constitutions, who are unable to support the Vellications occasioned by the former.

*Haustus Cephalicus.*

℞ Aq. Ceras. Nigr. ℥jss. Pæon. comp. ℥fs. Sal. C. C. vol. gr. xv. Tinct. Castor. Russ. ℥j. Syr. è Cort. Aurant. q. s. m. f. Haustus sexta quaque Hora sumend.

*The*



*The Cephalick Draught.*

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Volatile Salt of Hartshorn, fifteen Grains: Tincture of *Russia* Castor, one Drachm: Syrup of Orange Peel, a sufficient Quantity. Mix and make a Draught to be taken every six Hours.

*Observations.*

This is good to attenuate the Viscidity of the Blood, and, after due Evacuations by Bleeding, Catharticks and Blisters, promotes a freer Circulation through the capillary Vessels of the Cerebellum. It warms and stimulates the Nerves, and often opens the Obstructions causing this dreadful Disease, if taken in Time, and assisted by proper external Stimulants.

*The P A L S Y.**Bolus Cephalicus.*

℞ Pulv. è Chel. Cancr. comp. ʒj. Castor. Ruff. pulv. Spec. Diamb. Rad. Serp. Virg. pulv. āā gr. vj. Conf. Alchem. q. i. m. f. Bolus sexta quaque Hora sumendus.

*The Cephalick Bolus.*

Take compound Powder of Crabs Claws, one Scruple: *Russia* Castor powdered, Species Diambra and *Virginia* Snake-root powdered, of each six Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken every six Hours.

*Obfer-*

*Observations.*

This is given in most nervous Cases, and is of Service in bringing to their due Tone the relaxed Fibres of the Stomach, and other Parts of the Body. It warms and invigorates the Blood and Spirits, and assists the tonick Motion of the Vessels, so as to enable them regularly to perform their several Functions.

*Bolus Stomachicus.*

℞ Spec. Diamb. ʒj. Pulv. Castor. Ruff. gr. v.  
Conf. Alchem. q. f. m. f. Bolus octava  
quaque Hora fumendus.

*The Stomach Bolus.*

Take Species Diambra, one Scruple : Powder of *Russia* Castor, five Grains : Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken every eight Hours.

*Observations.*

This is principally intended to comfort the Stomach, and retrieve its natural Warmth. It likewise revives and strengthens the decaying Sensations of the nervous Fibrillæ, in remote Parts of the Body.

*Gargarisma Paralyticum.*

℞ Sem. Sinap. ʒvj. Rad. Zedoar. ʒj. infunde  
in Aq. bullient. q. f. ad colatur. ʒxv. adde  
Aq. Mirabil. ʒij. Sp. Sal. Ammon. ʒj. m. f.  
Gargarisma frequenter utendum.

*The Paralytick Gargle.*

Take Mustard-Seeds, six Drachms : Zedoary Root, one Drachm ; infuse them in a sufficient

cient Quantity of boiling Water, to strain off fifteen Ounces; to which add Aq. Mirabilis, two Ounces: Spirit of Sal Ammoniac, one Drachm. Mix and make a Gargle to be used frequently.

*Observations.*

This is excellent in all Paralytick Cafes, when the Mouth and Tongue are affected, to restore the Nerves of those Parts to their proper Sensation and Action.

*Embrocationes Anodynæ.*

R Aq. Reg. Hung. ℥iv. Sp. Sal. Ammoniac. Lavend. comp. aa ℥iij. m. f. Embrocatio bis de Die utenda.

*Anodyne Embrocations.*

Take *Hungary* Water, four Ounces: Spirit of Sal Ammoniac, Lavender compound, of each three Drachms. Mix and make an Embrocation, to be used twice a Day.

R Aq. Hungar. ℥xij. Camphoræ ℥ss. Laud. Liquid. Sydenhami ℥iij. m. embrocantur Part. affect. bis in Die.

Take *Hungary* Water, twelve Ounces: Camphor, Half an Ounce: *Sydenham's* Liquid Laudanum, three Drachms. Mix them together, to embrocate the Parts affected, twice a Day.

*Observations.*

These are used to Paralytick Limbs, in Cafes of extreme Pain. They are anodyne, and promote Perspiration in the Parts to which they are used;

F

34 *Pharmacopœia Meadiana.*

used; and are likewise useful in other Pains proceeding from external Cold, when the Parts are benumbed from Bruises, the Rheumatism, &c. but are improper, when they proceed from the Gout.

*Tinctura Sinapin.*

℞ Sem. Sinap. ʒij. Rad. Gallang. Gentian. Sem. Cardamom. min. āā ʒj. infunde in Aq. bullientis ʒxij. colaturæ adde Aq. Absinth. mag. comp. ʒij. Sp. Lavend. comp. ʒvj. m. f. Tinctura capiat Cochlear. unum bis de Die.

*The Mustard Tincture.*

Take Mustard-seed, three Drachms: Galingal, Gentian Root, and Lesser Cardamoms, of each one Drachm; infuse them in twelve Ounces of boiling Water, and to the strained Liquor add Wormwood Water of the greater Composition, three Ounces: Compound Spirit of Lavender, six Drachms. Mix and make a Tincture. One Spoonful to be taken twice a Day.

*Observations.*

This is given as a Fortifier of the Stomach and nervous Fibres, and is of Service in the Dropsy and Ascites, to strengthen Digestion, and warm the Blood.

*Unguentum Paralyticum.*

℞ Ung. Nervin. ʒij. Ol. Vitriol. ʒij. Macis per Express. ʒj. m. f. Unguentum quocum illinantur Partes affectæ frigidè omni Nocte, cautè tegendo Panno laneo.

*The Palsy Ointment.*

Take Nerve Ointment, two Ounces: Oil of Vitriol, three Drachms: Mace by Expression, one Drachm. Mix and make an Ointment, to anoint the Parts affected cautiously every Night cold, covering them afterwards with Flannel.

*Observations.*

This is used to Paralytick and numbed Limbs with Caution, which it helps to their due Sense and Feeling; and will be found serviceable in the *Sciatica*. It is somewhat caustick in its Quality, and should therefore be made Use of in no Cases, but where the Sensations of the Nerves are greatly impaired.

*St. Vitus's Dance.*

*Electarium Chalybeatum.*

℞ Conf. Absinth. Rom. Cort. Aurant. āā ʒvj.  
Chel. Cancr. præp. ʒij. Chalyb. cum Sulph.  
ppt. Pulv. Ari comp. Spec. Diamb. āā ʒj.  
Syr. è Cort. Aurant. q. f. m. f. Electarium  
sumat Quantitatem Nucis Moschat. Mane  
& Hora quinta Pomeridiana cum Cochl. iv.  
Tincturæ Stomachic. sequentis.

*The Chalybeate Electuary.*

Take Conserve of *Roman* Wormwood and Orange Peel, of each six Drachms: Crabs Claws prepared, two Drachms: Steel prepared with Sulphur, compound Powder of Arum Root and Species Diambra, of each one Drachm: Syrup of Orange Peel, a sufficient

cient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken in the Morning, and at Five in the Afternoon, with four Spoonfuls of the following Stomach Tincture.

*Tinctura Stomachica Amara.*

℞ Infus. Amar. simp. ℥viiij. Aq. Absinth. mag. comp. Pæon. comp. aa ℥j. m. f. Tinctura.

*The Bitter Stomach Tincture.*

Take the simple bitter Infusion, eight Ounces: Wormwood Water of the greater Composition and compound Piony Water, of each one Ounce. Mix and make a Tincture.

*Observations.*

These are ordered to strengthen the Stomach and promote a good Digestion, on which the regular Performances of the other Functions of the Body in a great Measure depend.

*The EPILEPSY, VERTIGO, and  
TETANUS.*

*Haustus Cephalicus.*

℞ Aq. Ceraf. Nigr. ℥jss. Pæon. comp. ℥ss.  
Sp. C. C. gutt. xv. Tinct. Castor. Ruff.  
gutt. xv. Syr. è Cort. Aurant. ℥ij. m. f.  
Haustus ter de Die fumendus.

*The Cephalick Draught.*

Take Black Cherry Water, one Ounce and an  
Half;

Half: Compound Piony Water, Half an Ounce: Spirit of Hartshorn, fifteen Drops: Tincture of *Russia* Castor, fifteen Drops: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken thrice a Day.

*Observations.*

This is given in Epileptick Disorders, to remove the Obstructions, and give a brisker Circulation to the Blood and Spirits.

*Haustus Antiepilepticus.*

℞ Aq. Ceraf. Nigr. ℥jss. Pæon. c. ℥ss. Pulv. ad Guttetam, ℥j. Tinct. Castor. ℥j. Syr. Pæon. comp. q. f. m. f. Haustus sexta quaque Hora sumendus.

*The Antiepileptick Draught.*

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Powder against the Epilepsy, one Scruple: Tincture of Castor, one Drachm: Compound Syrup of Piony, a sufficient Quantity. Mix and make a Draught to be taken every six Hours.

*Observations.*

This is ordered in Spasmodick Disorders, and Rigors of the Nerves, to promote a more regular and copious Secretion of the nervous Fluid, whereby the Tetanus and irregular Vibration of the Nerves are to be relieved. It may be repeated every six or eight Hours, as the Symptoms require,

*Pilula*

*Pilulæ Cephalicæ.*

R Gum. Ammoniac. Galban. Castor. Ruff.  
 āā ʒj. Syr. Pæon. comp. q. f. m. f. Pilulæ  
 mediocr. sumat quatuor Mane & Hora Som-  
 ni cum Cochl. iv. Julep. Cephalici.

*The Cephalick Pills.*

Take Gum Ammoniac, Galbanum and *Ruffia*  
 Castor, of each one Drachm: Compound  
 Syrup of Pionies, a sufficient Quantity. Mix  
 and make Pills of a moderate bignefs. Four  
 to be taken in the Morning, and at going  
 to Rest, with four Spoonfuls of the Cepha-  
 lick Julep.

*Observations.*

These Pills are given in Pains of the Head,  
 Hysterick Cases, and nervous Disorders. They  
 consist of warm, penetrating, and inciding In-  
 gredients, capable of removing Obstructions,  
 and increasing the natural Heat.

*Mixtura Gummosa.*

R Lact. Ammoniac. Bat. ʒviij. sumat Cochl.  
 iij. urgente Spasmo vel Languore.

*The Gum Mixture.*

Take the Milk of Gum Ammoniac, eight  
 Ounces. Three Spoonfuls to be taken, when  
 troubled with Convulsions, or Faintness.

*Observations.*

This is a good Cephalick Medicine, and is  
 directed, in nervous Cases, to be taken at short  
 Intervals, to relieve the frequent Return of  
 Faintness, convulsive Motions, &c.

*Bolus*



*Bolus Nervosus.*

℞ Pulv. ad Guttet. ʒj. Castor. Russ. pulv.  
Spec. Diamb. āā gr. v. Syr. Pæon. c. q. f.  
m. f. Bolus Mane Nocteqe fumend. cum  
Julep. Cephalic.

*The Nervous Bolus.*

Take Powder against the Falling Sicknes, a  
Scruple: *Russia* Castor powdered, and Spe-  
cies Diambra, of each five Grains: Com-  
pound Syrup of Piony, a sufficient Quantity.  
Mix and make a Bolus, to be taken Night  
and Morning, with the Cephalick Julep.

*Observations.*

This is good in Epileptick Pains of the Head,  
Convulsions, and all nervous Disorders.

*Bolus Cephalicus.*

℞ Pulv. è Chel. Cancr. comp. ʒj. Rad. Valer.  
Sylv. p. Castor. Russ. pulv. āā gr. v. Conf.  
Alchem. q. f. m. f. Bolus Nocte ac Mane  
fumend.

*The Cephalick Bolus.*

Take compound Powder of Crabs Claws, a  
Scruple: Wild Valerian Root, and *Russia*  
Castor powdered, of each five Grains: Con-  
fection of Kermes, a sufficient Quantity. Mix  
and make a Bolus to be taken, Night and  
Morning.

*Observations.*

This answers much the same Intentions as  
the former, and is of Service in slow, remitting,  
nervous Fevers.

MADNESS.

## MADNESS.

*Bolus Gummos.*

℞ Troch. de Myrrh. ʒj. Syr. Croci q. f. m. f.  
Bolus fumat sexta quaque Hora cum Julep.  
Cephalic.

*The Gum Bolus.*

Take Troches of Myrrh, one Scruple : Syrup  
of Saffron, a sufficient Quantity. Mix and  
make a Bolus to be taken every six Hours,  
with the Cephalick Julep.

*Observations.*

This is effectual in a low melancholy State of  
Madness, in which the Tone of the Nerves is  
greatly relaxed; whether of the Hypochondriack  
Kind in Men, or the Hysterical in Women;  
being proper to open Obstructions in either Sex;  
but is more especially serviceable in promoting  
the uterine Discharges of Women, when this  
Disease is increased by Reason of their undue  
Retention.

*Pilule Aperitivæ.*

℞ Pil. Rud. Ruffi āā ʒj. m. f. Pilul. v. ter-  
tia quaque Nocte fumend. modò Alvus sit  
adstricta.

*Aperitive Pills.*

Take Pills Ruffi and Rudii, of each a Scru-  
ple. Mix and make five Pills to be taken  
every third Night, if costive.

*Observations.*

These are good Openers and Stomachicks,  
and are proper to discharge from the Stomach  
and

and Bowels any pituitous Matter lodged in the Plicæ of the same.

*Haustus Emeticus.*

R Pulv. Ipecacuan. ʒss. Aq. Alexit. simp. ʒjss.  
Oxymel Scillit. ʒss. m. f. Haustus Mane vel  
Vesperis sumendus cum Regimine.

*The Emetick Draught.*

Take Powder of Ipecacuanha, Half a Drachm :  
Alexiterial Milk Water, one Ounce and an  
Half: Oxymel of Squills, Half an Ounce.  
Mix and make a Draught to be taken either  
in the Morning or Evening.

*Observations.*

This is one of the best and safest Emeticks,  
frequent in common Practice, and is often re-  
peated in this Disease with a View as well to  
clear the Stomach of a noxious Colluvies, as,  
by the Shock given by its Operation to the  
whole vascular System, to open Obstructions  
in the Liver, Spleen, &c. and shake off from  
the Orifices of the Glands any viscid Matter  
disturbing the natural Secretions. It is adapted  
to Persons of a tender Constitution; Antimo-  
nial or other strong Emetick Medicines being  
most available for maniacal Patients of ro-  
bust Habits of Body.

---

*The QUINCY.*

*Gargarismat. Emollient.*

R Decoct. Pectoral. ʒxij. Syr. de Moris ʒj.  
Sp. Sal. Ammoniac ʒj. m. f. Gargarisma te-  
neat Cochl. iij. in Gutturæ sæpius calidè.

G

*Emol-*

*Emollient Gargles.*

Take Pectoral Decoction, Half a Pint: Syrup of Mulberries, one Ounce: Spirit of Sal Ammoniac, one Drachm. Mix and make a Gargle. Three Spoonfuls to be held in the Throat very often warm.

℞ Decoct. Pectoral. ℞fs. Mell. Rosat. ʒij.  
m. f. Gargarisma.

Take Pectoral Decoction, Half a Pint: Honey of Roses, two Ounces. Mix and make a Gargle.

*Observations.*

These are frequently ordered in Inflammations of the Tonfils, are useful to relax the internal Parts of the Mouth and Throat, and, after plentiful Bleeding, seldom fail to relieve their painful Constriction in this Disease. They mollify, suppurate, and deterge the tough Phlegm collected in the Glands; and, if the Swelling of the Parts be not far advanced, nor the Matter strongly impacted, will with the Assistance of Catharticks frequently discuss the same.

*Pulvis Uvularis.*

℞ Cort. Granator. Alum. Rup. Terr. Japonic. pulv. āā ʒfs. m. f. Pulvis. Aliquantulum Uvulæ applicetur, & subinde obluatur Gargarismate emolliente.

*The Powder for the Uvula.*

Take Pomegranate Peel, Roch Allum, and Japan Earth powdered, of each Half a Drachm. Mix and make a Powder to be applied

applied to the Uvula, washing it off now and then with the emollient Gargle.

*Observations.*

This is ordered in a Relaxation of the Uvula, to constringe its Fibres, and thereby enable it to resist the Defluxion of Rheum falling thereon. The Method of applying it is with a Uvula Spoon, and to suffer it to lie for a While on the Part affected. Proper Alteratives, such as *Pil. de Styrace*, *Tinct. Sacra*, &c. should be used at the same Time, to stay the Fluxion, and carry off the Redundancy of serous Humours.

---

*The Diseases of the BREAST.*

*The Asthma.*

*Linctus Expectorans.*

R Oxymel. Scillitic. Ol. Amygd. Dulc. Syr.  
Capill. Veneris āā ʒj. Sacchar. alb. q. f. m. f.  
Linctus fumat Cochlear. j. sæpè.

*The Expectorating Linctus.*

Take Oxymel of Squills, Oil of Almonds, and Syrup of Maidenhair, of each one Ounce: Loaf Sugar, a sufficient Quantity. Mix and make a Linctus. One Spoonful to be taken often.

*Observations.*

This is proper in Asthmas, to promote the Expectoration of thick Phlegm sticking in the Bronchia, and exciting a troublesome fatiguing

Cough, as it seconds the Efforts of Nature towards its Discharge. To prevent too great Irritation from the Oxymel, as well as lubricate the Passage of the Larynx, it will be convenient to take a Spoonful of the Linctus Pectoralis, alternately, with this.

*Mixtura Asthmatica.*

R Gum. Ammoniac. ʒj. solve in Aq. Ceraf. Nigr. ʒviij. Colaturæ sumat Coch. ij. urgente Oppressione.

*The Asthmatick Mixture.*

Take Gum Ammoniac, one Drachm: Dissolve it in eight Ounces of Black Charry Water. Two Spoonfuls of the strained Liquor to be taken, when the Patient is troubled with Oppression on the Breast.

*Observations.*

This is a known good Remedy for Oppression and Difficulty of Breathing, especially when proceeding from a nervous Cause.

*Mixtura Expectorans.*

R Oxymel. Scillit. Aq. Cinnam. Hord. āā ʒij. m. f. Mixtura. Sumat Cochlear. ij. urgente Dyspnœa.

*The Expectorating Mixture.*

Take Oxymel of Squills and Barley Cinnamon Water, of each two Ounces. Make a Mixture. Two Spoonfuls to be taken, when troubled with Difficulty of Breathing.

*Observations.*

This will assist in Dropsies and Cachexies, when

*Pharmacopœia Meadiana.* 43

when attended with an Asthma, and will take Place, when common Pectorals avail nothing. It is a good Expectorant and Diuretick.

*Pilule Solutive.*

℞ Pil. Ruffi ʒss. f. Pilul. v. sumend. h. f.

*Solutive Pills.*

Take Pill Ruffi, Half a Drachm. Make five Pills to be taken at going to Rest.

*Observations.*

These should be repeated once every two, three, or four Nights, as Occasion may require, to keep the Body soluble, which is absolutely necessary in this Disease.

---

*The Diseases of the HEART.*

*Guttule Cardiace.*

℞ Spir. Lavend. comp. Sal. Vol. Oleof. āā ʒss.  
m. sumat Guttas xxx. in Languoribus e  
quovis Vehiculo.

*The Cardiack Drops.*

Take compound Spirit of Lavender and the Oily Spirit of Volatile Salt, of each Half an Ounce. Mix them together. Thirty Drops to be taken, when faint, in any Liquor.

*Observations.*

These are given in Faintings and Swoonings, to accelerate the Motion of the Blood and Spirits. They warm and strengthen the Nerves, and by their Volatile Quality quickly revive the Motion of the Blood.

*Gut-*

*Pharmacopœia Meadiana.*

*Guttule Cephalicæ.*

℞ Spir. Sal. Volat. Oleof. Tinct. Cast. Ruff.  
aa ʒss. m. sumat Gutt. xx. vel xxx. in Lan-  
guoribus ex Haustu Julepi Cephalici.

*The Cephalick Drops.*

Take Oily Spirit of Volatile Salt and Tincture  
of *Russia* Castor, of each Half an Ounce.  
Mix them together. Twenty or thirty Drops  
to be taken, when faint, in a Draught of the  
Cephalick Julep.

*Observations.*

These answer much the same Intentions of  
the former, by promoting a freer Secretion of  
the Animal Spirits, and increasing the Tonick  
Motion of the Solids. They are likewise use-  
ful in Hyfterick Fits.

---

*The Diseases of the STOMACH and  
INTESTINES.*

*Bolus Anticolicus.*

℞ Phylon. Londinenf. ʒss. Pulv. è Chel.  
Cancr. comp. ʒj. Syr. Caryophil. q. f. m. f.  
Bolus Hora Somni fumendus, & Mane fe-  
quenti superbibat Haustum Catharticum se-  
quentem.

*The Anticolick Bolus.*

Take *London* Philonium, Half a Drachm:  
Compound Powder of Crabs Claws, a Scru-  
ple: Syrup of Clove Gilly-flowers, a suffi-  
cient Quantity. Mix and make into a Bo-  
lus



lus to be taken at going to Rest, and to take the following Cathartick Draught the next Morning.

*Haustus cum Rbæo.*

℞ Rad. Rhæi incisi ʒjss. Sem. Cardamom. min. ʒj. infunde in Aquæ bullientis q. f. ad colaturæ ʒijss. adde Aq. Mirabil. ʒfs. m. f. Haustus.

*The Draught with Rbubarb.*

Take Rhubarb Root sliced, one Drachm and an Half: Lesser Cardamoms, a Scruple. Infuse them in a sufficient Quantity of boiling Water, to strain off two Ounces and an Half; to which add Aqua Mirabilis, Half an Ounce. Mix and make a Draught.

*Observations.*

These are approved Remedies in Cholicks, to remove the Spasmodick Contraction of the Membranes, and carry off the Cause of the Disorder.

*Emplastrum Stomachicum.*

℞ Emp. Stomach. magistr. ʒij. Diachyl. cum Gum. Ol. Macis per Express. āā ʒj. Pulv. Cinnamom. Zinziber. Nucis Moschat. Caryoph. āā ʒfs. m. f. Emplastrum super Alutam extendendum.

*The Stomach Plaister.*

Take The magisterial Stomach Plaister, two Drachms: Diachylon with the Gums and Oil of Mace by Expression, of each one Drachm: Powder of Cinnamon, Ginger, Nutmegs, and Cloves, of each Half a Scruple.

48 *Pharmacopœia Meadiana.*

ple. Mix them together for a Plaister to be spread upon Leather.

*Observations.*

This warms and comforts the Nerves of the Stomach, and is serviceable in relieving Pains both of that Part and of the Breast.

*Guttule Carminativæ.*

℞ Tinct. Sem. Cardamom. ℥ij. Capiat Cochlearium minimum, urgente Ægitudine, Singultu, vel Dolore, ex Haustulo Vini vel Julepi Perlati.

*The Carminative Drops.*

Take Tincture of Cardamoms, two Ounces. A Tea Spoonful to be taken at any Time, when troubled with Sickness, Hiccough, or Pain, in a Draught of Wine, or Pearl Julep.

*Observations.*

This is given in Disorders proceeding from Flatulency, and is of Service in the Hiccough and Spasms of the Stomach; the latter of which it instantly removes, especially if taken in warm Water, or other warm Liquor.

*Guttule Stomachicæ.*

℞ Elix. Vitriol. Mynf. ℥j. Sumat Guttas xxx. Hora ante Prandium ex Haustu Aquæ Bristolienf. Vino commisti.

*The Stomachick Drops.*

Take *Mynsicht's* Elixir of Vitriol, one Ounce. Thirty Drops to be taken an Hour before Dinner in a Draught of *Bristol* Water and Wine mixed.

*Obser-*

*Observations.*

This is used as a powerful Strengtheners of the Stomach, especially in Relaxations of the same from hard Drinking. It braces its Fibres, and thereby promotes Digestion; and, in Cases where the Stomach is weak and very irritable, is taken to more Advantage in warm Water alone, in such Quantity as not to offend by its too great Acidity.

*Guttule Helmontii.*

℞ Elix. Proprietatis Helmont. ℥j. Sumat Guttas xxx. omni Mane ex Cochlear. iv. Tinct. Stomach. Amar. superbibendo ℥ss. Aq. Bathon. tepidè; vel capiat Cochlear. minimum cum Haustu Vini Albi.

*Helmont's Drops.*

Take *Helmont's* Elixir of Property, one Ounce. Thirty Drops to be taken every Morning in four Spoonfuls of the Bitter Stomach Tincture, drinking afterwards Half a Pint of warm *Bath* Water: Or a Tea Spoonful may be taken in a Glafs of White Wine.

*Observations.*

This is useful in the Cholick to assist Digestion, being a great Fortifier of the Fibres of the Stomach. It is likewise serviceable in the Chlorosis, and to destroy Worms in Children.

*Haustus Stomachicus.*

℞ Tinct. Sacræ sine Aloe ℥jss. Cardamom. Bat. ʒss. m. f. Haustus bis de Die sumendus.

H

The

*The Stomachick Draught.*

Take Tincture of Hiera Picra, made without Aloes, one Ounce and an Half: Bates's Tincture of Cardamoms, Half a Drachm. Mix and make a Draught to be taken twice a Day.

*Observations.*

This is a warm Stomachick, and given in Cholicks, Pains of the Stomach, Flatulencies, &c.

*Haustus Solutivus.*

℞ Confect. Cardiac. ʒss. Pulv. Rhæi gr. xv. Aq. Alexit. simp. ʒjss. Aq. Mirabil. ʒij. Syr. Croc. ʒij. m. f. Haustus omni Nocte fumend.

*The Solutive Draught.*

Take Cardiack Confection, Half a Drachm: Powder of Rhubarb, fifteen Grains: Simple Alexiterial Water, one Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, two Drachms. Mix and make a Draught to be taken every Night.

*Observations.*

This is ordered to keep the Body open in costive Habits, attended with constant Cholick Pains.

*Electarium Stomachicum.*

℞ Conf. Absinth. Rom. Flav. Cort. Aurant. āā ʒvj. Pulv. Ari comp. recent. ʒij. Chalyb. cum Sulph. ppt. ʒij. Zinziberis pulv. ʒj. Syr. e Cort. Aurant. q. f. m. f. Electarium. Capiat Quantitatem Nucis Moschatae majoris Mane & Hora quinta Pomeridiana superbibendo Aq. Pyrmont. ℥ss.

*The*

*The Stomachick Electuary.*

Take Conserve of *Roman Wormwood* and *Orange Peel*, of each six *Drachms*: *Compound Powder of Arum Root*, fresh made, three *Drachms*: *Steel prepared with Sulphur*, two *Drachms*: *Ginger powdered*, one *Drachm*: *Syrup of Orange Peel*, a sufficient Quantity. Mix and make an *Electuary*. The Quantity of a large *Nutmeg* to be taken in the *Morning*, and at *Five* in the *Afternoon*, drinking *Half a Pint of Pymont Water* after it.

*Observations.*

This is good to warm and invigorate the *Blood*, and strengthen the *Stomach*. It defends it against the *Attack* of any sharp, *scorbutic*, *gouty*, or other *Humour*, and, when assisted with gentle *Exercise on Horseback*, will in *Time* enable *Nature* to discharge them by the *Kidnies* and other *Emunctories* of the *Body*.

*Eleosaccharum Stomachicum.*

R *Ol. Ment. Chym.* *zj.* *Sumat Gutt.* *quinque vel sex cum Sacchar. pulv. urgente Singultu.*

*The Stomachick Eleosaccharum.*

Take *Chymical Oil of Mint*, two *Drachms*. *Five or six Drops* to be taken in *Powder Sugar*, when troubled with the *Hiccough*.

*Observations.*

These are ordered to appease that *Spasmodick Motion* of the *Stomach*, called the *Hiccough*, in *nervous Fevers*, *Paralytick Cases*, &c.

*Pilulæ Anodynæ Cathartic.*

R Extr. Ruidii ʒfs. Thebaic. gr. j. m. f. Pilul.  
quinque.

*The Anodyne Purging Pills.*

Take Extract. Ruidii, Half a Drachm: The-  
ban, one Grain. Mix and make five Pills.

*Observations.*

These are prescribed in the Cholick, to carry  
off the offending Pituita lodged in the Sto-  
mach and Colon, which, obstructing the Pas-  
sages, causes violent Pain. Catharticks are  
most advantageously administered for the above  
Purpose in this Form joined with an Opiate,  
to allay the Spasms of the Stomach and Intes-  
tines, and prevent the Rejection of them by  
Vomiting, as they abate the Vellication of the  
Fibres necessarily occasioned by their Operation.

*Pulvis ad Tormina.*

R Pulv. Rhæi optim. gr. v. Sem. Anisi gr. iij.  
m. f. Pulvis fumendus urgente Dolore è  
Cochlear. Syr. Violar.

*The Powder for the Gripes.*

Take Powder of the best Rhubarb, five Grains:  
Aniseeds, three Grains. Mix and make a  
Powder to be taken, when the Pain requires  
it, in a Spoonful of Syrup of Violets.

*Observations.*

This carries off the slimy Matter causing  
the Gripes in Children.

*Tinctura Aromatica.*

R Rad. Zedoar. Gallang. Cort. Aurant. Sem.

3

Carda-

Cardamom. min.  $\bar{a}a$   $\bar{z}j$ . infunde in Aq. bul-  
lientis q. f. ad colatur.  $\bar{z}viiij$ . adde Aq. Pæon.  
comp.  $\bar{z}vj$ . Sp. Lavend. comp.  $\bar{z}iiij$ . m. f.  
Tinctura. Capiat Cochlear. iv. Mane &  
Vesper.

*The Aromatick Tincture.*

Take Roots of Zedoary, Galingal, Orange  
Peel and Lesser Cardamoms, of each one  
Drachm. Infuse them in a sufficient Quan-  
tity of boiling Water, to strain off eight  
Ounces; to which add compound Piony  
Water, six Drachms: Spirit of Lavender,  
three Drachms. Mix and make a Tincture.  
Four Spoonfuls to be taken Morning and  
Evening.

*Observations.*

This warms, strengthens, and comforts the  
Fibres of the Stomach, promotes Digestion,  
and is therefore of Service in Cholicks, the  
Gout, &c.

*Boli Hemorrhoidales.*

℞ Lact Sulph. Chel. Cancr. præparat. Æ-  
thiop. min.  $\bar{a}a$  gr. xv. Conf. Alchem. q. f.  
m. f. Bolus.

*The Hemorrhoids.*

Take Milk of Sulphur, Crabs Claws prepared,  
and Æthiops Mineral, of each fifteen Grains:  
Confection of Kermes, a sufficient Quantity.  
Mix and make a Bolus.

℞ Elect. Diacass. cum Mann.  $\bar{z}ij$ . Lact, Sulph.  
 $\bar{z}fs$ . Syr. Violar. q. f. m. f. Bolus.

Take

Take Diacassia with Manna, two Drachms :  
Milk of Sulphur, Half a Drachm : Syrup  
of Violets, a sufficient Quantity. Mix and  
make a Bolus.

℞ Conf. Violar. ℥ij. Lact. Sulph. ℥j. Chel.  
Cancr. præp. ℥ss. Syr. Violar. q. f. m. f.  
Bolus.

Take Conserve of Violets, two Scruples: Milk  
of Sulphur, a Scruple: Crabs Claws pre-  
pared, Half a Scruple : Syrup of Violets, a  
sufficient Quantity. Mix and make a Bolus.

*Observations.*

These are given in the Hæmorrhoids or  
Piles, for which Purpose they are well adapted.  
They obtund the Sharpness of the Blood and  
Juices, and are good Alteratives.

*Electarium Sulphuratum.*

℞ Conf. Cynosbat. Flor. Aurant. āā ʒvj. Chel.  
& Ocul. Cancr. ppt. āā ʒj. Lact. Sulph. ʒij.  
Syr. è Cort. Aurant. q. f. m. f. Electarium  
sumat Quantitatem Nucis Moschat. bis de  
Die cum Julepo Perlat.

*The Sulphur Electuary.*

Take Conserve of Hips and Orange Flowers,  
of each six Drachms : Crabs Eyes and Claws  
prepared, of each a Drachm : Milk of Sul-  
phur, two Drachms : Syrup of Orange Peel,  
a sufficient Quantity. Mix and make an  
Electuary. The Quantity of a Nutmeg to  
be taken twice a Day with the Pearl Julep.

*Obfer-*



*Observations.*

This is a great Sweetener of the Juices, and destroys Acidities in the first Passages.

*Haustus ad Hemorrhoid.*

R Pulp. Cassiæ ʒij. Flor. Sulph. ʒss. Aq. Cerasif. nigr. ʒjss. m. f. Haustus H. S. omni Nocte sumend.

*The Draught for the Hemorrhoids.*

Take Pulp of Cassia, two Drachms : Flower of Brimstone, Half a Drachm : Black Cherry Water, one Ounce and an Half. Mix and make a Draught to be taken every Night going to Rest.

*Observations.*

This answers the Intention its Title expresses, is laxative and specifick in this Disease.

*Pulv. Sulphurat.*

R Ocul. Cancr. & Coral. rubr. præp. Lact. Sulph. ʒʒss. m. f. Pulv. fumendus Mane Nocteque.

*The Sulphur Powder.*

Take Crabs Eyes and Red Coral prepared, Milk of Sulphur, of each Half a Scruple. Mix and make a Powder to be taken Morning and Night.

*Observations.*

This is given as a Sweetener for the Piles.

*Unguentum Hemorrhoidale.*

R Ung. Populn. Alb. Camph. ʒʒj. Laudan. Liquid. ʒj. m. f. Unguentum Parti affectæ tepidè utendum.

*The*

*The Hemorrhoidal Ointment.*

Take Ointment of Poplar and White Ointment, of each one Ounce : Liquid Laudanum, a Drachm. Mix and make an Ointment to be used to the Part affected warm.

*Observations.*

This mitigates the Pain proceeding from the Piles, by mollifying and relaxing the great Tension of the Parts affected.

*A D I A R R H Œ A.**Boli Purgant. Anodyn.*

℞ Rhæi pulv. gr. xv. Diascord. S. M. ʒfs.  
Laud. Liquid. Sydenham. gutt. x. Syr. de  
Mecon. q. f. m. f. Bolus.

*Anodyne Purging Boluses.*

Take Rhubarb powdered, fifteen Grains : Diascordium without Honey, Half a Drachm : Sydenham's Liquid Laudanum, ten Drops : Diacodium, a sufficient Quantity. Mix and make a Bolus.

℞ Diascord. S. M. ʒij. Rhæi pulv. ʒj. Ol.  
Cinnam. gutt. j. Syr. de Mecon. q. f. m. f.  
Bolus.

Take Diascordium without Honey, two Scruples : Rhubarb powdered, a Scruple : Oil of Cinnamon, a Drop : Diacodium, a sufficient Quantity. Mix and make a Bolus.

*Obfer-*

*Observations.*

These are given in Fluxes with Griping, to carry off the offending Matter, and afterwards reſtringe the Bowels.

*Bolus ad Diarrhœam.*

℞ Conf. Roſ. rub. ʒſs. Terr. Japonic. pulv. Coral. rubr. ppt. āā gr. xij. Croc. Mart. Aſtring. gr. vj. Syr. è cond. Nuc. Moſchat. q. ſ. m. f. Bolus ſexta quaque Hora ſumendus.

*The Bolus for a Diarrhœa.*

Take Conſerve of Roſes, Half a Drachm: Japan Earth powdered, and Red Coral prepared, of each twelve Grains: Aſtringent Saffron of Mars, ſix Grains: Syrup of preſerved Nutmeg, a ſufficient Quantity. Mix and make into a Bolus to be taken every ſix Hours.

*Observations.*

This answers the Intention its Title expreſſes, qualifies the ſharp Humours in the Bowels, and conſtringes their Fibres.

*Apozema Cardiac. Reſtring.*

℞ Decoct. alb. lbij. Aq. Cinnam. fort. ʒij. Conf. Roſ. rubr. ʒj. cola & f. Apozema pro Potu ordinario.

*The Cardiac Reſtringent Apozem.*

Take the white Drink, a Quart: Strong Cinnamon Water, two Ounces: Conſerve of Roſes, an Ounce. Strain it and make an Apozem for common Drink.

I

*Obſer-*

*Observations.*

This is given for common Drink in Diarrhœas and all acute Cases inclining thereto, is soft and alkaline, and therefore proper to obtund Acidities predominant in the Stomach and Bowels.

*Hauftus Restringens.*

℞ Aq. Lact. Alexit. ℥jss. Cinnam. fort. ℥ss. Conf. Fracast. S. M. ʒj. Laud. Liquid. gutt. x. Sacch. alb. q. f. m. f. Hauftus fumendus H. S.

*The Restringent Draught.*

Take Alexiterial Milk Water, one Ounce and an Half: Strong Cinnamon Water, Half an Ounce: *Fracastorius's* Confection without Honey, one Drachm: Liquid Laudanum, ten Drops: White Sugar, a sufficient Quantity. Mix and make a Draught to be taken at going to Rest.

*Observations.*

This is useful in all Diarrhœas and Fluxes of the Belly.

*Hauftus cum Rbæo.*

℞ Pulv. Rhæi ʒj. Aq. Cinnam. ten. ℥ss. Syr. Cichor. cum Rhab. ʒij. m. f. Hauftus Mane fumendus.

*The Rhubarb Draught.*

Take Powder of Rhubarb, one Scruple: Small Cinnamon Water, Half an Ounce: Syrup of Succory with Rhubarb, two Drachms. Mix and make a Draught to be taken in the Morning.

*Obfer-*

*Observations.*

This is commonly given to Children against Purging and Gripes. The Dose to be varied according to the Age, Constitution, &c.

*Mixtura Restringens.*

℞ Aq. Lactis, Cinnam. ten. Pæon. comp. āā ʒj. Diafcord. S. M. ʒij. m. f. Mixtura fumat Cochl. iij. post singulas Dejectiones liquidas.

*The Restringent Mixture.*

Take Milk Water, Small Cinnamon and compound Piony Waters, of each one Ounce : Diafcordium without Honey, two Drachms : Make a Mixture. Three Spoonfuls to be taken after every loose Stool.

*Observations.*

This is given to restringe and strengthen the Bowels after due Evacuation with Rhubarb, &c.

---

*The BLOODY FLUX.*

*Bolus Catharticus.*

℞ Rhubarb. pulv. ʒj. Calomel ppt. ʒfs. Ol. Cinnam. gutt. j. Conf. Alcherm. q. s. m. f. Bolus primo Mane sumend.

*The Cathartick Bolus.*

Take Rhubarb powdered, a Scruple : Calomel prepared, Half a Scruple : Oil of Cinnamon, one Drop : Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken in the Morning early.

*Observations.*

This is of singular Service in a Dyfentery, Fluor Albus, and Gonorrhœa, and in the first-mentioned Disease dislodges the morbid Matter from the Orifices of the lacteal Vessels, which, till the same is removed, continues the Disorder, and eludes the Power of restringent Medicines.

*Bolus Specificus.*

℞ Conf. Ros. rubr. ℥j. Terr. Japon. pulv. Coral. rubr. ppt. āā gr. xij. Rad. Ipeccacocan. pulv. gr. v. Diacod. q. f. m. f. Bolus sumendus Mane Noctequ cum Decoct. Cardiac.

*The Specifick Bolus.*

Take Conserve of Red Roses, a Scruple: *Japan* Earth powdered, and Red Coral prepared, of each twelve Grains: Ipeccacanha Root powdered, five Grains: Diacodium, a sufficient Quantity. Mix and make a Bolus to be taken Night and Morning.

*Observations.*

There is not a better Remedy in obstinate Dyfenteries, &c. giving an Emetick of Ipeccacanha in a small Quantity at proper Intervals, and not admitting the Patient to drink above Half a Pint of Gruel or white Drink during the Operation.

*Electarium Restringens.*

℞ Diascord. S. M. Conf. Rosar. rubr. āā ℥ss.  
Terr. Japonic. pulv. Troch. de Carabe āā  
2 ℥jss.

ʒjss. Syr. Cydonior. q. s. m. f. Electarium  
sumat bis de Die Quantitatem Nucis Mos-  
chat. cum Haustu Julepi restringentis.

*The Restraining Electuary.*

Take Diascordium without Honey, and Con-  
serve of Roses, of each Half an Ounce: *Ja-  
pan* Earth powdered, and Troches of Am-  
ber, of each a Drachm and an Half: Syrup  
of Quinces, a sufficient Quantity. Mix and  
make into a Electuary. The Quantity of  
a Nutmeg to be taken twice a Day with a  
Draught of the restraining Julep.

*Observations.*

This is a proper Restraining to be used in  
the Bloody Flux, Diarrhœa, Fluor Albus, and  
immoderate Flux of the Menses, after proper  
Catharticks have discharged the morbid Col-  
luyies, and may be repeated oftener than here  
directed, if the Violence of the Disease should  
require it. In Cases where the Fibres are  
greatly relaxed, the Bolus Stypticus will be  
found a more effectual Restraining, and per-  
form the Cure with more Speed and Certainty.

*Enema Balsamicum.*

R Ol. Lini ʒiv. Bals. Locatell. solut. ʒss.  
Theriac. Andr. ʒij. Juscul. Gallinac. ʒiv.  
m. f. Enema.

*The Balsamick Clyster.*

Take Linseed Oil, four Ounces: *Lucatellus's*  
Balsam, Half an Ounce: *Venice* Treacle, two  
Drachms: Chicken Broth, four Ounces.  
Mix and make a Clyster.

*Obfer-*

*Observations.*

This is commonly ordered in Excoriations of the Bowels from the Bloody Flux, is anodyne and healing, and supplies the inner Surface of the Intestines with Matter somewhat similar to their natural Mucus, after the same has been abraded by the Acrimony of the Humours falling on them. It likewise defends them from painful Irritations occasioning a troublesome Tenesmus in this torturing Disease, and cements the Mouths of the Vessels from whence the Blood and Slime proceed.

*Enema Restringens.*

℞ Decoct. alb. ℥x. Theriac. Androm. vel Dia-  
scord. ℥ss. m. f. Enema.

*The Restringent Clyster.*

Take White Drink, ten Ounces: Venice Treacle  
or Diascordium, Half an Ounce. Mix and  
make a Clyster.

*Observations.*

This is a good strengthening, anodyne Restringent in Dysenteries and Diarrhœas. And, in Cases where the Bowels are reduced to a weak State by the Violence, or long Continuance of the Disease, this will more effectually corroborate their Fibres, correct the peccant Acrimony, and relieve the Pain, than any internal Medicine whatsoever, by Reason the Stomach, after being so much debilitated, relaxes and becomes unable, through the Flaccidity of its Fibres, to convey the same in proper Time and Quantity, to produce its desired Effects in the Intestines.

*The*



*The ILLIACK PASSION.*

*Apozema Catharticum.*

℞ Aq. Stretbam. ℔iv. coque ad ℔ij. adde Nucis Moschat. Macis, Sem. Cardam. min.  $\overline{aa}$  ʒss. in colatura solve Mannæ ʒjss. m. f. Apozema tepide bibendum.

*The Purging Apozem.*

Take *Stretbam* Water, two Quarts; boil away to one Quart: Add to it Nutmeg, Mace, and Lesser Cardamoms, of each Half a Drachm. Dissolve in the strained Liquor Manna, one Ounce and an Half. Make an Apozem to be drank warm.

*Observations.*

This will often move the Bowels in this Disease, after the strongest Catharticks have been administered without Effect, and powerfully scowers the Ureters, for which Reasons it is one of the most prevalent Purges in all nephritick Cases and Fits of the Stone. In most Cholicks no Medicine takes Place sooner, since, by gently relaxing the constipated Fibres of the Bowels, and gradually resolving the indurated Fæces which obstruct their Passage, it takes off the Pressure on their internal Coat, and thereby prevents the great Inflammation otherwise ensuing, which often terminates in a Mortification of the Part affected. In the Hysterick Cholick, nothing gives more immediate Relief, with an Opiate after it, for which Purpose see *The Anodyne Draught.* By its carminative Warmth

64 *Pharmacopœia Meadiana.*

Warmth it disperſeth the Hyſterick Flatus, diſtending the Plicæ of the Inteſtines, and without Irritation expels the acrid indigeſted Matter, which, by corrugating their Fibres, gives ſuch Pain and Diſturbance to the whole nervous System in Women of a ſlender Frame and irritable Conſtitution.

*Haufſus Anodynus.*

℞ Aq. Ceraf. nigr. Cinnam. ten. āā ʒj. Pæon. comp. ʒſs. Extract. Thebaic. gr. jſs. Sacchar. alb. q. ſ. m. f. Haufſus ſumat H. S.

*The Anodyne Draught.*

Take Black Cherry and Small Cinnamon Water, of each one Ounce : Compound Piony Water, Half an Ounce : *Theban* Extract, one Grain and an Half : Sugar, a ſufficient Quantity. Mix and make a Draught to be taken at going to Reſt.

*Observations.*

This is given as an Opiate in the Cholick after proper Evacuations, particularly in the Hyſterick Kind, to appeaſe the Spafms, and relieve the painful Irritations.

---

WORMS.

*Pulvis Cathartic.*

℞ Pulv. Comitiff. Warivicenſ. gr. xij. Calomel præp. gr. iv. m. f. Pulvis ſumendus primo Mane.

*The*

*The Purging Powder.*

Take the Countess of *Warwick's* Powder, twelve Grains: Calomel prepared, four Grains. Mix and make a Powder to be taken in the Morning early.

*Observations.*

This is given for the Worms in Children, and in Scrophulous Cases.

---

*The DROPSY.*

*Haustus Cathartici Hydropici.*

℞ Gutt. Gambog. ʒj. Sal Tartar. ʒss. Pulv. Zinziber. gr. v. Vin. alb. ʒij. Syr. de Rhamn. ʒss. m. f. Haustus Mane sumendus.

*Cathartick Draughts for the Dropsy.*

Take Gamboge, a Scruple: Salt of Tartar, Half a Scruple: Powdered Ginger, five Grains: White Wine, two Ounces: Syrup of Buckthorn, Half an Ounce. Mix and make a Draught to be taken in the Morning.

℞ Pulv. Jalap. ʒss. Sal Tartar. ʒss. Zinziberis pulv. gr. v. Syr. de Rhamn. ʒvj. Vin. alb. ʒij. m. f. Haustus.

Take Powder of Jalap, Half a Drachm: Salt of Tartar, Half a Scruple: Powder of Ginger, five Grains: Syrup of Buckthorn, six Drachms: White Wine, two Ounces. Mix and make a Draught.

K

*Obfer-*

*Observations.*

There are no better Purges in Hydropical Cafes; but the Patient should be well supplied with Mutton Broth, their Operation being very quick and rough.

*Tinctura Amara Chalybeata.*

℞ Summit. Absinth. Rom. ziiij. Rad. Gentian. Zedoar. Sem. Cardamom. min. āā zj. infunde frigidè in Aq. Lact. Alex. ℥xij. colaturæ adde Aq. Absinth. mag. comp. ℥iv. Vin. Chalyb. ℔ss. m. f. Tinctura sumat Cochlear. vj. Mane & Vesperi superbibendo Haustum Aquæ Spadanæ.

*The Bitter Chalybeate Tincture.*

Take the Tops of *Roman Wormwood*, three Drachms: Roots of *Gentian*, *Zedoary*, and *Lesser Cardamoms*, of each a Drachm. Infuse them cold in twelve Ounces of *Alexiterial Milk Water*. To the strained Liquor add *Wormwood Water* of the greater Composition, four Ounces: *Chalybeate Wine*, Half a Pint. Mix and make a Tincture. Six Spoonfuls to be taken Morning and Evening, drinking Half a Pint of *Spaw Water* afterwards.

*Observations.*

This is a good strengthening Bitter, and will, by increasing the Motion of the Blood, and warming the nervous Fibres, revive the natural Heat in leucophlegmatick dropical Habits attended with bad Digestion and swelled Legs.

*Tinctura*

*Tinctura Stomachica.*

℞ Sem. Sinap. ʒiij. Rad. Gallang. Gentian.  
Zedoar. Sem. Cardam. min. āā ʒj. infunde  
in Aq. bullientis ʒxij. colaturæ adde Aq.  
Absinth. mag. comp. ʒiij. Sp. Lavend.  
comp. ʒvj. m. f. Tinctura. Capiat Cochlear.  
unum bis in Die.

*The Stomachick Tincture.*

Take Mustard-seeds, three Drachms: Galin-  
gal and Gentian Roots, Zedoary and Lesser  
Cardamoms, of each a Drachm. Infuse them  
in twelve Ounces of boiling Water. To the  
strained Liquor add Wormwood Water of  
the greater Composition, three Ounces: Spi-  
rit of Lavender compound, six Drachms.  
Mix and make a Tincture. One Spoonful  
to be taken twice a Day.

*Observations.*

This is given, as a Fortifier of the Stomach  
and nervous Fibres, in the Ascites and Dropsy.

---

*The Diseases of the L I V E R.*

*The Jaundice.*

*Electarium Digestivum.*

℞ Conf. flaved. Aurant. Absinth. Rom. āā ʒvj.  
Spec. Diamb. Sal. Absinth. āā ʒj. Chalyb.  
cum Sulph. præp. ʒij. Syr. è Cort. Citri q. f.  
m. f. Electarium. Sumat Quantitatem Nu-  
cis Moschatae bis in Die superbibendo Hauf-  
tum Aq. Bathon. tepefact.

K 2

*The*

*The Digestive Eleſtuary.*

Take Conſerve of Orange Peel, and *Roman* Wormwood, of each fix Drachms : Species Diambra and Salt of Wormwood, of each a Drachm : Steel prepared with Sulphur, two Drachms : Syrup of Citron Peel, a ſufficient Quantity. Mix and make an Eleſtuary. The Quantity of a Nutmeg to be taken twice a Day, drinking a Draught of *Bath* Water warm after it.

*Observations.*

This is beneficial in the Jaundice, to remove the Obſtructions in the Liver, and amend the ſeveral Digestions of the Body. It ſhould not be taken till the biliary Duct has been ſufficiently opened and deterged by the Uſe of ſaponaceous Medicines and gentle Catharticks, leſt the premature Adminiſtration of ſo ponderous a Remedy in the Beginning of this Diſeaſe, before the Plethora in the Liver ariſing from the Stagnation of the Bile is removed, ſhould occaſion a Rupture in the ſmall Veſſels of that tender Viſcus, and bring on a Dropſy, or render the Patient tabid and leucophlegmatick.

Vide Hauſt. cum Milleped.

See the Draught with Woodlice,

*The*

*The DIABETES.*

*Pilule Aluminosæ.*

℞ Pulv. Terr. Japonic. Gum. Arabic. Sang.  
Dracon. Alumin. Rup. āā ʒss. Tereb. è  
Chio q. f. m. f. Pilul. mediocres. Sumat  
iv. Mane & Vesperi cum Aq. Bristolienf.  
& Vino rubr. pro Potu.

*Aluminous Pills.*

Take Powder of *Japan Earth*, Gum Arabic,  
Dragon's Blood, and Roch Allum, of each  
Half a Drachm: *Chio Turpentine*, a suffi-  
cient Quantity. Mix and make moderate-  
sized Pills, Four to be taken Morning and  
Evening, with *Bristol Water* and Red Wine  
for common Drink.

℞ Alum. Rup. pulv. ʒiij. liquefacto in Cochle-  
ario ferreo adde S. A. Sanguin. Dracon. ʒj.  
Mucilag. Gum. Tragacanth. q. f. f. Pilul.  
mediocres sumat ut præcedent.

Take Roch Allum powdered, three Drachms,  
when melted in an Iron Spoon, add to it, ac-  
cording to Art, Dragon's Blood, a Drachm:  
Mucilage of Gum Tragacanth, a sufficient  
Quantity. Mix and make it into moderate-  
sized Pills to be taken as the foregoing.

*Observations.*

These are strong Stypticks, and are endowed  
with the Power of strengthening the fibrous  
Parts of the Blood, and restraining the great  
lymphatick Drain in this Disease. They are  
like-

likewise good, if discreetly administered, in old Gleets, the Fluor Albus, immoderate Flux of the Menfes, and in short most Diseases that are the Effects of too great Relaxation.

---

*The Diseases of the KIDNIES and  
BLADDER.*

*Bolus Diureticus.*

R Conf. Fl. Malvæ ʒfs. Sal. Prunel. ʒj. Opo-  
bals. gr. x. Syr. Balsamic. q. f. m. f. Bolus  
fumendus Mane & Sero cum Julepo Nephrit.  
Perlato.

*The Diuretick Bolus.*

Take Conserve of Mallow Flowers, Half a  
Drachm : Salt of Prunel, a Scruple : Balm  
of *Gilead*, ten Grains : Balsamick Syrup, a  
sufficient Quantity. Mix and make a Bolus  
to be taken Night and Morning with the  
Nephritick Pearl Julep.

*Observations.*

This is balsamick and diuretick, heals Ex-  
coriations on the Neck of the Bladder, cleanses  
the Passages, and promotes Urine.

*Enema Terebintbinat.*

R Decoct. com. pro Clyst. ʒx. Syr. Violar.  
Mel. Mercur. aa ʒj. Terebinth. Venet. Vi-  
tello Ovi solut. ʒfs. Sal. Gem. ʒij. m. f.  
Enema tepidè injiciendum.

*The Turpentine Clyster.*

Take common Decoction for Clysters, ten  
Ounces :



*Pharmacopœia Meadiana.* 71

Ounces: Syrup of Violets and Honey of Mercury, of each an Ounce: *Venice Turpentine*, dissolved in the Yolk of an Egg, Half an Ounce: Pit Salt, two Drachms. Mix and make a Clyster to be injected warm.

*Observations.*

This is generally made Use of in such cholic Pains as proceed from the Stone and Gravel. By its Warmth and diuretick Quality it answers the Intention of a Fomentation to the Bladder and urinary Passages, relaxes their Coats, and promotes the Descent of Gravel and mucous Matter causing Obstruction and Pain, and at the same Time empties the Bowels, so as to give Room for the proper Dilatation of the Ureters, to discharge the Cause of the Disease.

*Emulsio Nephritica.*

℞ Amygd. dulc. decort. No. xx. contusis affunde Aq. Hordeat. ℔ij. Gum Arabic. solut. ʒss. adde Aq. Cinnam. ten. ʒj. Sacchar. alb. q. s. m. f. Emulsio de qua bibat Haustum tepidè frequenter.

*The Nephritick Emulsion.*

Take sweet Almonds blanched, No. xx. bruise and pour on them Barley Water, a Quart: Gum Arabic dissolved, Half an Ounce; add to them small Cinnamon Water, an Ounce: Sugar, a sufficient Quantity. Mix and make an Emulsion. A Draught of which is to be drank often warm.

*Obser-*

*Observations.*

This is cooling and demulcent, and is frequently used against Heat of Urine, Strangury, &c.

*Haustus cum Balsam. Copaiva.*

℞ Bals. Copaiv. solut. ʒss. Aq. Ceraf. nigr. ʒij. Pæon. comp. ʒss. Syr. Limon. ʒij. m. f. Haustus sumendus Mane & Vesperi.

*The Draught with Balsam Capivi.*

Take Balsam Capivi dissolved, Half a Drachm: Black Cherry Water, two Ounces: Compound Piony Water, Half an Ounce: Syrup of Lemons, three Drachms. Mix and make a Draught to be taken Morning and Evening.

*Observations.*

This is a good Balsamick, and answers as a Diuretick.

*Haustus Diuretici.*

℞ Aq. Ceraf. nigr. ʒj. Aq. Nephritic. ʒvj. Sp. Nitr. dulc. gutt. xx. Syr. ex Althæa ʒss. m. f. Haustus.

*Diuretick Draughts.*

Take Black Cherry Water, one Ounce: Nephritic Water, six Drachms: Sweet Spirit of Nitre, twenty Drops: Syrup of Marshmallows, Half an Ounce. Mix and make a Draught.

℞ Aq. Nephritic. ʒjss. Ocul. Cancr. præp. ʒj. Sal. Prunel. ʒss. Syr. ex Althæa ʒss. m. f. Haustus omni Nocte sumend.

Take

Take Nephritick Water, one Ounce and an Half: Crabs Eyes prepared, a Scruple: Salt Prunella, Half a Scruple: Syrup of Marshmallows, Half an Ounce. Mix and make a Draught to be taken every Night.

*Observations.*

These are given in Nephritick Cases, and are good to correct the Heat and Acrimony of the Humours, and gently promote their Discharge by *Diurests*.

*Mixtura Nephritica.*

R Gum. Arabic. ℥j. solve in Aq. Hord. ℥xij. adde Aq. Cinnam. ten. Syr. ex Althæa āā ℥ij. m. f. Mixtura bibat Hauftulum frequenter.

*The Nephritick Mixture.*

Take Gum Arabic, one Ounce; dissolve it in Barley Water, twelve Ounces: Add small Cinnamon Water and Syrup of Marshmallows, of each two Ounces. Make a Mixture. A Draught to be taken often.

*Observations.*

This is given in the Gravel to relax the urinary Passages, and relieve the Suppression of Urine.

*Pilulæ Nephriticæ.*

R Spec. Diatragacanth. frigid. Test. Ostrear. præp. Ocul. Cancr. præp. āā ℥j. Tereb. è Chio q. s. m. f. Pilul. mediocr. sumat quatuor

L

74 *Pharmacopœia Meadiana.*

tuor Mane ac Vesperī cum Hauſtu Aq.  
Spadan.

*The Nephritick Pills.*

Take cooling Species of Gum Tragacanth,  
Oyſter Shells and Crabs Eyes prepared, of  
each a Drachm: *Chio* Turpentine, a ſuffi-  
cient Quantity. Mix and make moderate-  
ſized Pills. Four to be taken Morning and  
Evening with a Draught of *Spaw* Water.

*Observations.*

Theſe are ſerviceable in the Stone and Gra-  
vel, to heal, deterge, and ſtrengthen the urinary  
Paſſages.

*Pilul. Anodynæ Nephritic.*

℞ Pilul. Pacific. Starkæi gr. viij. f. Pilul. ij.  
ſumat H. S. poſt Enema Terebinthinat.

*The Anodyne Nephritick Pills.*

Take *Starkey's* Pacifiſick Pill, eight Grains.  
Make into two Pills to be taken going to  
Reſt after the Turpentine-Clyſter.

*Observations.*

Theſe are given in Caſes of extreme Pain  
from Diſorders in the Bladder and Kidnies.

*Pulvis Nephriticus.*

℞ Teſt. Ovor. Ocul. & Chel. Cancror. præp.  
āā ʒſs. m. f. Pulvis ter de Die ſumendus  
cum Julepo Nephritic. Perlato.

*The Nephritick Powder.*

Take Egg Shells prepared, Crabs Eyes and  
Claws prepared, of each Half a Scruple.  
1 Mix

*Pharmacopœia Meadiana.* 75

Mix and make a Powder to be taken three Times a Day with the Nephritick Pearl Julep.

*Observations.*

This is a good alkaline Absorbent and Sweetener.

Vide Haustus cum Milleped.

See the Draught with Woodlice.

---

*The Diseases of the EYES.*

*Lotiones Albæ.*

℞ Aq. Plantag. ℥viij. Troch. alb. Rhaf. ℥ij.  
Vitriol. alb. gr. vj. m. f. Collyrium Mane  
utendum.

*White Lotions.*

Take Plantain Water, eight Ounces: White Troches of Rhafes, two Drachms: White Vitriol, six Grains. Mix and make a Collyrium to be used in the Morning.

℞ Aq. Plantag. ℥viij. Troch. alb. Rhaf. ℥ij.  
m. f. Collyrium.

Take Plantain Water, eight Ounces: White Troches of Rhafes, two Drachms. Mix and make a Collyrium.

*Lotio Vitriolata.*

℞ Aq. Rosar. Dam. Plantagin. āā ℥iv. Vi-  
triol. alb. ℥ss. m. f. Collyrium.

L 2

The

701

*The Vitriolated Lotion.*

Take Damask Rose Water and Plantain Water, of each four Ounces: White Vitriol, Half a Drachm. Mix and make a Collyrium.

*Observations.*

These are respectively serviceable in Inflammations, and watery saline Defluxions on the Eyes.

*The GOUT.**Bolus Stomachicus.*

℞ Pulv. è Chel. Cancror. comp. ℥ss. Rhæi, Serp. Virg. pulv. āā gr. vj. Croci, Spec. Diamb. āā gr. iij. Syr. Croci q. f. m. f. Bolus ter de Die sumendus cum Julepo Cardiac.

*The Stomachick Bolus.*

Take compound Powder of Crabs Claws, Half a Scruple: Rhubarb and Snake-root powdered, of each six Grains: Saffron and Species Diambra, of each three Grains: Syrup of Saffron, a sufficient Quantity. Mix and make a Bolus to be taken three Times a Day with the Cardiac Julep.

*Observations.*

This is excellent in the Gout, when the Head or Stomach are attacked. It increases the oscillatory Motion of the Vessels, warms the Blood, and will enable Nature, where the Fibres have  
not

not quite lost their Tone, to disperse the mor-  
bifick Matter, and circulate the same with the  
Blood, till it is exterminated by Perspiration, or  
produces a regular Fit in the extreme Parts.  
It is likewise proper in low depressed Fevers,  
where warm Medicines are required, and like-  
wise in Cholicks, and Pains at the Stomach.

*Haustus Aperitivi.*

℞ Elix. Salutis ℥jss ad ℥ij.

*Aperitive Draughts.*

Take Elixir Salutis, from an Ounce and an  
Half to two Ounces.

℞ Tinct. Sacr. cum Spirit. Vin. Gallic. ppt.  
℥ij. Sp. Lavend. comp. ℥ss. m. f. Haustus  
H. S. fumendus.

Take Tincture of Hiera Picra prepared, with  
*French* Brandy, three Ounces: Compound  
Spirit of Lavender, Half a Drachm. Mix  
and make a Draught to be taken going to  
Rest.

*Observations.*

These are often and justly prescribed in the  
Gout of the Head or Stomach, in cholick Pains  
of the Stomach, and in Paralytick Cases.

*Haustus Purgans.*

℞ Tinct. Sen. ℥ij. Syr. de Spina Cerv. ℥ss.  
m. f. Potio fumend. Mane.

*The Purging Draught.*

Take Tincture of Sena, two Ounces: Syrup  
of Buckthorn, Half an Ounce. Mix and  
make a Potion to be taken in the Morning.

*Obser-*

*Observations.*

This is ordered in an inveterate Gout, when it attacks the Stomach, and is attended with obstinate Costiveness, with the following anodyne Draught to be taken at Night after its Operation.

*Haustus Anodyn.*

R Philon. Rom. ℥j. Aq. Cinnam. simpl. Nuc. Moschat. āā ʒvj. Syr. Croci ʒj. m. f. Haustus fumendus H. S.

*The Anodyne Draught.*

Take Roman Philonium, a Scruple: Simple Cinnamon Water and Nutmeg Water, of each six Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken going to Rest.

*Haustus Calidi.*

R Conf. Cardiac. ℥j. Piper. long. Zinziber. pulv. āā gr. xv. Aq. Alexit. simp. ʒij. Nuc. Mosch. ʒss. Syr. Croc. ʒj. m. f. Haustus sexta vel octava quaque Hora fumend.

*Warm Draughts.*

Take Cardiac Confection, a Scruple: Long Pepper and Ginger powdered, of each fifteen Grains: Simple Alexiterial Water, two Ounces: Nutmeg Water, Half an Ounce: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken every six or eight Hours.

R Confect. Cardiac. Rad. Serp. Virg. pulv. āā ℥j. Aq. Alex. simp. ʒij. Aq. Mirab. ʒij. Syr. e Cort. Aurant. ʒj. m. f. Haustus.

Take



Take Cardiac Confection and Snake-root powdered, of each a Scruple : Simple Alexiterial Water, two Ounces : Aqua Mirabilis, three Drachms: Syrup of Orange Peel, a Drachm. Mix and make a Draught.

*Observations.*

These are ordered for the Gout in the Stomach, when in a great Degree, with great Success.

*Haustus Cordialis.*

R Conf. Cardiac. ʒss. Aq. Ment. Pip. simp. ʒjss. Tinct. Serpentar. Syr. è Cort. Aurant. aa ʒj. m. f. Haustus sexta quaque Hora sumend.

*The Cordial Draught.*

Take Cardiac Confection, Half a Drachm : Simple Pepper Mint Water, one Ounce and an Half : Tincture of Snake-root and Syrup of Oranges, of each a Drachm. Mix and make a Draught to be taken every six Hours.

*Observations.*

This is ordered for the Gout in the Stomach, upon a Remission of the Pain, after warmer Remedies have been administered.

*Haustus Solutivus.*

R Aq. Alex. simp. ʒjss. Nuc. Mosch. ʒss. Conf. Raleigh. ʒss. Tinct. Rhabarb. Vinof. ʒijj. m. f. Haust. sumendus Hora Somni omni Nocte.

*The*

*The Solutive Draught.*

Take simple Alexiterial Water, an Ounce and an Half: Nutmeg Water, Half an Ounce: *Rawleighb's* Confection, Half a Drachm: Tincture of Rhubarb made with Wine, three Drachms. Mix and make a Draught to be taken every Night going to Rest.

*Observations.*

This is useful in the Gout, to keep the Body soluble.

*Haust. Rhabarbarin.*

℞ Tinct. Rhabarb. Vinof. ℥jss. f. Haustus sumendus tertia quaque Nocte.

*The Rhubarb Draught.*

Take Tincture of Rhubarb made with Wine, an Ounce and an Half. Make a Draught to be taken every third Night.

*Observations.*

This is ordered in the Decline of the gouty Fit, when the Patient is troubled with pertinacious Costiveness.

*Haustus Amarus.*

℞ Rad. Gentian. Zedoar. Flaved. Cort. Aurant. Sem. Cardam. min. āā ℥ij. infunde frigide in Aq. Alex. simp. ℥jss. Nuc. Mosch. ℥ss. Vin. Chalybeat. ℥iv. f. Tinctura.

℞ Tincturæ hujus colat. ℥ij. Elixir Vitriol. Mynf. gutt. xij. m. f. Haustus sumendus Hora undecima Matutina & quinta Pomeridiana.

*The*

*The Bitter Draught.*

Take Roots of Gentian, Zedoary, Orange Peel, and Lesser Cardamoms, of each two Drachms; infuse them cold in simple Alexiterial Water, a Pint and an Half: Nutmeg Water, Half a Pint: Chalybeate Wine, four Ounces. Make a Tincture.

Take of the above Tincture strained, two Ounces: *Mynsicht's* Elixir of Vitriol, twelve Drops. Mix and make a Draught to be taken at Eleven in the Morning, and at Five in the Afternoon.

*Observations.*

This is given to strengthen the Stomach, and help Digestion, after long Fits of the Gout.

*Haustus Cardiaci.*

R Conf. Cardiac. Pulv. Bezoard.  $\bar{a}\bar{a}$   $\text{ʒj}$ . Aq. Alex. simp.  $\text{ʒij}$ . Aq. Mirabil.  $\text{ʒij}$ . Syr. Croc.  $\text{ʒj}$ . m. f. Haustus sumendus octava quaque Hora.

*The Cardiac Draughts.*

Take Cardiac Confection and Bezoardic Powder, of each a Scruple: Simple Alexiterial Water, two Ounces: Aqua Mirabilis, three Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken every eight Hours.

R Conf. Raleigh. Pulv. Bezoard.  $\bar{a}\bar{a}$  gr. xv. Aq. Alex. simp.  $\text{ʒjss}$ . Aq. Mirabil.  $\text{ʒij}$ . Syr. Croc.  $\text{ʒj}$ . m. f. Haustus.

M

Take

Take *Rawleigh's* Confection and Bezoardic Powder, of each fifteen Grains: Simple Alexiterial Water, an Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught.

R Succ. Limon. ʒvj. Sal. Absinth. ʒfs. Aq. Cinnam. simp. ʒj. Sp. Lavend. comp. ʒj. Sacchar. alb. ʒj. m. f. Haust. sexta quaque Hora fumendus.

Take Juice of Lemons, six Drachms: Salt of Wormwood, Half a Drachm: Simple Cinnamon Water, one Ounce: Compound Spirit of Lavender, a Drachm: Loaf Sugar, a Scruple. Mix and make a Draught to be taken every six Hours.

R Pulv. Contray. comp. ʒj. Succ. Limon. ʒvj. Sal. Absinth. ʒfs. Aq. Alexiter. & Cinnam. simp. āā ʒvj. Sp. Lavend. comp. Syr. è Cort. Aurant. āā ʒj. m. f. Haustus sexta quaque Hora fumend.

Take compound Powder of Contrayerva, a Scruple: Juice of Lemons, six Drachms: Salt of Wormwood, Half a Drachm: Simple Alexiterial and Cinnamon Water, of each six Drachms: Compound Spirit of Lavender and Syrup of Orange Peel, of each a Drachm. Mix and make a Draught to be taken every six Hours.

*Observations.*

These are ordered with Success in gouty Fevers, arising from an Inability in Nature, to throw

throw off the Relicks of the gouty Matter, after severe Fits of that Disease.

*Tinctura Diambrae.*

℞ Spec. Diambra. S. O. ʒiij. Vin. alb. ℔ss.  
f. Tinctura fumat Cochlear. iij. in Rigore  
vel Singultu.

*Tincture of Diambra.*

Take Species Diambra, made without the Scents, three Drachms: White Wine, Half a Pint. Make a Tincture. Three Spoonfuls to be taken, when troubled with Hiccough or Chilliness.

*Observations.*

This is excellent to dispel Wind and warm the Stomach, when the Gout affects that Part.

*Tinctura Stomachica Calida.*

℞ Rad. Serpent. Virg. Zedoar. Gallang. Sem. Cardamom. min. āā ʒj. infunde in Aq. bul-  
lantis q. s. ad colatur. ʒviij. adde Aq. Ab-  
sinth. mag. comp. Pæon. comp. āā ʒjss.  
m. f. Tinctura fumat Cochlear. iv. sexta qua-  
que Hora.

*The Warm Stomach Tincture.*

Take Snake-root, Zedoary, Galingal-roots and Lesser Cardamoms, of each a Drachm. Infuse them in a sufficient Quantity of Water, to strain off eight Ounces; to which add Wormwood Water of the greater Composition and compound Piony Water, of each an Ounce and an Half. Mix and make a

M 2 Tinc-

84 *Pharmacopœia Meadiana.*

Tincture. Four Spoonfuls to be taken every six Hours.

*Observations.*

This is ordered for the Gout in the Stomach, with the Tincture of Hiera Picra, prepared with Wine, at proper Intervals, with Success.

*Tinctura Aromatica.*

R Tinct. Aromatic. Cardamom.  $\bar{a}\bar{a}$   $\bar{z}$ j. m. sumat Guttas L. urgente Ægritudine ex Haustulo Aq. Bathon. tepesact.

Bibat eandem tepesact. cum Vino pro Potu.

*The Aromatick Tincture.*

Take Tincture Aromatic and Tincture of Cardamoms, of each an Ounce. Mix them together. Fifty Drops to be taken, when sick, in a Draught of Bath Water warmed.

Bath Water warmed, with Wine, to be drank for common Drink.

*Observations.*

These are ordered in the Gout, attended with great Oppression, Sicknes, and Wind, at the Stomach.

*Tinctura Amara Chalybeata.*

R Rad. Zedoar. Gentian. Flaved. Cort. Aurant. Sem. Cardamom. min.  $\bar{a}\bar{a}$   $\bar{z}$ ij. infunde frigide in Aq. Alexit. simp. lbjss. Flor. Chamæm.  $\bar{z}$ vj. Vin. Chalybeat.  $\bar{z}$ iv. m. f. Tinctura. Colaturæ bibat Cochl. iv. Hora undecima Matutina & quinta Pomeridiana.

*The*

*The Bitter Chalybeate Tincture.*

Take Roots of Zedoary, Gentian, Orange Peel, and Lesser Cardamoms, of each two Drachms. Make a cold Infusion in simple Alexiterial Water, a Pint and an Half: Chamomile Flower Water, six Ounces: Chalybeate Wine, four Ounces. Mix and make a Tincture. Four Spoonfuls to be drank at Eleven in the Morning, and at Five in the Afternoon.

*Observations.*

This is ordered after the Pain from the Gout in the Stomach and Fever are gone off, to restore the Tone of the Stomach, and procure a good Appetite and Digestion.

*Mixtura Stomachica.*

R Conf. Cardiac. ʒij. Aq. Ment. Pip. simp. Aq. Mirabil. āā ʒiv. f. Mixtura. Sumat Cochl. iij. urgente Flatulentia aut Ægritudine.

*The Stomach Mixture.*

Take Cardiac Confection, two Drachms: Simple Pepper Mint Water and Aqua Mirabilis, of each four Ounces. Make a Mixture. Three Spoonfuls to be taken at any Time, when troubled with Flatulency or Sickness.

*Observations.*

This is ordered to be taken at Pleasure in the Gout, attended with Crudities at the Stomach.

*Pains*

*Pains in the JOINTS.*

*Guttulæ Balsamicæ.*

℞ Balf. Sulph. Terebinthinat. ℥j. fumat gutt.  
xx. Mane & Vesperi ex Cochl. j. Sacch.  
alb. pulv. vel Syrup. Balsamic.

*The Balsamick Drops.*

Take Balsam of Sulphur prepared with Oil of  
Turpentine, an Ounce. Twenty Drops to be  
taken Morning and Evening in a Spoonful  
of white Powder Sugar, or Syrup of Balsam.

*Observations.*

These are good in chronical Rheumatisms,  
Sciatica, Pains of the Breast, and Asthma.  
They penetrate into the minute Recesses of the  
Body, prove a friendly Balsam to the Nerves,  
and discharge the peccant Humours by Urine.

*Guttulæ Specificæ.*

℞ Balf. Polychrest. ℥iij. capiat Cochlear. mi-  
nimum omni Mane ex Haustulo Vini alb,  
vel Sacchar. pulv.

*The Specifick Drops.*

Take Balsam of many Virtues, three Ounces.  
A Tea Spoonful to be taken every Morning  
in a Draught of White Wine, or in Powder  
Sugar.

*Observations.*

This is given with great Success in Rheu-  
matisms, is an approved Remedy to dry up all  
superfluous Humidities, and cures old Gleets.

*Haustus*



*Hauftus Catharticus.*

℞ Elect. Caryocost. ℥ss. Vin. alb. vel. Aq. Nephrit. ℥ij. m. f. Hauftus primo Mane fumend. cum Regimine.

*The Cathartick Draught.*

Take Clove and Costus Electuary, Half an Ounce: White Wine or Nephritick Water, three Ounces. Mix and make a Draught to be taken in the Morning early with Regimen.

*Observations.*

This has a good Effect in old Rheumatifms, but is most commonly given in strong Constitutions.

Vide Embrocationes anodyn.

See anodyne Embrocations.

---

*The Diseases of the SKIN.*

*The Leprosy and Itch,*

*Apozema Benedict.*

℞ Rad. Oxylapath. Sarsæ āā ℥ij. Cort. Sassafr. ℥ij. Sacch. alb. vel Passul. exacinat. ℥ij. infunde frigidè in Aq. Calcis ℥ij. coletur & filtretur ad Usum. Bibat ℥iv. bis de Die.

*The Blessed Apozem.*

Take Roots of sharp-pointed Dock and Sarsa, of each two Ounces: Bark of Sassafras, two Drachms: White Sugar or Raisins stoned, two Ounces. Make a cold Infusion in Lime  
3 Water,

Water, a Quart; strain and filtre it off for Use. A Quarter of a Pint to be drank twice a Day.

*Observations.*

This is given in all cutaneous Deformities, as the Leprosy, Scurvy, &c. is of Service to dry up all superfluous Moisture, and should be continued some Months, according as the Nature or Degree of the Disease may require.

*Apozema Specificum.*

℞ Rad. Sarsæ, Oxylapath. āā ℥iij. Lign. Sassafr. Guaiac. ras. āā ℥j. Rad. Liquirit. ʒvj. infunde frigidè in Aq. Calcis ℔iv. coletur. Bibat ℥iv. bis de Die.

*The Specifick Apozem.*

Take Roots of Sarsaparil and sharp-pointed Dock, of each three Ounces: Sassafras and Guaiacum Raspings, of each an Ounce: Liquorice Root, six Drachms. Infuse them cold in Lime Water, two Quarts; strain it. A Quarter of a Pint to be drank twice a Day.

*Observations.*

This is intended for a Purifier of the Blood from saline sharp Humours, and for all cutaneous Eruptions, being of a drying and diaphoretick Quality.

*Electarium Antimoniale.*

℞ Conf. Cynosbat. è Flor. Aurantior. āā ʒij. Antimon. lævigat. ʒij. Pulv. è Chel. Cancr. simp. ʒj. Syr. ex Althæa q. f. m. f. Electarium.

tarium. Sumat Quantitatem Nucis Moschat.  
bis de Die cum Apozem. Benedict. ℞fs.

*The Antimonial Electuary.*

Take Conserve of Hips and Orange Flowers,  
of each two Drachms: Antimony levigated,  
three Drachms: Simple Powder of Crabs  
Claws, a Drachm: Syrup of Marshmallows,  
a sufficient Quantity. Mix and make an  
Electuary. The Quantity of a Nutmeg to  
be taken twice a Day, with Half a Pint of  
the Blessed Apozem.

*Observations.*

This is good in an inveterate Itch, where by  
its long Continuance, or from a Laceration of  
the small Vessels, the same has found Admit-  
tance into the Blood, and contaminated the Mass.  
It is a good Alterative, prevents the further  
Assimilation of the morbidick Particles with  
the Lympha, and, if taken for two Months, or  
more, as Occasion may require, seldom fails,  
together with proper topical Applications, to  
exterminate that loathsome Disease.

*Electarium Guaiacinum.*

℞ Conf. Cynosbat. ℥jss. Antimon. lævigat.  
Gum. Guaiac. Pulv. è Chel. Cancr. āā ʒij.  
Syr. è quinque Radicib. q. f. m. f. Electua-  
rium sumend. ut præcedens.

*The Guaiacum Electuary.*

Take Conserve of Hips, an Ounce and an  
Half: Antimony prepared, Gum Guaiacum,  
and Powder of Crabs Claws, of each two  
N Drachms:

Drachms: Syrup of the five opening Roots, a sufficient Quantity. Mix and make an Electuary to be taken as the former.

*Observations.*

This is ordered in scorbutick Rheumatisms with Success. It digests, attenuates, and discharges the sharp scorbutick Matter, clears away cutaneous Deformities, and is prevalent in the venereal Taint.

SCROPHULOUS DISEASES.

*Electarium Cinnabarin.*

℞ Conf. Cynosbat. ℥j. Flav. Aurant. ℥ss. Cinnab. Antimon. ppt. Chel. Cancr. ppt. Gum. Guaiac. āā ℥j. Syr. Cort. Aurant. q. s. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Apozemate Specific.

*The Cinnabar Electuary.*

Take Conserve of Hips, an Ounce: Orange Peel, Half an Ounce: Cinnabar of Antimony prepared, two Drachms: Crabs Claws prepared and Gum Guaiacum, of each a Drachm: Syrup of Orange Peel, a sufficient Quantity. Mix and make an Electuary to be taken twice a Day with the Specific Apozen.

*Electarium Antimoniale cum Guaiaco.*

℞ Conf. Cynosbat. ℥j. Gum. Guaiac. Cinnab. Antimon. præp. āā ℥ij. Syr. Cort. Citr. q. s. m. f.

m. f. Electarium. Sumat bis de Die ut præcedens.

*The Antimonial Electuary with Guaiacum.*

Take Conserve of Hips, an Ounce : Gum Guaiacum and Cinnabar of Antimony prepared, of each two Drachms : Syrup of Citron Peel, a sufficient Quantity. Mix and make an Electuary to be taken twice a Day as the preceding.

*Observations.*

These are good Alteratives, and of Service in scrophulous and leprous Habits, to take off the Virulency of the morbifick Humour corroding the nervous Papillæ of the Skin and glandular Ducts. By its Weight and other specifick Virtues, it dissipates the acrid scrophulous Matter, and thereby prevents grumous Coagulations of the Blood and Lympha.

*Pulvis Cinnabarin.*

R Cinnab. Antimon. Chel. Cancr. præp. āā  
gr. xv. m. f. Pulvis Hora Somni sumend.  
cum Julepo Perlato.

*The Cinnabar Powder.*

Take Cinnabar of Antimony and Crabs Claws prepared, of each fifteen Grains. Mix and make a Powder to be taken going to Rest with the Pearl Julep.

*Observations.*

This is good in scrophulous Cafes, and Foulness of the Blood, especially in Children.

*The SCURVY.**Boli Stomackici.*

℞ Pulv. Ari comp. ℥j. Spec. Diamb. ℥ss,  
Conf. Alchem. q. f. m. f. Bolus. Sumat  
H. S. cum Julepo Perlato.

*Stomackick Boluses.*

Take compound Powder of Arum Root, a  
Scruple: Species Diambra, Half a Scruple:  
Confection of Kermes, a sufficient Quantity.  
Mix and make a Bolus to be taken going  
to Rest with the Pearl Julep.

℞ Spec. Diamb. S. O. ℥j. Sal Tartar. Castor,  
Russ. Croc. pulv. āā gr. v. m. f. Bolus. Su-  
mat H. S. cum Julepo Cephalic.

Take Species Diambra without the Scents, a  
Scruple: Salt of Tartar, *Russia* Castor, and  
Saffron powdered, of each five Grains: Con-  
fection of Kermes, a sufficient Quantity.  
Mix and make a Bolus to be taken going to  
Rest with the Cephalick Julep.

*Observations.*

These are given in Pains, or Sickness at the  
Stomach, proceeding from the Scurvy, hard  
Drinking, or the Gout. They are proper in  
cold phlegmatick Constitutions, to warm and  
comfort the Nerves, and discharge viscid Mat-  
ter by Urine.

*Electarium Æthiopicum.*

℞ Conserv. è Cort. Aurant. ʒvj. Æthiop. Mi-  
neral. ʒss. Pulv. Ari comp. Spec. Diamb.  
āā ʒj. Syr. è Cort. Aurant. q. f. m. f. Elec-  
tarium.

tarium. Sumat Quantitatem Nucis Moschat. bis de Die.

*The Æthiops Electuary.*

Take Conserve of Orange Peel, six Drachms : Æthiops Mineral, Half an Ounce : Compound Powder of Arum Root and Species Diambra, of each a Drachm : Syrup of Orange Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day.

*Observations.*

This, when continued some Time, corrects the Acrimony of the Blood, and answers the Intentions required from a good antiscorbutick Remedy.

*Electarium Antiscorbuticum.*

R Conf. Absinth. Rom. Flor. Aurant. āā ʒvj. Chel. Cancr. præp. ʒij. Pulv. Ari comp. Spec. Diambra. āā ʒj. Syr. è cond. N. M. q. f. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Apoze- mat. Specific. lbs.

*The Scorbutick Electuary.*

Take Conserve of Roman Wormwood and Orange Peel, of each six Drachms : Crabs Claws prepared, two Drachms : Compound Powder of Arum Root and Species Diambra, of each a Drachm : Syrup of preserved Nutmeg, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with Half a Pint of the Specifick Apozem.

*Obser-*

*Observations.*

This is given in most scorbutick Cafes, attended with Disorders in the Stomach, being calculated to warm and strengthen Digestion, as well as correct and carry off the scorbutick Acrimony.

*Gargarisma Restrings.*

℞ Myrrh. elect. Terr. Japonic. āā ʒij. Vin. rubr. ℥ss. m. f. Gargarisma quocum coluantur Gingivæ.

*The Restringsent Gargle.*

Take choice Myrrh and Japan Earth, of each two Drachms: Red Wine, Half a Pint. Mix and make a Gargle to wash the Gums.

*Observations.*

This is serviceable in the Scurvy to brace up the Fibres of the Gums, and fasten loose Teeth. By its antiseptick Virtue it resists the Putrifaction of the sharp Humours that erode and destroy the same.

*Mixtura Antiscorbutica.*

℞ Succor. Scorbutic. Batean. fine Sacchar. præparat. ʒx. Aq. Pæon. comp. ʒiv. m. f. Mixtura. Sum. Cochl. iv. omni Mane.

*The Antiscorbutick Mixture.*

Take the Antiscorbutick Juices of *Bates*, made without Sugar, ten Ounces: Compound Piony Water, four Ounces. Mix and make a Mixture. Four Spoonfuls to be taken every Morning.

*Obfer-*



*Observations.*

This is good in Spring-time against all scorbutick Complaints, and cutaneous Foulness.

---

*The HYPOCHONDRIACAL DISEASE.*

Vide Bol. Cephal. Stomach. Gummos.  
See the Boluses Cephalick, Stomachick, Gum;  
Vide Elect. Chalybeat. Stomach. Digestiv.  
Guttul. Helmont. &c.  
See Electuaries Chalybeate, Stomachick, Digestive.  
*Helmont's Drops, &c.*

---

*The Affections of the MIND.*

See MADNESS.

---

*The Diseases of WOMEN.*

*The Suppression of the menstrual Discharges.*

*Bolus Hystericus.*

℞ Rad. Valer. Sylv. pulv. gr. xv. Troch. de Myrrh. ʒj. Syr. Croc. q. f. m. f. Bolus. Sumat ter de Die cum Julepo Cardiaco.

*The Hysterick Bolus.*

Take Wild Valerian Root powdered, fifteen Grains:

Grains : Troches of Myrrh, a Scruple : Syrup of Saffron, a sufficient Quantity. Mix and make a Bolus to be taken three Times a Day, with the Cardiac Julep.

*Observations.*

This is effectual in uterine Disorders, promotes the Menfes, helps to expel the Secundines, and is serviceable in hypochondriacal and hysterick Fits.

*Electarium Stomachicum Chalybeatum.*

℞ Conf. Absinth. Roman. Flaved. Aurantior. āā ʒvj. Pulv. Ari comp. ʒij. Chalyb. cum Sulph. præp. ʒij. Syr. è Cort. Citr. q. f. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Julepo Stomachic.

*The Stomachick Chalybeate Electuary.*

Take Conserve of Roman Wormwood and Orange Peel, of each six Drachms : Compound Powder of Arum Root, three Drachms : Steel prepared with Sulphur, two Drachms : Syrup of Citron Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with the Stomachick Julep.

*Observations.*

This is adapted to remove Obstructions of the Menfes, and is of Service to such as are of a pale Habit of Body. By its specifick Gravity,

Gravity, it increases the Momentum of the Blood, and causes it to impinge more strongly against the Sides of the uterine Vessels, which, occasioning a Plethora therein, by its Impetus, generally removes the Obstruction, and brings on the desired Discharge. It is likewise a good Stomachick, warms the Stomach, and digests crude Humours.

*Guttulæ Emenagogicæ.*

℞ Tinct. Hellebor. nigr. ℥j. Sumat Gut. XL.  
omni Mane & Hora quinta Pomeridiana  
cum Haustu Julep. Stomachic.

*The Emenagogick Drops.*

Take Tincture of Black Hellebore, an Ounce.  
Forty Drops to be taken every Morning,  
and at Five in the Afternoon, in a Draught  
of Stomachick Julep.

*Observations.*

This opens uterine Obstructions, and in sanguine Constitutions, where Steel is sometimes hurtful, never fails to force the menstrual Discharge. It is expedient to give a proper Dose of Tincture of Hiera Picra, the Night before beginning with this Method.

*Haust. Emenagogicus.*

℞ Tinct. Sacr. ℥jss. Tinct. Helleb. nigr. ʒfs.  
m. f. Haustus Mane sumendus.

*The Emenagogick Draught.*

Take Tincture of Hiera Picra, an Ounce and  
an Half: Tincture of Black Hellebore,  
Half

Half a Drachm. Mix and make a Draught to be taken in the Morning.

*Observations.*

This is of Service to clear the Passages, when obstructed with viscid Matter, and should be repeated three or four Times, to prepare the Body for other Emenagogick Remedies, which often, for Want of due preceding Evacuations, have not sufficient Power to remove the Obstructions of the Vessels, and promote the menstrual Discharge.

*Tinctura Stomachica Chalybeata.*

R Summit. Centaur. min. ʒjss. Rad. Gallang. Zedoar. Sem. Cardam. min. āā ʒfs. infunde in Aq. Lactis Alex. ʒvj. adde Aq. Absinth. mag. comp. ʒij. Vin. Chalybeat. ʒiv. m. f. Tinctura. Sumat Cochl. vj. Hora undecima Matutina, & quinta Pomeridiana, superbibendo Haustum Aquæ Spadan.

*The Stomachick Chalybeate Tincture.*

Take the Tops of the Lesser Centaury, a Drachm and an Half: Roots of Galingal, Zedoary and Lesser Cardamoms, of each Half a Drachm. Infuse them in Alexiterial Milk Water, six Ounces: Add Wormwood Water of the greater Composition, two Ounces: Chalybeate Wine, four Ounces. Make a Tincture. Six Spoonfuls to be taken at Eleven in the Morning, and at Five in the Afternoon, drinking a Draught of *Sparw* Water afterwards.

*Obfer-*

*Observations.*

This greatly conduceth to regulate the menstrual Discharges in Women, by giving a brisk Motion to the Blood.

---

*The EXCESS of the MENSTRUAL DISCHARGES.*

*Bolus Stypticus.*

℞ Conf. Ros. rubr. ℥ij. Terr. Japonic. pulv. gr. xv. Alum. rup. gr. iij. Syr. de Mecon. q. s. m. f. Bolus Nocte & Mane sumend. cum Coch. vj. Tincturæ Rosar.

*The Styptick Bolus.*

Take Conserve of Red Roses, two Scruples :  
*Japan* Earth powdered, fifteen Grains :  
Roch Alum, three Grains : Diacodium, a sufficient Quantity. Mix and make a Bolus to be taken Night and Morning, with six Spoonfuls of Tincture of Roses.

*Observations.*

This is a good Restringent in the immoderate Flux of the Menfes, contracts the Solids, incrassates the Fluids, and thereby prevents Hæmorrhages. It is for the above Reasons proper in the Fluor Albus, Gleets, and Hæmoptysis.

*The FLUOR ALBUS.*

*Pilul. Balsamicæ.*

℞ Terr. Japonic. pulv. Spec. Diatrag. frig.  
Gum Arabic. āā ʒj. Syr. è Ros. sicc. q. f.  
m. f. Pilul. mediocres. Sumat iv. Mane &  
Vesperis cum Vehiculo Balsamic.

*The Balsamick Pills.*

Take *Japan* Earth powdered, cooling Species  
of Gum Tragacanth, and Gum Arabick, of  
each a Drachm: Syrup of dried Roses, a  
sufficient Quantity. Mix and make Pills  
of a moderate Bigness. Four to be taken  
Night and Morning, with any Balsamick  
Liquor.

*Observations.*

These are good Balsamicks, to agglutinate  
and thicken the Fluids, heal the Erosions of  
the glandular Ducts, and fill the Blood with  
balsamick Particles. They are good in Bruises,  
and Spitting of Blood.

*Pilule Aperitiv. Balsamic.*

℞ Pulv. Rhæi, Gum. Arabic. Terr. Japon.  
āā ʒij. Tereb. è Chio q. f. m. f. Pilul. me-  
diocres. Sumat iv. omni Mane cum Ihs̄s,  
Aq. Bristol.

*The Aperitive Balsamick Pills.*

Take Powder of Rhubarb, Gum Arabick, and  
*Japan* Earth, of each two Scruples: *Chio*  
Turpen-

Turpentine, a sufficient Quantity. Mix and make moderate-sized Pills. Four to be taken every Morning, with Half a Pint of *Bristol Water*.

*Observations.*

These are given in this Disease, and are of Service in Gonorrhœas, old Gleets, and seminal Weaknesses.

*Pilula Rhabarbarin.*

℞ Pulv. Rhæi ℥j. Syr. Caryoph. q. f. f. Pil. v. fumend. primo Mane.

*Rhubarb Pills.*

Take Powder of Rhubarb, a Scruple: Syrup of Clove Gilly-flowers, a sufficient Quantity. Make it into five Pills, to be taken in the Morning early.

*Observations.*

These are given by Intervals, as Openers, in the Course of Balsamicks and Astringents.

*Pilula Refringentes.*

℞ Oliban. pulv. Pulv. è Tragacanth. comp. Sang. Dracon. pulv. āā ℥j. cum Syr. Balsamic. q. f. f. Pilul. Granor. v. Capiat quinque Mane & Hora quinta Pomeridiana superbibendo Aq. Bristol. ℥ss.

*Refringent Pills.*

Take Olibanum powdered, Powder of Gum Tragacanth compound, and Dragon's Blood,  
of

of each a Drachm, with a sufficient Quantity of Balsamick Syrup. Make Pills weighing five Grains each. Five to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Bristol* Water after them.

℞ Oliban. pulv. ʒij. Rhabarb. pulv. Coral. rubr. ppt. āā ʒj. cum Terebinth. è Chio q. f. f. Pilul. Gran. v. Capiat iv. Mane, Hora quinta Pomeridiana, & Hora Somni, superbibendo Cochlear. iij. Vini rubri cum æqua parte Aq. Font. mixt.

Take Olibanum powdered, two Drachms: Rhubarb powdered and Red Coral prepared, of each a Drachm; with a sufficient Quantity of *Chio* Turpentine. Make Pills weighing five Grains each. Four to be taken in the Morning, at Five in the Afternoon, and going to Rest; drinking three Spoonfuls of Red Wine, mixt with an equal Quantity of Water,

*Observations.*

These are proper Restringents in this Disease, and are balsamick and strengthening.

*Haustus Peruvianus.*

℞ Extract. Cort. Peruv. Cort. Peruv. pulv. āā ʒss. Aq. Alex. simp. ʒij. Aq. Nuc. Mosch. ʒij. Syr. Cort. Aurant. ʒij. m. f. Haust. sexta quaque Hora sumendus.

*The*



*The Peruvian Draught.*

Take Extract of the *Peruvian* Bark, and *Peruvian* Bark powdered, of each Half a Drachm: Simple Alexiterial Water, two Ounces: Nutmeg Water, three Drachms: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every six Hours.

*Observations.*

This is ordered, when the Flux of Matter in this Disease is occasioned by a remitting heftick Fever.

---

*The HYSTERICAL DISEASE.*

Vide Bol. Cephalic. Nervof. Gummof. Hystericus.

See Boluses Cephalick, Nervous, Gum Hysteric.

Vide Empl. ad Dolorem Capitis. Elect. Chalybeat. Guttulæ Cephal. Emenagogic. &c.

See Plaister for a Pain of the Head. Chalybeate Electuary. Drops Cephalick, Emenagogick, &c.

DIFFI-

## DIFFICULT BIRTH.

Vide Bolus Gummof. Enema Terebinth. Gut-  
tul. Emenagogic. Haustus Aloetic. Julep.  
Stom. Mixtura Gummof. &c.

See Gum Bolus. Turpentine Clyster. Emena-  
gogic Drops. Aloetic Draught. Stomachick  
Julep. Gum Mixture.

## VENERAL DISEASES.

*Ptisan. Pectoralis.*

R Hord. mundat. ℥j. Rad. Eryng. cond.  
Uvar. passar. exacinat. āā ℥ss. coque in Aq.  
Fontan. q. s. ad lbij. cola & fiat Apozema  
pro Potu.

*The Pectoral Ptisan.*

Take Barley cleansed, an Ounce: Candied  
Eryngo Root and Raisins of the Sun stoned,  
of each Half an Ounce. Boil them in a  
sufficient Quantity of Water to a Quart.  
Strain it and make an Apozem for common  
Drink.

*Observations.*

This is ordered for common Drink, to re-  
lax and deterge the salival Glands, where a  
Spitting is occasioned by taking Cold, during  
the Use of Mercurial Remedies, in Cases where  
the

the same are given with no Intention to raise a Salivation.

*Bolus Mercurialis.*

℞ Calomel præp. gr. xv. Conf. Ros. rubr. q. f.  
m. f. Bolus H. S. sumendus.

*The Mercurial Bolus.*

Take Calomel prepared, fifteen Grains: Conserve of Red Roses, a sufficient Quantity. Mix and make a Bolus to be taken going to Rest.

*Observations.*

This is given as a Preparative to other Purges, and may be repeated two, three, or four Nights, before they are administered, the better to dissolve the Lensor, extricate the venereal Virus from the Blood and Juices, and dislodge it from the Glands. This is likewise ordered in all chronical Cases, requiring Mercurials, and may be purged off with either of the Cathartick Draughts.

*Electarium Emolliens.*

℞ Conf. Flor. Malvæ, Elect. Diacass. cum Mann. āā ʒj. Ocul. Cancr. præpar. Gum. Arabic. āā ʒij. cum Syr. de Althæa q. f. f. Electarium. Sumat Quantitatem Nucis Jugland. Mane & Vesperi superbibendo Haustum Aq. Bristol.

*The Emollient Electuary.*

Take Conserve of Mallow Flowers and Diacassia with Manna, of each an Ounce : Crabs Eyes prepared and Gum Arabick, of each two Drachms ; with a sufficient Quantity of Syrup of Marshmallows. Make an Electuary. The Quantity of a Walnut to be taken Night and Morning, with a Draught of *Bristol Water*.

*Observations.*

This is of Service to heal the urinary Passages, especially the Urethra, after the mucous Covering of the same has been in Part abraded by the Continuance of a sharp Gleet. It is beneficial in a Suppression of Urine, and in the Gravel.

*Electarium è Symphyto.*

℞ Elect. Diacass. cum Manna, Conf. Rad. Symphyt. āā ʒj. Gum Tragacanth. Terr. Japon. pulv. Coral. rubr. pp. āā ʒij. Syr. Balsamic. q. f. m. f. Electarium. Sumat Quantitatem Nucis Mosch. Mane ac Vesperi superbibendo Aq. Bristol. tepefact. ℞ss.

*The Comfrey Electuary.*

Take Diacassia with Manna and Conserve of Comfrey, of each an Ounce : Gum Tragacanth, *Japan Earth* powdered, and Red Coral prepared, of each two Drachms : Balsamic Syrup, a sufficient Quantity. Mix and  
2  
make

make an Electuary. The Quantity of a Nutmeg to be taken Morning and Evening, drinking Half a Pint of warm *Bristol* Water after it.

*Observations.*

This is of Service in Gleets, feminal Weaknesses, and in the Fluor Albus.

*Guttule Diureticae.*

℞ Tinct. Cantharid. ℥j. Sp. Nitr. Dulc. ℥j. m. sumat Gutt. xxv. omni Mane ex Cyatho Aq. Bristol.

*The Diuretick Drops.*

Take Tincture of Cantharides, an Ounce: Sweet Spirit of Nitre, a Drachm. Mix them. Twenty-five Drops to be taken every Morning in a Glafs of *Bristol* Water.

*Observations.*

These are of excellent Use, where the Passages are loaded with viscid slimy Humours. And, in old Gleets and feminal Weaknesses, there is not a better Medicine, according to Dr. *Mead's* Opinion.

*Haustus Laxativus.*

℞ Elect. Diacass. cum Mann. ℥j. Aq. Petrofelin. ℥ij. Aq. Nephritic. ℥ss. m. f. Haustus sumendus pro re nata vel alternis Diebus.

*The Laxative Draught.*

Take Diacassia with Manna, an Ounce: Parsley Water, two Ounces: Nephritick Water, Half an Ounce. Mix and make a Draught to be taken, when Occasion requires, or every other Day.

*Observations.*

This is given in Suppression of Urine, and old Gleets, to keep the Body open.

F I N I S.



INDEX.

# I N D E X.

A.	Pag.		Pag.
<b>A</b> Pozema Benedict.	87	Elect. Antimoniale cum Guai-	
— Cardiacum	9	aco	90
— Refringens	57	— Antifcorbuticum	93
— Catharticum	63	— Æthiopicum	92
— Pectorale	9	— Cardiac. Refring.	8
— Specificum	88	— Corroborantia	24
		— Chalybeat.	35
		— Cinnabarin.	90
		— Digestiv.	67
<b>B.</b>		— Emolliens	105
Bol. Anticolic.	46	— Guaiacinum	89
— Balfamicus	11	— Lujulatum	24
— Cephalici	2, 31, 39	— Pectorale	26
— Cardiacus	7	— Refringens	60
— Cordiales Balfamici	12	— Stomachicum	50
— Catharticus	59	— Chalybeat.	96
— ad Diarrhœam	57	— Sulphuratum	54
— Diureticus	70	— è Symphyto	106
— Gummosus	40	Eleofaccharum Stomachicum	51
— Hæmorrhoidales	53	Elixir Acidum	23
— Hystericus	95	Emplastr. Cephalic.	3
— Mercurialis	105	— ad Dolorem Capitis	4
— Nervosus	39	— Discutiens	14
— Purgantes Anodyn.	56	— Stomachicum	47
— Stomachici	3, 32, 76, 92	Emulſio Balfamica	26
— Specificus	60	— Nephritica	71
— Stypticus	99	Embrocationes Anodynæ	33
<b>C.</b>		Enema Balfamicum	61
Confectio Pectoralis	13	— Carminativum	14
		— Emolliens	9
<b>E.</b>		— Refringens	62
Elect. Alterans	23	— Terebinthinat.	70
— Antimoniale	88		G.

# I N D E X.

G.	Pag.		Pag.
Gargarism. Emollientia	41	Hauft. Rhabarbarin. —	80
— Paralyticum	32	— Stomachicus —	49
— Restringens	94	— Amarus	19
Guttulæ Balsamicæ —	86	— Salinus —	20
— Cardiacæ —	45	— Solutivi —	50, 79
— Cephalicæ —	46	— Traumaticus —	27
— Carminativæ —	48	— Volatilis —	16
— Diureticiæ —	107		
— Emenagogicæ	97	I.	
— Helmontii —	49	Julepum Alb. —	5
— Stomachicæ —	48	— Cardiac. —	ibid.
— Specificæ —	86	— Cephalic. —	ibid.
— Volatiles —	14	— de Croco —	6
		— Perlatum —	ibid.
		— Nephritic. —	ibid.
H.		— Restringens —	4
Hauft. Anodyn. —	64, 78	— Stomachicum —	5
— Aperitivi —	77		
— Amarus —	80	L.	
— Antifebrificus —	19	Linamentum Pleuritic. —	17
— Antihecticus —	28	Linct. Expectoans —	43
— Aloeticus —	30	— Incrassantes —	17
— Antiepilecticus —	37	— Pectoralis —	18
— Bezoardici —	1	Lot. Albæ —	75
— cum Balf. Copaiva	72	— Vitriolata —	ibid.
— Cathartici —	10, 29, 87		
— Hydropici —	65	M.	
— Cephalici —	30, 36	Mixtura Asthmatica —	44
— Calidi —	78	— Antiscorbutic. —	94
— Cordialis —	79	— Expectoans —	44
— Cardiaci —	81	— Gummofa —	38
— Diuretici —	72	— Nephritica —	73
— Emeticus —	41	— Restringens —	59
— Emenagogicus —	97	— Stomachica —	85
— ad Hæmorrhoid. —	55		
— Laxativus —	107	P.	
— cum Milleped. —	27	Pilulæ Aperitivæ —	40
— Oleofi —	15	— Balsamic. —	100
— Paregorici —	10	— Anodyn. Cathartic. —	52
— Purgans —	77	— Nephritic. —	74
— Peruvianus —	102	— Aluminosæ —	69
— cum Rhæo —	47, 58	— Balsamic. —	100
— Restringens —	58		
		Pilulæ	



# I N D E X.

	Pag.	T.		Pag.
Pilulae Cephalicae	33	Tinctur. Antifebrica	—	21
— Nephritic.	73	— Amara Febrifuga	—	22
— Rhabarbarin.	101	— Chalybeat.	—	66
— Restringent.	ibid.	— Aromatica	—	52
— Solutiva	45	— Diambrae	—	83
Ptisana Pectoralis	104	— Sinapin.	—	34
Pulvis Alterativus	29	— Stomach.	—	67
— Cardiacus	8	— Amar.	—	36
— Catharticus	64	— Calid.	—	83
— Cinnabarin.	91	— Chalybeat.	—	98
— Febrifugus	21			
— Nephriticus	74	U.		
— Sulphurat.	55	Unguent. Haemorrhoidale	—	55
— ad Tormina	52	— Paralyticum	—	34
— Uvularis	42			



# I N D E X.

# I N D E X.

A.	Page
Apozem Bleſſed	87
Cardiack	9
Reſtringent	57
Pectoral	9
Purging	63
Specifick	88
B.	
Bolus Anticholick	46
Balfamick	11
Cephalick	2, 31, 39
Cardiack	7
Cordial Balfamick	12
Cathartick	59
for a Diarrhoea	57
Diuretick	70
Gum	40
Hæmorrhoidal	53
Hysterick	95
Mercurial	105
Nervous	39
Purging Anodyne	56
Stomachick	3, 32, 76,
	92
Specifick	60
Styptick	99
C.	
Confection Pectoral	12
Clyſter Balfamick	61
Carminative	14
Emollient	9

Clyſter Reſtringent	6
Turpenace	70
D.	
Draught Antifebrick	19
Antihectick	28
Aloe	30
Antiepileptick	37
Anodyne	64, 78
Aperitive	77
with Balfam Capivi	72
Bitter	81
Stomachick	20
Bezoartick	1, 2
Cathartick	10, 29, 87
for the Dropſy	ent
	65
Cephalick	31, 36
Cordial	79
Cardiack	81
Diuretick	72
Emetick	41
Emenagogick	97
for the Hæmorrhoi-	des
	55
Laxative	108
with Millepedes	27
Oily	15
Paregorick	10
Purging	77
Draught	

ght Peruvian	
with Rhubarb	
Rhubarb	
Reſtringent	
Saline	
Stomachick	
Solutive	
Vulnerary	
Volatile	
Warm	
Balfamick	
Cephalick	
Cardiack	
Carminative	
Diuretick	
Emenagogick	
Helmont's	
Stomachick	
Specifick	
Volatile	
E.	
ary Alterativ	
Antimor	
wi	
Æthiops	
Cordial	
Chalyb	
Cinnab	
Comfre	
Digefiv	
Emolli	
Guaia	
Pectora	
Reſtrin	
Sorrel	
Streng	
Scorbu	
Stoma	
Ch	

# I N D E X.

	Page		Page
ght Peruvian	103	Electuary Sulphur	54
— with Rhubarb	47, 58	Eleofacchar. Stomachick	51
— Rhubarb	80	Elixir Acid	23
— Restringent	58	Embrocations Anodyne	33
— Saline	20	Emulsion Balsamick	26
— Stomachick	50	— Nephritick	71
— Solutive	50, 80	<b>G.</b>	
— Vulnerary	28	Gargle Emollient	42
— Volatile	16	— Paralytick	32
— Warm	78	— Restringent	94
— Balsamick	86	<b>J.</b>	
— Cephalick	46	Julep Cardiack	5
— Cardiack	45	— Cephalick	ibid.
— Carminative	48	— Pearl	6
— Diuretick	107	— Nephritick	7
— Emenagogick	97	— Restringent	4
— <i>Helmont's</i>	49	— Saffron	6
— Stomachick	48	— Stomach	ibid.
— Specifick	86	— White	5
— Volatile	15		
<b>E.</b>		<b>L.</b>	
ary Alterative	24	Linament Pleuritick	17
— Antimonial	89	Linctus Expectorating	ibid.
— with Guai-		— Incrassating	43
— cum	91	— Pectoral	18
— <i>Aethiops</i>	93	Lotions White	75
— Cordial Restrin-		— Vitriolated	76
— ptyent	8	<b>M.</b>	
— Chalybeate	35	Mixture Asthmatick	44
— Cinnabar	90	— Antifcorbutick	94
— Comfrey	106	— Expectorating	44
— Digestive	68	— Gum	38
— Emollient	106	— Nephritick	73
— Guaiacum	89	— Restringent	59
— Pectoral	26	— Stomachick	85
— Restringent	60	<b>O.</b>	
— Sorrel	24	Ointment Hamorrhoidal	56
— Strengthening	25	Q	Oint-
— Scorbutick	93		
— Stomachick	51		
— Chalybeate	96		

# I N D E X.

	Page		Page
Ointment Palsy	35	Powder Febrifuge	21
R.		For the Gripes	52
Pills Aperitive	40	Nephritick	74
Anodyne, Purging	52	Purging	65
Nephritick	74	Sulphur	55
Aluminous	69	for the Uvula	42
Balsamick	100	Puffan Pectoral	104
Cephalick	38	T.	
Nephritick	74	Tincture Antifebrifick	21
Rhubarb	101	Aromatick	53
Restringent	ibid.	Bitter Febrifuge	22
Solutive	45	Stomach	36
Plaster Cephalick	33	Chalybeate	66
Discutient	14	Diambra	87
for Pain in the Head		Mustard	
Stomach	4	Stomachick Cha	
Powder Alterative	29	beate	
Cordial	3	Warm Stomach	87
Cinnabar	91		

## E R R A T A.

Page 53. after Line 20, read THE HÆMORRHOIDES;  
after Line 24, read *Hæmorrhoidal Boluses.*



20  
1  
2  
4  
5  
5  
2  
4  
  
3  
2  
5  
7  
6  
  
3  
  
8  
  
7  
  
7

