





EX LIBRIS TO Sect to MAN ZWANG TO SECT TO Sect to MAN ZWANG TO SECT TO SECT



DV 1537







Pharmacopæia Edinburgensis Pauperum:

OR, THE

DISPENSATORY

For the USE of the

ROYAL HOSPITAL

IN

EDINBURGH:

NOW

Translated into English, and improved with the Operations, Virtues and Doses of the several Medicines for the most safe and speedy Cure of all Diseases incident to the Sick-poor.



LONDON:

Printed for W. INNYS and J. RICHARDSON, in Pater-noffer-

Plone Production Proposed OR, THE OR, THE STORY SEE OF the USE of the ROYAL HOSPITAL

W O W

Operations, Virtues and Doffes of the faveral Medicines for the most fals and speedy Care of



Printed to W. Lange B. R. Read and the system of the syste

TOTHE

READER.

HE Dispensatory of the Royal College of Edinburgh bas for many Years deferwedly acquired, from all good Judges, the Repute and Preference before others of the Kind; as well for the Justness of its Method, with the Clearness and Punctuality of its Directions, as for the Elegancy of the Compounds, with the Congruity of their Ingredients and Preparations. These by a Diversity of Improvements, in a course of Time, have at length been brought to their present standard of Perfection: for furnishing out such compound Medicines, as by a previous Preparation are required to be kept ready-made-up in the Shops, to attend the Calls that occur in the daily Practice of Phyficians. It is then, as a most useful and proper Supplement to this Work, that we have now given our Readers another Set of compound Medicines; which, altho' in many respects less pompous and expensive, are nevertheless equally or often better adapted, and with less trouble both to the Compounder and Prescriber, for working the most speedy, certain and lasting Cures

To the READER.

Cures of such Distempers as are offered not only in an Hospital, but also in the private Practice of those who desire to acquit themselves laudably, by the most speedy and effectual Recovery of their Patients. To this purpose our Edinburgh Hospital Dispensatory, we can on good grounds affirm, will be highly conducive; more especially as it here stands improved with the particular Operations, Virtues and Doses, necessary to adapt the several Medicines to their respective Diseases, which they are either to relieve or cure; for your Success in which, you have this as an instance of our good Wishes:

THE

THE

DISPENSATORY

For the Use of the

Royal Hospital at Edinburgh.

Aqua Alexeteria.

Alexeterial Water.

TAKE of fresh Elder Flowers, three pounds; fresh Leaves of Angelica and Scordium, of each a pound and a half; of Spring-water, as much as is sufficient to distil off three gallons.

This is a pleasant and efficacious water to raise the spirits as a mild cordial, to excite a moderate perspiration, and to promote, without inflaming the blood, the eruption of such humours, as do often critically terminate the disorder. Wherefore it is useful in the Smallpox, Measles, &c. It is also a good general vehicle for juleps, draughts and mixtures.

Aqua

Aqua Antihysterica. Hysteric Water.

Take of wild Valerian Root, a pound and a half; Lovage Seed, half a pound; Savin, three ounces; French Brandy, two gallons. Macerate them together for the space of four days; and then draw off two gallons by distillation.

This is alexipharmic, fudorific, and diuretic; therefore ordered as an antihysteric. It promotes the uterine discharges, accelerates delivery, and is of extensive use in all nervous complaints arising from a weak and relaxed habit, and from a viscid cold disposition of the blood.

Aqua Aromatica.

The Aromatic or Spice-Water.

Take of white Canella, half a pound; fresh outward Peel of Lemons, four ounces; leffer Cardamom Seeds, two ounces; French Brandy, two gallons. Let them steep together for four days; and then distil off two gallons.

This

(3)

This is a warm, ferviceable cordial; for it gratefully invigorates the animal spirits, stimulates the nerves, and thus dissolves cold viscid humours, and expels flatulencies. It is an excellent stomachic, helps digestion, and stops vomiting; and as a Carminative is used in the rougher Cathartics.

Aqua benedicta composita.

Compound Lime-water.

This water is made in the fame manner as directed in the Edinburgh College Dispensatory, only omitting the Syrup. It is certainly a powerful absorbent, sweetner, and astringent, and is recommended as an extraordinary medicine in many cases of obstinacy; as in dysenteries, the fluor albus, rheumatic pains, and the diabetes. It is excellent in venereal and scorbutic cases, and in cold acid scurvies. It strengthens the stomach, expels wind, and helps digestion; and is of great service in acid pains of the bowels, both iliac and cholicky. It is a good cleanser and drier up of old putrid ulcers, both by its internal use, and by washing them frequently with it.

Aqua epidemia.

Plague-water.

Take Roots of Masterwort, a pound and a half; Angelica Seeds, half a pound; El-B2 der-

(4)

der-flowers, Leaves of Scordium, of each four ounces; French Brandy, three gallons. Steep them together for the space of four days; and then draw off by distillation, two gallons and a half.

The ingredients are well chosen for the purposes intended; it being designed as a high cordial in very low and languid cases, and to raise the spirits in the plague and malignant severs with depressions. If a fifth part of distilled vinegar be added to this spirituous Plaguewater, it is then termed Aqua epidemia acida, which is a very powerful sudorisic, and resister of putresaction in all pestilential and other putrid severs.

Aqua ophthalmica.

Eye-water.

Take white Vitriol, half a pound; Water, four pints. Boil them, 'till the Vitriol is disfolved; and then filter the liquor.

This is calculated to cool and repel those sharp rheums and inflammations which sometimes fall upon the eyes, where the vessels being weak and thin, are often unable to resist duly the impulse of the blood, unless they are constringed and strengthened by some such Collyrium.

(5)

Collyrium. It is likewise good to clear them of beginning films and specks. If it should prove too sharp for tender eyes, it may be diluted with a little spring or rose-water.

Aqua Picea.

Tar-water.

Take of Tar, two pounds; Spring-water, one gallon. Stir them briskly together with a wooden spatula or slick; let the mixture stand to settle for two days; and pour off the clear liquor for use.

This, like all other medicines, is neither good nor bad in itself, but as it stands related to the immediate cause and symptoms of the disease. That Tar-water is capable of producing changes in the habit of those who are not accustomed to it, is unquestionable. frequently found in scorbutic cases to throw out a copious eruption on the skin; thereby relieving other fymptoms which attended the retention of the humour. Theophrastus describes the method the Macedonians used in making Tar; and Pliny fays, the first running, or Tar, was called Cedrium, and was of fuch efficacy to preferve from putrifaction, that in Egypt they embalmed dead bodies with it; and to this he ascribes their mummies continuing uncorrupt for fo many ages. account

(6)

account of its virtues may possibly have given a hint to the Bishop of Cloyne, who first introduced Tar-water into common use, in his Siris, as a remedy in almost every disorder incident to the human body.

Aqua Raphani composita.

Compound Horse-radish Water.

Take fresh Horse-radish Root, garden Scurvy-grass, of each three pounds; fresh outward Peel of Seville Oranges, Juniper-berries, of each half a pound; Canella alba,
four ounces; French Brandy, two gallons.
Steep the Berries and Canella in the spirit
for four days; then adding the rest of the
ingredients, commit the whole to distillation, and draw off two gallons.

This is volatile and pungent, therefore difcuffes and opens viscosities, but its efficacy is most remarkable in the Capillaries; for which reason this is valuable for scouring the cutaneous glands, and breaking through such stoppages there, as occasion foul eruptions, and scorbutick symptoms. It is also powerfully diuretic, extolled in the stone and nephritic pains; an excellent stomachic, and brings down the menses. Its great activity and warmth (7)

warmth makes it good in all fuch nervous cafes as arise from cold and viscid juices.

Balfamum Anodynum.
The Anodyne Balfam.

AKE of faponaceous Balfam, or Opodeldock, a pound and a half; of liquid Laudanum, half a pound. Mix them for use.

This is certainly an extremely penetrating and refolvent Anodyne, both for internal and external use; being a most excellent medicine for procuring ease in the extremities of pain, and in nervous and nephritic Cholicks. It cleanses all the viscera and glandular parts; therefore good in the Jaundice, and fuch distempers of the urinary passages as proceed from the obstruction of gravel, or slimy humours; for the foap, acting as it were under the conduct of the opium, is capable of affording great relief. Inwardly it may be given from 20 to 40 drops. And outwardly applied to the pained part, it does mighty fervice, a rag being dipped in it, and retained therefiftance by felling it as an arcamen, under va-

rious names, particularly one who fells it

(8)

Balsamum Piceum. The Tar-Balsam.

Take two ounces of Tar, and a pint of rectified Spirit of Wine, digest them together in a sand-heat for three days; then pour off the Balsam from the dregs.

The virtues of this may be learned from Tar-water; only this is preferable, more cordial, and pectoral. A large spoonful may be taken night and morning, mixed with sugar, or in a glass of water.

Balfamum traumaticum.

The vulnerary Balfam.

Olbanum is substituted here to the Balsam of Peru.

This is made in imitation of a medicine, which has been of confiderable use, called the Jesuit's Drops, or Fryer's Balsam, which is to be seen in the Parisian and Strasburgh Dispensatories, under the title of Balsamum persicum, and that of Balsamum commendatoris. Here in London many people get a comfortable substitution by selling it as an arcanum, under various names, particularly one who sells it with the sanction of a Patent, under the title

(9)

of The Balfam of Life. However, it is a good pectoral, warms and strengthens the stomach, contributes to perspiration, and is recommended in fluxes and hæmorrhages. Its dose is four or five drops taken in wine or broth. Gun-shot wounds, and such as are made with tharp instruments, if not mortal, are cured in a few days, by the application of this Balfam, either with a feather, cotton, or by way of injection, provided the wound has been first of all dreffed with it, and no other medicines have been used; for when the wound is first dreffed with it, no pus will afterwards be formed; whereas pus is always the effects of dreffing with the ordinary medicines. There is no occasion for tents or plaisters when the Balfam is applied, especially at the first dreffings. It is reckoned a fovereign remedy for the gout and tooth-ach, when applied to the part affected with a feather or cotton. It is good for the pricking of horses when shod, by pouring a drop or two into the hole from which the nail is drawn.

Bolus alexeterius.

The alexeterial Bolus.

Take of Virginian Snake-root, fifteen grains; of Castor, ten grains; of Camphor, three grains; Syrup of Sugar, enough to mix and make them into a Bolus,

This

(10)

This is a powerful Alexipharmic, and is given in most kinds of severs, especially the worse and more malignant fort attended with convulsions and deliria. It is hardly ever omitted, when the pulse and spirits begin to stage in the progress of a putrid sever, small-pox, measles, miliary sever, &c. It is good in nervous and paralytick cases, which proceed from too much humidity; as also in the sebricula, whether hysterical or hypochondriacal. If plentifully prescribed, it requires to be well diluted with small liquors; and thus managed, it seldom fails to raise a diaphoræssis, and bring the distemper to a criss.

Bolus è Castoreo. The Castor Bolus.

Take of Castor, one scruple; of volatile Salt of Hartshorn, five grains; or of distilled Oil of Hartshorn, five drops; Syrup of Sugar, enough to make them into a Bolus.

This is fomewhat fimilar to the foregoing Bolus, as anodyne, paregoric, and refolvent. It being repeated at proper intervals, with a draught or julep of the preceding hysteric-water, may be of the highest fervice in many disorders of the brain, heart, and nerves, which proceed from uterine affections, spasmodic motions, and an acid, austere distemperature

RIELL

(11)

of the humours. It is proper for promoting the eruption of the small-pox and measles. It is a good cordial in low nervous severs for child-bed women, and in hysterical languors.

Bolus Diaphoreticus.

Diaphoretic Bolus.

Take of compound Powder of Contrayerva, and of crude Salt of Ammoniac, each one fcruple; Syrup of Sugar, as much as is fufficient to make a Bolus.

This penetrates into the most intimate parts, and is a noble aperient, sudorific, antiseptic, and diuretic. Hence it becomes proper, in cases where perspiration is to be augmented; and in severs, in which the disorder is to be eliminated by the cuticular discharges. It is prescribed with a draught of the plague-water to remove cachectic and anasarcous swellings.

Bolus Diureticus.

Diuretic Bolus.

Take of white Soap, two scruples; distilled Oil of Juniper, from ten to twenty drops. Mix them together.

This attenuates and diffolves infpiffations, calculous concretions, pinguious fubstances, flime,

(12)

flime, and coagulated juices, and affimulates the fluids. Hence it is good in the jaundice, cachexies, stone or gravel, and difficulty of urine. In diseases, however, where life is in danger, from a putrid, broken, and tabid difposition of the fluids, it does mischief, of which there have been instances in the plague, and putrid fmall-pox, as we have faithfully related to us by the honest Diemerbroeck. But during the course of this medicine the patient should live entirely on broths, eggs, fish, and flesh with bread, and foft ale; shunning all acid or acessent aliments, which may destroy the saponaceous quality, by its uniting with the alkali of the Soap and dislodging the Oil, as the excellent Homberg observes.

Bolus Guajacinus.

Guaiacum Bolus.

Take of the Extract of Guaiacum, two scruples; volatile Salt of Hartshorn, seven grains; Syrup of Sugar, as much as is sufficient. Mix and make them into a Bolus.

This is a very warm cordial, and drying medicine, and therefore a great promoter of perspiration. It is reckoned a sweetner and cleanser of the blood, and therefore prescribed in cutaneous foulnesses. It is likewise esteem-

(13)

ed good in the Gout; as also in Dropsies and Catarrhs, by drying up and wasting the superfluous humidities. But in venereal cases it is deemed a specific.

Bolus Jalappæ cum Mercurio.
Bolus of Jalap with Mercury.

Take of choice Jalap, one scruple; Calomel, from five to ten grains; Syrup of Sugar, a sufficient quantity. Mix them together into a Bolus.

This is a proper Bolus in most cases where a brisk purgative, preceded by a glyster, is neceffary, either to make a revulfion after bleeding in inflammatory fwellings and obstructions of the parts contained in the head, neck, or thorax; or to make an evacuation of the intestines and adjacent viscera of the abdomen. Thus may a bilious fever be carried off, when it has lingered, and there is little probability of its ending critically by any other way: As a diaphoretic and hydrogogue it is of use in dropfies, defluxions of the head, eyes, and ears; as also in humoral coughs, and many obstinate chronical distempers. It destroys Worms, cures a virulent gonorrhæa and fluor 'Tis also good to cleanse the bowels from their redundant viscid mucus, that often clogs or shuts up the chylopoietic system, so

(14)

as to hinder the entrance and proper effects of other medicines. In intermitting fevers I know it to be a specific.

Bolus Mercurialis.

The Mercurial Bolus

Take of Calomel, from five to fifteen grains; of the Conferve of Roses, half a dram. Mix them into a Bolus.

This is the usual Bole for a salivation, and which is repeated, as the symptoms require, whenever it is judged best to do that by internals, for the cure of venereal or scrophulous cases, acrimony in the blood, stubborn ulcers, &c. It is also given frequently over night, to be carried off by the common catharticks the next Morning, in any cases that require brisk purging.

Bolus Pectoralis.

The Pectoral Bolus.

Take of Sperma Ceti, fifteen grains; of Gum Ammoniacum, ten grains; of the volatile Salt of Hartshorn, seven grains, Mix, and make them into a Bolus.

This is an excellent balfamic in many distempers of the breast; and gently deterges and

(15)

and heals. In coughs, pleurifies, and inward imposthumations, where the Mucus of the bowels has been abraded by acrimony and choler; as also in diarrhæas and dysenteries; this a very good healer. In ulcerations of the kidneys and bloody urine, it is likewise a very suitable medicine; and by softning and relaxing the fibres, it contributes frequently to the expulsion of gravel. It may be taken once or twice a day with some proper emulsion, draught, or julep, according to the indications.

Bolus Rhei cum Mercurio.
The Rhubarb Bolus with Calomel.

Take of the best purgative Rhubarb, twentyfive grains; of Calomel, five grains. Mix, and make them into a Bolus, with as much Syrup of Sugar as will suffice.

This is an admirable medicine in most cases, where purging is necessary, to cleanse the first passages of any thing that hinders the successful operation of other alterative medicines. See the virtues of the Jalap Bolus, which this nearly answers; but is more astringent, hepatic, stomatic, and a purger of the urine and sabulous concretions.

Bolus

(16)

Bolus Theriacalis.

The Treacle-bolus.

Take of Theriaca, two scruples; of volatile Salt of Hartshorn, seven grains; of Camphire, three grains. Mix, and make a Bolus.

The Theriaca here intended, is that directed at the end of this Hospital Dispensatory. The quantity of opium in the Bolus being scarcely the tenth part of a grain, is so little as to be in no danger of exciting the ill confequences that often attend an improper administration of that capital drug; although it may fufficiently coincide and operate with the other alexipharmic ingredients, fo as to render its operation fenfible in raifing the Spirits, and keeping up a languid circulation as a cordial in low nervous fevers; to excite and keep up a fweat that is critical in other fevers, or to check and moderate a flux upon the bowels, and promote a diaphoresis in coughs and colds, taken at bed-time with fome warm white wine, whey, or other thin liquor. See what is faid of the Bolus Diaphoreticus.

Cataplasma

(17)

Cataplasma Emolliens. Emollient Cataplasm.

AKE of the crumb of Bread, eight ounces; white Soap, one ounce; fresh Cow's-milk, a sufficient quantity. Boil them a little.

This is anodyne, penetrating, and refolvent, therefore applied to the foles of the feet in fevers, to the joints when afflicted with the gout, and causes sometimes the exudation of a great deal of serous matter; and to white swellings.

Cataplasma Suppurans. Suppurating Cataplasm.

This is made by adding to the foregoing Cataplasm, of raw Onions bruised, one ounce and a half; basilicon Ointment, one ounce.

This is good to draw and suppurate all kinds of tumours; and to ripen, break, and cleanse impostumations.

Cataplasma Theriacale.

Treacle-cataplasm.

Take of Theriaca, one ounce; expressed oil of Mace, two drams. Mix them together.

C This

(18)

This Cataplasm is to be moistened, immediately before its application, with a little of the saline aromatic spirit.

This is very penetrating, and not only helps to diffipate the peccant humours, but also to warm and strengthen the fibres; therefore it is applied in the gout, rheumatism, paralytic cases, and to scarrified parts in dropsical habits both to prevent a mortification, and forward the drain of such humours.

Cataplasma Theriacale Camphoratum.

Camphorated Treacle-cataplasm.

Take of Theriaca, one ounce; Camphor, one dram. Mix them together.

This is applied to the wrifts in fevers, and repeated occasionally.

Cervifia Aperiens.

Aperient Ale.

AKE of whole Mustard-seed, ten ounces; long Birthworth-roots, fix ounces; tops of lesser Centaury, two ounces; Savin, one ounce; new small Ale ten gallons.

This

(19)

This cleanses the womb, excites the menstrual discharges, and forwards delivery. It is serviceable in hysterical disorders, and good to loosen and discuss viscidities; and therefore excellent in all paralytic cases, and the decays and defixions attending old age.

Cervifia Cephalica.

Take of wild Valerian-root, ten ounces; whole Mustard-seed, fix ounces; Virginian Snake-root, two ounces; Rosemary, or Sage, three ounces; new small Ale, ten gallons.

This is good against epilepsies, apoplexies, palsies, and all diseases of that kind, and vertigoes from uterine obstructions; it is also of use in almost all nervous complaints: especially such as arise from too great moisture and cold.

Cervisia Diuretica.

Diuretic Ale.

Take of whole Mustard-seed, Juniper-berries, each eight ounces; Seed of wild Carrot, three ounces; common Wormwood, two ounces; new small Ale, ten gallons.

This is esteemed a good diuretic, and preventive of the stone. 'Tis also useful in uterine C 2 and

(20)

and hysteric affections; and to dry up the remaing moistures and watery humours, which the ordinary catharticks leave behind; and will nake the cure lasting.

Cervifia ad Scorbuticos.

Antiscorbutic Ale.

Take of fresh Horse-radish-roots, twelve ounces; Roots of sharp-pointed Dock, six ounces; Canella alba, two ounces; Water Tresoil, fresh gathered, eight ounces; or of the same Plant dried, three ounces; common Wormwood, one ounce; new small Ale ten gallons.

This is very effectual against scrophulas, the king's-evil, jaundice, and all obstinate scorbutic distempers, especially where the extreams tend towards too great a corpulency. In all tendencies likewise towards a palsy it does much good, both by drying away sloughy humours, which destroy due sensation, and by giving warmth and briskness to the juices.

Colly-

(21)

Collyrium album. White Collyrium.

AKE of Rose-water, fix ounces; white Troches, one dram; white Vitriol, ten grains. Mix them together according to art.

This is good to cool and repel hot sharp humours of the eyes; but when the fight decays from a driness, or default of the optic nerves, such a thing can avail but little.

Collyrium aluminofum.

Alum-Collyrium.

Take of Roch-alum, half a dram; the White of one egg. Shake them well together.

This is good to take off specks and films from the eyes, and to cleanse ulcers in the lids.

Confectio roborans.

Strengthening Confection.

Take of Bole-armoniac prepared, three ounces;
Tormentil-roots, Nutmegs, Olibanum, of each two ounces; Opium, a dram and a half; Syrup of dry Roses, thrice the weight C 3 of

(22)

of the powders. Mix them according to art.

This alexipharmic, anodyne, and aftringent Vulnerary, is recommended in those immoderate evacuations of the abdomen. A dram or two of it, at a dose, along with the Chalk Julep, will give an effectual check to the disorder. Wherefore it is successfully prescribed for diarrhæas in the measles, small-pox, or fevers; as also for relaxations, hæmorrhages, and hurts in the time of pregnancy; and likewise for the fluor albus, and seminal weakness. The general method suitable to the indications ought to affish its use.

Decoctum album.

White Decoction.

Take of compound testaceous powder, fix drams; Gum-arabic, three drams; Water, three pints. Boil till one pint of the water is wasted; then add to the turbid decoction, of aromatic water, one ounce; white Sugar, two drams. Mix the whole together.

This is chiefly good for immediately deftroying any sharp corrosion at the stomach, and for absorbing all acidities in the first pasfages. It is also serviceable in sluxes, particularly (23)

cularly catarrhs, by thickening and foftening the thin humours.

Decoctum antihecticum.

Antihectic Decoction.

Take of the Roots of Comfry, Eryngo, each half an ounce; Conserve of Roses, two ounces; Water, three pints. Boil these ingredients together, till there remains a quart of liquor after straining; to which add of sweet Spirit of Vitriol, forty drops.

This is grateful and strengthening; it restrains the saline particles of the blood, and hinders it from rushing too impetuously throw the lungs; therefore it takes place in newly begun consumptions, hectic fevers, night sweats, &c. where the colliquation of the humours causes a wasting of the muscular parts.

Decoctum aftringens.

Aftringent Decoction.

Take of Tormentil-roots, one ounce; Pome-granate-peel, Plantane-leaves, each half an ounce; Water, three pints. Boil them to the confumption of two pints; adding towards the end, of Cinnamon, one dram.

C 4 Strain

(24)

Strain out the Decoction, and mix with it Syrup of dry Roses, one ounce.

This is good in an hæmoptifis, and in weaknesses of the stomach and bowels; and removes nauseousness, vomitings, and sluxes. It is also ordered for gleets, and astringent clysters. See *The strengthening Confection*.

Decoction of Burdock.

Take of the Roots of greater Burdock, two ounces; Water, three pints. Boil till there remains a quart of liquor after straining; to which add, of vitriolated Tartar, one dram; white Sugar, half an ounce.

This is extremely diuretic, and reckoned effectual in carrying off, by those discharges, what is very much the occasion of arthritic pains, when once deposited upon the joints. It is an excellent hydragogue, and of great efficacy in scorbutic and cachectic cases.

Decoction of Logwood.

Take of Chips of Logwood, three ounces; Watet, two quarts. Boil them to the confumption (25)

fumption of one half of the liquor; adding, towards the end of the boiling, of Cinnamon two drams. Strain out the Decoction for use.

This is an admirable aftringent, and a great ftrengthener of the stomach and bowels; likewise good to cure weaknesses, defluxions, and a dysentery.

Decoctum commune.

Common Decoction.

Take of Mallow-leaves, Camomile-flowers, each one ounce; Water, two quarts. Boil till one quart of the liquor is wasted: then strain out the remaining Decoction for use.

This is emollient and carminative, therefore accounted a good anodyne, and excellent against gripes, nephritick pains, stranguries, and heat of urine; as also for cramps, and such like spasms. 'Tis likewise used for lotions and clysters,

Decoctum diureticum.
The diuretic Decoction.

Take of the Roots of Parsley, or those of Fennel, one ounce; Seeds of wild Carrot, three

(26)

three drams; Pellitory of the wall, half an ounce; Raisins of the sun, two ounces; Water, three pints. Boil them together, till there remains a quart of liquor after straining; to which add of Nitre, one dram.

This absterges much slime and viscid adhesions from the stomach and bowels; cleanfes the viscera, particularly the kidneys; keeps the juices cool and sluid; and greatly affists their discharge by urine, especially in uterine and hysteric cases.

Decoctum Hordei, The Barley Decoction.

Take of Pearl-barley, two ounces; Water, three quarts. Boil them till two quarts of the liquor is wasted; then strain out the Decoction for use.

This is good to quench thirst, sheath acrimonies from blisters, \mathfrak{S}_{c} and lubricate the passages in cholic and nephritic pains.

Decoctum Serpentariæ compositum. Compound Decoction of Snake-root.

This Decoction is made in the same manner as described in the Edinburgh College Dispen(27)

Dispensatory, p. 107. only exchanging the syrup of Meconium for one ounce of white Sugar. This is directed in severs of the more malignant kind, where the pulse is languid, the body clammy, and the patient at the same time very restless; for it invigorates the blood, opens the obstructed passages, procures sleep, and is a most powerful alexipharmic. In the small-pox likewise, where the pustules, that ought to ripen, make no advances, from nature's being unable to perform her part towards suppuration; this decoction, by rendering the blood more rapid, and by thinning the humours, will greatly help to perform. See Bolus alexeterius.

Decoctum Tamarindorum cum Senna.

Decoction of Tamarinds with Senna.

This Decoction is made in the fame manner as directed in page 107 of the Edinburgh College Dispensatory, only omitting Syrup of Violets for Syrup of pale Roses. This is a cooling purge, and gently relaxes the bowels; and also affists in attenuating those viscidities, which a Cathartic is intended to carry off, and therefore makes them pass away more easily by stool and urine. Hence it is prescribed in severs.

Decoctum

(28)

Decoctum Vulnerarium.

Vulnerary Decoction.

Take of the Herb Ground-ivy, Leaves of Plantane, each half an ounce; Water, three pints. Boil them till there remains a quart of liquor after straining; to which add, of white Sugar, half an ounce.

This is cooling, abstersive, and vulnerary; and prescribed as an astringent in distempers of the lungs, chiefly for such consumptions as proceed from sharp thin humours, weaknesses, and spitting of blood.

Electuaria.

Electuaries.

Electuarium Antidysentericum.

Antidysenteric Electuary.

A K E of the strengthening Confection, one ounce; Balsam of Lucatellus (diffolved in the yolk of an Egg) half an ounce. Mix them together.

This is an excellent internal Vulnerary in an obstinate bloody-flux, to prevent abortion, &c. and very aptly formed for corresponding with such

(29)

fuch purposes. The Confection has its share in accomplishing a cure, partly from its astringency, partly from its opiate quality, by rendering the vessels insensible of the pungency of the morbisic particles; while the virtues of the Balsam agglutinate, heal, and stop up the mouths of the vessels, and sheath the acrimonious humours which abrade the parts.

Electuarium Antidysentericum cum Rheo.

Antidysenteric Electuary with Rhubarb.

Add to the foregoing Electuary, of choice Rhubarb, one dram and a half; Syrup of Marshmallows, as much as will be sufficient to give the whole the consistence of an Electuary.

The Rhubarb in this Composition is serviceable two ways, both as it carries off a bilious and slimy matter from the bowels, and other distemper'd contents of the intestinal and mesenteric glands, whose acrimonious particles corrode the vessels, and open their inflamed orisices; and at the same time it braces the relaxed fibres, and restores them to their former healthy state.

N. B. The Opiate confining the Rhubarb from immediate operation, throws its virtue with that of the rest of the ingredients more effectually into the blood.

Electuarium

Electuarium Balfamicum. Balfamic Electuary.

Take of Conserve of Roses, two ounces; Balsam of Lucatelli (dissolved in the yolk of an egg) one ounce. Mix, and make them into an Electuary.

This is a noble Medicine, eafy to take, and ought to be repeated on the urgency of fuch Coughs as give suspicion of tubercles, ulcerations, and decays of the lungs. It disfolves tough phlegm in the bronchia, cures catarrhs and coughs from tickling defluxions; it repairs and heals inward exulcerations and bloody discharges, especially of the kidneys, bladder, and uterus. In seminal weaknesses and old gleets in both sexes, there can be nothing better contrived. The quantity of a nutmeg may be taken two or three times in a day, with a draught of the antihectic Decoction.

Electuarium Cephalicum. Cephalic Electuary.

Take of wild Valerian-root, Misletoe of the Oak, each one ounce; Syrup of Sugar, a fufficient quantity. Mix them into an Eelctuary.

This

(31)

This is calculated for disorders of the head, and is in great csteem for Epilepsies and inveterate Head-achs. It is frequently prescribed in Apoplexies, Vertigoes, and Convulsions from uterine obstructions.

Electuarium Hæmorrhoidale. Electuary against the Piles.

Take of Lenitive Electuary, two ounces; Flower of Sulphur, half an ounce. Make thereof an Electuary.

The quantity of a nutmeg is to be taken of this every morning and night: it will keep the belly moderately lax, and greatly ease the Piles. All sulphureous medicines are confessedly great sweetners of the blood, by sheathing the acrimonious particles, which cause it to run into preternatural cohesions, and to become grumous; and have been particularly extolled for the Piles in all ages.

Electuarium Lenitivum.

Lenitive Electuary.

Take three ounces of Polypody-roots, and three quarts of water. Boil till two quarts are wasted; adding towards the end of the coction, two ounces of Sena, and half an ounce of Coriander Seeds. Strain out the liquor,

is

(32)

liquor, add to it four pounds of white Sugar, and boil to the confistence of a thick Syrup; with which mix a pound of the Pulp of French Prunes, half a pound of Pulp of Cassia, and the same quantity of that of Tamarinds. Make the whole into an Electuary.

This cools and purges very gently, and is convenient enough to add in Clysters. Internally it is more proper to prevent costiveness, than to be exhibited as a regular Cathartic. It is also intended to cleanse the liver and other viscera.

Electuarium ad Nephriticos.

Nephritic Electuary.

Take of Lenitive Electuary, one ounce and a half; Venice Turpentine (diffolved in the yolk of an egg) one ounce; Oyster-shells prepared, half an ounce; choice Rhubarb, one dram; Syrup of Marshmallows, a sufficient quantity. Mix these ingredients together, and make them into an Electuary, according to art.

This gently opens by stool, but is very forcing by urine; and is therefore directed in all obstructions and foulnesses of the urinary passages, especially when there are acidities in the

(33)

the Prima Via. In Gonorrhaas it is a good remedy, till the matter is well coloured, and of a good confistence.

Electuarium Peruvianum Febrifugum. Febrifuge Electuary of the Bark.

Take of Peruvian Bark, one ounce; crude Sal Ammoniac, one dram; Syrup of Lemon-juice, as much as will make the other ingredients into the confistence of an Electuary.

This is given in the intervals of an Intermitting Fever, and in all Agues, which it commonly cures; but care is necessary that it be not given till the fit be clear off, otherwise it will aggravate the paroxysms. The dose is the quantity of a nutmeg every three or four hours betwixt the fits. It is also specifically efficacious in all periodical diforders, and is a powerful remedy in Mortifications, Putrifactions, &c.

> Electuarium Peruvianum Roborans. Strengthening Electuary of the Bark.

Take of the Peruvian Bark, one ounce and a half; Colcothar of Vitriol, three drams; Syrup of Sugar, a fufficient quantity. Make them into an Electuary.

(34)

In robust constitutions this is prescribed for stubborn Agues; and also for Fluxes and Hæmorrhages. It promotes discharges by urine, destroys worms, brings them away, and strengthens the fibres; but in thin hectical habits it is not so proper. The Colcothar here prevents the Bark from going off by stool, which it is sometimes apt to do; and Opium will likewise have the same effect.

Electuarium fistens.

Electuary against Fluxes.

Take of the strengthening Confection, two ounces; Extract of Logwood, one ounce; Syrup of dry Roses, a sufficient quantity. Make them into an Electuary.

This is an Astringent, and good to fortify the stomach and bowels, when weakened by a Diarrhæa; and is much esteemed of late for its virtues in curing a Dysentery.

Elixir Salutis.

Elixir of Health.

IN this Difpenfatory, Jalap is put in the place of Rhubarb, as being an hydragogue, and coinciding better with the other ingredients for

(35)

for that purpose. See the Ed. Coll. Dispen. p. 94.

This is a good Carminative and Purger of ferous humours, both by ftool and urine, in cool phlegmatic habits; and in fome cholic pains it gives great relief.

Elixir Stomachicum.

Stomachic Elixir.

See the Ed. Coll. Difp. p. 96.

Elixir Vitrioli.

Elixir of Vitriol.

In this Dispensatory, the Oil of Nutmeg is exchanged for double the quantity of the Oil of Lemon-peel.

This is an excellent Stomachic, Cardiac, and Cephalic; therefore used with success in complaints of the head, bowels, and womb, arising from weakness of the nerves, indigestions, &c.

D 2

Empla-

(36)

Emplastrum adhæsivum. Adhesive Plaister.

N this Difpenfatory common Plaister is ordered instead of the simple Diachylon Plaister.

The title of this Plaister expresses its use, which is generally only to preserve dressings on the part. It is likewise a suppurative or discutient, after the manner peculiar to all adhesive bodies; and being applied to undistempered parts, will raise blisters, as is frequently practised to make revulsions in some pains of the head, desluxions, and sore instanced eyes.

Emplastrum calidum. Warm Plaister.

Take of Gum-plaister, one ounce; Blistering-plaister, two drams. Melt them together over a gentle fire.

The chief intention of this is to raise blisters, and to create a stimulus in a languor or stupor of the nervous system; to dissolve a viscosity or siziness of the juices, and hinder their tendency to a coagulation; or to cause a derivation and discharge of some morbisic humour, and prevent its returning into the blood; therefore it is esteemed useful in some instammatory

(37)

matory Fevers, Dropfies, and certain stages of the crystalline or watry Small-pox; especially if the Pustules subside, and the extremely viscid matter of the disease can neither be brought to suppurate, nor be carried off by diuretics. It remarkably affects the kidneys and bladder, and provokes urine, not by an eafy, natural ejectment, but rather by an erytismus from its acrid falts that cause a strangury, which should be guarded against by broths and emulfions. It is good against a Mortification, and reckoned an efficacious cleanfer and fcourer of the urinary paffages and uterus, when obstructed with slough and viscidities. But its use requires the highest caution and prudence: hence it is not every one who must think himself qualified to meddle, without distinction, with remedies, which are fure to do good or hurt, according as they are administer'd.

Emplastrum Cereum, Wax-Plaister,

Take of yellow Wax, four pounds; white Refin, two pounds; Suet, a pound and a half. Melt them together.

This is a good Digestive, and will attenuate and dislodge the obstructed humours of foul ulcers.

D 3 Emplastrum

(38)

Emplastrum commune. Common Plaister.

Take of Litharge prepared, three pounds; Oil of Olives, fix pounds. Boil them up to a due confiftence.

This is to supply the place of the Diachylon Plaister of former Dispensatories; and is esteemed emollient, maturant, and resolvent. It will also incarnate and cicatrize.

Emplastrum defensivum. Defensive Plaister.

Take of Litharge prepared, two pounds; Oil of Olives, four pounds. Boil them almost to the consistence of a Plaister, in which liquify fix ounces of yellow Wax, and four ounces of Olibanum. Then add fix ounces of Bole-armeniac prepared, two ounces of Dragon's Blood in powder, and four ounces of Venice Turpentine.

This is employed to confolidate Fractures, to strengthen Luxations and Weaknesses of the Loins and Joints; and is also serviceable for Ruptures and Chilblains.

Emplastrum

(39)

Emplastrum Epispasticum. Blistering Plaister.

Take of Burgundy-pitch, twenty ounces; Venice Turpentine, Cantharides in powder, each fix ounces.

This is a powerful Epispastic, and is applied either to the head, between the shoulders, or to the soles of the feet. See its use in the warm Plaister. But when applications are made to the feet, with an intent to stimulate strongly, excite pain therein, and relieve the head, Cataplasms composed of equal parts of scraped Horse-radish, and powdered Mustardseed, moistened with old Yeast, will answer the design expeditiously, strongly, and effectually.

Emplastrum Gummosum, Gum-Plaister.

Take of Palm Oil, four pounds; Litharge prepared, one pound and a half. Boil them almost to the consistence of a Plaister; then add of Gum-ammoniacum and Galbanum, each half a pound.

This will cure all Bruises and Tumours, that are liable to be discussed or repelled. It is

(40)

is also a good Strengthener, and may be adapted to hysterical cases.

Emplastrum Mercuriale.

Mercurial Plaister.

Gum-Plaister is substituted here to Diachylon.

This admirably warms, foftens and discusses all Indurations and harden'd Tumours, be they chalky, scrophulous, or venereal.

Emplastrum Saponaceum.

Soap-Plaister.

Take of Gum-plaister, three pounds; white Soap sliced, half a pound. Melt the Plaister, and mix into it the Soap.

The Soap in this Plaister makes it very refolvent and anodyne. It is applied sometimes to strains and arthritic tumours, whose matter it corrects by rendering it more miscible and fitter for transpiration.

Emplastrum Stomachicum.
Stomach Plaister.

Take of yellow Wax, eight ounces; Tacamahaca in powder, Palm Oil, each four ounces. Melt them together, and add of Cloves (41)

Cloves in powder, two ounces; expressed Oil of Mace, one ounce and a half. Mix, and make them into a Plaister, which is to be moistened, when fresh spread, with some drops of distilled Oil of Mint.

This is intended as a warm, carminative, and cordial application to the stomach, and exerts very considerable effects when such things are wanted; therefore it is useful in Flatulences, Gripes, and all complaints arising from Indigestions; and a cold, weak Stomach cannot well fail finding relief from its use.

Emplastrum suppurans.

Suppurating Plaister.

Take of Gum-plaister, one ounce and a half; Burgundy-pitch, half an ounce. Melt them together.

The Pitch gives a greater Cement to the other Ingredients, and confequently a greater stop to perspiration, which causes the obstructed humours to suppurate,

Emulfio

(42)

Emulfio communis.

The common Emulfion.

Water, one quart. Make them into an Emulfion; to which add of white Sugar, two drams. If three drams of Gumarabic be previously boiled in the water, the Preparation is called

Emulsio Arabica.

Arabic Emulsion.

Either of these are singularly useful in many Emergencies, particularly in acute Distempers, and the Gravel. In Heat of Urine and Stranguries, either from acrimonious humours, or the salts of Epispastics, they give immediate ease; and ought to be drank while fresh, half a pint at a time, and pretty often. There are other forts of Emulsions, which are calculated for Diuretics, Coolers, and Pectorals.

Enema de Amylo. The Starch Clyster.

TAKE of Gelly of Starch, four ounces. Liquify it over a gentle fire, and mix in of Linfeed Oil, half an ounce.

This

(43)

This Clyster is prepared likewise with the addition of forty drops of liquid Laudanum.

Clysters in general are ordered where the nature of a disease will not admit of medicines by the stomach, or where the immediate application of them is necessary. This is good in Diarrhæas and weakness of the Intestines; for the gluey quality of the Starch furnishes a sort of Plaister to the mouths of the relaxed vessels. In Fluxes Clysters ought to be in as little quantity as they can be conveniently given, because they will stay the easier, and consequently have the greater effect.

Enema Anodynum. Anodyne Clyster.

Take of the Infusion of Linseed, fix ounces; liquid Laudanum, forty drops. Mix them together.

This is excellent to affuage pains in Lyenteries, and Inflammations of the Uterus and Bladder, by reason of a proximity and confent of parts. The opiate quality renders the Intestines insensible of the action of those acrid and pungent particles which stimulate their texture. Repeated occasionally it is very serviceable in obstinate Diarrhæas, especially

(44)

ally if now and then a dose of the Ipecacuanha be given, which may aftringe the stomach, promote a better digestion, and dissolve and cut off a supply of such humours as irritate the bowels, and sollicit their evacuation oftener than nature requires.

Enema Anticolicum.

Anticholic Clyster.

Take of the common Decoction, half a pint; Tinctura facra, one ounce; common Salt, one dram; Linfeed Oil, two ounces. Mix the whole together.

This falls in with the view of unloading the bowels of their costive contents; and consequently procures an immediate relief on many occasions, chiefly in Flatulencies, Gripes, and bilious Cholics. The addition of the Salt, by a mild gentle stimulus insures its effects. It likewise destroys worms, particularly the Ascarides, if assisted with a few grains of Calomel by the mouth,

Enema Astringens.

Astringing Clyster.

Take of Lime-water, ten ounces; strengthening Confection, half an ounce. Mix them together.

Enema

(45)

Enema Astringens Balsamicum.

Balsamic astringent Clyster.

This is made by adding to the foregoing of Lucatelli's Balfam (diffolved in the yolk of an egg) half an ounce. The quantity of each of these Clysters here prescribed, serves generally for two injections.

Either of these are good Strengtheners, and may be given occasionally in bloody Fluxes, which proceed from sharp thin humours. They ought to be administer'd chiefly just before going to bed, that by sleeping upon them they may be retained the longer.

Enema Domesticum.

The Domestic Clyster.

Take of Cow's Milk, half a pint; brown Sugar, Oil of Olives, each one ounce.

Mix them together.

This is proper in all ordinary Cases, to relax the belly, and give two or three stools. It may also be previously exhibited to a Cathartic, that it may work the easier.

Enema

(46)

Enema Emolliens. Emollient Clyster.

Take of Palm Oil, one ounce and a half; the yolk of one Egg. Work them well together, and add of Cow's Milk, half a pint.

This and the foregoing may nearly ferve for the same purposes.

Enema Fætidum. The Fætid Clyster.

Take of Rue, Savin, each half an ounce; Water, a pint and a half. Boil them till a pint of liquor remains after straining; to which add of Assa feetida, two drams; Oil-olive, one ounce; distilled Oil of Amber, half a dram. Mix them together according to art. This quantity serves for two injections.

The title fufficiently indicates the use and virtue of this Clyster: It being chiefly adapted for hysterical and hypochondriacal cases.

Enema

(47)

Enema Purgans.
The Purging Clyster.

Take of the common Decoction, half a pint; white Soap, one ounce; Syrup of Buckthorn, an ounce and a half. Mix them according to art.

This is penetrating, deterfive, and capable of diffolving Indurations, and grumous Viscidities of the intestinal Tube, especially in the Jaundice, and by ridding the bowels of their concreted contents may prevent an Inslammation. It is useful in disorders of the Head, and may cause a revulsion in fæculent Vomitings.

Enema Terebinthinatum.

Turpentine Clyster.

Take of the common Decoction, ten ounces; Venice Turpentine (disfolved in the yolk of an egg) half an ounce; Linseed Oil, one ounce. Mix them together according to art.

The active properties of the Turpentine are fomewhat abated by being mixed with the yolk of an egg, and makes it more miscible with the other Ingredients. Besides evacuating

(48)

ting and foftening the Bowels, there is an Intention of great moment, which is conveniently affifted this way, and that is strengthening and astringing them in obstinate Diarrhæas. It is excellent where the Patient labours under an obstinate and inveterate Obstruction in the Kidneys, or urinary Passages, from gravel and sabulous matter. It may not be improper to give a Caution, on this occasion, against recurring to forcible Diuretics in these Exigences, which may greatly inslame the Organs; whereas Medicines of a soft, lubricating nature will, in a competent time, with all the safety imaginable work the defired effect.

Expression Millepedarum. Expression of Millepedes.

AKE of live Millepedes, three ounces; fimple Fennel-water, one pint; compound Horse-radish-water, half a pint. Bruise the Millepedes, gradually adding to them the distilled Waters; and afterwards press out the liquor.

This is an excellent Diuretic, Sweetner and Cleanfer of the Blood, and a most efficacious Medicine in all chronic Cases, that are to be relieved (49)

relieved by promoting the urinary Discharges, as are many inveterate Ulcers, Strumas, and scrophulous Disorders, and such as frequently are the Forerunners of scorbutic Dropsies, from a Retention of such Humours as obstruct the Viscera, and fill the whole Habit with Water and Viscidities. Hence it is of singular Efficacy in the Stone, Jaundice, nephritic Pains, Dysury, Cholic, and Asthma.

Fotus Anodynus.
The Anodyne Fotus.

AKE of the Heads of Garden Poppies, one ounce; Elder-flowers, half an ounce; Water, three pints. Boil to the confumption of one quart; and then strain out the Liquor for use.

This is good to affwage Pain in inflammatory Swellings; but Care must be taken not to destroy the natural heat of the part it is applied to, lest it may dispose to Mortification.

Fotus Aromaticus.

Aromatic Fomentation.

Take of Cloves, Mace, each one dram; red Wine one pint. Boil them a little, and then strain out the liquor.

(50)

This applied warm to the Abdomen, will be found of admirable fervice in Cholics, and for relaxed weak Stomachs that are subject to Distention from Flatulency. It may be used to the Head with success in any Disorders from too much Moisture and pituitous Defluxions.

Fotus Emolliens.

Emollient Fomentation.

See Decoctum commune.

Fotus Roborans.

Strengthening Fomentation.

Take of Oak-bark, one ounce; Pomegranatepeel, half an ounce; Forge-water, three pints. Boil them till there remains a quart of the strained liquor; to which add of Roch-alum, two drams.

This is proper for Hæmorrhages, whether Uterine, Hæmorrhoidal, or from any other part. It is also good to foment Sprains, Fractures, or paralytic Limbs; and will help to check immoderate Vomitings.

Gargarisma

(SI)

Gargarisma Astringens. Astringent Gargarism.

ter, one pint and a half. Boil till there remains one pint of liquor, after straining; to which add of Rock-alom, one dram; Honey of Roses, one ounce.

This is intended for loofened Teeth, Hæmorrhages at the Mouth, or a Paralifis of the lingual Nerves; likewise to constringe and strengthen the salival Ducts when relaxed; as also to repel Tumours, and consolidate Ulcers.

Gargarisma commune. The common Gargarism.

Take of Water, fix ounces; Nitre, one dram; Honey of Roses, one ounce. Mix them together. To this Gargarism are sometimes added, of sweet Spirit of Vitriol, fifteen drops.

This is proper to cleanfe and fcour the Mouth and Throat from Slough, and the phlegmatic Matter which stuffs and tumifies the Glands. It is also good to cool and deterge the Mouth when fore, parched, and dry with a Fever.

E 2

Garga-

(52)

Gargarisma Emolliens. Emollient Gargarism.

Take of Marshmallow-roots, two ounces; Figs, in number four; Water, three pints. Boil till there remains one quart of liquor, which strain out for use.

This is excellent to affwage Pain and Inflammation in the Throat or Mouth, to maturate any Ulcer therein, and to mollify the blifter'd Tongue and Fauces in a Salivation.

Haustus Diaphoreticus. The Diaphoretic Draught.

AKE of the Spirit of Mindererus, Syrup of Meconium, each half an ounce; volatile Salt of Hartshorn, five grains.

Mix them together.

This is refolvent, paragoric, and alexipharmic; and will promote a Diaphoresis in Fevers and febrile Disorders, and procure Sleep where great Restlesness prevails.

Haustus

(53)

Haustus Salinus. Saline Draught.

Take of Salt of Wormwood, one fcruple; Lemon-juice, half an ounce; white Sugar, one dram. Mix them together.

This is an effectual Remedy in Vomitings, and is of fingular use in Fevers, especially those of the intermittent kind, when the Bark often fails. It causes gentle breathing Sweats, and may be repeated every five or fix hours occasionally.

Infusum Antiscorbuticum.

Antiscorbutic Infusion.

Oranges, half an ounce; boiling Water, two quarts. Let them stand in Infusion for a Night in a close Vessel; afterwards strain out the liquor, and add to it of compound Horse-radish Water, half a pint,

This is effectual against Scrophulas, the King's-evil, and all obstinate scorbutic Diseases. In rheumatic, dropsical, and cachectic E 3

(54)

Habits it will be of good fervice. It likewise gives due Warmth to the Nerves, which in paralytic Cases they are destitute of. It may be drank at discretion, and the use of it continued according to the exigency of the disorder.

Infusum Cephalicum, Cephalic Infusion.

Take of wild Valerian-root, two ounces; Rosemary (or Sage) half an ounce; boiling Water, two quarts. Infuse them together for a night in a close vessel; then strain the liquor, and add to it of aromatic Water, four ounces.

This is greatly cephalic, nervine, and uterine; hence of fervice in diforders of the Head, Nerves, and Uterus. Being endued with a degree of warmth and aftringency, it will comfort the Heart, strengthen the Stomach, remove Nauseas, and the Hysterics.

Infusium Lini.
Infusion of Linseed.

Take of whole Linseed, two spoonfuls; Liquorice sliced, half an ounce; boiling Water, two quarts. Let them stand in Insusion, near the fire, for some hours; then strain for use.

This

(55)

This is a foft, cool Diuretic; hence useful in heat of Urine, nephritic and cholic Pains. The adding Manna and Nitre to the Prescription, renders it serviceable on other occasions, whenever the Body is too much bound, or an Indication presents itself of diuretic Medicines, the Blood then abounding with acrimonious Particles and foreign Salts.

Infusum Pectorale, Pectoral Infusion.

This is made by adding to the foregoing Drink, of Colt's-foot Leaves, one ounce; which makes it a noble Pectoral, as being of a healing balfamic nature, and a Deterger of the bronchial Glands: hence it is good in Afthmas, and superfluous Humidities attendant on some species of Colds.

Injectio Balfamica.

Balfamic Injection.

Take of Balsam Copaiba, half an ounce; the yolk of one Egg. Work them well together, and gradually add of Lime-water, six ounces; Honey of Roses, two ounces. Mix the whole well together.

This is excellent for the Confolidation of Wounds, and to cleanse and heal Ulcerations, E 4 Gleets,

(56)

Gleets, and feminal Weaknesses, if used two or three times a day; and for corroborating the nervous Parts, which have been relaxed by the Disease.

Injectio Mercurialis.
The Mercurial Injection.

Take of Quickfilver, Balfam Copaiba, each half an ounce. Beat and work them together, till the Quickfilver is extinguished; then put to the Mass the yolk of one Egg. Mix the whole very well together, gradually adding of Rose-water, half a pint.

This is calculated for Gonorrhæas, and venereal Ulcers in the Urethra, Vagina, and Uterus; the Quickfilver destroys the Virulency, while the Balsam heals and sheaths the excoriated Parts from the Acrimony of the Urine.

Julapium Ammoniacum.

Julap of Ammoniacum.

AKE of the Milk of Gum-ammoniacum, four ounces; Syrup of Squills, three ounces, Mix them together.

This

(57)

This is given not only to promote Expectoration, and relieve the Breath that way; but is also justly esteemed for its serviceable Properties in asthmatic Cases, by rarifying and thinning the viscid Cohesions in the Vessels. It is likewise an excellent Diuretic, by which means it operates all possible ways to answer the Purposes signified by the Title. A spoonful is to be taken three or four times a day, but particularly in the morning.

Julapium Antihystericum. Antihysteric Julap.

Take of Penny-royal-water, four ounces;
Antihysteric-water, two ounces; Tincture
of Castor, two drams; volatile Salt of
Hartshorn, ten grains; or of the Spirit of
Amber, one dram; white Sugar, fix drams.
Mix the whole well together.

This rightly answers the Intentions of opening the Obstructions of the cuticular Pores and those of the Uterus (the known Sources of a Multiplicity of Diseases.) Hence it is of great efficacy in all nervous and hysterical Complaints; but antihysteric Medicines should be very cautiously administer'd in case of Pregnancy, lest by their forcing Nature they may cause Abortion.

Julapium

(58)

Julapium Cardiacum. The Cordial Julap.

Take of Alexeterial Water, four ounces; A-romatic Water, two ounces; faline Aromatic Spirit, Tincture of Saffron, each two drams; white Sugar, half an ounce. Mix, and make them into a Julap.

This is a high Cordial, and will bring on an effectual Moisture; consequently remove all Weariness, Heat, and Tension of the Parts; therefore it is of great service in the depressed state of Fevers, Fatigue from Excesses, and Lowness of Spirits. A few spoonfuls drank every three or four hours, will, by its enlivening quality, communicate an agreeable sensation. It is likewise very aptly prescribed with Powders and Bolus's.

Julapium Diaphoreticum, Diaphoretic Julap.

Take of Alexeterial Water, four ounces; Spirit of Mindererus, two ounces; volatile Salt of Hartshorn, ten grains; Syrup of Meconium, one ounce. Mix them together.

In

(59)

In flow malignant Fevers with cold clammy Sweats, pale Vifage, a low intermitting Pulse, and where great Restleshes prevails, this Julap will be singularly beneficial. A tea-cupful may be given and repeated every four or five hours, till some Crisis appears, and the Distemper abates.

Julapium Diaphoreticum acidum, The acid Diaphoretic Julap.

Take of Alexeterial Water, four ounces; Treacle-vinegar, two ounces; Tincture of Saffron, half an ounce; Spirit of Amber, one dram; white Sugar, one ounce. Mix, and make a Julap.

In high inflammatory Fevers this afcidulated Julap, if opportunely exhibited, is extremely useful; for by correcting and lowering the fermented Blood to a proper standard, it will produce a Diaphoresis, and promote Urine: thus by eliminating much of the morbisic Measmata through the cuticular Emunctories, it will greatly contribute to terminate the Disorder. A spoonful or two at a time is to be taken pretty frequently.

Julapium

(60)

Julapium Diureticum. Diuretic Julap.

Take of Spirit of Mindererus, four ounces; compound Horse-radish-water, two ounces; Syrup of Marshmallows, three ounces. Mix, and make a Julap; to which may be added occasionally, of Spirit of Amber, one dram.

This is strongly diuretic; hence a good Remedy against a Suppression of Urine from any Cause, the Gravel and nephritic Pains. It will also promote and affist an urinary Crifis; and may be repeated as the urgency of the symptoms indicates.

Julapium fœtidum. The fetid Julap.

Take of Rue-water, fix ounces; Affa-fœtida, one dram and a half. Diffolve the Affa-fœtida in the Water, and add to the Solution, of Antihysteric-water, two ounces; distilled Oil of Hartshorn, twenty drops, received upon ten drams of white Sugar, Mix the whole well together.

This is ordered in hysteric Affections, and a defective State of the Menses, and sometimes

(61)

times in hypochondrical Cases. A tea-cupful may be taken three or four times a day.

Julapium hydragocum.

Hydragogue Julap.

Take of the fimple Water of Camomile-flowers, fix ounces; Emetic Tartar, ten grains; Syrup of Buckthorn, two ounces. Mix them together.

This works brifkly both by Vomit and Stool, and agrees well with gross Constitutions, that can bear Concussion, and whose Stomachs and Glands of the *Primæ Viæ* are foul: hence it is proper in a watery Corpulency, the Dropfy, Scurvy, and Jaundice; and also in a hypochondriacal Melancholy it cannot fail doing good, by accelerating the Motions of the Fluids, and agitating the Spirits. It may be given from one to four ounces.

Julapium moschatum.

Musk-Yulap.

Take of Rosewater, fix ounces; saline Aromatic Spirit, one dram and a half; Musk, sifteen grains; white Sugar, half an ounce. First grind the Musk with the Sugar, and afterwards mix the whole well together.

This

(62)

This is a high Cordial, and must certainly be so by its Fragrancy and Volatility, where the Musk is not offensive as a Persume. It has been frequently experienced of service in many hysterical Complaints; and is likewise useful to those, who are subjected to a Lowness of Spirits and Vapours from a depressed State of the Blood; and is also esteemed excellent in a Hiccough attending a Fever. A spoonful or two at a time may be given occasionally.

Julapium Salinum.
The Saline Julap.

Take of Mint-water, Syrup of Lemons, each two ounces; Salt of Wormwood, one dram. Make them into a Julap.

This is an admirable Remedy in Vomitings and Hiccups. It has a mild and innocent Virtue, though powerfully attenuating and refolving, diuretic and sudorific: hence it is excellent in Rheumatisms, Fevers, and all Disorders from a Siziness of the Blood. Two or three spoonfuls are given every five or six hours.

Julapium Scilliticum.

Julap with Squills.

Take of the simple distilled Water of Hyslop, or that of Fennel, Syrup of Squills, each three ounces. Mix them together.

This

(63)

This is attenuating, aperient, and abstergent: hence it is esteemed in asthmatic Cases, by promoting Expectoration, and affisting to bring up viscid Cohesions in the pulmonary Vessels, whose Glands it pervades, and makes way for their Discharges. It is also useful in Obstructions of the Kidneys, either from Gravel, a Gonorrhæa, or a spasmodic Constriction of the renal Ducts. A spoonful may be taken two or three times a day.

Julapium fistens.

Binding Julap.

Take of Alexeterial Water, fix ounces; Aromatic Water, two ounces; strengthening Confection, two drams; Japan Earth, in powder, one dram; liquid Laudanum, forty drops; white Sugar, half an ounce. Mix the Ingredients, and make a Julap.

This is paregoric, cordial, and aftringent: hence of excellent fervice in all excessive Discharges of the Abdomen, with a low and finking State. It is also a great Strengthener of the Stomach and Bowels. See Confectio roborans.

biles oils or true I has more I out a Lac

(64)

Lac Ammoniacum.

Milk of Gum-ammoniacum.

AKE of Gum-ammoniacum, one ounce and a half; dissolve it in a quart of Hyssop-water.

This by its attenuating and detergent Quality is judiciously prescribed in all Distempers arising from Grumes and Viscidities, which stuff up the Vessels, and particularly prevent a due Motion of the nervous Fluid. For this reason it is found of mighty service in wheezing, and laborious Respiration, to promote Expectoration and lubricate the Bronchi, which are too much vellicated by a sharp Serum. It is likewise ordered in hysteric Cases. A spoonful or two may be given at discretion.

Lac ferratum.

Milk prepared with Iron.

This is made by repeatedly quenching redhot Iron in fresh Cow's Milk, till one fourth part of the Milk is exhaled.

This is nourishing and aftringent, by which it acts as a corroborative, especially in the Intestines; and by removing Relaxations, and giving a due Tension and Force to the Solids,

(65)

it reforms the vitiated Crasis of the Blood. On account of these effects, it is esteemed in cachectic Cases, after a Salivation, in Prostrations of the Appetite, Consumptions, Weaknesses and Decays. It is also a good Emenagogue and Antichloretic; for by its nutritive and stiptic quality, it brings on a Plenitude and Springiness of the Vessels.

Laudanum liquidum.

Liquid Laudanum.

Take of Opium, two ounces; French Brandy, Canary Wine, each ten ounces. In a gentle heat of fand extract a Tincture; which is afterwards to be strained.

This is foporific, fudorific, and aftringent; hence it is of great Importance in Fevers, where Deliria and a fpasmodic State arise from Inflammation, or any irritating matter, by diminishing the Sensibility and Tenderness of the Nerves. It is likewise excellent in Dysenteries, Gleets, and the Fluor albus, which generally owe their Origin to a parallel Cause.

Linimentum anodynum.
The Anodyne Liniment.

Take of Nerve-ointment, three ounces; Balfam of Turpentine, one ounce. Mix them together. F This

(66)

This is a warm invigorating Topic, and may be used with good Effect, to excite the Nerves to Action when too languid. It is applied to paralytic and numbed Limbs, to restore a due sense and feeling; and by its penetrating quality it is of good use in a Sciatica and the Gout.

Linimentum Hæmorrhoidale.

The Hæmorrhoidal Liniment.

Take of emollient Ointment, two ounces; liquid Laudanum, half an ounce; the white of an Egg. Mix them well together.

This is very good for what its Title expreffes, especially when the Parts are greatly inflamed, and very painful.

Lohoch Balfamicum.

Balfamic Lohoch.

Balfam of Peru, forty drops; Whites of Eggs, a fufficient quantity. Work them well together, till perfectly incorporated: then add, of Syrup of Marshmallows, two ounces.

Lohoch

(67)

Lohoch commune, Common Loboch.

Take of fresh-drawn Linseed Oil, Syrup of Marshmallows, each two ounces. Mix them together.

> Lohoch pectorale. Pectoral Loboch.

Take of Sperma Ceti, white Soap, each two drams; Whites of Eggs, a fufficient quantity. Mix them thoroughly together, and then add, of fresh-drawn Linseed Oil, one ounce and a half; Syrup of Marshmallows, three ounces. Mix the whole well together.

This not only contains the emollient and balfamic Virtues of the two foregoing Prescriptions, as being almost a Composition of their Ingredients, but also, by the inciding and detergent Property of the Soap, becomes a powerful Deobstruent in Infarctions of the Breast; hence it is recommended in a difficulty of Respiration, either from a dry husky Cough, or a tough thick Phlegm; and likewife in Importumations and Tubercles of the to Pills ande up of Reinspand Sol. Spnud f 2

Pillulæ

ch

(68)

Pilulæ ex allio.
The Garlick Pills.

TAKE of Garlick, white Soap, each half an ounce; Millepedes prepared, a fufficient quantity. Beat them up into a Mass according to Art. Every half dram of this Mass is to be made into fix Pills.

These are very penetrating, detergent, and diuretic; hence of great Esticacy in all Obstructions of the urinary Passages, and Foulnesses of the Viscera; wherefore they are of good service in the Stone and Gravel, the Jaundice, Asthma's, and most obstinate Cases. Two or three of these are to be taken once or twice a day; the Patient using proper Diluters at the same time.

Pilulæ aloëticæ.

Aloetic Pills.

Take Succotrine Aloes, white Soap, of each equal Parts; thin Honey, as much as is fufficient. Make them into a Mass.

The Soap here is added purely to promote the Diffolution of the Aloes in the Stomach; for Pills made up of Refins, and Substances not (69)

not easily dissoluble, frequently pass through the Body entire: hence by the purgative quality of the Aloes, and detergent property of the Soap, the Glaires and Viscidities of the Intestines are dissolved and carried off; therefore the Pills are stomachic, antifebrile, and excellent in nephritic and cholic Pains. Moreover the Aloes, being hepatic, forwards the Discharge of the Bile, whilst by the Concomitancy of the Soap it breaks the Obstructions of the Liver, blends and affimilates the Humours. Hence it appears how advantageous and essential it is to adapt and combine Medicines judiciously.

Pilulæ Chalybeatæ.

Chalybeat Pills.

Take of Gum-ammoniacum, Extract of Gentian, Salt of Steel, Myrrh, of each one ounce; Syrup of Sugar, as much as is fufficient. Make them into a Mass for Pills according to Art.

These are alexipharmic, strengthening, stomachic, and aperient; wherefore they are reckoned excellent in a Chlorosis, and its symptomatic Disorders, as Ashma's, Loss of Appetite, Lowness of Spirits, and hysteric Complaints, which proceed from Relaxations, Viscidities, and an Obstruction of the nervous Fluid.

F 3 Pilulæ

(70)

Pilulæ ecphracticæ chalybeatæ.

Deobstruent Chalybeat Pills.

Take Succotrine Aloes, Extract of black Hellebore, Salt of Steel, Galbanum, Myrrh, of each one ounce; Syrup of Sugar, a fufficient quantity. Beat them into a Mass.

These promote all the thinner Secretions; hence they are directed as an Emmenagogue and Alteratives in cachectic Habits of Body, that are contracted either from a sedentary Life, or gross Diet, where the Stomach and Viscera begin to be stuffed with such Crudities, as create obstinate chronic Disorders; for the Steel increases the Blood's Velocity, and gives it a greater Momentum in the uterine Arteries; while the Hellebore divides it, and renders it more fluid.

Pilulæ ecphraticæ purgantes.

Purging Ecphratic Pills.

Take Succotrine Aloes, Extract of black Hellebore, Scammony, of each two ounces; vitriolated Tartar, three drams; diffilled Oil of Juniper, a dram and a half; Syrup of Buckthorn, as much as is fufficient to make the whole into a Mass.

Thefe

(71)

These are an excellent Hydragogue, particularly in cachectic and scorbutic Habits as abound with dropsical Humours. Three or four of these, and the foregoing Pills, may be taken once a day, or every other day, and continued according to the Exigency of the Complaint.

Pilulæ gummofæ,

Take Affa-fœtida, shining Soot, Myrrh, each two ounces; distilled Oil of Amber, a dram and a half; Syrup of Sugar, a sufficient quantity. Mix according to art.

These are good in hysteric Affections, and a preternatural Suppression of the Menses, and sometimes in hypochondriacal Cases. Three or four at a dose may be taken once or twice a day.

Pilulæ Mercuriales laxantes.

Laxative Mercurial Pills.

Take of Quickfilver, one ounce and a half; thin Honey, as much as will be fufficient.

Rub them together till the Mercury difappears; then add an ounce of the Mass of Pil. Cocciæ, and the same quantity of Gumammoniacum.

Mix according to art.

F 4.

These

(72)

These seem directed in Imitation of Belloft's Pill; the Quicksilver thus divided and mixed with a Catharttc, prevents its affecting the Mouth. They are a most excellent Remedy for Obstructions and many chronical Distempers, and are of considerable service in the Rheumatism and the Gout. They are also of great Efficacy in the Cure of cutaneous Diseases; and nothing better in venereal Disorders.

Pilulæ pacificæ.

Take of Galbanum, Myrrh, white Soap, of each two ounces; Opium, one ounce; Syrup of Sugar, as much as is fufficient to make the whole into a Mais fit for Pills.

These are admirable in assuaging hypochondriacal and hysteric Complaints, nephritic and uterine Pains, caused either from Obstructions, or Ulcers in the Kidneys or Uterus.

Pilulæ pectorales.

The Pectoral Pills.

Take of Gum-ammoniacum, an ounce and a half; Myrrh, one ounce; Balsam of Sulphur terebinthinated, one dram; Syrup of Marshmallows, as much as will make the whole into a Mass.

These

(73)

These are healing and balsamic in a Hæmopthisis, Infarctions, and Ulcers of the Lungs.

Pilulæ Piceæ.

Tar Pills.

Take of Tar, what quantity you please; Roots of Elecampane, in powder, as much as will reduce the Tar into a Mass of due Consistence; out of every half dram of which, six Pills are to be formed.

These are alexipharmic, strengthening, bal-samic, and alterative: hence they are excellent for scorbutic, scrophulous, and asthmatic Persons. They are likewise recommended in Putrisactions, a Spitting of Blood, Rhumatisms, immoderate Discharge of the Menses, a Fluor albus, and other Weaknesses.

Pilulæ Scilliticæ.

Scillitic Pills.

Take of fresh Squills, Gum-ammoniacum, lesser Cardamom-seeds, each equal Parts. Beat them together, according to art, into a Mass; every half dram of which is to be made into fix Pills.

Thefe

(74)

These are attenuating, discutient, and diuretic; wherefore they are used in Obstructions of the Liver, Spleen, and Mesentery; for a Suppression of the Menses and Urine; for mucilaginous Infarctions of the Lungs, a Dropsy, Cough, and Jaundice. They expel Flatulencies, deterge and scour off viscid Adhesions in the Bowels, and gently irritate the Stomach to Ejection.

Pilulæ Stomachicæ.

Stomachic Pills.

Take of Succotrine Aloes, an ounce and a half; Gum-ammoniac, Myrrh, each half an ounce; vitriolated Tartar, two drams; distilled Oil of Mint, half a dram; Syrup of Sugar, a sufficient quantity. Mix according to art.

These by their cathartic, bitter, attenuating, and aromatic Qualities, incide and purge away sloughy Humours, which foul the Coats of the Stomach; also warm and fortify the Fibres, whereby the gastric Juice and Digestion are promoted. They are most convenient in an advanced Age, and full cachectic Habits, which abound with cold viscid Humours. They may be taken five or six at a dose.

Potio

(75)

Potio balfamica.
The Balfamic Potion.

AKE of Balfam Copaiba, three drams; distilled Oil of Juniper, thirty drops; the White of an Egg. Work them well together, and mix in of Fennel-water, compound Horse-radish-water, each three ounces; Syrup of Marshmallows, two ounces.

This is vulnerary and diuretic; hence chiefly of use in Wounds, Ulcers, and Weaknesses of the Kidneys and Uterus.

Potio lithontriptica.

Lithontriptic Potion.

Take of white Soap (the outward Part being pared off) one ounce; warm Lime-water, one quart. Stir them together till the Soap is perfectly diffolved.

This by its penetrating and alkaline Virtues is intended for the Gravel and Stone, which it disfolves and prevents by affimilating the Humours, and by absorbing those Acidities which form calculous Concretions.

Pulvis

(76)

Pulvis Contrayervæ compositus.

Compound Powder of Contrayerva.

THIS stands as in the Edinburgh Difpensatory, only exchanging the compound Powder of Crabs Claws, for prepared Oyster-shells.

Pulvis Diaromaton.

Aromatic Powder.

Take Canella alba, Ginger, of each equal Parts. Mix them together.

Pulvis testaceus ceratus.

Testaceous Powder with Wax.

Into any quantity of yellow Wax liquified over a gentle Fire, sprinkle in (diligently stirring them together) a sufficient quantity of prepared Oyster-shells, that is, till the Wax will receive no more of the Powder.

Pulvis testaceus compositus. Compound testaceous Powder.

Take of Oyster-shells prepared, one pound; white Chalk, half a pound. Mix them together. Pulvis

(77)

Pulvis vermifugus.

Powder against Worms.

Take of Tansey-flowers, Wormseed, each three drams; Salt of Steel, one dram.

Mix them together.

Pulvis vermifugus purgans.

Purging Worm-powder.

Take of choice Rhubarb, three drams; Scammony, Calomel, each one dram. Mix them together.

Serum acetofum.

Vinegar Whey.

Take of Cow's Milk, Water, each one Pint. Set them over the Fire, and as foon as they begin to boil, pour in, of Vinegar, two fpoonfuls. Take off the Curd, and pour out the Whey for use.

Serum epidemium.

Plague Whey.

Take of boiling Cow's Milk, two pints; Plague-water made with Acid, four oun-

ces.

(78)

ces. Mix them together, and take off the Curd.

Spiritus Lavendulæ compositus.

Compound Spirit of Lavender.

Take Flowers of Lavender, fresh gathered, a pound and a half; fresh Flowers of Rosemary, half a pound; fresh outward part of Lemon-peel, three ounces; rectified Spirit of Wine, a gallon and a half. Distil in balneo mariæ to dryness. In the distilled Spirit steep, for two days, of Cloves, Cubebs, and Shavings of red Saunders, each two ounces: then strain out the Spirit for Use.

Spiritus falinus aromaticus. Saline aromatic Spirit.

Take of the distilled Oil of Rosemary, one ounce; of Lemon-peel, fix drams; and of Cloves, half an ounce; volatile Salt of Salammoniac, eight ounces; French Brandy, a gallon and a half. Distill off one gallon.

Suppositories.

These are made of common Salt boiled with double its quantity of Honey to a due Confistence.

Syrupus

(79)

Syrupus de Althea.

Syrup of Marshmallows.

Take Marshmallow-root, three ounces; Liquorice, one ounce; English Maiden-hair, two ounces; Water, three quarts; white Sugar, four pounds. Make them into a Syrup, as directed in the Edinburgh Dispensatory.

Testa Ovorum preparata.

Boil Egg-shells in Water, and take off the innner Skin; then grind and levigate them into a subtil Powder.

Theriaca.

Take of Virginian Snake-root, eight ounces; wild Valerian-root, fix ounces; Leaves of Scordium, four ounces; Cloves and Myrrh, each three ounces; Galbanum, two ounces; Saffron, one ounce; Opium, half an ounce; Honey, thrice the weight of the Powders. Mix them together according to art.

Tinctura

(80)

Tinctura Cantharidum.

Tincture of Cantharides.

Take of Cantharides, half an ounce; rectified Spirit of Wine, three pints. Digest them together in a very gentle heat, for two days; then filter the Tincture, and digest it again in a sand-heat, with the addition of three ounces of Balsam Copaiba, till the Balsam is dissolved: after which, add half an ounce of Camphor.

Tinctura facra.

The facred Tincture.

Take of Succotrine Aloes, two ounces; Canella alba and Ginger, each two ounces; French Brandy, three pints. Digest for two days, and then strain the Tincture.

Trochifci albi. White Troches.

Take of Cerus, ten drams; Gum-arabic, Starch, each three drams; Camphor, half a dram. Make them into Troches, with a fufficient quantity of Rose-water.

Unguentum

(81)

Unguentum emolliens, Emollient Ointment.

Take of Palm Oil, four pounds; yellow Wax, half a pound; Linfeed Oil, two pounds. Liquify them together.

Unguentum mercuriale.

Mercurial Ointment.

Take of Quickfilver, two ounces; Hog's Lard prepared, three ounces; Suet, one ounce. Work them well together.

Unguentum nervinum,
Nerve Ointment.

Take of Oil of Bays, three pounds; Suet, two pounds; distilled Oil of Amber, two ounces. Mix them according to art.

Unguentum piceum.

Tar Ointment.

Take of Tar, Suet, each equal parts. Melt them together, continually stirring the Mixture till they unite.

G Unguen-

(82)

Unguentum fulphureum.
Sulphur Ointment.

Take of Hog's Lard prepared, two ounces; Sulphur in powder, half an ounce. Make them into an Ointment.

Unguentum Tutiæ.

Ointment of Tutty.

Take of Tutty prepared, half an ounce; fresh Butter, two ounces; white Wax, one dram. Mix, and make them into an Ointment according to art.

Unguentum Tutiæ camphoratum.

Camphorated Ointment of Tutty.

Add to the preceding Ointment; of Camphor, half a dram. This is likewise made with a double quantity of Camphor, &c.

them together, continuity that

Mixter of the vone.

AN

amorinament of O F

DISEASES,

With Remedies appropriated to their respective Cures.

Lexeterials, Alexipharmics. See Diaphoretics.

Abscels. See Vulneraries.

Anodynes, Baregorics. Prepared opium. The Castor Bolus. Liquid Laudanum. Anodyne Pills. Treacle. Syrup of white Poppies. Externals, or Topics. Balfam of Sulphur with Oil of Turpentine. Anodyne Fotus. Camphorated Oil. The Anodyne Liniment. Nerve-Ointment. The Anodyne Plaister. The warm Plaister. The Blistering Plaister.

Anthelmintics. Flowers of Savin. Elder Flowers, Seeds of Wormwood, Powder G 2

(84)

der of Tin. Vitriol white and green. Æthiops Mineral. The Rhubarb Bolus with Calomel. Candied Iron. Sugared Mercury. Laxative Mercurial Pills. Both the Worm Powders.

Antihectics. See Phthisic.

Apoplexy. See Cephalics.

Arthritics. See Rheumatism.

Allbma. Garlick Roots. Roots of Squill. Elecampane Root. Flowers of Horehound. Saffron. Gum-Ammoniacum. Affa fœtida. White Soap. Expreffion of Millepedes. Flowers of Sulphur. Balfam of Sulphur with Oil of Turpentine. Julap of Ammoniacum. The Fœtid Julap. Julap with Squills. Pectoral Lohoch. Pectoral Oxymel. Oil of Hartshorn. The Garlick Pills. The Pectoral Pills. Scillitic Pills. Emetics. Bliftering Plaister. See Pectorals.

Astringents, Styptics. Comfrey-Roots. Tormentil-Roots. Plantain-leaves. Red Roses, Pomegranate-peel. Oak-bark. Japan Earth. Male Frankincense. Dragon's Blood. Roch-alum. Bole-armenian. White Chalk. The Vitriols. Colcothar of Vitriol. Strengthening Confection. White Decoction. Astringent Decoction. Decoction of Logwood. Strengthening Electuary of the Bark. Stiptic Electuary of the Bark. Electuary against Fluxes. Antidysenteric Electuary.

Extract

(85)

Extract of Logwood. Binding Julap.

Milk prepared with Iron. Styptic Powder. Compound testaceous Powder. The same with Wax. Sugar of Lead. Rectified Spirit of Wine. Dulcified Spirit of Vitriol. Syrup of dried Roses. Tincture of Roses. Tincture of Steel. Tincture against the Phthisic. Styptic Water.

Aftringent Gargarism. Anodyne Clyster.

Aftringing Clyster. Strengthening Fomentation. Opiats.

Bite of a mad Dog. Powder against the Bite of a mad Animal. Musk.

Burns. The vulnerary Balfam. Camphorated Oil. Spirits of Wine Camphorated. The white Ointment. The emollient Ointment. Ointment of Calomine. Ointment of Elder. Ointment of Lead.

Cachexy, Chlorofis. Salt of many Virtues. Both the bitter Infusions. The Rhubarb Bolus with Calomel. Aloetic Pills, Both the Chalybeat Pills. Stomachic Pills. Tincture of Hiera Picra, Bitter Tin-Eture of Rhubarb. Stomachie Elixir. Elixir of Vitriol. Both the Elixirs of Propriety. Sugared Iron. Tincture of Iron. Prepared Antimony. Cinnibar of Antimony. Aperient Ale. Antifcorbutic Ale. Tar-water. Athiops Mineral. Both the Mercurial Pills. The black Pills. Decoction of the Woods. Cardiacs. Emetics. G 3

(86)

Cardiacs. Aromatic, or Spice-water. The Cordial Julap. Musk-julap, Spirit of Hartshorn. Volatile aromatic Spirit. Compound Spirit of Lavender. Spirit of Amber. Tincture of Saffron. Tincture of Castor. The Castor Bolus.

Cardialgia's. Emetics. Bitter Tincture of Rhubarb. Sacred Tincture. Magnefia Alba. Compound testaceous Powder. Gandied Iron. See Stomachies.

Carminatives. Ginger-root. Coriander-feed.
Aromatic Powder. Aromatic Water.
Compound Spirit of Lavender. Volatile
aromatic Spirit. Tincture of Soot.

Catarrh. Flower of Sulphur. Balfam of Sulphur. Conferve of Rofes. Antihectic Decoction. Balfamic Electuary.
Arabic Emulsion. Pectoral Insusion.
Opiates. Bitter Insusion with Senna.
Blistering Plaister. See Pectorals.

Catharties, Laxatives. Black Hellebore-root.
Jalap-root. Polypody-root. Rhubarb.
Senna-leaves. Pulp of Caffia. Colocynth, or bitter Gourd. Tamarinds.
Aloes. Manna. Scammony. Glauber's Salt. Polychrestic Salt. Extract of black Hellebore. Syrup of Buckthorn. Syrup of Damask Roses. Jalap Bolus with Calomel. Rhubarb Bolus with Calomel. Rhubarb Bolus with Calomel. Decoction of Tamarinds. Lenitive Electuary. Electuary against the Piles, Elixir Proprietatis. Elixir

lo Emetics,

(87)

of Health. Tincture of Jalap. Bitter
Tincture of Rhubarb. Sacred Tincture.
Magnefia Alba. Bitter Infusion with
Senna. Hydragogue Julap. Cornachine's Powder. Purging Worm-powder. Aloetic Pills. Pill of Cochiæ.
Both the deobstruent Pills. Stomachic
Pills. Purging mercurial Pills. Domestic Clyster. Purging Clyster. Anticholic Clyster. Suppositories.

Cephalies. Piony-root, Pellitory of Spainroot, Wild Valerian-root, Afarabaccaleaves. Betony-leaves. Marjoram-leaves. Leaves and Flowers of Rosemary. Sageleaves. Lavender-flowers, Milletoe of the Oak. The leffer Cardamom. Spicy Clove-tree. Cubebs. Nutmeg. Affafætida. Caftor. Oil of Hartshorn. Oil of Rolemary. Oil of Amber. water. Antihysteric-water. Cephalic Infusion. Cephalic Ale. Spirit of Hartshorn. Compound Spirit of Lavender. Volatile aromatic Spirit. Spirit of Amber. Tincture of Castor. Tincture of Soot. Cinnibar of Antimony. The Caftor-bolus. The fetid Julap. Cephalic Electuary. Gum Pills. Cephalic Powder. Bliftering Plaister. Bliftering Ointment. Both the Sinapisms, or Mustard Poultices. Emetics. Cathartics.

Chalybeats. Filings and Rust of Iron. Sugared Iron. Colcothar of Vitriol.

G 4. Strengthening

(88)

Strengthening Electuary of the Bark. Milk prepared with Iron. Both the Chalybeat Pills. Strengtheniug Pills. Tincture of Steel.

Chlorofis. See Cacheny.

with Calomel. Elixir of Health. Sacred Tincture. Bitter Tincture of Rhubarb. Aloetic Pills. Stomachic Pills. Aromatic-water. Both the Mint-waters. Tincture of Mint. Saline Draught. Saline Julap. Anticholic Clyster. Emollient Clyster. Aromatic Fomentation. Stomachic Cataplasm. Opiats.

Convulsion. See Cephalics.

Costiveness. See Cathartics, Laxatives. Cutaneous Foulnesses. See Scabiness.

Cough to eafe. See Pectorals.

ple and Compound Lime-water. Antihectic Decoction. Arabic Emulfion.
Milk prepared with Iron, Elixir of Vitriol. Sweet Spirit of Vitriol. Tinture of Roses. Antiphthisic Tincture. Styptic Powder. Styptic Electuary of the Bark. Emetics, and mild Cathartics.

Diaphoretics, Sudorifics, Alexiphramics. Contrayerva-root. Leaves of Holy Thiftle. Leaves of Scordium. Leaves of Rue. Masterwort-root. Snake-weed-root. Zedoary-root, Elder Flowers.

Seeds

(89)

Seeds of Angelica. Saffron. Guaiacumwood with its Bark. Extract of Guaicum. Saffaphras-wood with its Bark. - Camphor Camphorated Emulfion. Gum--od Guaiacum. Opium and Opiates. Treacle-vinegar. Vinegar and Plague-whey. -lag Elexeterial water. Plague-water. Compound Decection of Snake-root. Decoction of the Woods. Caftor Bolus. Diaphoretic Bolus. Guaiacum Bolus. Alexeterial Bolus. Diaphoretic Antimony. Golden Sulphur of Antimony. Diaphoretic Draught. Both the diaphoretic Julaps. Compound Powder of Contrayerva. Salt Amoniac and the Volatiles of Hartshorn. Spirit of Hartshorn. Mindererus's Spirit. Treacle,00 W

Diarrhæa, Dyfentery, a frequency to Stool. Ipecacuanha-root. Tincture of Ipecacuanha. Tincture of Rhubarb. The Rhubarb Bolus with Calomel. Bitter Tin-Cture of Rhubarb. Decoction of Logwood. Extract of Logwood. The white Decoction. Aftringing Decoction. Strengthening Confection. Binding Electuary. Antidysenteric Electuary. Strengthening Pills. Binding Julap. Milk prepared with Iron. Lime-water. Balfamic Lohoch. Testaceous Powder with Wax. Glass of Antimony prepared with Wax. Opiats. Emollient Clyster. Anodyne Clyfter. The Starch-Clyfter. Balfamic

(90)

Balfamic aftringing Clyster. Aromatic Fomentation. See Aftringents.

Dimness of Sight. See Ophthalmics.

Discutients. Litharge Vinegar. Salt Amoniacum. Mindererus's Spirit. Camphorated Spirit of Wine. Discutient Cataplasm. Ointment of Elder. Gum-plaster. Mercurial-plaster. Soap-plaster.

Camphorated Oil.

Diureties. Garlick-root. Root of great Masterwort. Eryngo-root. Fenil-root. Parsley-root. Rattle Snake-root. Root of Squills. Pellitory-root. Camomileflowers. Wild Carrot-feed. Sweet Fenel-feed. Muftard-feed. Venetian Turpentine. Balfam Copaiba. Spanish Flies. Wood-lice, Nitre, Fenel-water, Compound Horferadish-water. Vinegar of Squills. Oil of Turpentine. Oil of Juniper, Decoction of Burdock, Decoction of Senekæ. Diuretic Decoction. Decoction of Salt Petre. Nephritic Electuary. Common and Arabic Emulfion. Expression of Millepedes, Saline Draught, Saline Julap, Diuretic Julap, Julap with Squills. The Balfamic Potion. Salt of Tartar. Salt Polychrestic, Dulcified Spirit of Nitre. Sweet Spirit of Salt. Spirit of Amber. Tincture of Cantharides. Scillitic Pills. Turpentine Clyster.

refer of the sale of Dropfy.

((910))

Dropfy. The Jalap Bolus with Calomel.
Tincture of Jalap, Hydragogue Julap.
Both the mercurial Pills. Diuretic Bolus. Diuretic Ale. Decoction of Seneka: Expression of Millepides. Balfamic Potion. Diuretic Julap. Saline Julap. Scillitic Julap. Tincture of Cantharides. Salt of Wormwood.

The Garlick-Pills. Scillitic Pills.

Dysentery. Sec Dierrhea.

Dyfury, or Strangury. See Nephrities.

Emetics. Ipecacuahha-root. Tincture of Ipecacuahha. White Vitriol. Syrup of Squills. Emetic Tartar. Turbith Mineral.

Emmenagogues. See Menses to Provoke.

Epilepsy. See Cephalics.

Erysipelas. Glauber's Salt. Decoction of Tamarinds. Alexeterial Bolus. Bliftering Plaster. Emollient Cataplasm. Camphorated Poultice. Anodyne Fomentation. Aromatic Fomentation. Camphorated Spirit of Wine. The Ointment called Nutritum. Ointment of Elder. Camphorated Ointment of Tutty.

Expectorants. See Pectorals.

Fainting, Syncope. See Cardiacs.

Fever Continual. Common Emulsion. The Barley Decoction. The nitred Decoction on. Decoction of Tamarinds. Compound Decoction of Snake-root. Saline Draught. Saline Julap. Both the Diaphoretic

(92)

Julap with Squills. Compound Powder of Contrayerva. Alexeterial Bolus. The Caftor Bolus. Diaphoretic Bolus. Camphorated Emulsion. The Musk Julap. Vinegar and Plague Whey. Emetics. Domestic Clyster. Emollient Clyster. Purging Clyster. Blistering Plaster. Both the Mustard Poultices.

Fever Intermittent. Emetics. Sacred Tincture. Bitter Tincture of Rhubarb. Salt Ammoniac. Saline Draught. Diaphoretic Bolus. Diaphoretic Julap. Febrifuge Electuary of the Bark. Tincture of the Bark. Both the bitter Infusions. Oil of Amber.

Gangrene. Alexeterial Bolus. The Peruvian Bark. Outward Applications. Oil of Turpentine. Camphorated Poultice. Egyptian Ointment. Tincture of Myrrh and Aloes.

Gonorrhæa virulent. Decoction of Tamarinds with Senna. Laxative Mercurial Pills. Balfamic Potion. Tincture of Cantharides. Emollient Fomentation. Balfamic Injection. Mercurial Injection.

Gutta Serena. See Ophthalmics.

Hemorrhage. Decoction of Tamarinds. Decoction of Salt Petre. Purging Clyster. Styptic-water. Colcothar of Vitriol. Sweet Spirit of Vitriol. Tincture of Roses. (93)

Roses. Antiphthisic Tincture. Styptic Powder.

Hæmorrhoids. Flower of Sulphur. Electuary against the Piles. Anodyne Clyster. Anodyne Fomentation. Emollient Ointment.

Hiccups, Sobbing. Compound Spirit of Lavender. Cordial Julap. Musk Julap.
The Bark. Opiates. Sacred Tincture.
Externals. Anodyne Cataplasm. Stomachic Cataplasm. Camphorated Cata-

plasm.

Hypochondriac and hysteric Affections. Penny-royal-water. Rue-water. Antihysteric-water. Diffilled Oil of Amber. Diftilled Oil of Hartshorn. Spirit of Hartshorn. Aromatic volatile Spirit. Compound Spirit of Lavender. Tincture of Caftor. Tincture of Soot. Tincture of the Bark. Antihysteric Julap. Fetid Julap. Musk Julap. Cephalic Ale. Cephalic Infusion. The Castor Bolus. Strengthening Electuary of the Bark. Elixir of Vitriol. Both the Elixirs of Propriety. Fetid Clyster. Gum Pills. Aloetic Pills. Stomachic Pills. Both the Chalybeat Pills. Other Chalybeats. The Rhubarb Bolus with Calomel. Bitter Tincture of Rhubarb. Sacred Tinture. Emetics. Antihysteric Plaster.

Laxatives. See Cathartics. Leprofy. See Scabiness.

Lithon-

(94)

Lithontriptics. See Nephritics.

Loofeness. See Diarrhæa.

Maniacal Affections, Melancholy. Emetics.

Extract and Tincture of black Hellebore.

Sacred Tincture. Decoction of Tamarinds. Fetid Julap. Gum Pills. Camphor. Opiates. Bliftering Plafter.

Menses to provoke. Birthwort-root. Turmericroot. Black Hellebore-root. Root of Squills. Wild Valerian-root. Zedoaryroot. Mugwort-leaves. Leaves of Rue. Leaves of Savin. Sage-leaves. Leaves of leffer Centory. Saffron. Lovage-feed. Mustard-seed. Succotrine Aloes. Galbanum. Myrrh. Castor. Penny-royal-water. Rue-water. Antihysteric-water. Extract and Tincture of black Hellebore. Elixir of Propriety. Tincture of Saffron. Sacred Tincture. Aperient Ale. Both the bitter Infusions. hysteric Julap. Julap of Ammoniacum. Scillitic Pills. Laxative mercurial Pills. Both the Chalybeat Pills, and other Chalybeats.

Menses to restrain. Strengthening Electuary of the Bark. Styptic Electuary of the Bark. Styptic Powder. Testaceous Powder with Wax. Tincture against the Phthisic. Tincture of Roses. Dulcified Spirit of Vitriol. Glass of Antimony

prepared with Wax.

Mercu-

(95)

Mercurials. Æthiops Mineral. Cinnibar of Antimony for Fumigation. Sweet Mercury-fublimate. Red precipitate of Mercury. Sugar'd Mercury. Turbith Mineral. Both the Mercurial Pills. Æthiopic Pills. Mercurial Bolus. Jalap Bolus with Calomel. Rhubarb Bolus with Calomel. Rhubarb Bolus with Calomel. Purging Worm-powder. Mercurial Injection. Mercurial Liniment. Mercurial Ointmeat. Mercurial Plaster.

Nephritics. White Soap. Lime-water. Diuretic Bolus. Diuretic Decoction. Nitred Decoction. Infusion of Linseed. Common and arabic Emulsion. Distilled Oil of Juniper. Common Lohoch. Saline Draught. Balsamic Potion. Diuretic Julap. Scillitic Julap. Scillitic Pills. Dulcified Spirit of Nitre. Sweet Spirit of Salt. Spirit of Amber. Tincture of Cantharides. Opiates. Emoillient Clyster. Terebinthinated Clyster. Emollient Fomentation. Lenitive Electuary. Nephritic Electuary. Elixir of Health.

Ophthalmics. Cathartics. Both the mercurial Pills. Expression of Millepedes. Externals. Eye-water. Saphire Colouredwater. White Collyrium. Alum-Collyrium. Mindererus's Spirit. Cephalic Powder. Turbith Mineral. Both the

(96)

Ointments of Tutty. Blistering Plaister and Ointment.

Opiates. See Anodynes.

Palfy. Garlick-root. Wake-Robin-root. Root of Pellitory of Spain. Snake-weedroot. Wild Valerian-root. Leaves of Betony. Leaves and Flowers of Rofemary. Leaves of Rue. Sage-leaves. Flowers of Lavender. Leffer Cardamom. Spicy Clove-tree. Cubebs. Lovage-feed. Mustard-feed. Shavings of Guaiacum and Saffaphrass. White Canella. Affa fætida. Camphire. Gum Guaiacum. Caftor. Cinnabar of Antimony. Golden Sulphur of Antimony. Antihysteric-water. Compound Horseradish-water. Juices against the Scurvy. Decoction of the Woods. Cephalic Ale. The Castor Bolus. Guaiacum Bolus. Antihysteric Julap. Diaphoretic Julap. Diuretic Julap. Fetid Julap. Cephalic Infusion. Distilled Oil of Hartshorn. Distilled Oil of Amber. Spirit of Hartshorn. Compound Spirit of Lavender. Spirit of Amber. Tincture of Castor. Tincture of Soot. Emetics. The Jalap Bolus with Calomel, and other Cathartics. Fetid Clyster. Externals. Cephalic Powder. Balfam of Turpentine. Saponaceous Balfam. Anodyne Nerve Ointment. Warm Liniment. Plaster. Blistering Plaster.

Pectorals.

(97)

Garlick-root. Marshmallow-Pettorals. root. Liquorish-root. Elecampane-root. Florentine Orrice-root. Squill-roots. Ground-Ivy-leaves. Horehound-leaves. Maiden-hair. Leaves and Flowers of Colts-foot, Saffron, Linfeed, Gum Ammoniacum. Gum Arabic. Balfam of Peru. Benjamin. Male Frankincense. Tar, White Soap. Honey. Millepedes. Juice of Liquorife. Linfeedoil. Parmafity. Flowers of Sulphur. Balfam of Sulphur with Oil of Turpentine. Vinegar of Squills. Hysop-wa-Tar-water, Lucatellus's Balfam, Pectoral Bolus. Conferve of Rofes. Antihectic Decoction. Decoction of Barley. Balfamic Electuary. Pectoral Infusion. Expression of Millepedes. Infusion of Linfeed. Pectoral Oxymel. Julap of Ammoniacum. Julap of Squills. Common Lohoch. Pectoral Lohoch, Balfamic Lohoch. The Garlick Pills. Tar Pills. Pectoral Pills. Scillitic Pills. Emetics.

Peripnenmony, Pleurify. Pectoral Bolus. Barley Decoction. Infusion of Liniced. Common Lohoch. Julap of Ammoniacum. Julap of Squills. Diaphoretic Julap. Blistering Plaster.

Phthisic. Conserve of Roses. Antihectic Decoction. Pectoral Infusion. Pectoral Bolus.

(98)

Bolus. Balfamic Electuary. Julap of Ammoniacum. Julap of Squills. Balfamic Lohoch. Pectoral Pills. Tar Pills. Scillitic Pills. Simple and Compound Lime-water. Tar-water. Emetics. Elixir of Vitriol. Bliftering Plafter. See Pectorals. See Diarrhaa.

Pox. See Mercurials. See Gonorrhaa.

Preparations of Antimony. Prepared Antimony. Diaphoretic Antimony. Golden Sulphur of Antimony. Tincture of Antimony. Æthiopic Pills. Emetic Tartar. Glass of Antimony prepared with Wax.

Purgatives. See Cathartics.

Quinsey. Decoction of Tamarinds with Senna. Diaphoretic Julap. Emetics. Externals. Blistering Plaster. Divers Gargarisms. Cataplasm with Camphire. Mindererus's Spirit.

Rheumatism, Pains in the Loins, Sciatica, Gout. Decoction of Burdock. Decoction of Rattle Snake-root. Decoction of the Woods. Decoction of Tamarinds. Juices against the Scurvy. Antiscorbutic Ale. Diaphoretic Julap. Guaiacum Bolus. White Soap. Scillitic Pills. Mustard Seed. Oil of Turpentine. Æthiops Mineral. Cinnibar of Antimony. Both the Mercurial Pills. Externals. Emollient Cataplasm, Anodyne Balsam.

(99)

Balfam of Sulphur. Soap Balfam, or Opodeldoc. Camphorated Oil. The Anodyne Liniment. Anodyne Plaster. Soap Plaster. Warm Plaster. Blistering Plaster.

Saint Vitus's Dance. See Cephalics.

Scabiness, Leprosy. Prepared Antimony.
Golden Sulphur of Antimony. Tincture of Antimony. Æthiops Mineral. Æthiopic Pills. Both the mercurial Pills. Antiscorbutic Ale. Decoction of the Woods. Antiscorbutic Juices. Tarwater. Tar Pills. Flowers of Sulphur. Tincture of Cantharides. Externals. Mercurial Ointment. Ointment of Sulphur. Tar Ointment. Mercurial Liniment. Blistering Plaster.

Sciatica. See Rheumatism.

Scurvy. Compound Horse-radish-water. Antiscorbutic Ale. Antiscorbutick Insusion.
Juices against the Scurvy. Stomachic Elixir. Elixir of Vitriol. Elixir of Propriety prepared with Acid. Both the Chalybeat Pills, and other Chalybeats.
Tar Pills. Tar-water. Both the bitter Insusions. Polychrestic Salt. Decoction of Tamarinds. Bitter Tincture of Rhubarb. Sacred Tincture. Stomachic Pills.

Steep, to procure. See Anodynes.

H 2

Spitting

(100)

Spitting of Blood. Decoction of Tamarinds.
Antihectic Decoction. Vulnerary Decoction. Arabic Emulsion. Balsamic Electuary. Febrifuge Electuary. Electuary of the Bark. Lime-water. Dulcified Spirit of Vitriol. Tincture of Roses. Antiphthisic Tincture. Pectoral Infusion. Styptic Powder.

Stomachics. Root of fweet Cane. Turmerick-root. Zedoary-root. Ginger. Rhubarb. Wormwood Leaves. Leaves of Holy Thistle. Mint Leaves. Tops of leffer Centory. Camomile Flowers. Seville Oranges. Nutmeg and Mace. White Canella. Cinamon. Peruvian Bark. Aloes. Myrrh. Both the Mint Waters. Stomachic Elixir. Elixir of Vitriol. Both the Elixirs of Propriety. Extract of Gentian. Both the bitter In-Tincture of Mint. Tincture fusions. of the Bark. The Rhubarb Bolus with Calomel. Aloetic Pills. Stomachic Pills. Both the Chalybeat Pills. Bitter Tin-Eture of Rhubarb. Sacred Tincture. Tincture of Ipecacuanha, and other Emetics. Externals. Stomachic Cataplasm. Stomachic Plaster. Aromatic Fomentation.

Stone. See Nephritics. Styptics. See Astringents. Sudorifics. See Diaphoretics.

Tinea.

(101)

Tinea. See Scabiness.

Traumatics. Vulneraries. Vulnerary Decoction. The Bark. Both the Limewaters. Balfamic Potion. Lucatellus's
Balfam. Mercurial Pills. Externals.
Traumatic Balfam. Tincture of Myrrh
and Aloes. The green Balfam. Liniment of Arcœus. The Ointment Bafilicon. Ointment of Lead. Ointment
of Calomine.

Vertigo, or Swimming in the Head. See Cephalics.

Vomits. See Emetics.

Vomiting to Stop. Mint-water, Tincture of Mint. Saline Draught. Saline Julap. Elixir of Propriety prepared with Acid. Bitter Tincture of Rhubarb. Sacred Tincture. Sweet Spirit of Vitriol. Elixir of Vitriol. Emetics. Chalybeats, Opiats. Externals. Anodyne Balfam. Stomachic Cataplafin. Stomachic Plafter. Aromatic Fomentation.

Ulcers. See Traumaticks.

Urine Bloody. See Hæmorrhage.

Weakness of the Loins. See Rheumatism.

Whites. Vomits of Ipecacuanha. The Rhubarb Bolus with Calomel. Laxative Mercurial Pills. Chalybeats. Styptic Powder. Dulcified Spirit of Vitriol. The Simple and Compound Lime-water. Decoction of the Woods. Styptic H 3

(102)

Electuary of the Bark. Strengthening Pills. Balfamic Potion. Tincture of Cantharides. Antiphthific Tincture. Anodyne Balfam outwardly applied. Strengthening Fomentation injected.

Worms to destroy. See Anthelmintics.



TABULA

TABULA POSOLOGICA.

Ad, jalapp, ad fcrup, ii. Rad. ipecacuanhæ, ad fcrup. ii. Rad. rhabarbari, ad scrup. ii. Rad, valerian, filv. ad drach, fs. bis terve in die. Sem. finapi integr. ad cochl. i. bis in die. Camphora, ad fcrup. i. Olibanum, ad scrup. i. bis in die. Manna, ad unc. ii. Sapo albus, ad unc. i. in die. Caftoreum, ad drach. fs. Moschus, ad gr. xv. Stanni pulv. ad drach. ii. bis in die. Æthiops mineral, ad drach, i, bis in die. Aqua bened. comp. unc. iv. ter quaterve in die. Antimon, præp. ad drach, fs. bis in die. Balf. fulphuris, ad gutt. x. Cervifiæ medicatæ variæ, ad lib. fs. bis in die. Chalybs faccharat. cochl. parv. feu drach. i. Cinnabaris antimon, ad drach, fs. bis in die. Confectio roborans. (pro diafcordio) Unc. fs. continet opii gr. i. Decoct. album, ad lib. ii. in die. Decoct. antihectic. unc. iv. bis terve in die. Decoct. aftringens, unc. iv. ter quaterve in die. Decoct. bardanæ, ad lib. i. in die. Decost. Campechense, ad unc. iv. ter quaterve in die. Decoct. diuretic. unc. iv. ter quaterve in die. Decoct, lignorum, ad lib. ii. in die. H 4 Decoct.

(104)

Decoct nitrofum, unc. iv. ter in die. Decost. senekæ, ad unc. ii. ter quaterve in die. Decoct. sepentar, co. cochl. ii. ter quaterve in die. Decoct. vulnerar. ad lib. i. in die. Elect. antidyfenteric. moles jugland. femel aut bis Elect. balfamic. moles juglandis bis in die. Elect. cephalicum, moles jugland, ter quaterve in die. Elect. hæmorrhoidale, ad unc. fs. Elect. ad nephritic ad drach. i. femel aut bis die. Elect. Peruvian. robor. moles jugland. bis terve in die. Elect. Peruvian. ftypt. moles jugland. ter. in die. Elect. fiftens, moles jugland, ter quaterve in die. Elix. proprietat. utrumque, cochl. parv. femel aut bis in die. Elix. falutis, ad cochl. iv. Elix. ftomachic, ad cochl. i. Elix. vitrioli, ad gutt. xxx. bis in die. Emulf. camphorat. cochl. i. tertià aut quartà quaque horâ. Expressio millepedar, ad unc. ii. bis in die. Infus. amarum, ad unc. iii. bis in die. Infuf. antifcorbut. ? unc. iv. bis in die. Infus. cephalic. Infuf. lini, ad lib. i. in die. Infus. pectorale, S Julap. ammoniac. ad cochl. ii. bis in die. Julap. antihysteric. } ad cochl. ii. ter in die. Julap. cardiac. Julap. diaphoret. utrumque, ad cochl. ii. quoque Julap. diuret. ad cochl. ii. ter in die.

Julap. fœtidum, cochl. i. ter quaterve in die. Julap. hydragog. cochl. ii. quoque bihorio.

Julap.

(105)

Julap. moschat. cochl. i. ter quaterve in die. Julap. falinum, cochl. i. quâque horâ. Julap. scillit. ad cochl. ii. bis in die. Julap. sistens, cochl. ii. ter quaterve in die. Lac ferratum, ad unc. iv. bis in die. Laudanum liqu. gutt. xxv. continent opii gr. i. Lac ammoniacum, cochl. ii. bis in die. Magnesia alba, ad drach. ii. Mercurius faccharat, ad fcrup. i. Ol. still cornu cervi, ad gutt. x. Ol. still. juniperi, ad gutt. xx. Ol. still. terebinthinæ, ad gutt. xl. bis in die. Oxymel pectoral. ad cochl. ii. bis terve in die. Pil. Æthiopic. ad fcrup. i. Pil. ex allio, ad drach. fs. bis in die. Pil. aloëticæ, ad drach. fs. Pil. chalybeatæ, ad fcrup. i. bis in d.e. Pil. cocciæ, ad fcrup. ii. Pil. ecphract. chalybeat. ad drach. fs. Pil. ecphract. purg. ad fcrup. ii. Pil. gummofæ, ad scrup. i. bis in die. Pil. Mercurial, lax. ad drach. fs. alternis diebus. Pil. pacificæ, gr. viii. continent opii gr. i. Pil. pectoral. ad fcrup. i. bis in die. Pil. piceæ, ad drach. fs. bis in die. Pil. roborant. ad drach. fs. bis in die. Pil. fcillitic. ad gr. xv. bis in die. Pil. ftomachicæ, ad drach. fs. Potio balfamica, ad cochl. ii. bis in die. Pulv. antilyssus, ad drach. i. ss. Pulv. contrayerv. comp. ad drach. fs. Pulv. Cornachini ad fcrup. ii. Pulv. diaromat. ad fcrup. i. Pulv. ftypticus, ad fcrup. i. bis terve in die. Pulv. testaceus cerat. ad drach. i. bis in die. Pulv. vermifug. ad drach. fs. bis in die.

Sal

(106)

Pilv. vermifug. purg. ad drach. fs. Sal Jovis, ad gr. x. Sal mirab. Glauberi, ad unc. i. Sal polychreft, ad unc. fs. Spir. lavendulæ comp. ad gutt, xxx, bis terve in die. Spir. nitri dulc. ad drach. i. Spir. falis dulc. ad drach. i. Spir. fuccini, ad drach. fs. Spir. vitrioli dulc. ad drach. i. Succi antifcorbut, ad unc. iv. bis in dies Syr. papav. alb. ad unc. i. Tartarus emet. ad gr. vii. Theriaca, drach. ii. fs. continent opii gr. i. Tinct. antimonii, ad gutt. xl. bis in die. Tinct. antiphthisica, ad gutt. xxx. bis in die. Tinct. cantharid. ad gutt. xxx. bis in die. Tinct. castorei, ad gutt. xl. bis terve in die. Tincl. cort. peruv. ad cochl. ii. bis in die. Tinct. croci, ad gutt. xl. bis terve in die. Tinct. fuliginis, ad gutt. xxx. bis terve in die. Tinct. hellebori nigr. ad cochl. i. Tinct. ipecacuanhæ, ad unc. i. fs. Tinct. Martis, ad gutt. xl. bis in die. Tinct. menthæ, cochl. i. fæpe. Tict. myrrhæ, ad gutt. xl. bis in die. Tinct. rhei amara, ad cochl. ii. Tinct, rofar, ad unc. iv. bis terve in die, Tinct. facra, ad cochl. ii. Turpeth, mineral. ad gr. vii. Vitrum antim, cerat, ad gr. x.

INDEX

Collyrium Aluminofum

INDEX REMEDIORUM.

| A CONTRACTOR OF THE PARTY OF TH | |
|--|--------------|
| A QUA Alexeteria | Page I |
| Antihysterica ammuno | 2 |
| Aromatica , modernica | ibid. |
| Benedicta composita | 3 |
| Epidemia Ophthalmica | ibid. |
| Ophthalmica murobana f | 4 |
| Picea muitarenta V | . 5 |
| Raphani composita | 6 Jestuariu |
| Balfamum Anodynum | 7 |
| Piceum | 8 |
| Traumaticum, moninger | ibid. |
| Bolus Alexeterius | 9 |
| è Caftoreo muyamo.I | 10 |
| Diaphoreticus 200 Mindow Do | 11 |
| Diureticus del monstrore I | ibid. |
| Guajacinus odo A | 12 |
| Jalappæ cum Mercurio | 13 |
| Mercurialis | ING TIXII 14 |
| Pectoralis musulment | ibid. |
| Rhei cum Mercurio | 15 |
| | 16 |
| Cataplasma Emolliens | .17 |
| Suppurans Theriacale | ibid. |
| | ibid. |
| Camphoratum | 18 |
| Cervifa Aperiens | ibid. |
| Cephalica Dispersion | .,19 |
| Diuretica | ibid. |
| ad Scorbuticos. | 20 |
| Collyrium Album | C-11 |
| | Collyrium |

(108)

| Collyrium Aluminofum | 21 |
|------------------------------|------------|
| Confectio Roborans | ibid. |
| Decoctum Album | 22 |
| Antihecticum | 23 |
| Aftringens | 101a. |
| Bardanæ | 24 |
| Campechense | |
| Commune | 25 |
| Diureticum | ibid. |
| Hordei | 26 |
| Serpentariæ compositum | ibid. |
| Tamarindorum cum Senna | 27 |
| Vulnerarium | 28 |
| Electuarium Antidysentericum | ibid. |
| cum Rheo | |
| Balfamicum | 30 |
| Cephalicum | ibid. |
| Hæmorrhoidale | 31 |
| Lenitivum | ibid. |
| ad Nephriticos | 32 |
| Peruvianum Febrifugum | 33 |
| Roborans | ibid. |
| Siftens would mus saggeta | 34 ibid. |
| Elixir Salutis | |
| Stomachicum | ibid. |
| Vitrioli oma Marcario | 36 |
| Emplaftrum Adhæfivum | |
| Calidum and California | |
| Cereum | |
| Commune of socional | ibid. |
| Defensivum' (mai) | |
| Epifpafticum Gummofum | ibid. |
| | 40 |
| Mercuriale | ibid. |
| Saponaceum | ibid. |
| Stomachicum | Emplastrum |
| | |

(109)

| Emplastrum Suppurans | 41 |
|---|----------|
| Emulfio Communis | 42 |
| Arabica | ibid. |
| Enema de Amylo | 42 |
| Anodynum | 43 |
| Anticolicum | 44 |
| Aftringens | ibid. |
| Balfamicum | 45 |
| Domesticum | ibid. |
| Emolliens | 46 |
| Fœtidum | ibid. |
| Purgans | 47 |
| Terebinthinatum | ibid. |
| Expressio Millepedarum | 48 |
| Fotus Anodynus | .49 |
| Aromaticus | ibid. |
| Emolliens | 50 |
| Roborans | ibid. |
| Gargarisma Astringens | .5I |
| Commune | ibid. |
| Emolliens | .52 |
| Hauftus Diaphoreticus | ibid. |
| Salinus | . 53 |
| Infusum Antiscorbutium | ibid. |
| Cephalicum | 54 |
| Lini | ibid. |
| Pectorale | 55 |
| Balfamica | ibid. |
| Injectio Mercurialis | 56 |
| Iulapium Ammoniacum | ibid. |
| Antihystericum | 57 |
| Cardiacum | 58 |
| Diaphoreticum | ibid. |
| Acidum | 59 |
| Diureticum | 60 |
| Fætidum | ibid. |
| 7 | Julapium |

21 id. 22 23 id. 24 id. 25 id. 278 id. 31 id. 32 3id. 32 3id.

34. 35. 36. 36.

37 38 bid.

39 bid.

bid.

um

(110)

| 40 10 1 | | |
|--|--|----------|
| Tulapium | Hydragocum | 6 |
| | Molchatan | ibid |
| | C.P. | 62 |
| 1 | Scilliticum | ibid |
| TA. | Ciffons | 63 |
| Lac Amr | HEIGH YEARS | 64 |
| 44 | Forestum | ibid |
| Laudanu | m Liquidum | 65 |
| | im Anodynim | îbid. |
| 20101 | Hæmorrhoidale | 66 |
| Lohoch I | Balfamicum | ibid |
| and the circumstance of th | Commune | |
| | Pectorale | ibid. |
| Pilulæ ex | | 68 |
| Time on | Aloëticæ | |
| | Chalybeatæ | ibid. |
| will. | Ecphracticæ Chalybeatæ | 69 |
| 0 | Purgantes | 70 |
| 22:02 | Gummofæ | ibid |
| 17 | Mercuriales Laxantes | ibid. |
| 2010. | Pacificæ | |
| | Pectorales | .72 |
| 2014 | Piceæ | ibid. |
| | Scilliticæ | .,73 |
| That | Stomachicæ | ibid. |
| Potio Balf | | 74 |
| LOUIO Dan | | .,75 |
| Distric Co | Lithontriptica | ibid. |
| E UIVIS CO | ntrayervæ Compositus | .,76 |
| | Diaromaton Canada Canada | ibid. |
| pigs | Testaceus Ceratus | ibid. |
| | Testaceus Compositus | ibid. |
| 5 | Vermifugus | .77 |
| Damarra A | Purgans | ibid |
| Serum Ac | And the state of t | ibid. |
| | Epidemium | ibid. |
| Spiritus L | avendulæ Compositus | 78 |
| Julapiun | | Spiritus |
| | | |

(111)

| Spiritus Salinus Aromaticus | - 48 |
|-----------------------------|-------|
| Suppofitoria | ibid. |
| Syrupus de Althea | 79 |
| Testæ Ovorum Preparatæ | ibid. |
| Theriaca ' | ibid. |
| Tinctura Cantharidum | 80 |
| Sacra | ibid. |
| Trochifci Albi | ibid. |
| Unguentum Emolliens | 81 |
| Mercuriale | ibid. |
| Nervinum | ibid. |
| Piceum | ibid. |
| Sulphureum | 82 |
| Tutiæ | ibid. |
| Camphoratum | ibid. |

FINIS.

BOOKS printed for and fold by W. INNYS and J. RICHARDSON, in Pater-noster Row.

1. DR. Boerbaave's Academical Lectures on the Theory of Physic. Being a genuine Translation of his Institutes and Explanatory Comment, collated and adjusted to each other, as they were dictated to his Students at the University of Leyden. In 6 Volumes, 8vo.

2. Dr. Boerhaave's Aphorisms, concerning the Knowledge and Cure of Diseases. With useful

Observations and Explanations, 8vo.

3. Dr. Boerhaave's Materia Medica: or, a Series of Prescriptions adapted to the Sections of his Practical Aphorisms concerning the Knowledge and Cure of Diseases, 8vo and 12mo.

4. Pharmacopæia Extemporanea: or, a Body of Medicines, containing a Thousand felect Prescripts, answering most Intentions of Cure; to which are added, Useful Scholia, a Catalogue of Remedies, and copious Index, for the use of young Physicians. By Thomas Fuller, M. D. the 5th Edit. 8vo.

5. Pharmacopœia Domestica: or, the Family Dispensatory, with Remarks on the Compositions, and Explanations of their Virtues. By Thomas Fuller, M.D. 8vo. Price bound 3s. 6d.

6. Pharmacopœia Bateana, in Libros duos digesta: primo Compositiones Galenicæ, altero processus Chymici, ordine Alphabetico exarantur; atque Catalogis & Indicibus accommodantur curâ

& operâ Thomæ Fuller, M. D. 12mo.

7. Pharmacopœia Bateana: or, Bates's Difpenfatory. Containing his choice and felect Recipes, their Names, Compositions, Preparations, Virtues, Uses, and Doses, as they are applicable to the whole Practice of Physic and Surgery. By William Salmon, M. D. the 5th Edit. 8vo.

