

MATERIA MEDICA,

THE MATERIA MEDICA.

A.

Abrotonum, <i>Southern-wood,</i> the <i>Herb.</i>	Artemisia <i>Abrotanum</i> , Linnæi Species Plantarum.
Abfinthium mariti- mum, <i>Sea-Wormwood,</i> the <i>Top.</i>	Artemisia <i>maritima</i> , L. S. P.
Abfinthium vulgare, <i>Common Wormwood,</i> the <i>Herb.</i>	Artemisia <i>Abfinthi-</i> <i>um</i> , L. S. P.
Acetosa pratensis, <i>Meadow Sorrel,</i> the <i>Leaf.</i>	Rumex <i>Acetosa</i> , L. S. P.

B 4

Acidum

Acidum Vitriolicum,

Vitriolic Acid,

the specific Gravity of
which is to that of
distilled Water as

1,850 to 1,000.

Aconitum,

Wolf's Bane,

the *Herb.*

Aconitum *Napellus,*

L. S. P.

Adeps Suilla,

Hog's Lard.

Allium, *Garlic,*

the *Root.*

Allium *sativum,*

L. S. P.

Aloë Barbadenfis,

Barbadoes Aloes.

Aloë Socotrina,

Socotrine Aloes.

Althæa,

Marshmallow,

the *Root and Leaf.*

Aloë *perfoliata,*

L. S. P.

Althæa *officinalis,*

L. S. P.

Alumen, *Alum.*

Ammoniacum,

Ammoniacum,

the *Gum-resin.*

Argilla vitriolata.

Amygdala

Amygdala amara, <i>Bitter Almond,</i> the <i>Kernel.</i>	Amygdalus <i>commu-</i> <i>nis,</i> L. S. P.
Amygdala dulcis, <i>Sweet Almond,</i> the <i>Kernel.</i>	
Anethum, <i>Dill,</i> the <i>Seed.</i>	Anethum <i>graveolens,</i> L. S. P.
Angelica, <i>Angelica,</i> the <i>Herb, Root,</i> and <i>Seed.</i>	Angelica <i>Archange-</i> <i>lica,</i> L. S. P.
Anisum, <i>Anise,</i> the <i>Seed.</i>	Pimpinella, <i>Anisum,</i> L. S. P.
Antimonium, <i>Anti-</i> <i>mony.</i>	Antimonium ful- <i>phuratum.</i>
Arabicum, <i>gummi,</i> <i>Gum Arabic.</i>	Mimosa <i>nilotica,</i> L. S. P.
Argentum, <i>Silver.</i>	
Arnica, <i>Leopard's Bane,</i> the <i>Herb, Flower,</i> and <i>Root.</i>	Arnica <i>montana,</i> L. S. P.
Arum, <i>Cuckow-pint,</i> the <i>fresh Root.</i>	Arum <i>maculatum,</i> L. S. P.

Afa foetida, <i>Afa foetida</i> , the Gum-resin.	Ferula <i>Afa foetida</i> , L. S. P.
Asarum, <i>Asarabacca</i> , the Leaf.	Asarum <i>europæum</i> , L. S. P.
Avena, the Oat, its Seed.	Avena <i>fativa</i> , L.S.P.
Aurantium Hispa- lense, <i>Seville Orange</i> , the Leaf, Flower, Juice of the Fruit, and its outer Rind.	Citrus <i>Aurantium</i> , L. S. P.

B.

Balsamum Canaden- se, <i>Canada Balsam</i> .	Pinus <i>balsamea</i> , L. S. P.
Balsamum Copaiva, <i>Balsam of Copaiva</i> .	Copaifera <i>officinalis</i> , L. S. P.
Balsamum Peruvia- num, <i>Balsam of Peru</i> .	Myroxylon <i>peruife- rum</i> , Linnæi Sup- plementum Plan- tarum.
	Balsamum

Balsamum Toluta- Toluifera *Balsamum*,
num, L. S. P.

Balsam of Tolu.

Bardana, *Burdock*, *Arctium Lappa*,
the *Root*. L. S. P.

Barilla, *Barilla*. Natron impurum.

Becabunga, *Veronica Becabunga*,
Brook-lime, L. S. P.

the *Herb*.

Benzoë, *Benjamin*, *Styrax Benzoë*, Acta
the *Resin*. philosophica Lon-
dinenfis.

Bistorta, *Bistort*, *Polygonum Bistorta*,
the *Root*. L. S. P.

Bolus Gallicus,
French Bole.

Borax, *Borax*. Natron Boracica-
tum.

C.

Calaminaris. See
Zinc.

Calamus aromati- *Acorus Calamus*,
cus, *Sweet Flag*, L. S. P.
the *Root*.

Calx,

Calx, <i>Quick Lime fresh burnt.</i>	Lapis calcareus pu- rus recens ustus.
Campechense. See Lignum.	
Camphora, <i>Campher.</i>	Laurus <i>Camphora</i> , L. S. P.
Canella alba, <i>Winter's Bark</i> , so called.	
Cantharis, <i>Spanish Fly.</i>	Meloë <i>vesicatorius</i> , Linnæi Systema Naturæ.
Cardamine, <i>Lady's Smock</i> , the <i>Flower.</i>	Cardamine <i>pratensis</i> , L. S. P.
Cardamomum mi- nus, <i>Smaller Cardamom</i> , the <i>Seed.</i>	Amomum <i>repens</i> . Sonnerati Itin.
Carduus benedictus, <i>Blessed Thistle</i> , the <i>Herb.</i>	Centaurea <i>benedicta</i> , L. S. P.
Carica, <i>the Fig.</i>	Ficus <i>Carica</i> , L. S. P. Caruon,

- | | |
|---|---|
| Caruon, <i>Carraway</i> ,
the <i>Seed</i> . | Carum <i>Carui</i> , L.S.P. |
| Caryophyllum aro-
maticum,
the <i>Clove</i> and its
<i>essential Oil</i> . | Caryophyllus <i>aroma-</i>
<i>ticus</i> , L. S. P. |
| Caryophyllum ru-
brum,
<i>Clove July-flower</i> ,
the <i>Flower</i> . | Dianthus <i>Caryophyl-</i>
<i>lus</i> , L. S. P. |
| Cascarilla, <i>Cascarilla</i> ,
the <i>Bark</i> . | |
| Cassia fistularis,
<i>Cassia of the Cane</i> ,
the <i>Fruit</i> . | Cassia <i>Fistula</i> , L.S.P. |
| Castoreum Rus-
sian <i>Castor</i> . | |
| Catechu, vulgo Ter-
ra Japonica,
<i>Japan Earth</i> . | Mimosa <i>Catechu</i> ,
L. Suppl. P. |
| Centaureum minus,
<i>Smaller Centaury</i> ,
the <i>Top</i> . | Gentiana <i>Centauri-</i>
<i>um</i> , L. S. P. |

Cera

Cera flava, <i>Yellow Wax.</i>	
Cera alba, <i>White Wax.</i>	
Chamæmelum, <i>Chamomile,</i> <i>the single Flower.</i>	<i>Anthemis nobilis,</i> L. S. P.
Chelæ Cancrorum, <i>Crab's Claws.</i>	<i>Cancer pagurus,</i> L. S. N.
Cicuta, <i>Hemlock,</i> <i>the Herb, Flower,</i> <i>and Seed.</i>	<i>Conium maculatum,</i> L. S. P.
Cinara, <i>Artichoke,</i> <i>the Leaf.</i>	<i>Cynara Scolymus,</i> L. S. P.
Cineres Clavellati, vel Ruffici, <i>Russian Potash.</i>	<i>Kali impurum,</i>
Cinnamomum, <i>Cinnamon,</i> <i>the Bark and its</i> <i>essential Oil.</i>	<i>Laurus Cinnamo-</i> <i>mum,</i> L. S. P.
Coccinella, <i>Cochineal.</i>	
	<i>Cochlearia</i>

Cochlearia hortensis, <i>Garden Scurvy-grass,</i> the <i>Herb.</i>	Cochlearia <i>officinalis,</i> L. S. P.
Colchicum, <i>Meadow-Saffron,</i> the <i>fresh Root.</i>	Colchicum <i>autumna-</i> <i>le,</i> L. S. P.
Colocynthis, <i>Coloquintida,</i> or <i>bit-</i> <i>ter Apple,</i> the <i>Pith</i> of the fruit.	Cucumis <i>Colocynthis,</i> L. S. P.
Columba, <i>Columba,</i> the <i>Root.</i>	
Contrayerva, <i>Contrayerva,</i> the <i>Root.</i>	Dorstenia <i>Contrayer-</i> <i>va,</i> L. S. P.
Corallium rubrum, <i>Red Coral.</i>	Isis <i>nobilis,</i> L. S. N.
Coriandrum, <i>Coriander,</i> the <i>Seed.</i>	Coriandrum <i>sativum,</i> L. S. P.
Cornu Cervi, <i>Hartshorn.</i>	
Cortex Peruv. see <i>Peruvianus Cortex.</i>	

Creta,

- | | |
|--|--|
| Creta, <i>Chalk.</i> | |
| Crocus, <i>Saffron,</i>
the <i>Stigma</i> of the
<i>flower.</i> | Crocus <i>sativus,</i>
L. S. P. |
| Cubeba, <i>the Cubeb.</i> | Piper <i>Cubeba,</i>
L. Suppl. P. |
| Cucumis <i>agrestis,</i>
<i>Wild Cucumber,</i>
the <i>fresh Fruit.</i> | Momordica <i>Elate-</i>
<i>rium,</i> L. S. P. |
| Cuminum, <i>Cummin,</i>
the <i>Seed.</i> | Cuminum <i>Cuminum,</i>
L. S. P. |
| Cuprum, <i>Copper,</i>
<i>Ærugo, Verdegris,</i>
Vitriolum <i>cœru-</i>
<i>leum,</i>
<i>Blue Vitriol.</i> | |
| Curcuma, <i>Turmeric,</i>
the <i>Root.</i> | Curcuma <i>longa,</i>
L. S. P. |
| Cydonium <i>Malum,</i>
The <i>Quince</i> and its
<i>Seed.</i> | Pyrus <i>Cydonia,</i>
L. S. P. |
| | Cynobatus, |

Cynosbatus, Rosa canina, L. S. P.
 Dog-rose,
 the Fruit, called Hip.

D.

Daucus sylvestris, Daucus Carota,
 Wild Carrot, L. S. P.
 the Seed.

Digitalis, Foxglove, Digitalis purpurea,
 the Herb. L. S. P.

E.

Elemi, Elemi, Amyris Elemifera,
 the Resin. L. S. P.

Eleutheria, see Caf-
 carilla.

Enula campana, Inula Helenium,
 Elecampane, L. S. P.
 the Root.

Eryngium, Eryngo, Eryngium marit-
 the Root. mum, L. S. P.

C

F.

F.

Ferrum, *Iron.*

Vitriolum viride, Ferrum vitriolatum.
Green Vitriol.

Filix, *Fern,*
the *Root.*

Polypodium *Filix*
mas, L. S. P.

Fœniculum dulce,
Sweet Fennel,
the *Seed.*

Anethum *Fœniculum*,
L. S. P.

Fœnum Græcum,
Fenugreek,
the *Seed.*

Trigonella *Fœnum*
græcum, L. S. P.

G.

Galbanum,
Galbanum,
the *Gum-resin.*

Bubon *Galbanum*,
L. S. P.

Galla, *the Gall.*

Gambogia, *Gamboge,*
the *Gum-resin.*

Genista, *Broom,*
the *Top and Seed.*

Spartium *scoparium*,
L. S. P.

Gentiana, *Gentian,*
the *Root.*

Gentiana *lutea*,
L. S. P.

Ginseng,

- | | |
|--|--|
| Ginseng, <i>Ginseng</i> ,
the <i>Root</i> . | <i>Panax quinquefolium</i> ,
L. S. P. |
| Glycyrrhiza,
<i>Liquorice</i> ,
the <i>Root</i> . | <i>Glycyrrhiza glabra</i> ,
L. S. P. |
| Granatum,
<i>Pomegranate</i> ,
the <i>Flower</i> , called
<i>Balaustine</i> , and the
<i>Rind of the Fruit</i> . | <i>Punica Granatum</i> ,
L. S. P. |
| Gratiola,
<i>Hedge-byssop</i> ,
the <i>Herb</i> . | <i>Gratiola officinalis</i> . |
| Guaicum, <i>Guiacum</i> ,
the <i>Wood, Bark</i> ,
and <i>Gum-resin</i> . | <i>Guiacum officinale</i> ,
L. S. P. |
| Gummi Ammonia-
cum. See Ammo-
niacum. | |
| Gummi Arabicum.
See Arabicum. | |
| Gummi Elemi. See
Elemi. | |

Gummi Sarcocolla.

See Sarcocol.

Gummi Tragacantha.

See Tragacantha.

H.

Helleboraster,

Bearsfoot,

the *Leaf.*

Helleborus Albus,

White Hellebore,

the *Root.*

Helleborus niger,

Black Hellebore,

the *Root.*

Hordeum, *Barley,*

the *Seed.*

Hordeum perlatum,

Pearl-Barley.

Hydrargyrus,

Quicksilver.

Cinnabaris,

Cinnabar.

Helleborus *foetidus,*

L. S. P.

Veratrum *album,*

L. S. P.

Helleborus *niger,*

L. S. P.

Hordeum *distichon,*

L. S. P.

Hydrargyrus *sul-*

phuratus.

Hypericum,

Hypericum, Hypericum perforatum, L. S. P.
St. John's Wort, *tum,* L. S. P.
 the Flower.

I.

Jalapium, *Jalap,*
 the Root.

Ichthyocolla,
Ising-glass, or Fish-
glue.

Ipecacuanha,
Ipecacuanha,
 the Root.

Iris, *Florentine Orris,* Iris florentina, L. S. P.
 the Root.

Juglans, *Walnut,* Juglans regia, L. S. P.
 the unripe Fruit.

Juniperus, *Juniper,* Juniperus communis,
 the Berry and Top. L. S. P.

K.

Kino, *Kino.* Gummi Gambiense.

C 3

L.

	L.	
Ladanum,		<i>Cistus creticus</i> ,
<i>Labdanum.</i>		L. S. P.
Lavendula,		<i>Lavandula Spica</i> ,
<i>Lavender,</i>		L. S. P.
the <i>Flower.</i>		
Laurus, <i>Bay,</i>		<i>Laurus nobilis</i> ,
the <i>Leaf and Berry.</i>		L. S. P.
Lignum Campe-		<i>Hæmatoxylum Cam-</i>
chense, <i>Log-wood.</i>		<i>pechianum</i> , L.S.P.
Lignum Vitæ. See		
Guaiac.		
Limon, <i>Lemon,</i>		<i>Citrus Medica</i> ,
the <i>Juice, outer</i>		L. S. P.
<i>Rind, and its Oil</i>		
called ESSENCE.		
Linum, <i>Flax,</i>		<i>Linum usitatissimum</i> ,
the <i>Seed</i> called		L. S. P.
<i>Linseed.</i>		
Luzula, <i>Wood Sorrel,</i>		<i>Oxalis Acetosella</i> ,
the <i>Leaf.</i>		L. S. P.

M.

Majorana, *Origanum Majorana*,
Sweet Marjoram, L. S. P.
 the *Herb*.

Macis. See Nux
 Mosch.

Malva, *Mallow*, *Malva sylvestris*,
 the *Leaf and Flower*. L. S. P.

Manna, *Manna*.

Marrubium album, *Marrubium vulgare*,
White Horebound, L. S. P.
 the *Herb*.

Marum syriacum, *Teucrium Marum*,
Syrian Herb-mastic, L. S. P.
 the *Herb*.

Mastiche, *Mastic*, *Pistacea Lentiscus*,
 the *Gum-resin*. L. S. P.

Mel, *Honey*.

Melissa, *Balm*, *Melissa officinalis*.
 the *Herb*.

Mentha piperitis, *Mentha piperita*,
Pepper-mint, L. S. P.
 the *Herb*.

- | | |
|---|--|
| Mentha fativa,
<i>Spear-mint</i> ,
the <i>Herb</i> . | Mentha <i>spicata</i> ,
Hudsoni Flora
Anglica. |
| Mezereum, <i>Mezereon</i>
or <i>Spurge-Laurel</i> ,
the <i>Bark</i> of the
<i>Root</i> . | Daphne <i>Mezereum</i> ,
L. S. P. |
| Millepeda,
the <i>Wood-louse</i> . | Oniscus <i>Asellus</i> ,
L. S. N. |
| Morum, <i>Mulberry</i> ,
the <i>Fruit</i> . | Morus <i>nigra</i> , L.S.P. |
| Moschus, <i>Musk</i> . | |
| Myrrha, <i>Myrrh</i> . | |

N.

- | | |
|--|--|
| Nasturtium aquati-
cum, <i>Water-creffes</i> ,
the <i>fresh Herb</i> . | Sifymbrium <i>Nastur-</i>
<i>tium aquaticum</i> ,
L. S. P. |
| Nicotiana, <i>Tobacco</i> ,
the <i>Leaf</i> . | Nicotiana <i>Tabacum</i> ,
L. S. P. |
| Nitrum, <i>Nitre</i> . | Kali nitratum. |

Nux

Nux Moschata, Myristica *Moschata*.
Nutmeg, Acta Holmiensia.
 its *essential Oil*,
 its *expressed Oil* com-
 monly called OIL
 OF MACE.

Macis, *Mace*.

O.

Olibanum, Juniperus *lycia*,
Olibanum, L. S. P.
 the *Gum-resin*.
 Oliva, the *Olive*, Olea *europæa*, L. S. P.
 the *Oil* of the *Fruit*.
 Opium, *Opium*.
 Opopanax, Pastinaca *Opopanax*,
Opopanax, L. S. P.
 Origanum, Origanum *vulgare*,
Wild Marjoram, L. S. P.
 the *Herb*.
 Ostreorum testæ, see
 testæ.
 Ovum, Ovum *gallinaceum*.
 the *Pullet's Egg*.

P.

Papaver album, <i>White Poppy</i> , the <i>Head</i> .	Papaver <i>somniferum</i> , L. S. P.
Papaver erraticum, <i>Red Poppy</i> , the <i>Flower</i> .	Papaver <i>Rhæas</i> , L. S. P.
Pareira brava, <i>Pareira brava</i> , the <i>Root</i> .	Cissampelos <i>pareira</i> , L. S. P.
Parietaria, <i>Pellitory of the Wall</i> , the <i>Herb</i> .	Parietaria <i>officinalis</i> , L. S. P.
Pentaphyllum, <i>Cinquefoil</i> , the <i>Root</i> .	Potentilla <i>reptans</i> , L. S. P.
Peruvianus Cortex, <i>Peruvian Bark</i> .	Cinchona <i>officinalis</i> , L. S. P.
Petroleum, <i>Rock-Oil</i> .	Bitumen <i>Petroleum</i> , L. S. N.
	Petro-

Petroselinum, <i>Parfeley,</i> the <i>Root</i> and <i>Seed.</i>	Apium <i>Petroselinum,</i> L. S. P.
Pimento, <i>Allspice,</i> the <i>Berry,</i>	Myrtus <i>Pimenta,</i> L. S. P.
Piper Indicum, <i>India Pepper,</i> the <i>Fruit.</i>	Capficum <i>annuum,</i> L. S. P.
Piper longum, <i>Long Pepper,</i> the <i>Fruit.</i>	Piper <i>longum,</i> L. S. P.
Piper Nigrum, <i>Black Pepper,</i> the <i>Berry.</i>	Piper <i>nigrum,</i> L. S. P.
Pix Burgundica, <i>Burgundy Pitch.</i>	
Pix liquida, <i>Tar.</i>	
Plumbum, <i>Lead,</i> Cerussa, <i>Cerusse,</i> Lithargyrus, <i>Litharge,</i> Minium, <i>red Lead.</i>	
Prunum Gallicum, the <i>Prune.</i>	Prunus <i>domestica,</i> L. S. P.
	Prunum

Prunum sylvestre, <i>The Sloe.</i>	Prunus <i>spinosa</i> , L. S. P.
Pulegium, <i>Pennyroyal</i> , the <i>Herb</i> and <i>Flower</i> .	Mentha <i>Pulegium</i> , L. S. P.
Pyrethrum, <i>Pellitory of Spain</i> , the <i>Root</i> .	Anthemis <i>Pyrethrum</i> , L. S. P.

Q.

Quassia, <i>Quassy</i> , the <i>Wood</i> .	Quassia <i>amara</i> , L. S. P.
Quercus, <i>Oak</i> , the <i>Bark</i> .	Quercus <i>Robur</i> , L. S. P.

R.

Raphanus rustica- nus, <i>Horse-radish</i> , the <i>Root</i> .	Cochlearia <i>Armora-</i> <i>cia</i> , L. S. P.
Rhabarbarum, <i>Rhubarb</i> , the <i>Root</i> .	Rheum <i>palmatum</i> , L. S. P.

Ribes

Ribes nigrum, <i>Black Currants,</i> the <i>Fruit.</i>	Ribes nigrum, L. S. P.
Ribes rubrum, <i>Red Currants,</i> the <i>Fruit.</i>	Ribes rubrum, L. S. P.
Ricinus, <i>Palma Christi,</i> the <i>Seed.</i>	Ricinus communis, L. S. P.
Rosa Damascena, <i>Damask Rose,</i> the <i>Petal.</i>	Rosa centifolia, L. S. P.
Rosa rubra, <i>Red Rose,</i> the <i>Petal.</i>	Rosa gallica, L. S. P.
Rosmarinus, <i>Rosemary,</i> the <i>Flower and Top.</i>	Rosmarinus officina- lis, L. S. P.
Rubia, <i>Madder,</i> the <i>Root.</i>	Rubia tinctorum, L. S. P.
Rubus idæus, <i>Raspberry,</i> the <i>Fruit.</i>	Rubus idæus, L. S. P.
Ruta, <i>Rue,</i> the <i>Herb.</i>	Ruta graveolens, L. S. P.

- | | | |
|---|----|--|
| | S. | |
| Sabina, <i>Savin,</i>
the <i>Leaf.</i> | | Juniperus <i>Sabina,</i>
L. S. P. |
| Saccharum non pu-
rificatum,
<i>Brown Sugar.</i> | | |
| Saccharum purifica-
tum,
<i>Double-refined Sugar.</i> | | Saccharum bis coc-
tum. |
| Sagapenum,
<i>Sagapenum,</i>
the <i>Gum-resin.</i> | | |
| Sal amarus,
<i>Bitter purging Salt,</i> | | Magnesia vitriolata. |
| Sal Ammoniacus,
<i>Sal Ammoniac,</i> | | Ammonia muriata. |
| Sal muriaticus,
<i>Sea Salt.</i> | | Natron muriatum. |
| Salvia, <i>Sage,</i>
the <i>Leaf.</i> | | Salvia <i>officinalis,</i>
L. S. P. |
| | | Sambucus, |

- | | |
|---|---|
| Sambucus,
<i>Black-berried Elder,</i>
the <i>inner Bark,</i>
<i>Flower,</i> and
<i>Berry.</i> | Sambucus <i>nigra,</i>
L. S. P. |
| Sanguis Draconis,
<i>Dragon's Blood.</i> | |
| Santalum rubrum,
<i>Red Saunders,</i>
the <i>Wood.</i> | Pterocarpus <i>Santolinus,</i> L. Suppl. P. |
| Santonium,
<i>Worm-seed.</i> | Artemisia <i>Santonium,</i> L. S. P. |
| Sapo, <i>Soap,</i>
made of <i>Olive-oil</i>
and <i>Barilla.</i> | Sapo ex oleo olivæ &
natro confectus. |
| Sarcocolla, <i>Sarcocol,</i>
the <i>Gum-resin.</i> | |
| Sarsaparilla,
<i>Sarsaparilla,</i>
the <i>Root.</i> | Smilax <i>Sarsaparilla,</i>
L. S. P. |
| Sassafras, <i>Sassafras,</i>
the <i>Wood, Root,</i> and
its <i>Bark.</i> | Laurus <i>Sassafras,</i>
L. S. P. |
| | Scammonium, |

Scammonium, <i>Scammony,</i> the <i>Gum-resin.</i>	Convolvulus <i>Scam-</i> <i>monia,</i> L. S. P.
Scilla, <i>Squill,</i> the <i>Root.</i>	Scilla <i>maritima,</i> L. S. P.
Scordium, <i>Scordium,</i> or <i>Water german-</i> <i>der,</i> the <i>Herb.</i>	Teucrium <i>Scordium,</i> L. S. P.
Senna, <i>Senna,</i> the <i>Leaf.</i>	Cassia <i>Senna,</i> L. S. P.
Seneka, <i>Seneka,</i> the <i>Root.</i>	Polygala <i>Senega,</i> L. S. P.
Serpentaria Virgini- <i>ana,</i> <i>Virginian Snake-root.</i>	Aristolochia <i>Serpen-</i> <i>taria,</i> L. S. P.
Sevum ovillum, <i>Mutton-suet.</i>	
Simarouba, <i>Simarouba,</i> the <i>Bark.</i>	Quaffia <i>Simarouba,</i> L. Suppl. P.
Sinapi, <i>Mustard,</i> the <i>Seed.</i>	Sinapis <i>nigra,</i> L. S. P.
	Sium,

- | | |
|--|---|
| Sium, <i>Water-parsnip</i> ,
the <i>Herb</i> . | Sium <i>nodiflorum</i> ,
L. S. P. |
| Sperma ceti,
<i>Spermaceti</i> . | |
| Spigelia, <i>Indian Pink</i> ,
the <i>Root</i> . | Spigelia <i>marylandica</i> ,
L. S. N. |
| Spina cervina,
<i>Buckthorn</i> ,
the <i>Berry</i> . | Rhamnus <i>catharticus</i> ,
L. S. P. |
| Spiritus vinosus rec-
tificatus,
<i>Rectified Spirit of</i>
<i>Wine</i> , | |
| contains 95 Parts of
Alcohol, and 5
Parts of distilled
Water in 100. | |
| Its specific Gravity
is to that of distil-
led Water as 835
to 1,000. | |
| Spiritus vinosus te-
nuior, | |

D *Proof*

Proof Spirit of Wine,
contains 55 Parts
of Alcohol, and 45
Parts of distilled
Water in 100. Its
specific Gravity is
to that of distilled
Water as 930 to
1,000.

Spiritus Vitrioli, see
Acidum Vitrioli-
cum.

Spongia, *Sponge.*

Stannum, *Tin.*

Staphisagria,
Staves-acre,
the *Seed.*

Styrax, *Storax.*

Succinum, *Amber.*

Sulphur, *Brimstone.*

Sulphuris flores,
Flowers of Brimstone.

Spongia officinalis,
L. S. N.

Delphinium Staphis-
agria, L. S. P.

Styrax officinalis, L.
L. S. P.

T.

Tamarindus,	Tamarindus <i>Indica</i> ,
<i>Tamarind</i> ,	L. S. P.
the <i>Fruit</i> .	
Tanacetum, <i>Tansy</i> ,	Tanacetum <i>vulgare</i> ,
the <i>Flower</i> and <i>Herb</i> .	L. S. P.
Taraxacum,	Leontodon <i>Taraxa-</i>
<i>Dandelion</i> ,	<i>cum</i> , L. S. P.
the <i>Root</i> and <i>Herb</i> .	
Terebinthina chia,	
<i>Chio</i> , or <i>Cyprus Tur-</i>	
<i>pentine</i> .	
————— vulga-	
ris, <i>common Tur-</i>	
<i>pentine</i> .	
Terra Japonica. See	
Catechu.	
Testæ Ostreorum,	Ostrea <i>edulis</i> , L. S. N.
<i>Oyster-shells</i> .	
Thus, <i>Frankincense</i> ,	
the <i>Resin</i> .	
Tormentilla,	Tormentilla <i>erecta</i> ,
<i>Tormentil</i> .	L. S. P.
the <i>Root</i> .	

Tragacantha, Astragalus *Tragacantha*, L. S. P.
Tragacanth,
 the Gum.

Trifolium paludosum, Menyanthes *trifoliata*, L. S. P.
Buckbean,
 the Herb.

Triticum, *Wheat*, Triticum *hybernum*,
 the Flour and Starch. L. S. P.

Tussilago, *Coltsfoot*, Tussila *Farfara*,
 the Herb. L. S. P.

V.

Valeriana sylvestris, Valeriana *officinalis*,
Wild Valerian,
 the Root. L. S. P.

Viola, *Violet*, Viola *odorata*, L. S. P.
 the fresh Flower.

Vitis, *The Vine*, Vitis *vinifera*, L. S. P.

Uva passa,

The Raisin,

Vinum, *Wine*,

Tartarum, *Tartar*, Tartarum *impurum*,
 Tartari

Tartari cryftalli,	Tartarum purifica-
<i>Crystals of Tartar,</i>	tum.
Acetum, <i>Vinegar,</i>	
Ulmus, <i>the Elm,</i>	Ulmus <i>campestris,</i>
<i>the inner Bark.</i>	L. S. P.
Urtica,	Urtica <i>dioica,</i> L. S. P.
<i>Stinging Nettle,</i>	
Uva Urſi,	Arbutus <i>Uva urſi,</i>
<i>Bear's Whortleberry,</i>	L. S. P.
<i>the Leaf.</i>	

Z.

Zedoaria, <i>Zedoary,</i>	Kœmpferia <i>rotunda,</i>
<i>the Root.</i>	L. S. P.
Zincum, <i>Zinc,</i>	
Lapis Calamina-	Lapis <i>calaminaris</i>
<i>ris,</i>	<i>uſtus.</i>
<i>Calamine,</i>	
Tutia, <i>Tutty,</i>	
Vitriolum Album,	Zincum <i>vitriolatum.</i>
<i>White Vitriol,</i>	
Zingiber, <i>Ginger,</i>	Amomum <i>Zingiber,</i>
<i>the Root.</i>	L. S. P.

PRÆPARATIONES
SIMPLICIORES.

THE MORE SIMPLE
PREPARATIONS.

QUORUNDAM IN AQUA NON SOLU-
BILIUM PRÆPARATIO.

THE PREPARATION OF SOME SUBSTAN-
CES NOT SOLUBLE IN WATER.

BE A T these substances first in a mor-
tar to a powder ; then, pouring on
a little water, levigate it upon a hard and
polished, but not calcareous, stone, that it
may be made as fine as possible. Dry this
powder upon blotting-paper laid on chalk,
and set it in a warm, or at least dry, place,
for some days.

In