## S A L E S.

## SALTS.

the operator, may be avoided. The focuseft way

childre at a time, while we think a little shill s

## ACIDUM VITRIOLICUM DI-LUTUM.

DILUTED, OR WEAK, VITRIOLIC ACID.

TAKE of vitriolic Acid one ounce by weight.

Distilled water eight ounces by weight.

Mix them by degrees.

### REMARK.

This was called, in the last Dispensatory, Spiritus vitrioli tenuis, the antiseptic power of which is very considerable; nor has it often been found hurtful. — Whether the intoxicating spirituous

tuous antiseptics, brought into fashion about the middle of this century, or the vinous, which have since become so, have contributed more to the preservation of mankind, than the antiseptics in former use, will, perhaps, be doubted by some.

## ACIDUM NITROSUM.

breaking the retore, which the others are not. I.

Take of purified Nitre, by weight, fixty

ty-nine ounces.

Mix and distill.

The specific gravity of this is to the weight of distilled water as 1,550 to 1,000.

## dried and pow. N . A . M . A . B retort, of which

Deri. A pound of vitriolic acid is sufficient to expel all the nitrous acid from about two pounds of nitre, not from more; and, if equal parts of the two be employed, the produce, in either case,

case, is in quality the same; the difference, in this respect, affecting only the residuum. If less Nitre, it cannot afford alkali enough to saturate the vitriolic acid, and the residuum will not be a neutral, but a very acid, salt. In this last case there is one conveniency; the acid salt being readily soluble in water, so as to be got out without breaking the retort, which the others are not. L.

The caution, given in the last Dispensatory, to make the mixture under a chimney, is very necessary to be observed; for, red corrosive sumes will rise very copiously, which are extremely pernicious, and ought to be carefully avoided by the operator.

For greater fecurity, some employ a large receiver with two tubes, to the uppermost of which is fitted another tube, three feet long, whilst the lowermost is inserted into a smaller receiver, or bottle. The Swedish Dispensatory directs only a receiver, large and properly tubulated. The Nitre, dried and powdered, being put into a retort, of which it must not take up more than one-third, and the retort being placed in a sand-heat, the vitriolic acid is to be poured into it through a glass funnel, whose stem is long, and bent so as to form a right-angle with its cup; when, the apparatus be-

ing adjusted, and the receiver, &c. immediately luted, the distillation is to be performed with an heat gradually raised, and continued till the recipient grows cool, and no drops fall from the retort.

## ACIDUM NITROSUM DILU-TUM.

DILUTED, OR WEAK, NITROUS ACID.

Take of nitrous Acid,

Distilled water, of each one pound.

Mix them.

in

ſs

te

a

fe a-

ut

to

e-

es r-

ne

C-

h

70

e-

e,

ic

1-

e-

#### REMARK.

A noxious vapour arises on mixing the nitrous acid with water, which the operator should a-void.

ACIDUM

### ACIDUM MURIATICUM.

ing adjuited, and the receiver, 850. immediately

MURIATIC ACID.

Take of dry Sea-Salt ten pounds.

Vitriolic Acid fix pounds.

Water five pounds.

Add, by degrees, the vitriolic Acid, first mixed with the water, to the falt: then distill.

The specific gravity of this is to thatof distilled water as 1,170 to 1,000.

#### REMARK.

This was formerly called Spiritus Salis marini Glauberi. The addition of water is here necessary; the marine vapours being so volatile, as scarcely to condense without some adventitious humidity. The vitriolic acid is most conveniently mixed with the water in an earthen or stone ware vessel; for, unless the mixture is made very slowly, it grows so hot as to endanger the breaking a glass one. This mixture should be put to the falt

falt under a chimney, as the white fumes, here arising, ought also to be avoided.

When the mixture is grown somewhat cool, it may be poured on the Salt already placed in the retort, and the distillation directly begun. Here also a tubulated receiver is proper. The heat is to be so conducted as to prevent the matter from boiling over, or the sumes rising so quick as to endanger the receiver. The Salt left in the retort, when purified, gives the Sal Catharticus Glauberi. See Natron vitriolatum.

### ACETUM DISTILLATUM.

### DISTILLED VINEGAR.

Take of Vinegar five pints.

t-

y

·e

e

lt

Distill with a gentle fire, in glass vessels, so long as the drops fall free from empyreuma.

#### REMARK.

The Swedish Dispensatory directs the distillation from a glass retort, and by a water-bath:—
that the fourth part, which first comes over, and is phlegm, be thrown away, and the receiver be-

ing then changed, the distillation to be continued fo long as the fluid comes over limpid.

## ACIDUM ACETOSUM.

ACETOUS ACID.

Take of Verdegris, in coarse powder, two pounds.

Dry it perfectly by means of a waterbath faturated with fea-falt; then distill it in a fand-bath, and after that distill the liquor.

Its specific gravity is to that of distilled water as 1,050 to 1,000.

## SAL ET OLEUM SUCCINI.

SALT AND OIL OF AMBER.

Take of Amber two pounds.

Distill in a heat of sand, gradually augmented: an acid liquor, oil, and salt souled with oil, will ascend.

#### REMARK.

In the distillation of Amber, the fire must for some time be continued gentle, scarcely exceeding the degree at which water boils, till the aqueous phlegm and thin oil have arisen; after which it is to be slowly increased. If the fire be urged too hastily, the Amber will rise in its whole substance into the receiver, without undergoing the requisite separation of its parts. L.

The oil is given internally from five to eight or ten drops in hysterical spasms, and applied externally in the same disorder.

## SAL SUCCINI PURIFICATUS.

PURIFIED SALT OF AMBER.

Take of Salt of Amber half a pound.

Distilled water one pint.

Boil the Salt in the distilled water, and set aside the solution to chrystallize.

### RE MARK.

When perfectly pure it is white, and of an acid taste, not ungrateful. It requires, for its solution, of cold water, in summer, about twenty

G 2

times its weight; of boiling water about twice its weight; and is fcarcely foluble at all in rectified spirit, without the affistance of heat. L.

It is given as a cooling diuretic in doses of a few grains, and also in hysterical complaints.

## FLORES BENZOES.

FLOWERS OF BENJAMIN.

Take of Benjamin, in powder, one pound.

Put it into an earthen pot, placed in fand; and, with a flow fire, fublime the flowers into a paper-cone, fitted to the pot.

If the flowers are of a yellow colour, mix them with white clay, and fublime them again.

#### REMARK,

Only a small portion must be put in at a time, and the heat be very gentle.—Even a re-sublimation from tobacco-pipe clay does not so effectually purify the slowers as might be wished. L.

The Chymists have long disused the paper-cone. Mand, of London, and others, employed glass retorts, for the first sublimation, with the narrow part of its tube cut off, to which they joined receivers not luted; scraping out the flow-

ers frequently from the necks of the retorts, and using a degree of heat just sufficient to keep the Benzoin melted. For the rectification, they employed stone-ware bodies, with large glass blind-heads sitted to them, without luting. The impure flowers, after being wrapped in bibulous paper and moderately pressed, were re-sublimed into these blind-heads of a pearly whiteness. Mr. Bartlett, a disciple of Maud's, improved this appaparatus for large quantities, the description of which is too long to insert here. The slowers are given from three or four grains to sisteen in Dyspnæa, &c.

### KALI PRÆPARATUM.

PREPARED KALI.

Take of Pot-ash two pounds,

Boiling distilled Water three pints.

Dissolve and filtre through paper; evaporate the liquor till a pellicle appears on the surface; then set it aside for a night, that the neutral salts may crystallize; after which pour out the liquor, and boil away

G 3

the

the whole of the water, constantly stirring, lest any falt should adhere to the pot.

In like manner is purified impure Kali from the ashes of any kind of vegetable.

The same SALT may be prepared from TARTAR burnt till it becomes of an ash colour.

#### REMARK.

This is intended to supply the place of Sal Absinthii. It is given from three or four grains to fifteen or more, properly diluted, as a diuretic.

### AQUA KALI.

WATER OF KALL.

Take of Kali one pound.

Set it by in a moist place till it dissolves, and strain.

#### REMARK.

This is instead of the Lixivium Tartari of the last Dispensatory.

AQUA

### AQUA KALI PURI.

WATER OF PURE KALI.

Take of Kali four pounds.

Quick Lime fix pounds.

Distilled Water four gallons.

Put four pints of water to the lime, and let them stand together for an hour; after which, add the Kali and the rest of the water; then boil for a quarter of an hour: suffer the liquor to cool and strain. A pint of this liquor ought to weigh sixteen ounces. If the liquor effervesces with any acid add more lime.

#### REMARK.

This was formerly called Lixivium faponarium. The boiling should be performed in an earthen or glass vessel, and the straining be through linen.

### KALI PURUM.

PURE KALI.

Take of the water of pure Kali one gal-

Evaporate it to dryness; after which let the salt melt on the fire, and pour it out.

#### REMARK.

This preparation, formerly called Lapis Jepticus, is described, in the Ed. Disp. 1783, more
particularly, viz. to evaporate the Lixivium in a
very clean iron vessel upon a gentle sire, till, on
the ebullition ceasing, the saline matter gently
flows like oil, which happens before the vessel
becomes red. Pour out the caustic, thus liquified, upon a smooth iron plate; let it be divided
into small pieces before it hardens, and these are
to be put in phials close stopt. It is a very powerful caustic, but too apt to liquify upon the part
to which it is applied, and to spread beyond the
limits in which it is intended to operate.

CALX

## CALX CUM KALI PURO.

LIME WITH PURE KALI.

Take of Quick-lime five pounds and four ounces.

Water of pure Kali fixteen pounds by weight.

Boil away the water of pure Kali to a fourth part; then sprinkle in the Lime, broken to powder by the affusion of water. Keep it in a vessel close stopped.

### R B M A R K.

This preparation, the Causticum commune fortius of the last Dispensatory, is less apt to liquify, and hence keeps better confined within the limits intended, but at the same time is proportionably more slow in its operation. L.

### NATRON PRÆPARATUM.

PREPARED NATRON.

Take of Barilla, powdered, two pounds, Distilled Water one gallon.

Boil

Boil the Barilla in four pints of water for half an hour, and strain. Boil the part which remains after straining with the rest of the water, and strain. Evaporate the mixed liquors to two pints, and set them by for eight days: strain this liquor again; and, after due boiling, set it by to crystallize. Dissolve the crystals in distilled water, strain the solution, boil and set it aside to crystallize.

## AMMONIA PRÆPARATA.

PREPARED AMMONIA.

Take of Sal ammoniac, powdered, one pound.

Prepared Chalk two pounds.

Mix and fublime.

#### REMARK.

This was in the last Dispensatory called Sal volatilis Salis ammoniaci. The process requires a strong fire, for the chalk must receive some degree of calcination before it will act on the Sal

am-

ammoniac, though it is not reduced to perfect lime; (for, with lime, no folid falt can be obtained.) P.

Though chalk does not act upon Sal ammoniac till a confiderable heat is applied, it must not be too great nor too suddenly raised; for, if it is, a part of the chalk (though of itself not capable of being elevated by any degree of heat) will be carried up along with the volatile salt. Du Hamel (Mem. Acad. Sc.) could not separate the chalk, thus volatilised, by the gentlest re-sublimation; it dissolved with the volatile Alkali in water, and exhaled with it in the air. L.

## AQUA AMMONIÆ PURÆ.

WATER OF PURE AMMONIA.

Take of Sal ammoniac one pound.

Lime two pounds. Water one gallon.

Add to the Lime two pints of the water. Let them stand together an hour; then add the Sal ammoniac and the other six pints of water boiling, and immediately cover the vessel. vessel. Pour out the liquor when cold, and distill with a slow fire one pint.

#### REMARK.

This water is far more pungent than the Aqua Ammoniæ with Kali both in smell and taste, and like Kali, rendered caustic by the absorption of its fixed air on the admixture of lime, raises no effervescence with acids. It is too acrid for internal use, and was omitted in the last Dispensatory, Pemberton says, lest it should be given instead of the Aqua Ammoniæ made with Kali, which follows. It is chiefly used for smelling to in faintings.

## AQUA AMMONIÆ.

WATER OF AMMONIA.

Take of Sal ammoniac one pound.

Pot-ash one pound and an half.

Water four pints.

Draw off two pints, by distillation, with a slow fire.

RE-

#### REMARK.

In the preparation of this water, named in the last Dispensatory Spiritus Salis Ammoniaci, a pungent odour arises as soon as the Pot-ash and Sal ammoniac are mixed. Hence Lewis advises to mix them in the retort, dissolving first the two falts separately in half the water, pouring in the folutions together, and immediately fitting on a receiver, to begin the distillation.

ia

d

of

10

1-

1-1-

to

3-

## LIQUOR VOLATILIS, SAL, ET OLEUM, CORNU CERVI.

THE VOLATILE LIQUOR, SALT, AND OIL, OF HARTSHORN.

Take of Hartshorn ten pounds.

Diftill with a fire gradually increased. A volatile Liquor, Salt, and Oii, will afcend.

The Oil and Salt being separated, distill the liquor three times. ... show shine of enland the receiver, which increasing, yellow faline cryTo the Salt add an equal weight of prepared Chalk, and fublime thrice, or till it becomes white.

The fame volatile Liquor, Salt, and Oil, may be obtained from any parts (except the fat) of any kind of animals.

#### REMARK,

Hartshorn, when the quantity is not large, is made as dry as possible, and distilled from an iron pot, to which an alembic head, of earth or iron, is fitted, fet in an open fire. The receiver may be of glass, and large, with a glass or tin adopter, inferted between that and the pipe of the head. The Swed. Disp. directs a tubulated iron retort and adopter. The fire is to be first moderate, increased flowly, and at length raifed almost to the highest degree. An aqueous liquor arises, succeeded by the falt and oil. The falt at first dissolves as it comes over in the phlegm; and, when this is faturated, the remainder of the falt comes over, and concretes in a folid form. When the Salt begins to arise, white sumes are seen to pass into the receiver, which increasing, yellow faline crystals form themselves on its sides. The fire is not

now to be hastily angmented, as these sumes fometimes come with fuch vehemence as would throw off or burst the receiver, if a small hole were not made in the luting, to be stopped with a wooden peg, or left open at discretion. After the Salt has all arisen, a thick Oil, of a dark red colour, comes over: the process is now to be discontinued, and the vessels, when grown cold, unluted.

The Liquor being poured out of the receiver, the Salt which remains adhering to its fides is to be washed off with a little water, and added to the rest; unless it be required to have the whole of the falt folid and undiffolved, in which case the phlegm should be removed as foon as the Salt begins to arise, and the receiver till that time left unluted.

The Oil may be first separated from the volatile liquor (formerly called Spiritus Cornu Cervi) by a funnel, and afterwards, more perfectly, by filtration through paper first wetted.

The volatile liquor may be freed, from the fuperfluous phlegm, by distillation in a common retort, placed in a fand-furnace, if conducted with a very gentle heat. The Salt will rife first, and fix itself to the upper part of the receiver, bellifica

from

from which it will be foon washed down by the subsequent phlegm. As soon as the Salt is almost all dissolved, Lewis has advised, to raise the retort out of the sand, to stop the process directly, and, if any Oil swims on the top, to skim it off. The liquor will thus be fully saturated, and prove always equal in strength; whereas, if the process is not now stopped, the phlegm continuing to rise must render the liquor weaker. As this rectification is not sufficient to render it pure, that is, clear and of a grateful odour, the College have directed it to be repeated a third time.

The Salt may be separated from the Liquor, and purified in some degree, by sublimation in a tall body with a glass head; removing the vessels as soon as the phlegm begins to rise: but it requires farther depuration, by subliming it from a small portion of Alkohol, or, as the College directs, from chalk.

### KALI VITRIOLATUM.

VITRIOLATED KALL.

Take of the Salt which remains after the distillation of the nitrous Acid two pounds.

Distilled

# Distilled Water two gallons.

Burn out the superfluous acid, with a strong fire, in an open vessel: then boil it a little while in the water; strain and set the liquor aside to crystallize.

#### REMARK.

This neutral Salt, the Tartarum vitriolatum of the former Dispensatory, is of all others most disficult of solution, very little of it being taken up by cold water. It is of a taste moderately bitter, and has been given to adults, in doses of a scruple or half a dram, as a deobstruent; and, in doses of four or sive drams as a mild cathartic, which does not pass off so hastily as the Natron vitriolatum, and is supposed by some to perform its office more completely, as well as to extend its action beyond the primæ viæ.

## NATRON VITRIOLATUM.

VITRIOLATED NATRON.

Take of the Salt which remains after the distillation of the Muriatic A-

H

appear

Distilled

Distilled water two pints and an half.

Burn out the superfluous acid, with a strong fire, in an open vessel; then boil it a little in the water: strain the solution, and set it by to crystallize.

#### REMARK.

This Salt, the Sal Catharticus Glauberi of the former Dispensatory, is in common use as a purgative, acting quickly and without griping; and given to adults from six drams to ten.

### NITRUM PURIFICATUM.

PURIFIED NITRE.

Take of Nitre two pounds.

Distilled Water four pints.

Boil the Nitre in the water till it is diffolved: strain the solution, and set it by to crystallize.

### REMARK.

The usual method of evaporating solutions of Salts, in order to their crystallization, till a pellicle appear

appear on the top, fails in Nitre. Here, when the liquor is become ready for shooting, if a little be taken up in a spoon as it cools, the Salt will begin to shew itself in small threads. P.

## KALI ACETATUM.

ACETATED KALL

Take of Kali one pound.

Boil it, with a flow fire, in four or five times the quantity of distilled vinegar; the effervescence ceasing, let there be added, at different times, more distilled vinegar, until the first vinegar being nearly evaporated, the addition of fresh will excite no effervescence, which will happen when about twenty pounds of distilled vinegar are confumed; afterwards let it be dried flowly. An impure falt will be left, which melt for a little while with a flow fire; then let it be diffolved in water, and filtred through paper.

If the fusion has been rightly performed, the strained liquor will be colourless; if otherwise, of a brown colour.

Lastly, evaporate this liquor, with a slow fire, in a very shallow glass vessel; the salt whilst it dries being sometimes stirred, that it may sooner grow dry, which should be kept in a vessel close stopt.

The falt ought to be of the greatest whiteness, and dissolve wholly, both in water and spirit of wine, without leaving any seces. If the falt, although white, should deposite any seces in spirit of wine, that solution in the spirit should be filtered through paper, and the Salt again dried.

#### REMARK.

This is the Sal Diureticus of the former Dispenfatory. The operator must be very careful, in melting the impure Salt, not to use too great an heat, or to keep it liquisied too long; a little should be occasionally taken out, and put into water; and as soon as it begins to part freely with its black colour, the whole is to be removed from the fire. In the last drying, the heat must not be so great as to melt it; otherwise it will not prove totally soluble.

It is celebrated as a powerful diuretic in hydropic cases, and proving at the same time mildly laxative. Its dose to adults is from a scruple to a dram or two.

## AQUA AMMONIÆ ACETATÆ.

WATER OF ACETATED AMMONIA.

Take of Ammonia, by weight, two ounces.

Distilled Vinegar four pints; or as much as is sufficient to saturate the Ammonia.

Mix.

#### REMARK.

The strength of this medicine is not a little precarious, as depending on that of the vinegar.

L.

Speilman mentions the dose as a dram. Here it is commonly given as a diaphoretic more largely; viz. from two or three drams to six.

### KALI TARTARISATUM.

TARTARISED KALL.

Take of Kali one pound.

Distilled Water, boiling, one gallon.

To the Salt, dissolved in water, throw in gradually the crystals of Tartar, powdered: filter the liquor, when cold, through paper; and, after due evaporation, set it by to crystallize.

#### REMARK.

This is the Tartarum folubile of the former Disp. and given to adults from half an ounce to an ounce as a mild purgative.

NATRON

### NATRON TARTARISATUM.

TARTARISED NATRON.

Take of Natron twenty ounces by weight.

Crystals of Tartar, powdered, two pounds.

Distilled Water, boiling, ten pints.

Dissolve the Natron in the water, and gradually add the Crystals of Tartar. Filtre the liquor through paper; evaporate and set it by to crystallize.

#### REMARK.

This has been commonly called Sal Rupellensis, or Rochelle Salt. Like soluble Tartar, it is decompounded by acids, but does not, like that, liquify on exposure to the air, and its purgative quality is weaker. It is given from an ounce to an ounce and a half as a mild purgative.

## ALUMINIS PURIFICATIO.

PURIFICATION OF ALUM.

Take of Alum one pound.

Chalk one dram by weight.

Distilled Water one pint.

Boil a little, strain and set the liquor aside to crystallize.

# ALUMEN USTUM.

BURNT ALUM.

Take Alum half a pound.

ALUMINIS

Burn it in an earthen vessel so long as it bubbles.

### REMARK.

This burning expels only the water, the acid still remaining. It is used externally to destroy what is called sungous stess.

If the crystals of Salts are fouled with any impurities, first wash them with the liquor left, then with a little distilled water or rectified spirit of wine.

When the crystals of any kind of Salt are formed from any liquor, pour out the remainder of that liquor; and, if necessary, strain it. By repeated evaporation waste a part of the liquor, and set aside the rest to crystallize. Repeat this so long as pure crystals are obtained.

Diffolye the Bitter Salt and the Kali fe-

Diffilled Water, boiling, twen-

ed lol med vim m MAGNESIA

## 

MAGNESIA.

# MAGNESIA ALBA.

When the cryffals of any kind of Sak

WHITE MAGNESIA.

TAKE of Bitter purging Salt,
Kali, of each two pounds.

Distilled Water, boiling, twenty pints.

Dissolve the Bitter Salt and the Kali separately in ten pints of water, and filter through paper; then mix them. Boil the liquor a little while, and strain it whilst hot through linen, upon which will remain the white Magnesia; then wash away, by repeated affusions of distilled water, the vitriolated Kali.

REMARK.