

LATIN INDEX

OF
MEDICINES.

| | | | |
|----------|---|-------|---------|
| A | CETUM distillatum | — — — | Page 81 |
| | scillæ,— <i>olim</i> Acetum scilliticum | — — — | 176 |
| | Acidum acetosum | — — — | 82 |
| | muriaticum,— <i>olim</i> Spiritus falis marini glauberi | — — — | 80 |
| | nitrosum, — <i>olim</i> Spiritus nitri glauberi | — — — | 77 |
| | — dilutum,— <i>vice</i> Aquæ fortis | — — — | 79 |
| | vitriolicum | — — — | 8 |
| | — dilutum,— <i>vice</i> Elixir vitrioli acidi | — — — | 76 |
| | Adipis suillæ præparatio,— <i>olim</i> Axungie porcine cu- | | |
| | ratio | — — — | 40 |
| | Æruginis præparatio | — — — | 39 |
| | Æther vitriolicus | — — — | 154 |
| | Alkohol | — — — | 152 |
| | Aluminis purificatio | — — — | 104 |
| | Alumen ustum | — — — | 104 |
| | Ammonia præparata,— <i>olim</i> Sal volatilis falis ammoniaci | — — — | 90 |
| | Ammoniaci gummi purificatio | — — — | 41 |
| | Antimonii præparatio | — — — | 39 |
| | Antimonium calcinatum,— <i>olim</i> Calx antimonii | — — — | 113 |
| | muriatum,— <i>vice</i> Caustici antimonialis | — — — | 115 |
| | | | An- |

| | | | |
|---|------------------|------|-------|
| Antimonium tartarifatum, — <i>olim</i> Tartarum emeti- | | | |
| | cum | Page | 118 |
| vitricatum | — | — | — 119 |
| Aqua aluminis composita, — <i>olim</i> Aqua aluminosa Bateana | | | 249 |
| ammoniaë, — <i>olim</i> Spiritus falis ammoniaci | | | 92 |
| — acetataë, — <i>vulgo</i> Spiritus mindereri | | | 101 |
| ammoniaë puræ, — <i>vulgo</i> Spiritus falis ammoniaci | | | |
| | cum calce | | — 91 |
| anethi — <i>olim</i> Aqua feminum anethi | | | — 147 |
| calcis — <i>olim</i> Aqua calcis simplex | | | — 174 |
| cinnamomi — <i>olim</i> Aqua cinnamomi simplex | | | 148 |
| cupri ammoniati, — <i>olim</i> Aqua sapphirina | | | 249 |
| distillata | — | — | — 147 |
| foeniculi | — | — | — 148 |
| kali, — <i>olim</i> Lixivium tartari | | | — 86 |
| puri, — <i>olim</i> Lixivium saponarium | | | 87 |
| lithargyri acetati, — <i>vulgo</i> Extractum saturni | | | 142 |
| — composita | — | — | — 250 |
| menthæ piperitidis, — <i>olim</i> Aqua menthæ piperiti- | | | |
| | dis simplex | | — 148 |
| — fativæ, — <i>olim</i> Aqua menthæ vulgaris | | | |
| | simplex | | — 149 |
| pimento — <i>olim</i> Aqua piperitidis jamaicensis | | | — 149 |
| pulegii — <i>olim</i> Aqua pulegii simplex | | | — 150 |
| rosæ — <i>olim</i> Aqua rosarum damascena- | | | |
| | rum | | — 150 |
| zinci vitriolati cum camphora, — <i>olim</i> Aqua vitri- | | | |
| | olica camphorata | | 250 |
| | Argentum | | |

| | | |
|---|---------|----------|
| Argentum nitratum, — <i>olim</i> Causticum lunare | Page | 121 |
| Afæ foetidæ purificatio | — — — — | 41 |
| C. | | |
| Calomelas, — <i>olim</i> Mercurius dulcis sublimatus | | 132 |
| Calx cum kali puro, — <i>olim</i> Causticum commune fortius | | 189 |
| hydrargyri alba, — <i>olim</i> Mercurius præcipitatus | | |
| | albus | — 137 |
| Cassiæ fistularis pulpæ extractio | — | — 44 |
| Cataplasma cumini | — — | — 275 |
| sinapeos | — — | — 275 |
| Ceratum cantharidis | — — | — 271 |
| lapidis calaminaris, — <i>olim</i> Ceratum epuloti- | | |
| cum | | — 272 |
| lithargyri acetati | — | — 272 |
| resinæ flavæ, — <i>olim</i> Ceratum citrinum | | 273 |
| saponis | — — | — 273 |
| spermatis ceti, — <i>olim</i> Ceratum album | | 274 |
| Cerussa acetata, — <i>olim</i> Saccharum saturni | | 141 |
| Chelarum cancrorum præparatio | — | — 39 |
| Coagulum aluminis | — — | — 276 |
| Confectio aromatica, — <i>vice</i> Confectionis cardiacæ | | 240 |
| opiata, — <i>olim</i> Philonium londinense | | 247 |
| Conserva absinthii maritimi | — | — 49 |
| ari | — — | — 50 |
| corticis exterioris aurantii hispalensis | — | — 49 |
| cynobati | — — | — 51 |
| lujulæ | — — | — 49 |
| pruni sylvestris | — — | — 51 |
| | | Conserva |

| | | | |
|---------------------|---|---|---------|
| Conserva rosæ rubræ | — | — | Page 49 |
| scillæ | — | — | 52 |
| Corallii præparatio | — | — | 39 |
| Cornu cervi ustio | — | — | 42 |
| Cretæ præparatio | — | — | 39 |
| Crocus antimonii | — | — | 115 |

D.

| | | |
|--|---|-----|
| Decoctum cornu cervi,— <i>olim</i> Decoctum album | — | 164 |
| corticis peruviani | — | 165 |
| pro enemate,— <i>olim</i> Decoctum commune | — | — |
| pro clystere | — | 165 |
| pro fomento,— <i>olim</i> Fetus communis | — | 166 |
| hellebori | — | 167 |
| hordei,— <i>olim</i> Aqua hordeata | — | 167 |
| — compositum,— <i>olim</i> Decoctum pecto- rale | — | 168 |
| sarsaparillæ | — | 169 |
| — compositum | — | 169 |
| ulmi | — | 170 |

E.

| | | |
|---|---|-----|
| Elaterium | — | 59 |
| Electuarium e cassia | — | 243 |
| e scammonio | — | 244 |
| e senna,— <i>olim</i> Electuarium lenetivum | — | 244 |
| Emplastrum ammoniaci cum hydrargyro,— <i>olim</i> Em- plastrum ex ammoniaco cum mercurio | — | 252 |
| Em- | — | — |

| | | |
|---|------|-----------|
| Emplastrum cantharidis, <i>vice</i> Emplastri vesicatorii | Page | 253 |
| ceræ, — <i>olim</i> Emplastrum attrahens | | 254 |
| cumini, — <i>olim</i> Emplastrum e cymino | | 254 |
| ladani, — <i>olim</i> Emplastrum stomachicum | | 255 |
| lithargyri, — <i>olim</i> Emplastrum commune | | 256 |
| ———— cum gummi, — <i>olim</i> Emplastrum | | |
| commune cum gummi | — | 256 |
| ———— cum hydrargyro, — <i>olim</i> Emplast- | | |
| trum commune cum mercu- | | |
| rio | — | 257 |
| ———— cum refina, — <i>olim</i> Emplastrum | | |
| adhæsivum | — | 258 |
| picipis burgundicæ, — <i>olim</i> Emplastrum ce- | | |
| phalicum | — | 258 |
| saponis, — <i>olim</i> Emplastrum e sapone | | 259 |
| thuris, — <i>olim</i> Emplastrum roborans | | 259 |
| Extractum cacuminis genistæ | — | 56 |
| casçarillæ | — | 63 |
| chamæmeli | — | 56 |
| colocynthidis compositum, — <i>vice</i> Extracti | | |
| cathartici | — | 57 |
| corticis peruviani | — | 61 |
| ———— cum refina | — | 62 |
| gentianæ | — | 56 |
| glycyrrhizæ | — | 56 |
| hellebori nigri | — | 56 |
| jalapii | — | 63 |
| ligni campechensis | — | 60 |
| rutæ | — | 56 |
| U | | Extractum |

| | | | | |
|-------------------|---|---|---|----|
| Extractum fabinae | — | — | — | 56 |
| fennae | — | — | — | 63 |

F.

| | | | | |
|---|---|---|---|-----|
| Ferri rubigo, —olim Chalybis rubigo præparata | | | | 124 |
| Ferrum ammoniacale, olim Flores martiales | | | | 123 |
| tatarifatum | — | — | — | 125 |
| vitriolatum purius, —olim Sal martis | | | | 125 |
| Flores benzoës, —olim Flores benzöini | | | | 84 |
| sulphuris loti | — | — | — | 109 |
| Florum exsiccatio | — | — | — | 43 |

G.

| | | | | |
|---------------------|---|---|---|----|
| Galbani purificatio | — | — | — | 41 |
|---------------------|---|---|---|----|

H.

| | | | | |
|---|---|---|---|-------------|
| Herbarum exsiccatio | — | — | — | 43 |
| Hydrargyrus purificatus, —olim Argenti vivi purificatio | | | | 127 |
| acetatus | — | — | — | 128 |
| calcinatus, —olim Mercurius calcinatus | | | | 129 |
| cum creta, —vulgo Mercurius alkalifatus | | | | 129 |
| muriatus, —olim Mercurius corrosivus | | | | |
| sublimatus | | | | 130 |
| mitis, —Mercurius præcipitatus | | | | |
| dulcis, Ph. Lond. 1721 | | | | 134 |
| nitratus ruber, —olim Mercurius corrosivus ruber | | | | 136 |
| cum sulphure, —olim Æthiops mineralis | | | | 138 |
| | | | | Hydrargyrus |

Hydrargyrus sulphuratus ruber, — *olim* Cinnabaris factitia Page 138
 vitriolatus, — *olim* Mercurius emeticus flavus 139

I.

Infusum gentianæ compositum, — *olim* Infusum amarum simplex — 172
 rosæ, — *olim* Tinctura rosarum 175
 fennæ simplex — 173
 — tartarifatum, — *olim* Infusum fenæ commune — 173

K.

Kali præparatum, — *vice* Salis absinthii, &c. 85
 acetatum, — *olim* Sal diureticus — 99
 purum, — *vulgo* Alkali vegetabile fixum causticum 88
 sulphuratum, — *vulgo* Hepar sulphuris 110
 tartarifatum, — *olim* Tartarum solubile 102
 vitriolatum, — *olim* Tartarum vitriolatum, &c. 96

L.

Lac ammoniaci — — 206
 amygdalæ, — *vice* Emulsionis communis 206
 Lapidis calaminaris præparatio — — 39
 Linimentum ammoniæ, — *olim* Linimentum volatile 269
 — — fortius — — 269
 camphoræ — — 269
 saponis, — *olim* Linimentum saponaceum 270

| | | |
|---|------|----|
| Liquor acidus succini, — <i>olim</i> Spiritus succini | Page | 82 |
| volatilis cornu cervi, — <i>olim</i> Spiritus volatilis | | |
| cornu cervi | | 93 |

M.

| | | | |
|--|---|---|-----|
| Magnesia alba | — | — | 106 |
| uſta | — | — | 107 |
| Mel roſæ, — <i>olim</i> Mel rofaceum | | | 220 |
| ſcillæ | — | — | 221 |
| Mellis deſpumatio | | — | 44 |
| Millepedæ præparatio | | — | 44 |
| Miſtura camphorata, — <i>olim</i> Julepum e camphora | | | 204 |
| cretacea, — <i>olim</i> Julepum e creta | | | 205 |
| moſchata, — <i>olim</i> Julepum e moſcho | | | 205 |
| Mucilago amyli | — | — | 171 |
| arabici gummi | — | — | 171 |
| ſeminis cydoniæ mali | — | — | 171 |

N.

| | | | |
|---|---|---|-----|
| Natron præparatum, — <i>vulgo</i> Sal fodæ | | | 89 |
| tartariſatum, — <i>vulgo</i> Sal rupellenſis | | | 103 |
| vitriolatum, — <i>olim</i> Sal catharticus glauberi | | | 97 |
| Nitrum purificatum | — | — | 98 |

O.

| | | | |
|---------------|---|---|-------|
| Oleum animale | — | — | 72 |
| cornu cervi | — | — | 93 |
| petrolei | — | — | 70 |
| ſuccini | — | — | 82 |
| rectificatum, | — | — | 74 |
| | | | Oleum |

Oleum sulphuratum, --olim Balsamum sulphuris simplex

Page 110

| | | | |
|---|----------------|------------|-----|
| terebinthinæ | — | — | 70 |
| ————— rectificatum | — | — | 71 |
| vini | — | — | 74 |
| essentiale anisi | — | — | 68 |
| ————— baccæ juniperi | — | — | 68 |
| ————— carui | — | — | 68 |
| ————— caryophylli aromatici. | Vide Mat. Med. | | 13 |
| ————— cinnamomi. | Vide Mat. Med. | — | 68 |
| ————— lavendulæ | — | — | 68 |
| ————— limonis. | Vide Mat. Med. | — | 68 |
| ————— menthæ piperitidis | | — | 68 |
| ————— fativæ | | — | 68 |
| ————— nucis moschatæ. | Vide Mat. Med. | | 25 |
| ————— origani | — | — | 68 |
| ————— pulegii | — | — | 68 |
| ————— radicis fassafra | — | — | 68 |
| ————— rorismarini | — | — | 68 |
| expressum amygdalæ | — | — | 66 |
| ————— nucis moschatæ, --vulgo Oleum Mu- | | | |
| | | cis dictum | 25 |
| ————— e feminibus lini | | — | 66 |
| ————— ————— ricini | | — | 66 |
| ————— ————— sinapeos | | — | 66 |
| Opium purificatum, --olim Extractum thebaïcum | | | 64 |
| Oxymel æruginis, --vice Mellis ægyptiaci | | | 221 |
| colchici | — | — | 222 |
| scillæ, --olim Oxymel scilliticum | | | 223 |
| simplex | — | — | 224 |

P.

| | | |
|---|---|----------|
| Petroleum sulphuratum,— <i>olim</i> Balsamum sulphuris bar- | | |
| | badense | Page 110 |
| Pilulæ ex aloë | — | — 239 |
| | — cum myrrha,— <i>olim</i> Pilulæ rufi | 239 |
| | e gummi,— <i>olim</i> Pilulæ gummosæ | 240 |
| | ex hydrargyro,— <i>vice</i> Pilularum mercurialium | 241 |
| | ex opio | — 241 |
| | e scilla | — 242 |
| Pulparum extractio | | — 44 |
| Pulvis aloëticus,— <i>olim</i> Hiera picra | — | 225 |
| | — cum ferro,— <i>vice</i> Pilularum ephraçti- | |
| | carum | — 225 |
| | — cum guaiaco,— <i>vice</i> Pilularum aroma- | |
| | ticarum | — 226 |
| | antimonialis | — 116 |
| | aromaticus,— <i>olim</i> Species aromaticæ | 226 |
| | asari compositus,— <i>olim</i> Pulvis sternutatorius | 227 |
| | e cerussa | — 228 |
| | e chelis cancerum compositus | — 228 |
| | contrayervæ compositus | — 229 |
| | e creta compositus,— <i>vice</i> Pulveris e bolo com- | |
| | positi | — 229 |
| | — cum opio,— <i>vice</i> Pulveris e | |
| | bolo compositi cum opio | — 230 |
| | ipecacuanhæ compositus | — 230 |
| | e myrrha compositus | — 231 |
| | opiatas | — 232 |
| | | Pulvis |

| | | | |
|-------------------------------|---|---|-----|
| Pulvis e scammonio compositus | — | — | 232 |
| ———— cum aloë | — | — | 233 |
| ———— cum calomelane | — | — | 233 |
| e fenna compositus | — | — | 234 |
| e tragacantha compositus | — | — | 234 |

R.

| | | | |
|--------------|---|---|----|
| Refina flava | — | — | 71 |
|--------------|---|---|----|

S.

| | | | |
|--|---|---|-----|
| Sal cornu cervi | — | — | 93 |
| fuccini | — | — | 82 |
| ———— purificatus | — | — | 83 |
| tartari | — | — | 86 |
| Scillæ exsiccatio | — | — | 46 |
| Sevi ovilli præparatio | — | — | 40 |
| Spiritus ætheris vitriolici, olim Spiritus vitrioli dulcis | — | — | 153 |
| ———— compositus, — vulgo Liqueur a- | — | — | |
| ———— nodynus mineralis | — | — | 207 |
| ———— nitrosi, olim Spiritus nitri dulcis | — | — | 155 |
| ammoniaë, olim Spiritus salis ammoniaci dulcis | — | — | 157 |
| ———— compositus, — olim Spiritus volatilis | — | — | |
| ———— aromaticus | — | — | 208 |
| ———— foetidus, — olim Spiritus volatilis fo- | — | — | |
| ———— tidus | — | — | 157 |
| ———— succinatus, — vulgo Eau de Luce | — | — | 208 |
| anisi compositus, — olim Aqua feminum anisi com- | — | — | |
| ———— posita | — | — | 158 |
| camphoratus, — olim Spiritus vinosus camphoratus | — | — | 209 |

| | | |
|--|------|---------|
| Spiritus carui,— <i>olim</i> Aqua seminum carui | Page | 158 |
| cinnamomi, — <i>olim</i> Aqua cinnamomi spirituosa | | 159 |
| juniperi compositus, — <i>olim</i> Aqua juniperi com- | | |
| posita | | 159 |
| lavendulæ, — <i>olim</i> Spiritus lavendulæ simplex | | 160 |
| ———— compositus. Vide Tincturam | | |
| menthæ piperitidis, — <i>olim</i> Aqua menthæ piperi- | | |
| tidis spirituosa | | 160 |
| ———— fativæ, — <i>olim</i> Aqua menthæ vulgaris | | |
| spirituosa | | 161 |
| nucis moschatæ, — <i>olim</i> Aqua nucis moschatæ | | 161 |
| pimento | | 161 |
| pulegii, — <i>olim</i> Aqua pulegii spirituosa | | 162 |
| raphani compositus, — <i>olim</i> Aqua raphani com- | | |
| posita | | 162 |
| rorismarini | | 163 |
| vinosus maximè rectificatus. Vide Alkohol | | |
| ———— rectificatus. Vide Mat. Med. | | 33 |
| ———— tenuior. Vide Mat. Med. | | 34 |
| Spongiæ ustio | | 46 |
| Stannum pulveratum | | 143 |
| Styracis purificatio | | 48 |
| Succini præparatio | | 39 |
| Succus baccæ sambuci spissatus | | 54 |
| cicutæ spissatus, — <i>vulgo</i> Extractum cicutæ | | 54 |
| cochleariæ compositus, — <i>olim</i> Succus scorbutici | | 53 |
| limonis spissatus | | 54 |
| ribis nigri spissatus | | 54 |
| Sulphur præcipitatum | | 111 |
| antimonii præcipitatum | | 117 |
| | | Syrupus |

| | | | | |
|---|---|---|---|-----|
| Syrupus althææ | — | — | — | 210 |
| caryophylli rubri | — | — | — | 211 |
| corticis aurantii | — | — | — | 212 |
| croci | — | — | — | 212 |
| mori | — | — | — | 213 |
| papaveris albi, —olim Syrupus e meconio | — | — | — | 214 |
| ———— erratici | — | — | — | 215 |
| ribis nigri | — | — | — | 213 |
| rosæ | — | — | — | 216 |
| rubi idæi | — | — | — | 213 |
| spinæ cervinæ | — | — | — | 217 |
| fucci limonis | — | — | — | 213 |
| tolutanus, —vice Syrupi balsamici | — | — | — | 218 |
| violæ | — | — | — | 219 |
| zingiberis | — | — | — | 219 |

T.

| | | | | |
|---|---|---|---|----------|
| Testarum ostreorum præparatio | — | — | — | 39 |
| Tinctura aloës | — | — | — | 182 |
| — composita, —olim Elixir aloës | — | — | — | 183 |
| asæ fetidæ, —olim Tinctura foetida | — | — | — | 183 |
| balsami peruviani | — | — | — | 184 |
| ———— tolutani | — | — | — | 184 |
| benzoës composita, —olim Balsamum traumaticum | — | — | — | 185 |
| cantharidis | — | — | — | 185 |
| cardamomi | — | — | — | 186 |
| ———— composita, —olim Tinctura stomachica | — | — | — | 186 |
| | | | | Tinctura |

| | | | |
|---------------------|-------------|---------------------------------------|--|
| Tinctura cascarillæ | — | — | Page 187 |
| castorei | — | — | — 187 |
| catechu, | — | olim Tinctura japonica | — 188 |
| cinnamomi | — | — | — 188 |
| ———— | composita, | — | olim Tinctura aromatica — 189 |
| colombæ | — | — | — 189 |
| corticis aurantii | — | — | — 190 |
| ———— | peruviani | — | — 190 |
| ———— | ———— | composita | — 191 |
| ferri muriati, | — | vice Tincturæ martis in spiritu falis | — 192 |
| galbani | — | — | — 193 |
| gentianæ | composita, | — | olim Tinctura amara 193 |
| guaiaci, | — | olim Tinctura guaiacina volatilis | 194 |
| hellebori nigri, | — | olim Tinctura melampodii | 194 |
| jalapii | — | — | — 195 |
| lavendulæ | composita, | — | olim Spiritus lavendulæ compositus 196 |
| myrrhæ | — | — | — 196 |
| opii, | — | vice Tincturæ thebaicæ | — 197 |
| ———— | camphorata, | — | vice Elixir paregorici — 198 |
| rhabbari | — | — | — 199 |
| ———— | composita | — | — 200 |
| sabinæ | composita, | — | olim Elixir myrrhæ compositum — 200 |
| scillæ | — | — | — 201 |
| fennæ | — | — | — 201 |
| serpentariæ | — | — | — 202 |
| valerianæ | — | — | — 202 |
| | | | Tinctura |

| | | |
|--|---|----------|
| Tinctura valerianæ volatilis | — | Page 203 |
| Trochisci amyli,— <i>olim</i> Trochisci bechici albi | — | 235 |
| e creta,— <i>olim</i> Tabellæ cardialgicæ | — | 236 |
| glycyrrhizæ,— <i>olim</i> Trochisci bechici nigri | — | 236 |
| e magnesia | — | 237 |
| e nitro | — | 237 |
| e sulphure | — | 238 |
| Tutiæ præparatio | — | 39 |

V.

| | | |
|---|---|-----|
| Vinum aloës,— <i>olim</i> Tinctura sacra | — | 177 |
| antimonii | — | 178 |
| — tartarifati | — | 179 |
| ferri,— <i>olim</i> Vinum chalybeatum | — | 180 |
| ipecacuanhæ | — | 180 |
| rhabarbari,— <i>olim</i> Tinctura rhabarbari vino- | — | 180 |
| <i>Vitrum Antimonii</i> ,— <i>vide</i> Antimonium. | | |
| Unguentum adipis suillæ,— <i>olim</i> Unguentum simplex | — | 260 |
| cantharidis,— <i>vice</i> Unguenti ad vesicatoria | — | 261 |
| ceræ,— <i>olim</i> Unguentum album | — | 262 |
| cerullæ acetatæ,— <i>olim</i> Unguentum satur- | | |
| ninum | — | 262 |
| elemi | — | 263 |
| hellebori albi | — | 263 |
| hydrargyri fortius,— <i>vice</i> Unguenti cœru- | | |
| lei fortioris | — | 264 |
| — mitius,— <i>vice</i> Unguenti cœru- | | |
| lei mitioris | — | 265 |
| Unguentum | | |

| | | |
|--|------|-----|
| Unguentum hydrargyri nitrati | Page | 265 |
| calcis hydrargyri albæ,— <i>olim</i> Unguentum | | |
| e mercurio præcipitato | — | 261 |
| picis | — | 266 |
| resinæ flavæ,— <i>olim</i> Unguentum basilicum | | |
| flavum | — | 266 |
| sambuci | — | 267 |
| spermatis ceti,— <i>olim</i> Linimentum album | | 267 |
| sulphuris | — | 268 |
| tutiæ | — | 268 |

Z.

| | | |
|--|---|-----|
| Zincum calcinatum,— <i>vulgo</i> Flores zinci | — | 144 |
| vitriolatum purificatum,— <i>vice</i> Salis vitrioli | | 145 |

N. B. The names of the Materia Medica being arranged alphabetically, few of them are mentioned in the preceding index; and those few only such as used to be among the preparations.

GENERAL

GENERAL
ENGLISH INDEX

OF THE

Materia Medica,

PREPARATIONS, and COMPOSITIONS.

| | | |
|-------------------|-------------------------------|----------|
| A | CETATED Ammonia water of, | Page 101 |
| | Cerusse | 141 |
| | Litharge. | |
| | _____ , water of, | 142 |
| Acid, acetous, | _____ | 82 |
| muriatic, | _____ | 80 |
| nitrous, | _____ | 77 |
| _____ diluted, | _____ | 76 |
| vitriolic, | _____ | 8 |
| _____ diluted, | _____ | 76 |
| Æther, vitriolic. | See Spirit. | 154 |
| Æthiops, mineral. | See Quicksilver with Sulphur. | |

Alkali,