

POSOLOGICAL AND PROSODIAL TABLE.

- ACACIÆ** arābīcæ gummi, ʒ i to ʒ i.
 Emulsiō acaciæ arabicæ, lb i to lb ij, *daily*.
 Mucilāgo acaciæ arabicæ, ʒ i to ʒ i.
 Trochisci gummosi, ʒ i to ʒ ij.
Acaciæ catēchu extractum, gr x to ʒ i.
 Electuāriūm acaciæ catechu, ʒ i to ʒ i.
 Infūsum acaciæ catechu, ʒ i to ʒ iij.
 Tinctūra acaciæ catechu, ʒ i to ʒ ij.
Acētum, ʒ i to ʒ fs; ʒ i to ʒ ij *in glysters*.
 Syrūpus aceti, ʒ i to ʒ ij.
 Oxymel, ʒ i to ʒ ij.
Acidum acētīcum tenue, ʒ i to ʒ fs.
 Acidum aceticum scillitīcum, ʒ fs to ʒ i.
 Acidum citricum crystallizātum, gr x to ʒ fs.
 Acidum muriaticum, g^{tt} x to g^{tt} xl.
 Acidum nitricum vel nitrosūm, g^{tt} v to g^{tt} xx.
 dilūtum, g^{tt} x to g^{tt} xl.
 Acidum sulphuricum dilūtum, g^{tt} x to g^{tt} xl.
 aromaticum, g^{tt} x to g^{tt} xl.
Aconiti napelli folia, gr i to gr v.
 Succus spissātus aconiti napelli, gr fs to gr iij.
Aether sulphuricus, g^{tt} xx to ʒ i.
 cum alcohole, ʒ fs to ʒ ij.
 aromaticus, ʒ fs to ʒ ij.
Aetheris nitrici spīritus, ʒ fs to ʒ ij.
Alcohol ammoniātum, ʒ fs to ʒ i.
 aromaticum, ʒ fs to ʒ i.
 fœtidum, ʒ fs to ʒ i.
 succinatum, g^{tt} x to g^{tt} xl.
Allii porri succus, ʒ i to ʒ fs.
Allii satīvi succus, ʒ i to ʒ fs.
Aloës extractum, gr v to gr xx.
 Decoctum aloës, ʒ fs to ʒ ij.
 Pilulæ aloëticæ, gr x to ʒ i.
 Pilulæ aloës et assæfœtidæ, gr x to ʒ i.
 Pilulæ aloës et myrrhæ, gr x to ʒ i.
 Pulvis aloës composītus, gr x to ʒ i.

- Pulvis aloës cum canella, gr x to ʒi.
 Tinctūra aloës, ʒ fs to ʒ ij.
 Tinctura aloës et myrrhæ, ʒ fs to ʒ ij.
 Tinctura aloës ætherea, ʒ fs to ʒ ij.
 Vinum aloës, ʒ fs to ʒ i.
 Althææ officinālis decoctum, lb i to lb ij.
 Syrūpus althææ officinalis, ʒ i to ʒ ij.
 Alūmen, gr x to ʒi.
 Pulvis alumīnæ compositus, gr x to ʒ fs.
 Ammōniæ aqua, g^{tt} v to g^{tt} x.
 dilūta, g^{tt} xv to ʒ fs.
 Aqua acetatis ammōniæ, ʒ ij to ʒ fs.
 Subcarbōnas ammōniæ, gr v to gr x.
 Solūtio subcarbonatis ammoniæ, g^{tt} x to ʒ i.
 Hydro-sulphurētum ammoniæ, g^{tt} v to g^{tt} x.
 Murias ammoniæ, gr x to ʒ fs.
 Ammoniæcum, gr x to ʒ fs.
 Mistūra ammoniaci, ʒ fs to ʒ i.
 Amomi zingiberis pulvis, gr v to ʒ i.
 Syrupus amomi zingiberis, ʒ i to ʒ ij.
 Tinctura amomi zingiberis, ʒ i to ʒ ij.
 Amomi repentis pulvis, gr v to ʒi.
 Tinctūra amomi repentis, ʒ i to ʒ ij.
 Tinctura amomi repentis composita, ʒ i to ʒ ij.
 Amomi zedoariæ pulvis, gr v to ʒ i.
 Amygdāli communis oleum fixum, ʒ fs to ʒ i.
 Emulsio amygdali communis, lb i to lb ij.
 Confectio amygdalæ, ʒ i to ʒ fs.
 Amyli mucilāgo, ʒ i to ʒ i; ʒ iv to ʒ viii in *glysters*.
 Trochisci amyli, ʒ i to ʒ ij.
 Amyridis gileādensis resīna liquida, gr x to ʒ fs.
 Anēthi grāvēolentis aqua distillāta, ʒ i to ʒ ij.
 Anethi fœniculi aqua distillāta, ʒ i to ʒ ij.
 Oleum volatile anethi fœniculi, g^{tt} ij to g^{tt} v.
 Anthemidis nobilis flōres, ʒ i to ʒ i.
 Extractum anthemidis nobilis, gr x to ʒ fs.
 Infūsum anthemidis nobilis, ʒ fs to ʒ ij.
 Oleum anthemidis nobilis, g^{tt} v to g^{tt} x.
 Anthemidis pyrēthri rādix, ʒ i to ʒ fs.
 Antimōnii oxīdum, gr i to gr x.
 Oxīdum antimōnii cum phosphāte calcis, gr iij to gr x.
 Sulphurētum antimōnii præparātum, gr v to ʒ ij.
 Sulphurētum antimōnii præcipitātum, gr i to gr v.
 Tartras antimōnii, gr fs to gr iij.
 Vinum tartratis antimōnii, *Ed.* ʒ ij to ʒ iij.
 Vinum antimōnii tartarizāti, *Dub.* ʒ i to ʒ ij.

- Appii petrosellini aqua distillata, ʒ i to ʒ ij .
 Arbūti ūvæ ursi pulvis, gr x to ʒ ij .
 Argenti nitras, $\text{gr } \frac{1}{2}$ to $\text{gr } \frac{1}{4}$.
 Ari maculati radix, gr v to ʒ i .
 Aristolochiæ serpentariæ radix, gr x to ʒ fs .
 Tinctura aristolochiæ serpentariæ, ʒ i to ʒ ij .
 Arnicæ montanæ herba, gr v to gr x .
 Arsenici oxidum album, $\text{gr } \frac{1}{2}$ to $\text{gr } \frac{1}{4}$.
 Solutio arsenicalis, $\text{g}^{\text{tt}} \text{v to g}^{\text{tt}} \text{x}$.
 Artēmisie absinthii herba, ʒ i to ʒ i .
 Extractum artēmisie absinthii, ʒ fs to ʒ fs .
 Artemisie maritimæ cacumina, ʒ i to ʒ ij .
 Artemisie santonicæ cacumina, ʒ fs to ʒ i .
 Asari Europæi pulvis compositus, gr v to gr x .
 Aspidii filicis maris pulvis, ʒ i to ʒ ij .
 Astragali tragacanthæ gummi, gr x to ʒ i .
 Mucilago astragali tragacanthæ, ʒ i to ʒ ij .
 Atropæ belladonnæ folia, gr fs to gr v .
 Succus spissatus atropæ belladonnæ, gr i to gr v .
 Barytæ muriatis solutio, $\text{g}^{\text{tt}} \text{v to g}^{\text{tt}} \text{x}$.
 Bitumen petrolæum sulphuratū, gr x to ʒ fs .
 Bonplandiæ trifoliatæ pulvis, gr x to ʒ i .
 Infusum bonplandiæ trifoliatæ, ʒ fs to ʒ ij .
 Tinctura bonplandiæ trifoliatæ, ʒ fs to ʒ i .
 Bubonis galbani gummi resina, gr x to ʒ i .
 Pilulæ galbani compositæ, gr x to ʒ i .
 Tinctura galbani, ʒ i to ʒ ij .
 Calcis aqua, ʒ ij to ʒ iv .
 Carbōnas calcis præparatus, ʒ i to ʒ ii .
 Mistura carbonatis calcis, ʒ i to ʒ iv .
 Pulvis carbonatis calcis compositus, ʒ i to ʒ ij .
 Trochisci carbonatis calcis, ʒ i to ʒ ij .
 Solutio muriatis calcis, $\text{g}^{\text{tt}} \text{xl to ʒ fs}$.
 Camphoræ pulvis, gr iij to gr x .
 Emulsiō camphorata, ʒ fs to ʒ ij .
 Canellæ albæ pulvis, gr x to ʒ i .
 Capsici annui fructus, gr v to gr x .
 Tinctura capsici annui, ʒ i to ʒ ij .
 Cantharidis vesicatorii pulvis, gr fs to gr i .
 Tinctura cantharidis vesicatorii, $\text{g}^{\text{tt}} \text{x to g}^{\text{tt}} \text{xxx}$.
 Carbo ligni, ʒ ij to ʒ fs .
 Cardaminis pratensis flores, ʒ i to ʒ i .
 Cari carui oleum essenziale, $\text{g}^{\text{tt}} \text{ii to g}^{\text{tt}} \text{v}$.
 Spiritus cari carui, ʒ i to ʒ fs .
 Aqua cari carui, ʒ fs to ʒ ij .
 Cassiæ fistulæ electuarium, ʒ i to ʒ i .

- Cassiæ sennæ folia, ℥ i to ℥ i.
 Electuarium sennæ compositum, ℥ fs to ℥ fs.
 Infusum cassiæ sennæ, ℥ i to ℥ ij.
 Infusum sennæ compositum, ℥ i to ℥ ij.
 Pulvis sennæ compositus, ℥ i to ℥ i.
 Syrūpus cassiæ sennæ, ℥ i to ℥ ij.
 Castōrēum, gr x to ℥ i.
 Tinctūra castorei, ℥ fs to ℥ i.
 Tinctura castorei composita, ℥ fs to ℥ i.
 Centauræ benēdictæ herba, ℥ i to ℥ i.
 Chironiæ centaurii summitates, ℥ i to ℥ i.
 Cinchonæ lancifoliæ pulvis, ℥ fs to ℥ ij.
 Decoctum cinchonæ lancifoliæ, ℥ i to ℥ ij.
 Extractūm cinchonæ lancifoliæ, gr x to ℥ i.
 Extractum resinosum cinchonæ lancifoliæ, gr v to ℥ fs.
 Infusum cinchonæ lancifoliæ, ℥ i to ℥ ij.
 Tinctura cinchonæ lancifoliæ, ℥ i to ℥ ij.
 Tinctura cinchonæ lancifoliæ composita, ℥ i to ℥ ij.
 Tinctura cinchonæ lancifoliæ ammoniata, ℥ fs to ℥ i.
 Citri aurantii aqua, ℥ i to ℥ ij.
 Conserva citri aurantii, ℥ i to ℥ ij.
 Cortex citri aurantii, ℥ i to ℥ ij.
 Syrupus citri aurantii, ℥ i to ℥ ij.
 Tinctura citri aurantii, ℥ fs to ℥ i.
 Citri medicæ succus, ℥ i to ℥ fs.
 Aqua citri medicæ, ℥ i to ℥ ij.
 Oleum volatile citri medicæ, gr^{tt} ii to gr^{tt} v.
 Syrupus citri medicæ, ℥ i to ℥ ij.
 Coccus cacti, gr v to ℥ i.
 Cochleariæ armoraciæ spiritus compositus, ℥ i to ℥ i.
 Infusum armoraciæ compositum, ℥ i to ℥ ij.
 Colchici autumnalis acetum, ℥ i to ℥ ij.
 Oxymel colchici autumnalis, ℥ i to ℥ ij.
 Syrupus colchici autumnalis, ℥ i to ℥ ij.
 Colombæ pulvis, ℥ i to ℥ fs.
 Infusum colombæ, ℥ i to ℥ ij.
 Tinctura colombæ, ℥ i to ℥ ij.
 Conii maculati pulvis, gr ii to ℥ i.
 Extractum conii maculati, gr i to gr v.
 Tinctura conii maculati, ℥ fs to ℥ i.
 Convolvuli scammoniæ gummi resina, gr v to gr xv.
 Electuarium scammoniæ, ℥ i to ℥ i.
 Pulvis scammoniæ compositus, gr x to gr xx.
 Convolvuli jalapæ pulvis, gr x to ℥ fs.
 Extractum jalapæ, gr v to gr xv.
 Extractum jalapæ resinosum, gr x to gr xv.
 Pulvis jalapæ compositus, ℥ fs to ℥ i.

- Tinctura jalapæ compositus, ʒ i to ʒ ij.
 Copaiferæ officinalis resina, gr xv to ʒ fs.
 Cornu ustum, ʒ fs to ʒ ij.
 Mistūra cornu usti, ʒ i to ʒ ij.
 Pulvis cornu cum opio, gr xv to ʒ fs.
 Crōci sativi syrupus, ʒ i to ʒ ij.
 Tinctura croci sativi, ʒ i to ʒ ij.
 Crotonis eleutheriæ cortex, ʒ i to ʒ i.
 Extractum crotonis eleutheriæ, gr x to ʒ fs.
 Infusum crotonis eleutheriæ, ʒ i to ʒ ij.
 Tinctura crotonis eleutheriæ, ʒ i to ʒ ij.
 Cūcūmēris colocynthidis extractum, gr i to gr iv.
 Extractum colocynthidis compositum, gr v to ʒ fs.
 Pilulæ colocynthidis compositæ, gr v to ʒ i.
 Cupri sulphas, gr i to gr x.
 Pilulæ ammoniarētum cupri, gr v to gr x.
 Subācētās cupri, gr ½ to gr ½.
 Daphnes mezerei decoctum, ʒ i to ʒ ij.
 Datūræ stramōnii herba, gr i to gr v.
 Extractum daturæ stramonii, gr ½ to gr v.
 Delphinii staphisagriæ semina, gr v to gr x.
 Dianthi carŷophylli syrupus, ʒ i to ʒ ij.
 Digitalis purpureæ pulvis, gr fs to gr v.
 Infusum digitalis purpureæ, ʒ fs to ʒ i.
 Decoctum digitalis purpureæ, ʒ i to ʒ ij.
 Tinctura digitalis purpureæ, gtt x to gtt xx.
 Dolīchi prurientis pūbes, gr v to gr x.
 Dorstēniæ contrayērvæ radix, gr x to ʒ fs.
 Pulvis contrayervæ compositus, ʒ i to ʒ ij.
 Elatērii extractum, gr i to gr iij.
 Eryngii maritimæ radix, ʒ i to ʒ ij.
 Euphorbii officinalis gummi resina,
 Ferri limatūra, gr iij to gr x.
 Carbōnas ferri præcipitatus, gr iij to gr x.
 Aqua supercarbōnatis ferri, ʒ ij to ʒ iv.
 Aqua ferri alkalīni, ʒ fs to ʒ i.
 Mistura ferri composita, ʒ i to ʒ ij.
 Murias ammoniæ et ferri, gr iij to gr xv.
 Oxidum ferri nigrum purificatum, gr iij to gr x.
 Pilulæ sulphatis ferri, gr x to ʒ i.
 Subcarbōnas ferri præparātus, gr iij to gr x.
 Sulphas ferri, gr i to gr v.
 Tartras ferri et potassæ, gr v to ʒ i.
 Tinctura ferri acētati, gtt x to gtt xxx.
 Tinctura muriatis ferri, gtt x to gtt xx.
 Tinctura muriatis ferri et ammoniæ, gr x to gr xx.
 Vinum ferri, ʒ i to ʒ fs.

- Ferulæ assæfoetidæ gummi resina, gr x to ʒ fs.
 Mistura ferulæ assæfoetidæ, ʒ fs to ʒ i.
 Pilulæ ferulæ assæfoetidæ, gr x to gr xx.
 Tinctura ferulæ assæfoetidæ, ʒ fs to ʒ i.
 Tinctura ferulæ assæfoetidæ ammoniata, ʒ fs to ʒ i.
 Gallæ tinctura, ʒ i to ʒ ij.
 Gambōgia, gr v to gr x.
 Pilulæ gambōgiæ compositæ, gr x to ʒ i.
 Gentianæ lutææ extractum, gr x to ʒ fs.
 Infusum gentianæ luteæ, ʒ i to ʒ ij.
 Tinctura gentianæ composita, ʒ i to ʒ ij.
 Vinum gentianæ compositum, ʒ fs to ʒ i.
 Geoffrææ inermis decoctum, ʒ i.
 Gei urbani pulvis, ʒ i to ʒ fs.
 Glycyrrhizæ glabræ extractum, ʒ fs to ʒ i.
 Trochisci glycyrrhizæ glabræ, ʒ fs to ʒ i.
 Trochisci glycyrrhizæ glabræ cum opio, ʒ fs to ʒ i.
 Gratiolæ officinālis herba, gr x to ʒ i.
 Guaiaci officinālis decoctum, ʒ ij to ʒ iv.
 Mistura guaiaci officinalis, ʒ i to ʒ ij.
 Tinctura guaiaci officinalis, ʒ i to ʒ ij.
 Tinctura guaiaci officinalis ammoniata, ʒ i to ʒ ij.
 Hæmatoxyli Campechiāni extractum, ʒ i to ʒ ij.
 Hellébōri nigri extractum, gr v to gr x.
 Tinctura hellebori nigri, ʒ fs to ʒ i.
 Hordēi distīchi decoctum, ʒ ij to ʒ iv.
 Decoctum hordei compositum, ʒ ij to ʒ iv.
 Cerevisiæ fermentum, ʒ i to ʒ ij.
 Hūmūli lupūli extractum, gr v to ʒ i.
 Tinctura humuli lupuli, gr^{tt} xxx to gr^{tt} l.
 Hydrargyrum purificatum, ʒ ij to ʒ iv.
 cum creta, gr v to ʒ i.
 cum magnesia, gr v to ʒ i.
 Acētas hydrargyri, gr i to gr v.
 Murias hydrargyri corrosivus, gr ʒ to gr ʒ.
 Liquor muriatis hydrargyri, ʒ i to ʒ ij.
 Oxidum hydrargyri cinereum, gr i to gr v.
 Oxidum hydrargyri rubrum, gr fs to gr ij.
 Pilulæ hydrargyri, gr v to gr xv.
 Submurias hydrargyri mitis, gr i to gr v.
 Submurias hydrargyri præcipitatus, gr i to gr v.
 Pilulæ submuriatis hydrargyri compositæ, gr v to gr xv.
 Subsulphas hydrargyri flavus, gr i to gr v.
 Sulphurētum hydrargyri nigrum, ʒ i to ʒ ij.
 Sulphurētum hydrargyri rubrum, gr x to ʒ i.
 Hyosciāmi nigri succus spissatus, gr i to gr v.

- Tinctura hyosciami nigri, g^{tt} xx to g^{tt} xl.
 Hysōpi officinalis herba, ℥ i to ℥ i.
 Inulæ helēni radix, ℥ i to ℥ i.
 Ipecacuanhæ pulvis, gr xx to ℥ fs.
 Pulvis ipecacuanhæ compositus, gr x to ℥ i.
 Vinum ipecacuanhæ, ℥ fs to ℥ i.
 Junipēri communis oleum volatile, g^{tt} ij to g^{tt} v.
 Spiritus juniperi compositus, ℥ fs to ℥ i.
 Juniperi sabinæ extractum, gr x to ℥ i.
 Oleum volatile juniperi sabinæ, g^{tt} v to g^{tt} x.
 Kīno pulvis, gr x to ℥ i.
 Pulvis kino compositus, gr x to ℥ i.
 Tinctura kino, ℥ i to ℥ ij.
 Lactūcæ virosæ succus spissatus, gr iij to gr v.
 Lactūcārium, gr iij to gr v.
 Tinctura lactucarii, g^{tt} l to ℥ fs.
 Lavandulæ spicæ oleum volatile, g^{tt} ij to g^{tt} v.
 Spiritus lavandulæ spicæ, ℥ fs to ℥ i.
 Spiritus lavandulæ spicæ compositus, ℥ fs to ℥ i.
 Lauri cassiæ pulvis, gr v to ℥ i.
 Aqua lauri cassiæ, ℥ i to ℥ ij.
 Lauri cinnamōmi pulvis, gr v to ℥ i.
 Aqua lauri cinnamomi, ℥ fs to ℥ i.
 Oleum lauri cinnamomi, g^{tt} i to g^{tt} ij.
 Spiritus cinnamomi, ℥ fs to ℥ i.
 Tinctura cinnamomi, ℥ i to ℥ ij.
 Tinctura cinnamomi composita, ℥ fs to ℥ ij.
 Lauri sassāfras lignum vel radix, ℥ i to ℥ i.
 Oleum essentielle lauri sassafra, g^{tt} ij to g^{tt} x.
 Leontōdi taraxāci extractum, gr x to ℥ i.
 Lichēnis islandici decoctum, ℥ i to ℥ ij.
 Lini usitātissimi infusum, ℥ i to ℥ ij.
 Magnēsia, gr x to ℥ i.
 Carbōnas magnesiæ, ℥ i to ℥ i.
 Sulphas magnesiæ, ℥ ij to ℥ i.
 Malvæ decoctum compositum, ℥ ij to ℥ iv.
 Melāleucæ leucādendrī oleum volatile, g^{tt} iij to g^{tt} v.
 Menthæ piperitæ aqua, ℥ i to ℥ ij.
 Oleum volatile menthæ piperitæ, g^{tt} iij to g^{tt} x.
 Spiritus menthæ piperitæ, ℥ fs to ℥ i.
 Menthæ pulēgii aqua, ℥ i to ℥ ij.
 Oleum volatile menthæ pulegii, g^{tt} ij to g^{tt} v.
 Spiritus menthæ pulegii, ℥ fs to ℥ i.
 Menthæ viridis aqua, ℥ i to ℥ ij.
 Spiritus menthæ viridis, ℥ fs to ℥ i.
 Oleum volatile menthæ viridis, g^{tt} ij to g^{tt} v.
 Infusum menthæ viridis compositum, ℥ i to ℥ ij.

- Mōri syrupus, ʒ i to ʒ ij.
 Moschus, gr v to ʒ i.
 Tinctura moschi, ʒ i to ʒ fs.
 Mistura moschi, ʒ fs to ʒ i.
 Myristicæ moschatæ spiritus, ʒ fs to ʒ i.
 Myrrha, gr x to ʒ fs.
 Tinctura myrrhæ, ʒ i to ʒ ij.
 Myrti pimentæ aqua, ʒ i to ʒ ij.
 Oleum volatile myrti pimentæ, gtt iij to gtt v.
 Spiritus myrti pimentæ, ʒ fs to ʒ i.
 Nicotianæ tabaci folia, gr fs to gr v.
 Vinum nicotianæ tabaci, gtt xxx to gtt l.
 Infusum nicotianæ tabaci,
 Onisci aselli, ʒ i to ʒ ij.
 Opium, gr fs to gr ij.
 purificatum, gr fs to gr ij.
 Extractum opii, gr fs to gr ij.
 Electuarium opiatum, ʒ fs to ʒ i.
 Pilulæ opiatæ, gr x to ʒ i.
 Pulvis opiatus, gr x to ʒ i.
 Tinctura opii, gtt xx to gtt xl.
 Tinctura opii ammoniata, ʒ fs to ʒ i.
 Tinctura opii camphorata, ʒ fs to ʒ i.
 Vinum opii, gtt xxx to gtt lx.
 Origani vulgaris oleum volatile, gtt iij to gtt v.
 Papaveris somniferi extractum, gr i to gr v.
 Syrupus papaveris somniferi, ʒ fs to ʒ i.
 Papaveris rhœados syrupus, ʒ i to ʒ ij.
 Pimpinellæ anisi oleum volatile, gtt iij to gtt v.
 Spiritus pimpinellæ anisi, ʒ fs to ʒ i.
 Pini oleum volatile, gtt x to ʒ fs; and in tænia ʒ i to ʒ iij.
 Plumbi acetatis liquor,
 Polygale senegæ decoctum, ʒ fs to ʒ ij.
 Polygonum bistorta, ʒ i to ʒ i.
 Potassæ subcarbōnas, gr v to ʒ i.
 Aqua supercarbonatis potassæ, ʒ iv to ʒ viij.
 Aqua subcarbonatis potassæ, ʒ fs to ʒ i.
 Acetas potassæ, ʒ i to ʒ i.
 Sulphas potassæ, ʒ i to ʒ fs.
 Sulphas potassæ cum sulphure, ʒ i to ʒ fs.
 Sūpersulphas potassæ, ʒ i to ʒ i.
 Sulphurētum potassæ, gr v to gr xv.
 Aqua sulphurēti potassæ, gtt xx to gtt l.
 Tartaras potassæ, ʒ i to ʒ i.
 Supertartaras potassæ, ʒ i to ʒ i.
 Nitras potassæ, gr v to ʒ i.
 Trochisci nitratis potassæ, ʒ i to ʒ ij.

- Aqua alcalina oxymuriatica.
 Pyri cydoniae decoctum, \mathfrak{z} i to \mathfrak{z} ij.
 Quassiae excelsae infusum, \mathfrak{z} i to \mathfrak{z} ij.
 Tinctura quassiae excelsae, \mathfrak{z} i to \mathfrak{z} ij.
 Quassiae simaroubae infusum, \mathfrak{z} i to \mathfrak{z} ij.
 Querci roboris decoctum, \mathfrak{z} i to \mathfrak{z} ij.
 Rhamni cathartici syrupus, \mathfrak{z} fs to \mathfrak{z} i.
 Rhoei pulvis, gr x to \mathfrak{z} ij.
 Extractum rhoei, gr x to \mathfrak{z} fs.
 Infusum rhoei, \mathfrak{z} ij to \mathfrak{z} iv.
 Pilulae rhoei compositae, gr x to \mathfrak{z} fs.
 Tinctura rhoei, \mathfrak{z} i to \mathfrak{z} ij. or as a purgative, \mathfrak{z} i to \mathfrak{z} ij.
 Tinctura rhoei et aloes, \mathfrak{z} fs to \mathfrak{z} i.
 Tinctura rhoei et gentianae, \mathfrak{z} fs to \mathfrak{z} i.
 Tinctura rhoei composita, \mathfrak{z} fs to \mathfrak{z} i.
 Rhododendri chrysanthi folia, gr v to gr x.
 Rhois toxicodendri folia, gr fs to gr ij.
 Ricini communis oleum fixum, \mathfrak{z} fs to \mathfrak{z} i.
 Rosae caninae conserva, \mathfrak{z} i to \mathfrak{z} i.
 Rosae centifoliae aqua, \mathfrak{z} i to \mathfrak{z} ij.
 Syrupus rosae centifoliae, \mathfrak{z} ij to \mathfrak{z} fs.
 Rosae Gallicae conserva, \mathfrak{z} i to \mathfrak{z} i.
 Infusum rosae Gallicae, \mathfrak{z} i to \mathfrak{z} ij.
 Mel rosae Gallicae, \mathfrak{z} i to \mathfrak{z} ij.
 Syrupus rosae Gallicae, \mathfrak{z} i to \mathfrak{z} ij.
 Rosmarini officinalis oleum volatile, gr^{tt} ij to gr^{tt} v.
 Spiritus rosmarini officinalis, \mathfrak{z} fs to \mathfrak{z} i.
 Rubiae tinctorum radix, \mathfrak{z} i to \mathfrak{z} i.
 Ruta graveolentis extractum, gr x to \mathfrak{z} i.
 Oleum essenziale rutae graveolentis, gr^{tt} ij to gr^{tt} v.
 Confectio rutae graveolentis, gr x to \mathfrak{z} i.
 Sagapenum, gummi resina, gr x to \mathfrak{z} fs.
 Salicis cortex, \mathfrak{z} i to \mathfrak{z} i.
 Sambuci nigri succus spissatus, \mathfrak{z} fs to \mathfrak{z} i.
 Scillae maritimae pulvis, gr i to gr ij.
 Acetum scillae maritimae, \mathfrak{z} fs to \mathfrak{z} i.
 Oxymel scillae maritimae, \mathfrak{z} fs to \mathfrak{z} i.
 Pilulae scilliticae, gr x to \mathfrak{z} i.
 Syrupus scillae maritimae, \mathfrak{z} i to \mathfrak{z} ij.
 Tinctura scillae maritimae, gr^{tt} x to gr^{tt} xx.
 Smilacis sarsaparillae decoctum, \mathfrak{z} ij to \mathfrak{z} iv.
 Decoctum sarsaparillae compositum, \mathfrak{z} ij to \mathfrak{z} iv.
 Extractum sarsaparillae, gr x to \mathfrak{z} i.
 Sodae carbonas, gr x to \mathfrak{z} fs.
 Subcarbonas sodae, gr x to \mathfrak{z} fs.
 Subcarbonas sodae exsiccatum, gr v to gr xv.

- Aqua supercarbonatis sodæ, $\bar{3}$ iv to $\bar{3}$ viii.
 Phosphas sodæ, $\bar{3}$ i to $\bar{3}$ i fs.
 Sulphas sodæ, $\bar{3}$ i to $\bar{3}$ i fs.
 Murias sodæ, $\bar{3}$ fs in *glysters*.
 Subboras sodæ, gr x to $\bar{3}$ fs.
 Mel subboras sodæ, $\bar{3}$ fs to $\bar{3}$ i.
 Solani dulcāmarae decoctum, $\bar{3}$ i to $\bar{3}$ ij.
 Spigēliæ marilandicæ radix, $\bar{3}$ fs to $\bar{3}$ i.
 Spongæ ustæ pulvis, $\bar{3}$ i to $\bar{3}$ i.
 Stanni tinctura, $\bar{3}$ fs to $\bar{3}$ i.
 Styrācis benzoini tinctura composita, $\bar{3}$ i to $\bar{3}$ ij.
 Succini oleum, g^{tt} x to g^{tt} xx.
 Sulphur sublimatum, $\bar{3}$ i to $\bar{3}$ i.
 Oleum sulphuratum, g^{tt} x to g^{tt} xxx.
 Toluiferæ balsami tinctura, $\bar{3}$ i to $\bar{3}$ ij.
 Syrupus toluiferæ balsami, $\bar{3}$ i to $\bar{3}$ ij.
 Tormentillæ erectæ radix, $\bar{3}$ i to $\bar{3}$ ij.
 Valeriānæ officinalis pulvis, $\bar{3}$ i to $\bar{3}$ i.
 Tinctura valerianæ, $\bar{3}$ i to $\bar{3}$ ij.
 Tinctura valerianæ ammoniata, $\bar{3}$ fs to $\bar{3}$ i.
 Extractum valerianæ, gr x to $\bar{3}$ i.
 Infusum valerianæ, $\bar{3}$ fs to $\bar{3}$ ij.
 Veratri albi decoctum,
 Vinum veratri albi,
 Tinctura veratri albi, g^{tt} v to g^{tt} x.
 Ulmi cortex, $\bar{3}$ i to $\bar{3}$ i.
 Viölæ syrupus, $\bar{3}$ i to $\bar{3}$ ij.
 Zinci oxidum, gr ij to gr x.
 Sulphas zinci, gr v to $\bar{3}$ fs.

N. B. These are in general the doses for adults from twenty to sixty, but they may be diminished for children and people past the prime of life, nearly in the following proportions:

	Ages	Proportionate doses.
Months	2 -	$\frac{1}{12}$
	7 -	$\frac{1}{8}$
	14 -	$\frac{1}{6}$
	28 -	$\frac{1}{4}$
Years	3 -	$\frac{1}{3}$
	5 -	$\frac{1}{2}$
	7 -	$\frac{1}{2}$
	14 -	$\frac{1}{2}$
	63 -	$\frac{1}{2}$
	77 -	$\frac{1}{2}$
100 -	$\frac{1}{2}$	

The practice of administering active fluids by drops has been long known to be inaccurate; but the extent of the evil has been only lately ascertained, by the accurate experiments of

Mr Shuttleworth, surgeon, of Liverpool. Not only do the drops of different fluids from the same vessel, and of the same fluids from different vessels, differ much in size; but it appears that the drops of the same fluid differ, even to the extent of a third, from different parts of the lip of the same vessel. The custom of dropping active fluids should, therefore, be abolished entirely; and, as weighing is too troublesome and difficult for general use, we must have recourse to small measures, accurately graduated, in the manner of Lane's *drop* measure, and the grain measure recommended by the Edinburgh college; but we must not be misled by their names; for they are measures of bulk, not of drops or of grains.

In the following table, the first column shews the weight, the second the number of drops, and the third the weight, of the extract, in a measured drachm of several active fluids, in circumstances as nearly similar as possible, as ascertained by Mr Shuttleworth; the last column shews the number of drops in a drachm of different fluids, according to Dr Niemann.

	Grains.	Drops.	Grains.	Drops
Distilled water, -	60	60		60-80
Dr Fowler's solution of arsenic, -	60 $\frac{1}{4}$	60		
White wine, -	58 $\frac{3}{4}$	94		
Ipecacuanha wine,	59 $\frac{3}{4}$	84	2 $\frac{1}{2}$	
Antimonial wine,	59 $\frac{3}{4}$	84		
Rectified spirits of wine,	51 $\frac{1}{2}$	151 $\frac{1}{2}$		
Proof spirit, -	55 $\frac{1}{2}$	140		
Laudanum, -	59 $\frac{3}{4}$	134	2 $\frac{1}{2}$	90-110
Tincture of foxglove,	58	144		
Balsam of copaiva, -				60-70
Spring water, -				60-70
Diluted mineral acid, -				60-80
Water of ammonia,				100-120
Spirit of sulphuric ether,				120-140
Tinctures, -				140-180
Ether, -				140-180

A tea-cup commonly contains three or four ounces of an infusion, decoction, or mixture; a wine-glass about an ounce and a half; a table-spoon about half an ounce of watery fluids, and two or three drachms of alcoholic: a tea-spoon from half a scruple to a scruple of a light powder, such as magnesia, from half a drachm to two scruples of a heavier powder, as sulphur, and from one drachm to four scruples of a metallic oxide; from one scruple to half a drachm of alcoholic fluids, from half a drachm to two scruples of watery fluids; from two scruples to two drachms of tinctures and syrups, and from one to two drachms of electuaries. But all this is very uncertain.