

Übersicht des Inhalts.

	Seite	Tafel		Seite	Tafel
LEGUMINOSAE , Jussieu	1		Cassia <i>obtusifolia</i> , Linné	13	
Bearbeitet von Dr. Carl Bolle.			— <i>Goratensis</i> , Fresen	—	
MIMOSEAE , R. Brown	—		— <i>Petersiana</i> , n. sp.	—	
<i>Acacieae</i> , Bentham	—		— <i>Tettensis</i> , n. sp.	14	
<i>Zygia</i> , Patrick Browne	—		— <i>medicinalis</i> var. <i>a. genuina</i> , Bischoff	15	
— <i>Petersiana</i> , n. sp.	—	I.	— <i>Absus</i> , Linné	—	
<i>Albizzia</i> , Ducazzini	3		— <i>mimosoides</i> , Linné	—	
— <i>Lebek</i> , Bentham	—		Swartzieae , Bentham	—	
— <i>Mossambicensis</i> , n. sp.	4		<i>Gorskia</i> , nov. gen.	—	
<i>Acacia</i> , Decandolle	—		— <i>conjugata</i> , n. sp.	16	III.
— <i>Petersiana</i> , n. sp.	—		Cordyla , Loureiro	17	
— <i>Mossambicensis</i> , n. sp.	5		— <i>africana</i> , Loureiro	—	IV.
— <i>purpurea</i> , n. sp.	6		Amherstiaeae , Bentham	18	
<i>Eumimosiaeae</i> , Decandolle	7		<i>Schotia</i> , Jacquin	—	
<i>Gymnanthereae</i> , Bentham	—		— <i>capitata</i> , n. sp.	—	
<i>Mimosa</i> , Linné	—		Afzeliaeae , Smith	19	
— <i>asperata</i> , Linné	—		— <i>Petersiana</i> , n. sp.	—	
— <i>violacea</i> , n. sp.	8		— <i>attenuata</i> , n. sp.	20	
<i>Adenanthereae</i> , Bentham	9		Tamarindus , Linné	21	
<i>Elephantorrhiza</i> , Bentham	—		— <i>indica</i> , Linné	—	
— <i>Petersiana</i> , n. sp.	—		Trachylobium , Hayne	—	
<i>Dichrostachys</i> , Decandolle	—		— <i>Mossambicense</i> , n. sp.	—	
— <i>tenuifolia</i> , Bentham	—		Bauhiniaeae , Bentham	22	
— <i>cineræa</i> , Wight et Arnott	10		<i>Bauhinia</i> , Linné	—	
<i>Parkieae</i> , Wight et Arnott	—		— <i>Mucōra</i> , n. sp.	—	
<i>Erythrophlaeum</i> , Afzelius	—		— <i>punctata</i> , n. sp.	23	
— <i>ordale</i> , n. sp.	—		— <i>Petersiana</i> , n. sp.	24	
CAESALPINIEAE	12		PAPILIONACEAE , Bentham	26	
<i>Eucaesalpinieae</i> , Bentham	—		Bearbeitet von Dr. Friedrich Klotzsch.		
<i>Poinciana</i> , Linné	—		Sophoreae , Decandolle	26	
— <i>pulcherrima</i> , Linné	—		<i>Sophora</i> , Linné	—	
<i>Cassieae</i> , Bentham	—		— <i>Inhambanensis</i> , n. sp.	—	
<i>Cassia</i> , Linné	—		Dalbergiaeae , Bentham	27	
— <i>Fistula</i> , Linné	—		<i>Dalbergia</i> , Linné fil.	27	
— <i>occidentalis</i> , Linné	13		— <i>melanoxyylon</i> , Guill. et Perr.	—	
Peters, Reise nach Mossambique. Botanik.			a		

ÜBERSICHT DES INHALTS.

	Seite	Tafel		Seite	Tafel
<i>Capassa</i> , nov. gen.	27		<i>Mundulea</i> , Decandolle	45	
— <i>violacea</i> , n. sp.	28		<i>Tephrosia</i> <i>crotalariaeoides</i> , n. sp.	—	
<i>Phaseoleae</i> , Bentham	29	V.	— <i>suberosa</i> , Decandolle	46	IX.
<i>Abrineae</i> , Wight et W. Arnott	—		— <i>Reineria</i> , Moench	47	
<i>Abrus</i> , Linné	—		— <i>anthylloides</i> , Hochstetter	—	
— <i>praecatorius</i> , Linné	—		— <i>Apollinea</i> , Decandolle	—	
<i>Rhynchosiae</i> , Bentham	—		— <i>bracteolata</i> , Guill. et Perr.	—	
<i>Rhynchosia</i> , Decandolle	—		— <i>villosa</i> , Persoon	—	
<i>Eurhynchosia</i> , Wight et Arnott	—		— <i>purpurea</i> , Persoon	48	
— <i>minima</i> , Decandolle	—		— <i>leptostachya</i> , Decandolle	—	
— <i>caribaea</i> , Decandolle	30		<i>Indigofera</i> , Linné	—	
— <i>melanosperma</i> , n. sp.	—		— <i>Oligophyllae</i> , Decandolle	—	
— <i>discolor</i> , n. sp.	—		— <i>diphylla</i> , Ventenat	—	
<i>Eriosema</i> , Decandolle	31		— <i>Inhambanensis</i> , n. sp.	—	
— <i>pauciflorum</i> , n. sp.	—		— <i>oligophylla</i> , n. sp.	49	
— <i>consanguineum</i> , n. sp.	32		<i>Dissitiflorae</i> , Wight et Arnott	50	
— <i>floribundum</i> , n. sp.	33		— <i>tenuicaulis</i> , n. sp.	—	
— <i>macrophyllum</i> , n. sp.	34		— <i>consanguinea</i> , n. sp.	—	
— <i>incanum</i> , n. sp.	—	VI.	<i>Tinctoriae</i> , Wight et Arnott	51	
— <i>gracile</i> , n. sp.	35		— <i>tinctoria</i> , Linné	—	
<i>Cajaneae</i> , Bentham	36		— <i>coerulea</i> , Roxburgh	—	
<i>Cajanus</i> , Decandolle	—		— <i>Tettensis</i> , n. sp.	—	
— <i>indicus</i> , Sprengel	—		<i>Tetragonocarpae</i> , Wight et Arnott	52	
<i>Euphaseoleae</i> , Bentham	37		— <i>hirsuta</i> , Linné	—	
<i>Lablab</i> , Adanson	—		<i>Brachycarpae</i> , Wight et Arnott	—	
— <i>vulgaris</i> , Savi	—		— <i>enneaphylla</i> , Linné fil.	—	
<i>Diocleae</i> , Bentham	—		<i>Trifolieae</i> , Decandolle	—	
<i>Canavalia</i> , Decandolle	—		<i>Lotus</i> , Linné	—	
— <i>obtusifolia</i> , Decandolle	—		— <i>arabicus</i> , Linné fil.	—	
<i>Glycineae</i> , Bentham	38		<i>Genisteae</i> , Decandolle	53	
<i>Galactia</i> , P. Browne	—		<i>Crotalaria</i> , Linné	—	
— <i>mucronata</i> , n. sp.	—		— <i>Simplexifoliae</i> , Bentham	—	
<i>Clitoriae</i> , Bentham	39		— <i>Erectae</i> , Bentham	—	
<i>Clitoria</i> , Linné	—		— <i>retusa</i> , Linné	—	
— <i>Ternatae</i> , Linné	—		— <i>Foliolatae</i> , Bentham	—	
<i>Hedysareae</i> , Decandolle	—		— <i>Oliganthae</i> , Bentham	—	
<i>Euhedysareae</i> , Decandolle	—		— <i>arvensis</i> , n. sp.	—	
<i>Anarthrosyne</i> , E. Meyer	—		— <i>pilifera</i> , n. sp.	54	
— <i>cordata</i> , n. sp.	—	VII.	— <i>Dispermae</i> , Bentham	55	
— <i>gracilis</i> , n. sp.	40		— <i>hyssopifolia</i> , n. sp.	—	
— <i>densiflora</i> , n. sp.	41		— <i>gracillima</i> , n. sp.	—	
— <i>Scalpe</i> , E. Meyer	42		— <i>Longirostres</i> , Bentham	56	
<i>Arachis</i> , Linné	—		— <i>virgulata</i> , n. sp.	—	
— <i>hypogaea</i> , Linné	—		— <i>taburnoides</i> , n. sp.	57	
<i>Stylosanthes</i> , Linné	43		— <i>maxillaris</i> , n. sp.	58	
— <i>Bojeri</i> , Vogel	—		— <i>pallida</i> , n. sp.	—	
<i>Zornia</i> , Gmelin	—		— <i>Macrostachya</i> , Bentham	59	
— <i>angustifolia</i> , Smith	—		— <i>cleomoides</i> , n. sp.	—	
<i>Loteae</i> , Decandolle	44		— <i>Mossambicensis</i> , n. sp.	60	X.
<i>Galegeae</i> , Decandolle	—	VIII.			
<i>Sesbania</i> , Persoon	—		MYRTIFLORAE, Endlicher	62	
— <i>pubescens</i> , Decandolle	—		Bearbeitet von Dr. Friedrich Klotzsch.	—	
— <i>Mossambicensis</i> , n. sp.	45		MYRTACEAE, Jussieu	—	
<i>Tephrosia</i> , Persoon	—				

ÜBERSICHT DES INHALTS.

xii

	Seite	Tafel		Seite	Tafel
<i>Myrteae</i> , Decandolle	62		<i>GRUINALES</i> , Endlicher	81	
<i>Caryophyllus</i> , Tournefort	—		Bearbeitet von Dr. Friedrich Klotzsch.		
— <i>aromaticus</i> , Linné	—		<i>OXALIDEAE</i> , Decandolle	—	
<i>Syzygium</i> , Gärtnér	63		<i>Oxalis</i>	—	
— <i>cordifolium</i> , n. sp.	—	XI.	— <i>corniculata</i> , Linné	—	
MELASTOMACEAE, Jussieu	64		<i>Biophytum</i> , Decandolle	—	
<i>Melastomeae</i> , Seringe	—		— <i>Petersianum</i> , n. sp.	—	XV.
<i>Osbeckiae</i> , Decandolle	—				
<i>Lepidantherum</i> , Klotzsch	—				
— <i>triplinervium</i> , n. sp.	—				
 CALYCIFLORAE, Endlicher	66		 TEREBINTHINEAE, Endlicher	86	
Bearbeitet von Dr. Friedrich Klotzsch.			Bearbeitet von Dr. Friedrich Klotzsch.		
LYTHRARIEAE, Jussieu	—		 ZYGOPHYLLEAE, R. Brown	—	
<i>Sonneratiae</i> , Klotzsch	—		 <i>Tribuleae</i> , Endlicher	—	
<i>Sonneratia</i> , Linné fil.	—		<i>Tribulus</i> , Tournefort	—	
— <i>Mossambicensis</i> , n. sp.	—	XII.	— <i>cistoides</i> , Linné	—	
<i>Eulythrarieae</i> , Endlicher	67		— <i>terrestris</i> , Linné	—	
<i>Pemphis</i> , Forster	—		 XANTHOXYLEAE, Ad. Jussieu	87	
— <i>acidula</i> , Forster	—				
<i>Nesaea</i> , Commers., Guill., Perrot.	68		 <i>Vepris</i> , Commerson	—	
— <i>humilis</i> , n. sp.	—		— <i>Querimbensis</i> , n. sp.	—	
OENOTHEREAE, Endlicher	69		 OCHINACEAE, Decandolle	88	
<i>Jussiaeae</i> , Decandolle	—				
<i>Jussiaea</i> , Linné	—		 <i>Ochneae</i> , Bartling	—	
— <i>alternifolia</i> , E. Meyer	—				
— <i>villosa</i> , Lamarck	70		 <i>Ochna</i> , Schreber	—	
— <i>linearis</i> , Willdenow	—		— <i>Mossambicensis</i> , n. sp.	—	XVI.
<i>Isnardia</i> , Decandolle	—		 <i>ANACARDIACEAE</i> , R. Brown	89	
— <i>Ludwigiaria</i> , Decandolle	—				
— <i>discolor</i> , n. sp.	—		 <i>Hitzeria</i> , nov. gen.	—	
RHIZOPHOREAE, Rob. Brown	71		— <i>edulis</i> , n. sp.	—	
<i>Rhizophora</i> , Lamarck	—		 <i>Mangifera</i> , Linné	90	
— <i>Mangle</i> , Blume	—		— <i>indica</i> , Linné	—	
— <i>mucronata</i> , Lamarck	—		 <i>Anacardium</i> , Rottboell	91	
<i>Ceriops</i> , Walker Arnott	—		— <i>occidentale</i> , Linné	—	
— <i>Mossambicensis</i> , n. sp.	—		 TRICOCCAE, Endlicher	92	
<i>Bruguieria</i> , L'Héritier, Lamarck	72		Bearbeitet von Dr. Friedrich Klotzsch.		
— <i>gymnorhiza</i> , Lamarck	—		 EUPHORBIACEAE, Jussieu	—	
COMBRETACEAE, Rob. Brown	73		 <i>Euphorbiaceae</i> , Barlung	—	
<i>Combretae</i> , Endlicher	—		<i>Euphorbia</i> , Linné	—	
— <i>Combretum</i> , Löffling	—		— <i>Cereiformes</i>	—	
— <i>elaeagnoides</i> , n. sp.	—		— <i>angularis</i> , n. sp.	—	
— <i>microphyllum</i> , n. sp.	74	XIV.	— <i>Anisophyllum</i>	93	
<i>Terminaliae</i> , Decandolle	—		— <i>callitrichoides</i> , Hmb. Bpl. Kth.	—	
<i>Sheadendron</i> , Bertoloni	—		— <i>Tettensis</i> , n. sp.	94	
— <i>molle</i> , n. sp.	76		— <i>hypericifolia</i> , Linné, Willd.	95	
— <i>pisoniaeflorum</i> , n. sp.	77	XIII.	— <i>pilulifera</i> , Linné, Willd.	—	
<i>Poivrea</i> , Commerson	78		 <i>Acalyphae</i> , Barlung	96	
— <i>Mossambicensis</i> , n. sp.	—				
— <i>glutinosa</i> , n. sp.	79		 <i>Acalypha</i> , Linné	—	
— <i>Sénensis</i> , n. sp.	—		— <i>Senensis</i> , n. sp.	—	
			 <i>Calyptrospatha</i> , nov. gen.	—	
			— <i>pubiflora</i> , n. sp.	97	XVIII.
			 <i>Crotoneae</i> , Blume	98	
			 <i>Jatropha</i> , Linné	—	
			— <i>multifida</i> , Linné, Willd.	—	

a*

ÜBERSICHT DES INHALTS.

	Seite	Tafel		Seite	Tafel
<i>Curcas</i> , Adanson	98		<i>Lophostylis</i> , Hochstetter	115	
— <i>purgans</i> , Medicus	—		— <i>pallida</i> , n. sp.	—	XXII.
<i>Ricinus</i> , Tournefort	—				
— <i>communis</i> , Linné	—				
<i>Caperonia</i> , Aug. St. Hilaire	99				
— <i>castaneaefolia</i> , A. St. Hil.	—				
<i>Crozophora</i> , Necke	—				
— <i>tinctoria</i> , Adr. de Jussieu	—				
<i>Cephalocroton</i> , Hochstetter	—				
— <i>mollis</i> , n. sp.	—	XVII.			
<i>Argyrodendron</i> , nov. gen.	100				
— <i>Petersii</i> , n. sp.	101				
— <i>bicolor</i> , n. sp.	102				
<i>Phyllanthaea</i> , Bartling	103				
<i>Briedelia</i> , Willd., Adr. de Jussieu	—				
— <i>melanthesoides</i> , n. sp.	—				
<i>Phyllanthus</i> , Swartz	104				
— <i>Niruri</i> , Linné	—				
— <i>pentandrus</i> , Schum. et Thonn.	—				
— <i>deflexus</i> , n. sp.	—				
— <i>vaccinoides</i> , n. sp.	105				
— <i>dilatatus</i> , n. sp.	106				
<i>Buxaae</i> , Bartling	—				
<i>Flüggea</i> , Willdenow	—				
— <i>Senensis</i> , n. sp.	—				
FRANGULACEAE, Endlicher	108				
Bearbeitet von Dr. Friedrich Klotzsch.					
CHAILLETIACEAE, Decandolle	—				
<i>Chailletia</i> , Decandolle	—	XIX.			
— <i>Mossambicensis</i> , n. sp.	—				
— <i>deflexa</i> , n. sp.	109	XX.			
RHAMNEAE, Rob. Brown	110				
<i>Frangulae</i> , Reisseck	—				
<i>Scutia</i> , Commerson	—	XXI.			
— <i>discolor</i> , n. sp.	—				
<i>Zizyphus</i> , Tournefort	111				
— <i>Jujubae</i> , Lamarck	—				
CELASTRINEAE, Rob. Brown	112				
<i>Evonymeae</i> , Endlicher	—				
<i>Celastrus</i> , Kunth	—				
— <i>Mossambicensis</i> , n. sp.	—	XXIII.			
POLYGALINAE, Endlicher	113				
Bearbeitet von Dr. Friedrich Klotzsch.					
POLYGALEAE, Adr. de Jussieu	—				
<i>Polygala</i> , Tournefort	—				
— <i>Psychantus</i> , Raf.	—				
— <i>Senensis</i> , n. sp.	—				
— <i>Polygonum</i> , Decandolle	114				
— <i>stenopetalum</i> , n. sp.	—				

ÜBERSICHT DES INHALTS.

xiii

	Seite	Tafel		Seite	Tafel
<i>Hibiscus hirtus</i> , Linné	127		<i>Grewia bicolor</i> , Jussieu	135	
— <i>micranthus</i> , Cav.	—		— <i>tiliaeifolia</i> , Vahl	—	
<i>Paritium</i> , Adr. Jussieu, Endlicher	128		CARYOPHYLLINAE, Endlicher 136		
— <i>tiliacum</i> , Adr. Jussieu	—		Bearbeitet von Dr. Friedrich Klotzsch.		
<i>Gossypium</i> , Linné, Endlicher	—		<i>PHYTOLACCACEAE</i> , Lindley	—	
— <i>puberulum</i> , n. sp.	—		<i>Phytolaccaceae</i> , Endlicher	—	
<i>Lagunaea</i> , Cav., Endlicher	—		<i>Giesekeiae</i> , Endlicher	—	
— <i>ternata</i> , Cav.	—		— <i>Gieseckia</i> , Linné fil.	—	
<i>Sidaeae</i> , Endlicher	—		— <i>pharnaceoides</i> , Linné fil.	—	
<i>Sida</i> , Linné, Endlicher	—		— <i>aspera</i> , n. sp.	—	
— <i>cordifolia</i> , Linné	—		<i>Limeae</i> , Endlicher	137	
— <i>grevioides</i> , Guill. et Perr.	—		<i>Acanthocarpaea</i> , nov. gen.	—	
<i>Abutilon</i> , Gaertner, Endlicher	129		— <i>sulcata</i> , n. sp.	138	XXIV.
— <i>asiaticum</i> , Don.	—		— <i>scabrida</i> , n. sp.	139	
— <i>hirtum</i> , Don.	—		<i>CARYOPHYLLEAE</i> , Decandolle. —		
STERCULIACEAE, Vent.	—		<i>Paronychiaceae</i> , Aug. St. Hilaire	—	
<i>Bombacaceae</i> , Schott und Endlicher	—		<i>Polycarpae</i> , Decandolle	—	
<i>Adansonia</i> , Linné, Endlicher	—		<i>Polycarpaea</i> , Lamarck	—	
— <i>digitata</i> , Linné	—		— <i>glabrifolia</i> , Decandolle	—	
<i>Sterculiaeae</i> , Schott und Endlicher	130		<i>Arvertia</i> , Cambess.	140	
<i>Sterculia</i> , Linné, Endlicher	—		— <i>depressa</i> , n. sp.	—	
— <i>ipomoeaefolia</i> , n. sp.	—		<i>PORTULACEAE</i> , Jussieu	—	
<i>Cola</i> , Schott und Endlicher	—		<i>Molluginiaeae</i> , Endlicher	—	
— <i>quinqueloba</i> , n. sp.	—		<i>Orygia</i> , Forsk.	—	
BÜTTNERIACEAE, Rob. Brown.	131		— <i>Axonotechium</i> , Fenzl	—	
<i>Hermanniaeae</i> , Decandolle	—		— <i>mucronata</i> , n. sp.	—	XXV.
<i>Waltheria</i> , Linné, Endlicher	—		<i>Glinus</i> , Loeffling	141	
— <i>indica</i> , Linné	—		— <i>lotoides</i> , Linné	—	
— <i>elliptica</i> , Cav.	132		— <i>Mollugo</i> , Fenzl	142	
<i>Riedleia</i> , Vent., Endlicher	—		<i>Mollugo</i> , Linné	—	
— <i>corchorifolia</i> , Decandolle	—		— <i>Cerviana</i> , Seringe	—	
<i>Hermannia</i> , Linné, Endlicher	—		— <i>nudicaulis</i> , Lamarck	—	
— <i>tigrensis</i> , Hochstetter	—		<i>PARIETALES</i> , Endlicher	143	
<i>Dombeyaceae</i> , Kunth	—		Bearbeitet von Dr. Friedrich Klotzsch.		
<i>Brotera</i> , Cav., Endlicher	—		<i>PASSIFLOREAE</i> , Jussieu	—	
— <i>bracteosa</i> , Guill. et Perr.	—		<i>Modeceae</i> , Endlicher	—	
TILIACEAE, Jussieu	133		<i>Clementi</i> , nov. gen.	—	
<i>Grewieae</i> , Endlicher	—		— <i>Senensis</i> , n. sp.	—	
<i>Corchorus</i> , Linné, Endlicher	—		<i>BIXACEAE</i> , Lindley	144	
— <i>Coretoides</i> , Decandolle.	—		<i>Chlanis</i> , nov. gen.	—	
— <i>trilocularis</i> , Linné	—		— <i>Tettensis</i> , n. sp.	145	
— <i>olitorius</i> , Linné	—		— <i>macrophylla</i> , n. sp.	—	
— <i>serraefolius</i> , Burch.?.	—		<i>TURNERACEAE</i> , Decandolle	146	
— <i>Ceratocoreta</i> , Decand.	—		<i>Wormskjoldia</i> , Thonn. et Schum.	—	
— <i>tridens</i> , Linné	—		— <i>glandulifera</i> , n. sp.	—	XXVI.
<i>Triumfetta</i> , Plum., Endlicher	—		— <i>tanacetifolia</i> , n. sp.	147	
— <i>Bartramea</i> , Decandolle.	—		<i>VIOLARIEAE</i> , Decandolle	148	
— <i>rhomboidea</i> , Jacq.	—		<i>Violaeae</i> , Decandolle	—	
— <i>angulata</i> , Lam.?.	134		<i>Jonidium</i> , Venten.	—	
<i>Grewia</i> , Jussieu, Endlicher	—		— <i>hirtum</i> , n. sp.	—	
— <i>inaequilatera</i> , n. sp.	—				
— <i>lepidopetala</i> , n. sp.	135				
— <i>pilosa</i> , Lam.	—				

ÜBERSICHT DES INHALTS.

Seite	Tafel	Seite	Tafel
PEPONIFERAE, Endlicher 149			
Bearbeitet von Dr. Friedrich Klotzsch.			
CUCURBITACEAE, Jussieu —			
<i>Cucurbitae</i> , Endlicher —			
<i>Bryoniae</i> , Endlicher —			
<i>Citrullus</i> , Necker —			
— <i>vulgaris</i> , Schrader —			
<i>Momordica</i> , Linné —			
— <i>Charantia</i> , Linné —			
— <i>cardiospermoides</i> , n. sp. 150			
<i>Bryonia</i> , Linné —			
— <i>tenuis</i> , n. sp. —			
<i>Cucumis</i> , Linné 151			
— <i>africanus</i> , Linné fil. —			
<i>Cephalandra</i> , Schrader —			
— <i>Senensis</i> , n. sp. —			
NELUMBIA, Endlicher 152			
Bearbeitet von Dr. Friedrich Klotzsch.			
NYMPHAEACEAE, Salisbury —			
<i>Nupharinae</i> , Endlicher —			
<i>Nymphaea</i> , Necker —			
— <i>Cyanea</i> , Decandolle —			
— <i>Capensis</i> , Thunberg —			
— <i>Madagascariensis</i> , Decand. —			
— <i>Petersiana</i> , n. sp. —			
RHOEADES, Endlicher 154			
Bearbeitet von Dr. Friedrich Klotzsch.			
CAPPARIDEAE, Venten —			
<i>Cleomeae</i> , Decandolle —			
<i>Podocarpace</i> , Klotzsch —			
<i>Carpophorandreae</i> , Klotzsch —			
<i>Chilocalyx</i> , nov. gen. —			
— <i>tenuifolia</i> , n. sp. 155	XXVIII.		
— <i>macrophylla</i> , n. sp. —			
<i>Gynandropsis</i> , Decandolle 156			
— <i>pentaphylla</i> , Decand. —			
<i>Monadelphae</i> 157			
<i>Decastemon</i> , nov. gen. —			
— <i>hirtus</i> , n. sp. —			
— <i>zanzibanicus</i> , n. sp. 185			
<i>Sympyostemum</i> , nov. gen. 159			
— <i>strictus</i> , n. sp. —			
<i>Liberae</i> , Klotzsch 160			
<i>Dianthera</i> , nov. gen. —			
— <i>Petersiana</i> , n. sp. —			
<i>Anomalostemon</i> , nov. gen. 162			
— <i>Bororensis</i> , n. sp. —			
<i>Cappareae</i> , Decandolle 163			
<i>Thylachium</i> , Loureiro —			
DISCANTHAE, Endlicher 177			
Bearbeitet von Dr. Friedrich Klotzsch.			
SAXIFRAGACEAE, Decandolle —			
<i>Saxifrageae</i> , Decandolle —			
<i>Vahlia</i> , Thunberg —			
— <i>macrantha</i> , n. sp. —			
LORANTHACEAE, Lindley —			
<i>Loranthus</i> , Linné —			
<i>Thylachium</i> <i>Querimbense</i> , n. sp. 163			
— <i>verrucosum</i> , n. sp. 164			
<i>Boscia</i> , Lamarck —			
— <i>Mossambicensis</i> , n. sp. —			
<i>Streblocarpus</i> , W. Arnott 165			
— <i>scandens</i> , n. sp. —			
— <i>pubescens</i> , n. sp. 166			
<i>Physanthesum</i> , nov. gen. 167			
— <i>glaucum</i> , n. sp. —			
<i>Petersia</i> , nov. gen. 168			
— <i>rosea</i> , n. sp. —			
CRUCIFERAE, Adanson 169			
<i>Diplocoleobae</i> , Decandolle —			
<i>Senebiereae</i> , Meisner —			
<i>Senebiera</i> , Poiret —			
— <i>integrifolia</i> , Decandolle —			
PAPAVERACEAE, Jussieu —			
<i>Papaverae</i> , Endlicher —			
<i>Argemoneae</i> , Endlicher —			
— <i>mexicana</i> , Tournefort —			
POLYCARPICAES, Endlicher 170			
Bearbeitet von Dr. Friedrich Klotzsch.			
RANUNCULACEAE, Jussieu —			
<i>Clematis</i> , Linné —			
— <i>Flammula</i> , Decandolle —			
— <i>Petersiana</i> , n. sp. —			
MYRISTICEAE, R. Brown 171			
<i>Myristica</i> , Linné —			
— <i>officinalis</i> , Linné fil. —			
MENISPERMACEAE, Decandolle 172			
<i>Menispermeae</i> , Decandolle —			
— <i>Cocculus</i> , Decandolle —			
— <i>palmatus</i> , Decandolle —			
<i>Cissampelos</i> , Linné —			
— <i>macrostachya</i> , n. sp. —			
— <i>Senensis</i> , n. sp. 173			
— <i>hirta</i> , n. sp. 174			
CORNICULATAE, Endlicher 175			
Bearbeitet von Dr. Friedrich Klotzsch.			
SAXIFRAGACEAE, Decandolle —			
<i>Saxifrageae</i> , Decandolle —			
<i>Vahlia</i> , Thunberg —			
— <i>macrantha</i> , n. sp. —			

ÜBERSICHT DES INHALTS.

xv

	Seite	Tafel		Seite	Tafel
<i>Tapinanthus</i> , Blume	177		<i>Tecomaria</i> , Fenzl	192	
<i>Loranthus roseus</i> , n. sp.	—		— <i>Petersii</i> , n. sp.	—	
— <i>hirsutiflorus</i> , n. sp.	178		<i>Crescentineae</i> , Decandolle	195	
<i>AMPELIDEAE</i> , Kunth	179		<i>Crescentieae</i> , Bojer	—	
<i>Vitaceae</i> , Endlicher	—		<i>Kigelia</i> , Decandolle	—	
<i>Cissus</i> , Linné	—		— <i>pinnata</i> , Decandolle	—	
— <i>paucidentatus</i> , n. sp.	—		<i>ACANTHACEAE</i> , R. Brown	196	
— <i>Bororensis</i> , n. sp.	—		<i>Anechmatocantheae</i> , Nees ab Esenbeck	—	
<i>Vitis</i> , Linné	180		beck	—	
— <i>Mossambicensis</i> , n. sp.	—		<i>Thunbergiaeae</i> , Nees ab Esenbeck	—	
 PETALANTHAE, Endlicher	182		<i>Thunbergia</i> , Linné	—	
Bearbeitet von Dr. Friedrich Klotzsch.			— <i>chrysops</i> , Hooker	—	
<i>EBENACEAE</i> , Venten	—		— <i>alata</i> , Bojer	—	
<i>Diospyros</i> , Dalech	—		<i>Nelsoniaeae</i> , Nees ab Esenbeck	197	
— <i>Eudiospyros</i> , A. Decand.	—		<i>Elythraeae</i> , Vahl, Nees ab Esenbeck	—	
— <i>macrocalyx</i> , n. sp.	—		— <i>crenata</i> , Vahl	—	
— <i>Senensis</i> , n. sp.	183		<i>Echmatocantheae</i> , Nees ab Esenbeck	—	
— <i>squarrosa</i> , n. sp.	184		<i>Hygrophileae</i> , Nees ab Esenbeck	—	
— <i>bicolor</i> , n. sp.	—		<i>Nomaphila</i> , Blume	—	
<i>MYRSINEAE</i> , R. Brown	185		— <i>quadrangularis</i> , n. sp.	—	
<i>Ardisiacae</i> , Decandolle	—		— <i>glandulosa</i> , n. sp.	198	
<i>Myrsine</i> , Linné	—		<i>Ruelliaeae</i> , Nees ab Esenbeck	199	
— <i>Querimbensis</i> , n. sp.	—		<i>Asystasia</i> , Blume	—	
 PERSONATAE, Endlicher	187		— <i>podostachys</i> , n. sp.	—	
Bearbeitet von Dr. Friedrich Klotzsch.			— <i>subhastata</i> , n. sp.	200	
<i>SESAMEAE</i> , Decandolle	—		— <i>floribunda</i> , n. sp.	—	
<i>Eusesameae</i> , Decandolle	—		— <i>acuminata</i> , n. sp.	201	
<i>Sesamum</i> , Linné	—		— <i>pubescens</i> , n. sp.	202	
— <i>indicum</i> , Decandolle	—		— <i>scabrida</i> , n. sp.	—	
<i>Sesamopteris</i> , Endlicher	—		— <i>multiflora</i> , n. sp.	203	
— <i>alata</i> , Decandolle	—		— <i>Querimbensis</i> , n. sp.	204	
<i>Ceratotheca</i> , Endlicher	188		<i>Barleriaeae</i> , Nees ab Esenbeck	—	
— <i>sesamoides</i> , Endlicher	—		<i>Barleria</i> , Linné, Nees ab Esenbeck	—	
— — var. <i>melano-</i> <i>ptera</i> , Dec.	—		<i>Barleriae propriae</i> , Nees ab Esenbeck	—	
<i>Pedalineae</i> , R. Brown	—		— <i>rhynchocarpa</i> , n. sp.	—	
<i>Pretrea</i> , Gay	—		— <i>Querimbensis</i> , n. sp.	205	
— <i>zanguebarica</i> , Gay	—		<i>Fruticosae</i> , Nees ab Esenbeck	206	
— <i>loasaefolia</i> , n. sp.	—		— <i>consanguinea</i> , n. sp.	—	
— <i>artemisiaefolia</i> , n. sp.	189	XXXI.	— <i>squarrosa</i> , n. sp.	207	
— <i>seneciooides</i> , n. sp.	—		— <i>spinulosa</i> , n. sp.	208	
<i>Rogeria</i> , Gay	190		<i>Prionitis</i> , Nees ab Esenbeck	209	
— <i>microcarpa</i> , n. sp.	—		— <i>Prionitis</i> , Linné, var. <i>setosa</i>	—	
<i>BIGNONIACEAE</i> , R. Braun	191		— <i>Senensis</i> , n. sp.	—	
<i>Bignonieae</i> , Bojer	—		— <i>capitata</i> , n. sp.	210	
<i>Catalpeae</i> , Decandolle	—		<i>Asteracantha</i> , Nees ab Esenbeck	211	
<i>Spathodea</i> , Pal. Beauv.	—		— <i>auriculata</i> , Nees ab Esenbeck	—	
— <i>zanzibarica</i> , Bojer	—		<i>Acantheae</i> , Nees ab Esenbeck	—	
— <i>acuminata</i> , n. sp.	—		<i>Blepharis</i> , Jussieu	—	
— <i>puberula</i> , n. sp.	192		— <i>pungens</i> , n. sp.	—	
			— <i>acanthodiodoides</i> , n. sp.	212	XXXIII.
			<i>Aphelandreae</i> , Nees ab Esenbeck	213	
			<i>Crossandra</i> , Salisbury	—	

ÜBERSICHT DES INHALTS.

	Seite	Tafel		Seite	Tafel
<i>Crossandra pubescens</i> , n. sp.	213		TUBIFLORAE , Endlicher	231	
— <i>puberula</i> , n. sp.	214		Bearbeitet von Dr. Friedrich Klotzsch.		
<i>Gendarussae</i> , Nees ab Esenbeck	215		SOLANACEAE , Bartling	—	
<i>Adhatoda</i> , Nees ab Esenbeck	—		<i>Solanaceae</i> , Dunal	—	
<i>Amblyanthus</i> , Nees ab Esenb.	—		<i>Nicotianae</i> , Dunal	—	
— <i>formosissima</i> , n. sp.	—		<i>Nicotiana</i> , Tournefort	—	
<i>Tyloglossa</i> , Nees ab Esenb.	216		— <i>Tabacum</i> , Linné	—	
— <i>striata</i> , n. sp.	—		<i>Datureae</i> , G. Don.	—	
— <i>Mossambicensis</i> , n. sp.	217		<i>Datura</i> , Linné	—	
— <i>microphylla</i> , n. sp.	—		— <i>fastuosa</i> , Linné	—	
<i>Eranthemiæ</i> , Nees ab Esenbeck	218		<i>Eusolaneae</i> , Dunal	232	
<i>Rhinanthus</i> , Nees ab Esenbeck	—		<i>Solanineae</i> , Dunal.	—	
— <i>gracilis</i> , n. sp.	—		<i>Solanum</i> , Sendtner	—	
<i>Eranthemum</i> , Linné	219		<i>Leptostemonum</i> , Dunal	—	
— <i>Senense</i> , n. sp.	—		<i>Asterotrichotum</i> , Dunal	—	
<i>Diclipterae</i> , Nees ab Esenbeck	220		<i>Oliganthes</i> , Dunal	—	
<i>Blechum</i> , Browne	—		— <i>Adoense</i> , Hochstetter	—	
— <i>hamatum</i> , n. sp.	—		— <i>acanthocalyx</i> , n. sp.	—	
<i>Dicliptera</i> , Jussieu	—		— <i>duplicinutatum</i> , n. sp.	233	
— <i>Mossambicensis</i> , n. sp.	—		— <i>pharmacum</i> , n. sp.	234	
SCROPHULARIACEAE , Bentham	221		— <i>Mogenoplum</i> , Dunal	—	
<i>Antirrhinideæ</i> , Bentham	—		— <i>phoricum</i> , n. sp.	—	
<i>Escarobedieæ</i> , Bentham	—		— <i>Bojeri</i> , Dunal	235	
<i>Alectra</i> , Thunberg	—		— <i>β sinuato-repandum</i> , Dunal	—	
— <i>hirsuta</i> , n. sp.	—		— <i>Mossambicense</i> , n. sp.	—	
<i>Gratiolæ</i> , Bentham	222		— <i>tomentellum</i> , n. sp.	236	
<i>Manuleiae</i> , Bentham	—		— <i>Tettense</i> , n. sp.	237	
<i>Lyperia</i> , Bentham	—		— <i>Melongena</i> , Dunal	—	
— <i>micrantha</i> , n. sp.	—		— <i>esculentum</i> , Dunal	—	
— <i>pedicellata</i> , n. sp.	223		CONVOLVULACEAE , Venten.	238	
<i>Herpestes</i> , Gaertner fil.	—		<i>Argyreia</i> , Choisy	—	
— <i>Monnieria</i> , Hmb., Bpl., Kth.	—		<i>Rivea</i> , Choisy	—	
<i>Rhinanthideæ</i> , Bentham	224		— <i>tiliaeefolia</i> , Choisy	—	
<i>Buchnereæ</i> , Bentham	—		<i>Convolvuleæ</i> , Choisy	—	
<i>Buchnera</i> , Linné	—		<i>Batatas</i> , Rumph	—	
— <i>Mossambicensis</i> , n. sp.	—		— <i>edulis</i> , Choisy	—	
— <i>longifolia</i> , n. sp.	225		<i>Ipomoea</i> , Linné	—	
— <i>verbenoïdes</i> , n. sp.	226		— <i>Erpipomoea</i> , Choisy	—	
<i>Striga</i> , Loureiro	—		— <i>Pes caprae</i> , Choisy	—	
— <i>hirsuta</i> , Bentham	—		— <i>filicaulis</i> , Blume	239	
— <i>β humilis</i> , Bentham	227		— <i>Cephalanthae</i> , Choisy	—	
— <i>Forbesii</i> , Bentham	—		— <i>Pes tigridis</i> , Linné	—	
— <i>pubiflora</i> , n. sp.	—		— <i>Wightii</i> , Choisy	—	
— <i>orobanchoides</i> , Bentham	228		— <i>capitata</i> , Choisy	—	
<i>Rhamphicarpa</i> , Bentham	—		— <i>Multilobae</i> , Choisy	—	
— <i>serrata</i> , n. sp.	—		— <i>coptica</i> , Roth	—	
<i>Gerardieæ</i> , Bentham	229		— <i>β acuta</i> , Choisy	—	
<i>Sopubiae</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—	XXXVIII.
<i>Gerardianella</i> , nov. gen.	—		<i>Convolvulus</i> , Linné	241	
— <i>scopiformis</i> , n. sp.	—		— <i>Orthocaulos</i> , Don.	—	
<i>Sopubia</i> , Hamilton	230		— <i>involucellatus</i> , n. sp.	—	
— <i>ramosa</i> , Hochstetter	—		<i>Aniseia</i> , Choisy	—	
			— <i>medium</i> , Choisy	—	

ÜBERSICHT DES INHALTS.

xvii

	Seite	Tafel		Seite	Tafel
<i>Hewittia</i> , Robert Wight	242		VERBENACEAE , Jussieu	256	
— <i>bicolor</i> , R. Wight	—		<i>Verbeneae</i> , Conr. Schauer	—	
— <i>asarifolia</i> , n. sp.	—		<i>Lippia</i> , Linné	—	
— <i>hirta</i> , n. sp.	243		— <i>Zapania</i> , Schauer	—	
<i>Calycanthemum</i> , nov. gen.	—		— <i>asperifolia</i> , Richard	—	
— <i>leucanthemum</i> , n. sp.	244	XL.	— <i>nodiflora</i> , Richard, var. α	—	
<i>Prevostea</i> , Choisy	—		— <i>sarmentosa</i> , Schauer	—	
— <i>Mossambicensis</i> , n. sp.	—		Vitaceae , Bentham	257	
<i>Breweria</i> , R. Brown	245		<i>Clerodendron</i> , Linné	—	
— <i>malvacea</i> , n. sp.	—		— <i>Axilliflorae</i> , Bentham	—	
<i>Evolulus</i> , Linné	246		— <i>ovale</i> , n. sp.	—	
— <i>alsinoides</i> , Linné	—		— <i>Siphonanthus</i> , Benth., L.	—	
— <i>var. strictus</i> , n. var.	—		— <i>incisum</i> , n. sp.	—	
NUCULIFERAE , Endlicher 247					
Bearbeitet von Dr. Friedrich Klotzsch.					
BORRAGINEAE, Jussieu —					
<i>Cordieae</i> , Alph. Decandolle	—		— <i>stenanthum</i> , n. sp.	258	
<i>Cordia</i> , Plumier	—		— <i>Mossambicense</i> , n. sp.	259	
— <i>Myxa</i> , Endlicher, Decand.	—		— <i>robustum</i> , n. sp.	—	
— <i>quercifolia</i> , n. sp.	—	XLIII.	<i>Cyclonema</i> , Hochstetter	260	
<i>Ehretiaeae</i> , Alph. Decandolle	248		— <i>mucronatum</i> , n. sp.	—	
<i>Ehretia</i> , Linné	—		— <i>Tettense</i> , n. sp.	261	
— <i>Euehretia</i> , Alph. Decandolle	—		— <i>spinescens</i> , n. sp.	262	
— <i>amoena</i> , n. sp.	—	XLI.	— <i>discolor</i> , n. sp.	—	
— <i>Mossambicensis</i> , n. sp.	249	XLII.	<i>Premna</i> , Linné	263	
<i>Tournefortia</i> , Linné	250		— <i>Gumira</i> , Schauer, Hasskarl	—	
<i>Mallota</i> , Alph. Decandolle.	—		— <i>Senensis</i> , n. sp.	—	
— <i>argentea</i> , Linné fil.	—		Vitex , Linné	264	
<i>Messerschmidia</i> , A. Decand.	—		— <i>Chrysomallum</i>	—	
— <i>stenoracata</i> , n. sp.	—		— <i>Petersiana</i> , n. sp.	—	
<i>Heliotropaeae</i> , Endlicher	251		— <i>Tettensis</i> , n. sp.	—	
<i>Heliotropium</i> , Tournefort	—		— <i>dentata</i> , n. sp.	265	
— <i>Orthostachys</i> , A. Decand.	—		<i>Avicenniaeae</i> , Meissner	266	
— <i>longifolium</i> , n. sp.	—		<i>Avicennia</i> , Linné	—	
— <i>pygmaeum</i> , n. sp.	252		— <i>Upata</i> , Adanson	—	
— <i>Senense</i> , n. sp.	253		— <i>officinalis</i> , Linné	—	
— <i>coromandelianum</i> , Lehmann, var. β <i>ovalifolium</i> , Leh.	—				
<i>Heliotyphum</i> , Alph. Decandolle	254				
— <i>Tiaridium</i> , Decandolle	—				
— <i>Petersii</i> , n. sp.	—				
<i>Borageae</i> , Decandolle	—				
<i>Cynoglossae</i> , Decandolle	—				
<i>Cynoglossum</i> , Tournefort	—				
— <i>platyphyllum</i> , n. sp.	—				
<i>Trichodesma</i> , R. Brown	255				
— <i>Leiocaryon</i> , A. Decand.	—				
— <i>zeylanicum</i> , R. Brown	—				
<i>SELAGINACEAE</i> , Lindley	—				
<i>Selago</i> , Linné	—				
— <i>Macria</i> , E. Meyer	—				
— <i>lacunosa</i> , n. sp.	—				
Peters, Reise nach Mossambique. Botanik.					
				b	

ÜBERSICHT DES INHALTS.

	Seite	Tafel		Seite	Tafel																																																																																																																																																																																																																																																																																																							
ASCLEPIADACEAE , Lindley	272		CAPRIFOLIA , Endlicher	286																																																																																																																																																																																																																																																																																																								
<i>Stapeliae</i> , Decaisne	—		Bearbeitet von Dr. Friedrich Klotzsch.																																																																																																																																																																																																																																																																																																									
<i>Pergulariae</i> , Decaisne	—		<i>Dregea</i> , E. Meyer	—		RUBIACEAE , Jussieu	—		— <i>macrantha</i> , n. sp.	—		<i>Gymnema</i> , Decaisne	273		<i>Coffeaceae</i> , Endlicher	—		<i>Gymnema</i> , R. Brown	—		— <i>crenatum</i> , n. sp.	—		<i>Spermacoceae</i> , Cham. et Schlechtend.	—		<i>Asclepiadæe</i> , R. Brown	274		<i>Astephanæ</i> , Decaisne	—		<i>Pentanisia</i> , Harvey	—		<i>Astephanus</i> , R. Brown	—		— <i>recurvatus</i> , n. sp.	—		— <i>zanzibarica</i> , n. sp.	—		<i>Sarcostemmae</i> , Decaisne	—		<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287		— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—	
<i>Dregea</i> , E. Meyer	—		RUBIACEAE , Jussieu	—																																																																																																																																																																																																																																																																																																								
— <i>macrantha</i> , n. sp.	—		<i>Gymnema</i> , Decaisne	273		<i>Coffeaceae</i> , Endlicher	—		<i>Gymnema</i> , R. Brown	—		— <i>crenatum</i> , n. sp.	—		<i>Spermacoceae</i> , Cham. et Schlechtend.	—		<i>Asclepiadæe</i> , R. Brown	274		<i>Astephanæ</i> , Decaisne	—		<i>Pentanisia</i> , Harvey	—		<i>Astephanus</i> , R. Brown	—		— <i>recurvatus</i> , n. sp.	—		— <i>zanzibarica</i> , n. sp.	—		<i>Sarcostemmae</i> , Decaisne	—		<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287		— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—										
<i>Gymnema</i> , Decaisne	273		<i>Coffeaceae</i> , Endlicher	—																																																																																																																																																																																																																																																																																																								
<i>Gymnema</i> , R. Brown	—		— <i>crenatum</i> , n. sp.	—		<i>Spermacoceae</i> , Cham. et Schlechtend.	—		<i>Asclepiadæe</i> , R. Brown	274		<i>Astephanæ</i> , Decaisne	—		<i>Pentanisia</i> , Harvey	—		<i>Astephanus</i> , R. Brown	—		— <i>recurvatus</i> , n. sp.	—		— <i>zanzibarica</i> , n. sp.	—		<i>Sarcostemmae</i> , Decaisne	—		<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287		— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																			
— <i>crenatum</i> , n. sp.	—		<i>Spermacoceae</i> , Cham. et Schlechtend.	—																																																																																																																																																																																																																																																																																																								
<i>Asclepiadæe</i> , R. Brown	274		<i>Astephanæ</i> , Decaisne	—		<i>Pentanisia</i> , Harvey	—		<i>Astephanus</i> , R. Brown	—		— <i>recurvatus</i> , n. sp.	—		— <i>zanzibarica</i> , n. sp.	—		<i>Sarcostemmae</i> , Decaisne	—		<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287		— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																												
<i>Astephanæ</i> , Decaisne	—		<i>Pentanisia</i> , Harvey	—																																																																																																																																																																																																																																																																																																								
<i>Astephanus</i> , R. Brown	—		— <i>recurvatus</i> , n. sp.	—		— <i>zanzibarica</i> , n. sp.	—		<i>Sarcostemmae</i> , Decaisne	—		<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287		— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																					
— <i>recurvatus</i> , n. sp.	—		— <i>zanzibarica</i> , n. sp.	—																																																																																																																																																																																																																																																																																																								
<i>Sarcostemmae</i> , Decaisne	—		<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287		— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																														
<i>Daemia</i> , R. Brown	—		— <i>suffruticosa</i> , n. sp.	287																																																																																																																																																																																																																																																																																																								
— <i>barbata</i> , n. sp.	—		<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—		<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																							
<i>Asclepiadæ</i> , Decaisne	275		— <i>nervosa</i> , n. sp.	—																																																																																																																																																																																																																																																																																																								
<i>Gomphocarpus</i> , R. Brown	—		— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289		— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																
— <i>cymosa</i> , n. sp.	—		<i>Diodia</i> , Linné	289																																																																																																																																																																																																																																																																																																								
— <i>Eugomphocarpus</i> , Decaisne	—		— <i>Eudiodia</i> , Pyr. Decand.	—		— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																									
— <i>Eudiodia</i> , Pyr. Decand.	—																																																																																																																																																																																																																																																																																																											
— <i>fruticosus</i> , R. Brown.	—		— <i>Senensis</i> , n. sp.	—		— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																															
— <i>Senensis</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
— <i>nutans</i> , n. sp.	—		<i>Ixoreæ</i> , Bentham	—		— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																					
<i>Ixoreæ</i> , Bentham	—																																																																																																																																																																																																																																																																																																											
— <i>pauciflorus</i> , n. sp.	276		<i>Pavetta</i> , Linné	—		APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																											
<i>Pavetta</i> , Linné	—																																																																																																																																																																																																																																																																																																											
APOCYNACEAE , Lindley	—		— <i>incana</i> , n. sp.	—		<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																	
— <i>incana</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
<i>Echiteæ</i> , G. Don	—		— <i>gracilis</i> , n. sp.	290		<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																							
— <i>gracilis</i> , n. sp.	290																																																																																																																																																																																																																																																																																																											
<i>Strophanthus</i> , Decandolle	—		<i>Coffea</i> , Linné	291		— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																													
<i>Coffea</i> , Linné	291																																																																																																																																																																																																																																																																																																											
— <i>Petersianus</i> , n. sp.	—		— <i>arabica</i> , Linné	—		<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																			
— <i>arabica</i> , Linné	—																																																																																																																																																																																																																																																																																																											
<i>Holarrhena</i> , R. Brown	277		<i>Vanguieræ</i> , Bentham	—		— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																									
<i>Vanguieræ</i> , Bentham	—																																																																																																																																																																																																																																																																																																											
— <i>Alepis</i> , Alph. Decand.	—		<i>Canthium</i> , Lam.	—		— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																															
<i>Canthium</i> , Lam.	—																																																																																																																																																																																																																																																																																																											
— <i>febrifuga</i> , n. sp.	—		— <i>zanzibaricum</i> , n. sp.	—		— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																					
— <i>zanzibaricum</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
— <i>Tettensis</i> , n. sp.	278		<i>Psychotriæ</i> , Bentham	292		— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																											
<i>Psychotriæ</i> , Bentham	292																																																																																																																																																																																																																																																																																																											
— <i>glabra</i> , n. sp.	279		<i>Dirichletia</i> , nov. gen.	—		<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																	
<i>Dirichletia</i> , nov. gen.	—																																																																																																																																																																																																																																																																																																											
<i>Alstonieæ</i> , G. Don	—		— <i>glabra</i> , n. sp.	—	XLVII.		<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																							
— <i>glabra</i> , n. sp.	—	XLVII.																																																																																																																																																																																																																																																																																																										
<i>Adenium</i> , Roemer et Schultes	—		— <i>pubescens</i> , n. sp.	—	XLVIII.		— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																														
— <i>pubescens</i> , n. sp.	—	XLVIII.																																																																																																																																																																																																																																																																																																										
— <i>multiformum</i> , n. sp.	—		CINCHONEAE , Bentham	—		<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																					
CINCHONEAE , Bentham	—																																																																																																																																																																																																																																																																																																											
<i>Plumerieæ</i> , Alph. Decandolle	280		<i>Randia</i> , Bentham	—		<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																											
<i>Randia</i> , Bentham	—																																																																																																																																																																																																																																																																																																											
<i>Tabernaemontana</i> , Plum.	—		— <i>Oxyanthus</i> , Decandolle	—		— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																	
— <i>Oxyanthus</i> , Decandolle	—																																																																																																																																																																																																																																																																																																											
— <i>laurifolia</i> , Linné	—		— <i>Querimbensis</i> , n. sp.	—		<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																							
— <i>Querimbensis</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
<i>Vinca</i> , Linné	281		<i>Rosea</i> , nov. gen.	293		— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																													
<i>Rosea</i> , nov. gen.	293																																																																																																																																																																																																																																																																																																											
— <i>rosea</i> , Linné	—		— <i>jasminiflora</i> , n. sp.	—	XLV.		<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																			
— <i>jasminiflora</i> , n. sp.	—	XLV.																																																																																																																																																																																																																																																																																																										
<i>Willughbeiae</i> , Alph. Decandolle	—		— <i>crassifolia</i> , n. sp.	—	XLVI.		<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																										
— <i>crassifolia</i> , n. sp.	—	XLVI.																																																																																																																																																																																																																																																																																																										
<i>Willughbeia</i> , Roxbg.	—		<i>Hedysateæ</i> , Bentham	—		— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																	
<i>Hedysateæ</i> , Bentham	—																																																																																																																																																																																																																																																																																																											
— <i>Petersiana</i> , n. sp.	—		<i>Pentodon</i> , Hochstetter	—		— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																							
<i>Pentodon</i> , Hochstetter	—																																																																																																																																																																																																																																																																																																											
— <i>Senensis</i> , n. sp.	282		— <i>decumbens</i> , Hochstetter	—		— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																													
— <i>decumbens</i> , Hochstetter	—																																																																																																																																																																																																																																																																																																											
— <i>cordata</i> , n. sp.	283		<i>Agathisanthemum</i> , nov. gen.	294		JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																			
<i>Agathisanthemum</i> , nov. gen.	294																																																																																																																																																																																																																																																																																																											
JASMINACEAE , Lindley	—		— <i>Bojeri</i> , n. sp.	—		<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																									
— <i>Bojeri</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
<i>Jasminum</i> , Tournefort	—		— <i>Petersii</i> , n. sp.	295		— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																															
— <i>Petersii</i> , n. sp.	295																																																																																																																																																																																																																																																																																																											
— <i>Zanzibariense</i> , Bojer	—		<i>Oldenlandia</i> , Linné	296		— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																					
<i>Oldenlandia</i> , Linné	296																																																																																																																																																																																																																																																																																																											
— <i>Tettense</i> , n. sp.	284		— <i>capensis</i> , Thunberg	—		— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																											
— <i>capensis</i> , Thunberg	—																																																																																																																																																																																																																																																																																																											
— <i>grandiflorum</i> , Linné	—		— <i>corymbosa</i> , Linné	—		LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																	
— <i>corymbosa</i> , Linné	—																																																																																																																																																																																																																																																																																																											
LOGANIACEAE , Endlicher	285		<i>Kohautia</i> , Chamisso et Schlechtendal	—		<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																							
<i>Kohautia</i> , Chamisso et Schlechtendal	—																																																																																																																																																																																																																																																																																																											
<i>Euloganiæ</i> , Endlicher	—		— <i>lasiocarpa</i> , n. sp.	—		<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																													
— <i>lasiocarpa</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
<i>Geniostoma</i> , Forster	—		— <i>macrophylla</i> , n. sp.	297		— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																																			
— <i>macrophylla</i> , n. sp.	297																																																																																																																																																																																																																																																																																																											
— <i>ovatum</i> , Bojer	—		— <i>longifolia</i> , n. sp.	—		CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																																									
— <i>longifolia</i> , n. sp.	—																																																																																																																																																																																																																																																																																																											
CAMPANULINAE , Endlicher	299		Bearbeitet von Dr. Friedrich Klotzsch.			LOBELIACEAE , Jussieu	—		<i>Lobeliæ</i> , Presl	—		<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																																															
Bearbeitet von Dr. Friedrich Klotzsch.																																																																																																																																																																																																																																																																																																												
LOBELIACEAE , Jussieu	—																																																																																																																																																																																																																																																																																																											
<i>Lobeliæ</i> , Presl	—																																																																																																																																																																																																																																																																																																											
<i>Lobelia</i> , Linné	—																																																																																																																																																																																																																																																																																																											

ÜBERSICHT DES INHALTS.

XIX

	Seite	Tafel		Seite	Tafel
<i>Rapantium</i> , Presl	299		<i>Ageratum</i> , Linné	368	
<i>Lobelia Pterocaulon</i> , n. sp.	—		<i>Euageratum</i> , de Candolle	—	
— <i>subulata</i> , n. sp.	300		— <i>conyzoides</i> , Linné	—	
— <i>asperulata</i> , n. sp.	—		<i>Adenostyleae</i> , de Candolle	377	
— <i>humilis</i> , n. sp.	301		<i>Mikania</i> , Willd.	—	
— <i>Petersiana</i> , n. sp.	302		— <i>mossambicensis</i> , n. sp.	—	
— <i>lavendulacea</i> , n. sp.	—		<i>Asteroideae</i> , Lessing	381	
CAMPANULACEAE, Pyr. Decand.			<i>Asterineae</i> , Nees ab Esenbeck	—	
et Duby	303		<i>Chrysocomeae</i> , de Candolle	—	
<i>Wahlenbergiaeae</i> , Endlicher	—		<i>Psiadieae</i> , de Candolle	—	
<i>Wahlenbergia</i> , Schrader	—		<i>Psiadia</i> , Jacquin	—	
— <i>Aikiniae</i>	—		— <i>dodonaeefolia</i> , n. sp.	385	
— <i>Inhambanensis</i> , n. sp.	—		<i>Nidorella</i> , Cassini	394	
AGGREGATAE, Endlicher	305		— <i>Eunidorella</i>	400	
Bearbeitet von Dr. Joachim Steetz.			— <i>membranifolia</i> , n. sp.	—	
COMPOSITAE, Vaill.	—		— <i>microcephala</i> , n. sp.	406	
Conspectus generum	316—319		<i>Baccharideae</i> , de Candolle	407	
<i>Vernoniaeae</i> , Lessing, de Candolle	320		<i>Conyzae</i> , de Candolle	—	
<i>Vernonieae</i> , de Candolle	—		<i>Sphaeranthae</i> , de Candolle	—	
<i>Euvernonieae</i> , de Candolle	—		<i>Sphaeranthus</i> , Vaillant	—	
<i>Ethulieae</i> , de Candolle	—		— <i>Polylepis</i> , Cassini	418	
<i>Ethulia</i> , Cassini	—		— <i>senegalensis</i> , de Cand.	—	
— <i>angustifolia</i> , Bojer	—		— <i>mossambicensis</i> , n. sp.	421	
<i>Heterocomeae</i> , de Candolle	324		<i>Grangeineae</i> , de Candolle	423	
<i>Vernonia</i> , Schreber	—		<i>Grangea</i> , Adanson	—	
— <i>physalifolia</i> , de Candolle	326		— <i>maderaspatana</i> , Poiret	424	
var. β <i>glabrescens</i> , de Cand.	—		<i>Berthelotiaeae</i> , Steetz	425	
— <i>cinerosa</i> , Lessing	328		Conspectus generum	426	
— <i>zanzibarensis</i> , Lessing	329		<i>Adelostigma</i> , nov. gen.	428	
<i>Gymnanthomum</i> , Cassini	330		— <i>athrixioides</i> , n. sp.	430	
— <i>cupulare</i> , Cassini	333		<i>Euconyzeae</i> , de Candolle	431	
— <i>quercfolium</i> , n. sp.	334		<i>Conyzza</i> , Lessing	—	
<i>Gongrothamnus</i> , nov. gen.	336		— spec.	433	
— <i>divaricatus</i> , n. sp.	342		<i>Tarchonanthaeae</i> , de Candolle	—	
<i>Crystalllopollinaeae</i> , Steetz	347		<i>Plucheineae</i> , Cassini	—	
<i>Gutenbergiaeae</i> , Steetz	—		<i>Blumea</i> , de Candolle	435	
<i>Gutenbergia</i> , C. H. Schultz, Bip.	—		— <i>aurita</i> , de Candolle	436	
— <i>Petersii</i> , n. sp.	348		<i>Pluchea</i> , Cassini	440	
— <i>longipes</i> , n. sp.	349		— <i>Kraussii</i> , Schultz, Bip.	442	
<i>Xipholepidaeae</i> , Steetz	351		<i>Epaltes</i> , Cassini	447	
<i>Linzia</i> , C. H. Schultz, Bip.	—		— <i>umbelliformis</i> , n. sp.	452	XLIX.
— <i>glabra</i> , n. sp.	353		<i>Ecliptae</i> , Lessing	459	
<i>Ascaricidaeae</i> , Steetz	356		<i>Eclipta</i> , Linné	462	
<i>Ascaricida</i> , Cassini	—		— <i>erecta</i> , Linné, de Candolle	463	
— <i>mossambicensis</i> , n. sp.	358		<i>Senacionideae</i> , Lessing	465	
<i>Eucriollopollinaeae</i> , Steetz	363		<i>Heliantheae</i> , Lessing	—	
<i>Crystallopollen</i> , nov. gen.	—		<i>Heliopsideae</i> , de Candolle	—	
— <i>latifolium</i> , n. sp.	364	XLVIII a.	<i>Lipotrichae</i> , Rob. Brown	—	
— <i>angustifolium</i> , n. sp.	366		— <i>Brownei</i> , de Candolle	469	
<i>Eupatoriaceae</i> , Lessing	368		<i>Menotrichae</i> , nov. gen.	472	
<i>Eupatorieae</i> , de Candolle	—		— <i>strigosa</i> , n. sp.	475	
<i>Agerateae</i> , Lessing	—		<i>Wollastonieae</i> , de Candolle	476	
			— <i>scabriuscula</i> , de Cand.	479	
			<i>Coreopsideae</i> , de Candolle	481	

b *

ÜBERSICHT DES INHALTS.

	Seite	Tafel		Seite	Tafel
<i>Wirtgenia</i> , Schultz, Bip.	481		<i>Amarantus tristis</i> , Linné	504	
— <i>Kotschy</i> , Hochstetter	490		<i>Celosieae</i> , Endlicher	—	
<i>Coreopsis</i> , Linné	493		<i>Celosia</i> , Linné	—	
— <i>Steppia</i> , n. sp.	496		— <i>trigyna</i> , Linné	—	
<i>Togetinaeae</i> , Cassini	498				
<i>Hypericophyllum</i> , nov. gen.	—		JULIFLORAE , Endlicher	505	
— <i>Compositarum</i> , n. sp.	499	L.	Bearbeitet von Dr. August Gärcke.		
MELAMPODINEAE , de Candolle	—		CANNABINEAE , Endlicher	—	
Bearbeitet von Dr. A. Gärcke.			<i>Cannabis</i> , Tournefort	—	
<i>Ambrosiaeae</i> , de Candolle	—		— <i>sativa</i> , Linné	—	
<i>Ambrosia</i> , Tournefort	—		CASUARINEAE , Mirbel	—	
— <i>senegalensis</i> , de Candolle	—		<i>Casuarina</i> , Rumph	—	
<i>Cynareae</i> , Lessing	—		— <i>equisetifolia</i> , Forster	—	
<i>Carlineae</i> , Cassini	—				
<i>Pleiotaxis</i> , nov. gen.	—	LI.	AQUATICAES , Endlicher	506	
— <i>pulcherrima</i> , n. sp.	500		Bearbeitet von Prof. A. Braun.		
SERPENTARIAE , Endlicher	501		PODOSTEMACEAE , Richard	—	
Bearbeitet von Dr. Friedrich Klotzsch.			<i>Hydrostachys</i> , Thouars	—	
<i>ARISTOLOCHIEAE</i> , Jussieu	—		— <i>polymorpha</i> , n. sp.	—	LII. LIII.
<i>Aristolochia</i> , Tournefort	—				
— <i>Petersiana</i> , n. sp.	—		PRINCIPES , Endlicher	507	
OLERACEAE , Endlicher	502		Bearbeitet von Dr. August Gärcke.		
Bearbeitet von Dr. August Gärcke.			PALMAE , Linné	—	
<i>NYCTAGINEAE</i> , Jussieu	—		<i>Phoenix</i> , Linné	—	
<i>Boerhaavia</i> , Linné	—		— <i>dactylifera</i> , Linné	—	
— <i>diffusa</i> , Linné	—		<i>Hyphaea</i> , Gaertner	—	
<i>Mirabilis</i> , Linné	—		— <i>natalensis</i> , Kunze	—	
— <i>Jalapa</i> , Linné	—		— <i>Petersiana</i> , n. sp.	508	
POLYGONAEAE , Jussieu	—				
<i>Polygonum</i> , Linné	—		SPADICIFLORAE , Endlicher	509	
— <i>herniaroides</i> , Del	—		Bearbeitet von Dr. August Gärcke.		
— <i>nodosum</i> , Persoon	503		AROIDAE , Jussieu	—	
— <i>adenophyllum</i> , Cham. et Schldl. .	—		<i>Hydrosme</i> , nov. gen.	—	
— <i>serratulum</i> , Lag.	—		— <i>mossambicensis</i> , n. sp.	—	LVI.
AMARANTACEAE , R. Brown	—		<i>Pistia</i> , Linné	—	
<i>Gomphrenaeae</i> , Endlicher	—		— <i>natalensis</i> , Klotzsch?	—	
<i>Alternanthera</i> , Forsk.	—		(<i>Freycinetia</i> spec.)	510	
— <i>sessilis</i> , R. Brown	—				
<i>Achyrantheae</i> , Endlicher	—		FLUVIALES , Endlicher	511	
<i>Aerva</i> , Endlicher	—		Bearbeitet von Dr. August Gärcke.		
<i>Achyranthes</i> , Linné	—		NAJADEAE , A. Richard	—	
— <i>aspera</i> , Linné	—		<i>Potamogeton</i> , Tournefort	—	
<i>Aerva</i> , Forsk.	504		— <i>pectinatus</i> , Linné	—	
— <i>lanata</i> , Jussieu	—				
— <i>javanica</i> , Jussieu	—		GYNANDRAE , Endlicher	512	
<i>Desmochaeaeae</i> , Endlicher	—		Bearbeitet von H. G. Reichenbach fil.		
<i>Pupalia</i> , Jussieu	—		ORCHIDES , Jussieu	—	
— <i>lappacea</i> , Moquin	—		<i>Ophrydeae</i> , Lindley	—	
<i>Amaranteae</i> , Endlicher	—				
<i>Amarantus</i> , Linné	—				

ÜBERSICHT DES INHALTS.

xxi

	Seite	Tafel		Seite	Tafel
<i>Disa</i> , Berg	512		GLUMACEAE , Endlicher	534	
— <i>polygonoides</i> , Lindley	—		CYPERACEAE , Jussieu	—	
<i>Vandeae</i> , Lindley	513		Bearbeitet von O. Böckeler.		
<i>Lissochilus</i> , R. Brown	—		<i>Cypereae</i> , Kunth	—	
— <i>calopterus</i> , n. sp.	—		<i>Kyllingia</i> , Rottböll	—	
<i>Galeandra</i> , Lindley	—		— <i>crassipes</i> , n. sp.	—	
— <i>anjoanensis</i> , n. sp.	—		— <i>triceps</i> , Rottböll	535	
— <i>Petersii</i> , n. sp.	514		<i>Cyperus</i> , Linné	—	
ENSATAE , Endlicher	515		— <i>Pycreus</i> , Beauv.	—	
Bearbeitet von Dr. F. W. Klatt.			— <i>polystachyos</i> , Rottböll	—	
IRIDEAE , Jussieu	—		— <i>tremulus</i> , Poir.	—	
<i>Gladiolae</i> , Klatt	—		— <i>Eucyperus</i>	—	
<i>Gladiolus</i> , Linné	—		— <i>aureus</i> , Humb. et Kunth	—	
— <i>luteolus</i> , n. sp.	—		— <i>Petersianus</i> , n. sp.	537	
<i>Crocosma</i> , Planchon	516		— <i>aequalis</i> , Vahl	538	
— <i>aurea</i> , Planchon	—	LVII.	— <i>maritimus</i> , Poir.	539	
<i>Ovieda</i> , Sprengel	—		— <i>articulatus</i> , Linné.	—	
— <i>erythrantha</i> , n. sp.	—	LVIII.	— <i>maculatus</i> , n. sp.	—	
CORONARIAE , Endlicher	518		— <i>chlorostachys</i> , n. sp.	540	
Bearbeitet von Dr. August Gärcke.			— <i>hemisphaericus</i> , n. sp.	541	
SMILACEAE , R. Brown	—		— <i>Papyrus</i> , Linné	—	LIX.
<i>Smilax</i> , Tournefort	—		— <i>racemosus</i> , Retz	—	
— <i>mossambicensis</i> , n. sp.	—		— <i>rhiphiostachys</i> , Humb., Bpl.	—	
LILIACEAE , de Candolle	519		— <i>radiatus</i> , Vahl	542	
<i>Tulipaceae</i> , Endlicher	—		— <i>latifolius</i> , Poir.	543	
<i>Melhonica</i> , Hermann	—		— <i>Kyllingioides</i> , Vahl	—	
— <i>Petersiana</i> , n. sp.	—	LIV.	<i>Scirpeae</i> , Kunth	544	
— <i>platyphylla</i> , n. sp.	520	LV.	<i>Isolepis</i> , Brown	—	
Asparagaceae , Endlicher			— <i>pentasticha</i> , n. sp.	—	
Bearbeitet von Prof. C. S. Kunth.			<i>Fimbristylis</i> , Kunth	—	
<i>Asparagus</i> , Linné	—		— <i>dichotoma</i> , Vahl	—	
— <i>mozambicus</i> , n. sp.	—		— <i>ferruginea</i> , Vahl	—	
— <i>Petersianus</i> , n. sp.	—		— <i>hispidula</i> , Kunth	545	
<i>Asparagopsis</i> , Kunth	521		<i>Fairena</i> , Rottböll	—	
— <i>scoparia</i> , n. sp.	—		— <i>glomerata</i> , Lam.	—	
ENANTIOBLASTAE , Endlicher	522		— <i>umbellata</i> , Rottböll	—	
Bearbeitet von Dr. J. K. Hasskarl.			GRAMINEAE , Jussieu	546	
COMMELINACEAE , Barth.	—		Bearbeitet von Dr. N. J. Andersson.		
<i>Commelinac</i> , Linné	—		<i>Olyreae</i> , Nees ab Esenbeck	—	
— <i>Petersii</i> , n. sp.	—		<i>Zea</i> , Linné	—	
— <i>braceosa</i> , n. sp.	524		— <i>Mays</i> , Linné	—	
— <i>Forskalei</i> , Vahl	526		<i>Panicaceae</i> , Kunth	—	
— <i>falcata</i> , n. sp.	527		<i>Panicum</i> , Linné	—	
— <i>benghalensis</i> , Linné	528		— <i>jumentorum</i> , Linné	—	
— <i>angustifolia</i> , Michaux	—		— <i>infestum</i> , n. sp.	—	
<i>Lamprodithyros</i> , nov. gen.	529		— <i>Reinarioides</i> , n. sp.	547	
— <i>Petersii</i> , n. sp.	—		— <i>cristatum</i> , n. sp.	548	
— <i>Tucazzeanus</i> , Hassk.	531		— <i>(Digitaria) argyrotrichum</i> , n. sp.	—	
Peters, Reise nach Mossambique. Botanik.			— <i>repens</i> , Linné	549	
			<i>Stenotaphrum</i> , Trinius	—	
			— <i>Swartzianum</i> , N. ab Esenb.	—	
			<i>Echinochloa</i> , Palisot de Beauvois	—	

ÜBERSICHT DES INHALTS.

	Seite	Tafel		Seite
<i>Echinochloa divaricata</i> , n. sp.	549		<i>Centotheca</i> , Desvaux	560
<i>Setaria</i> , Pal. de Beauv.	550		— <i>parviflora</i> , n. sp.	—
— <i>verticillata</i> , Beauvois	—		<i>Andropogoneae</i> , Kunth	561
— <i>italica</i> , Kunth	—		<i>Perotis</i> , Aiton	—
— <i>macrophylla</i> , n. sp.	—		— <i>latifolia</i> , Aiton	—
<i>Gymnothrix</i> , Pal. de Beauv.	552		<i>Tricholaena</i> , Schrader	—
— <i>nitens</i> , n. sp.	—		— <i>rosea</i> , Nees ab Esenbeck	—
<i>Pennisetum</i> , Richard	—		<i>Anthistiria</i> , Linné	562
— <i>purpurascens</i> , Hmb. et Kth.	—		— <i>ciliata</i> , Retz	—
<i>Penicillaria</i> , Swartz	553		— <i>latifolia</i> , n. sp.	—
— <i>spicata</i> , Willdenow	—		<i>Andropogon</i> , Linné	—
— <i>deflexa</i> , n. sp.	—	LX.	— <i>Iwarancusa</i> , N. ab Esenb.	—
<i>Cenchrus</i> , Linné	—		— <i>Gayanus</i> , Kunth	563
— (<i>echinatus</i> *) <i>annularis</i> , n. sp.	—		— spec.	—
— <i>mitis</i> , n. sp.	—		<i>Heteropogon</i> , Persoon	—
<i>Arundinaceae</i> , Kunth	555		— <i>polystachys</i> , R. S.	—
<i>Phragmites</i> , Trinius	—		<i>Sorghum</i> , Persoon	—
— (<i>communis</i> *) <i>mossambicensis</i> , n. sp.	—		— <i>vulgare</i> , Persoon	—
<i>Chlorideae</i> , Kunth	—		— (<i>fuscum</i> *) <i>versicolor</i> , n. sp.	—
<i>Dactyloctenium</i> , Willdenow	—			
— <i>muconatum</i> , Willd.	—		 MUSCI, Dillon	565
<i>Chloris</i> , Swartz	556		Bearbeitet von Dr. Carl Müller.	
— <i>pycnothrix</i> , Trinius	—		<i>PLEUROCARPI</i> , C. Müller	—
— <i>compressa</i> , de Candolle	—		<i>Hypnoideae</i> , C. Müller	—
— (<i>alba</i> Presl*) <i>brachystachys</i> , n. sp.	—		<i>Neckera</i> , Hedwig	—
— <i>glabrata</i> , n. sp.	557		— <i>pseudo-imbricata</i> , n. sp.	—
<i>Leptochloa</i> , Pal. de Beauv.	—		<i>Pilotrichum</i> , Pal. de Beauv.	—
— <i>plumosa</i> , n. sp.	—		— <i>stoloniferum</i> , n. sp.	—
<i>Eleusine</i> , Gaertner	558		<i>Polyporus xanthopus</i> , Fr.	566
— <i>Coracana</i> , Gaertner	—		— <i>zonatus</i> , Fr.	—
<i>Festucaceae</i> , Kunth	—		<i>Trametes hydnoides</i> Fr.	—
<i>Eragrostis</i> , Pal. de Beauv.	—		<i>Sirophysalis trinoidea</i> Kütz.	—
— <i>ciliaris</i> , Linné	—		<i>Chara coronata</i> var. <i>Petersii</i>	—
— (<i>Namaquensis</i> Nees*) <i>depauperata</i> , n. sp.	559		<i>Roccella fuciformis</i> DC.	—
— <i>strigosa</i> , n. sp.	—		Erklärung der Tafeln	567
— <i>Chapelierii</i> , Nees ab Esenb.	560		Corrigenda	576
			Alphabetisches Verzeichniß	577