

## INDEX.

**ABIES**, ii. 162  
 balsamea, ii. 163  
 canadensis, ii. 163, 176  
 excelsa, ii. 163  
 nigra, ii. 163  
 pectinata, ii. 163  
 picea, ii. 163  
**Abietic acid**, ii. 166  
**Abietin**, ii. 166  
**Abietis cerevisia**, ii. 184  
 communis, ii. 166  
 essentia, ii. 184  
 resina, ii. 166  
**Abortifacient ergotætia**, ii. 44  
**Abortiva seu acceleratores partus**, i. 206  
**Absinthic acid**, ii. 395  
**Absinthium**, ii. 394  
**Absinthium**, ii. 394  
 Absorption by the lacteals and lymphatics, i. 127  
 by the veins, i. 126  
 essential to the remote effects, i. 128  
 of medicines, i. 124  
 mechanism of, i. 128  
 vessels effecting, i. 126  
**Abuta root**, ii. 730  
**Acacia**, ii. 567  
 arabica, ii. 568  
 catechu, ii. 573  
 Egyptian, ii. 568  
 Ehrenbergii, ii. 568  
 gum, ii. 569  
 gummifera, ii. 568  
 karoo, ii. 568  
 nilotica, ii. 568  
 Senegal, ii. 568  
 Seyal, ii. 568  
 tortilis, ii. 568  
 vera, ii. 568  
 verek, ii. 568  
 white, ii. 568  
**Acarus scabiei**, i. 400  
**Acetate of ammonia**, solution of, i. 293  
 copper, i. 646  
 iron, i. 711  
     tincture of, i. 711  
     tincture of, with alcohol, i. 711  
 lead, i. 663  
     and opium pills, i. 666  
 mercury, i. 636

**Acetate of morphia**, ii. 719  
 potash, i. 447  
 soda, i. 476  
 zinc, i. 578  
     tincture of, i. 679  
**Acetated ceruse**, i. 663  
**Acetates**, i. 350  
**Acetic acid**, i. 343  
     camphorated, i. 356  
     glacial, i. 349  
**Acetica**, i. 356  
**Acetification**, theory of, i. 346  
**Acetometry**, i. 351  
**Acetone**, i. 351  
**Acetosæ folia**, ii. 273  
**Acetosella**, ii. 630  
**Acetum**, i. 344  
     aromaticum, i. 355  
     britannicum, i. 344  
     cantharidis, ii. 779  
     (cormi) colchici, ii. 91  
     destillatum, ii. 354  
     gallicum, i. 345  
     opii, ii. 715  
     quatuor furum, i. 355  
     scille, ii. 118  
     vini, i. 345  
**Acid, abietic**, ii. 166  
**absinthic**, ii. 395  
**acetic**, i. 343  
**aconitic**, i. 358, ii. 741  
**aerial**, i. 301  
**aloetic**, ii. 109  
**anchusitic**, ii. 327  
**anhydrous or dry nitric**, i. 267  
     sulphuric, i. 404  
     hydrocyanic, i. 377  
**aromatic acetic**, i. 355  
     sulphuric, i. 401  
**arsenious**, i. 520  
**aspartic**, ii. 658  
**atropic**, ii. 303  
**auric**, i. 569  
**benzoic**, i. 363, ii. 379  
**boletic**, ii. 44  
**boracic**, i. 388  
**caffie**, ii. 462  
     camphorated acetic, i. 356  
**camphoric**, ii. 245  
**carbonic**, i. 300  
**carthamic**, ii. 401  
**caryophyllic**, ii. 518  
**catechu**, ii. 459, 576  
**ceric**, ii. 787

**Acid, cevadic**, ii. 98  
**chlorohydric**, i. 256  
**cinnamic or cinnamonic**, ii. 239, 555  
**citric**, i. 356  
**clove**, ii. 515  
**colophonic**, ii. 174  
**coniic**, ii. 490  
**copaivic**, ii. 595  
**erotic**, ii. 215  
**diluted muriatic**, i. 262  
     nitric, i. 269  
     sulphuric, i. 409  
**dulcified marine**, i. 342  
**elaiodic**, ii. 223  
**ellagic**, i. 193  
**emulsic**, i. 527  
**English sulphuric**, i. 405  
**erythroleic**, ii. 43  
**esculic**, ii. 127  
**ethereo-sulphuric of Liebig**, i. 329  
**eugenic**, ii. 518  
**fuming sulphuric**, i. 404  
**fungic**, ii. 44  
**gallic**, i. 190, ii. 192  
**gambogic or gambodiac**, ii. 641  
     gaseous hydrochloric, i. 256  
     glacial acetic, i. 349  
         phosphoric, i. 304  
**guaiacic**, ii. 626  
**hemidesmic**, ii. 346  
**hydriodic**, i. 262  
**hydrochloric**, i. 256  
**hydrocyanic**, i. 374  
     diluted, i. 378  
**hydrous prussic**, i. 374  
**hydrosulphoceanic**, ii. 688  
**hydrosulphuric**, i. 412  
**hyponitromeconic**, ii. 687  
**hypopicrotoxic**, ii. 728  
**igasuric**, ii. 350  
**jalapic**, ii. 335  
**japonic**, ii. 459  
**kinic or quinic**, ii. 428  
**kinovic**, ii. 428  
**komenic**, ii. 688  
**krameric**, ii. 667  
**lactic**, ii. 812  
**lactucic**, ii. 405  
**lichenic**, ii. 39  
**liquid hydrochloric**, i. 258  
     oxymuriatic, i. 217

Acid, lobelie?, ii. 386  
 margarie, i. 478  
 margaritic, ii. 225  
 marine, i. 256  
 mastichic, ii. 602  
 mechloic, ii. 687  
 meconic, ii. 690  
 medicinal hydrocyanic, i.  
 378  
 mellitic, i. 356  
 menispermic, ii. 728  
 metagallie, ii. 192  
 metaphosphoric, i. 394  
 muriatic, i. 256  
 myronic, ii. 673  
 myrrhic, ii. 607  
 native boracic, i. 389  
 nitric, i. 264  
 diluted, i. 269  
 liquid, i. 266  
 nitro-hydrochloric, i. 270  
 muriatic, i. 270  
 nitrous, i. 265  
 Nordhausen or fuming  
 sulphuric, i. 404  
 oenanthic, i. 312  
 oenanthylie, ii. 225  
 of amber, i. 373  
 of lemons, concrete, i. 355  
 oleic, i. 478  
 oxalic, i. 306  
 paralinic, ii. 127  
 pectic, ii. 487  
 phosphoric, i. 394  
 picrotoxic, ii. 728  
 pimentic, ii. 520  
 pinic, ii. 174  
 polygalic, ii. 664  
 prussic, i. 374  
 pyro-gallic, ii. 192  
 quinacic, ii. 626  
 ligneous, i. 346  
 meconic, ii. 688  
 phosphoric, i. 394  
 tartarie, i. 361  
 pyruvic, i. 361  
 rhabarberic, ii. 268  
 ricinic, ii. 224, 225  
 roccellie, ii. 41  
 rubinic, ii. 459  
 sabadilic, ii. 98  
 selenic, i. 526  
 smilasperic, ii. 346  
 solid arsenious, i. 523  
 stearic, i. 478  
 strychnic or igasuric, ii.  
 350  
 suberic, ii. 194  
 succinic, i. 373  
 sulphocyanic, ii. 688  
 sulpho-arsenious, i. 543  
 sulphovinie, i. 329  
 sulphuric, i. 401  
 concentrated, i. 404  
 sulphurous, i. 410  
 sylvic, ii. 174  
 tanacetie, ii. 397  
 tannie, i. 189, ii. 192, 576  
 tartarie, i. 359  
 tartralic i. 361

Acid, tartrelic, i. 361  
 tonics, i. 187  
 ulmic, ii. 195  
 valerianic, ii. 407  
 vapour, i. 301  
 veratric, ii. 98  
 virginieic, ii. 685  
 vitriolated tartar, i. 431  
 zootic, i. 374  
 Acids, i. 207  
 fatty, ii. 225  
 Acidulo-alkaline waters, i. 250  
 Acidulous or carbonated wa-  
 ters, i. 250  
 tartrate of potash, i. 448  
 Acidum acetum, i. 350, 443  
 aromaticum, i. 355  
 camphoratum, i. 356  
 arseniosum, i. 520  
 benzoicum, i. 363  
 boracicum, i. 388  
 borussicum, i. 374  
 carbonicum, i. 300  
 chloro-hydryargyricum, i.  
 617  
 citrimum, i. 356  
 filicium, ii. 49  
 gallicum, i. 192, ii. 192  
 hydriodium, i. 262  
 hydrochloricum, i. 256  
 dilutum, i. 262  
 hydrocyanic, i. 374  
 dilutum, i. 378  
 muriaticum, i. 256  
 dilutum, i. 262  
 nitricum, i. 264  
 dilutum, i. 269  
 purum, i. 266  
 dulcificatum, i. 337  
 nitro-hydrochloricum, i.  
 370  
 muriaticum, i. 370  
 nitrosum, i. 265  
 oxalicum, i. 306  
 phosphoricum, i. 394  
 dilutum, i. 394  
 prussicum, i. 374  
 succinicum, i. 373  
 sulphuricum, i. 401  
 aromaticum, i. 409  
 sulphuricum dilutum, i.  
 409  
 purum, i. 405  
 venale, i. 405  
 sulphurosum, i. 410  
 tannicum, i. 189, 576  
 tartaricum, i. 359  
 zooticum, i. 374  
 Acipenser guldentädtii, ii. 789  
 huso, ii. 789  
 ruthenus, ii. 789  
 stellatus, ii. 789  
 sturio, ii. 789  
 Acologia, i. 41  
 Acology, i. 41  
 Aconite, ii. 739  
 Aconiti, extractum, ii. 745  
 alcoholicum, ii. 745  
 tintura, ii. 744  
 Aconitie acid, i. 358, ii. 741  
 Aconitin, ii. 745  
 Aconitina, ii. 745  
 Aconitina, solutio, ii. 746  
 unguentum, ii. 746  
 Aconitum ferox, ii. 749  
 lycoctonum, ii. 740  
 medium Schraderi, ii. 740  
 napellus, ii. 739  
 paniculatum var. Storkia-  
 num, ii. 740  
 Acoraceae, ii. 76  
 Acorus calamus, ii. 76  
 Acotyledons, ii. 33  
 Acrid principles, i. 193  
 Acrid resin, ii. 259  
 Acrogens, ii. 33  
 Adeps ovillus, ii. 809  
 præparatus, ii. 813  
 suillus, ii. 813  
 Adhesive plaster, i. 669, 482  
 Adragantin, ii. 562  
 Aerated mineral alkali, i. 467  
 Ærugo, i. 645  
 Æther aceticus, i. 342  
 hydrochloricus, i. 342  
 rectificatus, i. 330  
 sulphuricus, i. 327  
 Æthereum, oleum, i. 335  
 Ætherio-oleosa, i. 186  
 Ætheria nitrici spiritus, i. 337  
 sulphurici spiritus, i. 334  
 compositus, i. 334  
 Æthiops absorbens, i. 598  
 martialis, i. 686  
 mineral, i. 631  
 vegetabilis, ii. 35  
 Æthusa cynapium, ii. 489,  
 498  
 Affusion, i. 61  
 Agarie of the oak, ii. 46  
 larch, ii. 46  
 Agaricus, ii. 46  
 campestris, ii. 46  
 Agathotes chirayta, ii. 341  
 Agentia hygienica, i. 76  
 mechanica et chirurgica,  
 i. 111  
 pharmacologica seu medi-  
 camenta, i. 111  
 physica, i. 44  
 Agents, physical but imponde-  
 rable, i. 44  
 Ague drops, tasteless, i. 538  
 Aikin's ammonio-tartrate of  
 iron, i. 712  
 Air, alkaline, i. 271  
 dephlogisticated, i. 213  
 nitrous, i. 263  
 fixed, i. 301  
 mephitic, i. 262  
 phlogisticated, i. 262  
 Ajuga chameleonytis, ii. 285  
 Albumen, i. 82  
 an antidote for corrosive  
 sublimate, i. 623  
 ovi, ii. 798  
 Alcali minerale, i. 465  
 Alchemilla arvensis, ii. 551  
 Aleohol, i. 309  
 preparation of, i. 313

- Alcohol, pharmaceutical uscs of, i. 325  
 Alcoholometry, i. 315  
 Alcoholats, i. 327  
 Alcoolés, i. 325  
 Aldehyd, i. 346  
 Aletris farinosa, ii. 121  
 Alge, i. 93, ii. 33  
 Algaceæ, ii. 33  
 Algaroth's powder, i. 544  
 Aliments, i. 76  
     animal, i. 83  
     compound, i. 83  
     vegetable, i. 89  
 Alizarin, ii. 460  
 Alkali, aerated mineral, i. 466  
     mild mineral or fossil, i. 466  
     mild vegetable, i. 440  
     minerales, i. 465  
     vegetable, i. 181  
 Alkalis, i. 207  
 Alkalina, i. 206  
 Alkaline air, i. 271  
     salt, i. 475  
     solution, Brandish's, i. 420  
 Alkaloids, i. 181  
 Alkanet, ii. 327  
 Allium ascalonicum, ii. 121  
     cepa, ii. 120  
     porrum, ii. 121  
     sativum, ii. 119  
     schaenoprasum, ii. 121  
     scorodoprasum, ii. 121  
 Allopathia, i. 53  
 Allspice, ii. 519  
 Almond confection, ii. 529  
     common, ii. 525  
     emulsion, ii. 528, 529  
     milk, ii. 529  
     mixture, ii. 529  
     soap, i. 477  
     oil, i. 530  
 Almonds, bitter, i. 528  
     volatile oil of, i. 531  
     sweet, i. 526  
     oil of, i. 530  
 Aloe, ii. 104  
     arborescens, ii. 108  
     barbadensis, ii. 108  
     caballina, ii. 108  
     capensis, ii. 108  
     colata, ii. 107  
     Commelyn, ii. 108  
     de Mocha, ii. 108  
     heptica vera, ii. 107  
     indica, ii. 107, 109  
     mitriformis, ii. 108  
     Socotrina, ii. 105  
     spicata, ii. 105  
     vulgaris, ii. 104  
 Aloes, Barbadoes, ii. 108  
     Bethelsdorp, ii. 108  
     caballine, ii. 108  
     Cape, ii. 108  
     fétid, ii. 108  
     genuine hepatic, ii. 107  
     horse, ii. 108  
     Indian, ii. 107, 109  
     Mocha, ii. 108  
 Aloes, Socotrine, ii. 106  
 Aloesin, ii. 109  
 Aloetic acid, ii. 109  
 Alpinia alba, ii. 156  
     cardamomum, ii. 152  
     galanga, ii. 157  
     granum paradisi, ii. 155  
 Alteratives, i. 141  
 Althea officinalis, ii. 657  
 Althein, ii. 658  
 Alum, antidote for, i. 519  
     cataplasm, i. 520  
     dried or burnt, i. 520  
     native, i. 515  
     poultice, i. 520  
     roche or rock, i. 515  
     Roman, i. 515  
     water (Bates's), i. 520  
     whey, i. 519  
 Alumen, i. 514  
     exsiccatum (ustum), i. 520  
     siccatum, i. 520  
 Aluminim, compounds of, i. 520  
 Amadon, ii. 46  
 Amanita, ii. 46  
     muscaria, i. 126  
 Amanitin, ii. 44, 47  
 Amara, i. 188  
     pura, i. 188  
 Amaryllidaceæ, i. 139  
 Amarythrine, ii. 42  
 Amaracus dictamus, ii. 285  
 Amber, i. 371  
     camphor, i. 372  
     oil of, volatile, i. 372  
     volatile resin of, i. 372  
 Ambergris, ii. 800  
 Ambra grisea, ii. 800  
 Ambreine, ii. 801  
 Amidide of hydrogen, i. 272  
     chloro of hydrogen, i. 291  
     of mercury, i. 625  
 Amidogen, i. 273  
 Amilic alcohol, i. 312  
 Ammonia, or ammoniacal gas, i. 271  
     Berthollet's neutral carbonatate of, i. 286  
     citrate of, i. 295  
     hepatized, i. 412  
     hydrosulphate, i. 412  
     hydrosulphuret of, i. 412  
     liniment of, i. 279  
     sesquicarbonate of, i. 286  
     spirit of, i. 281  
     muriate of, i. 287  
     ointment of, i. 280  
     sulphuret, i. 412  
     sub-carbonate of, i. 283  
     sulphate of, i. 295  
     water of, i. 272  
 Ammonia acetatis aqua, i. 293  
     liquor, i. 293  
     aqua, i. 273  
     bicarbonas, i. 286  
     carbonas, i. 280  
     carbonatis aqua, i. 286  
     causticæ aqua, i. 273  
 Ammonium citras, i. 294  
     cupro-sulphas, i. 643  
     ferro tartras, i. 712  
     hydrochloras, i. 287  
     hydrosulphas, i. 412  
     hydrosulphuretum, i. 412  
     liquor, i. 273  
     fortior, i. 273  
     murias, i. 287  
     nitrás, i. 295  
     oxalas, i. 309  
     sesquicarbonas, i. 282  
     sesquicarbonatis liquor, i. 286  
     sulphas, i. 295  
 Ammoniacal liquor of coal gas works, i. 288  
     soap, i. 279  
 Ammoniacum, ii. 479  
 Ammoniacum cupri, i. 643  
 Ammono-chloride of mercury, i. 623  
 Ammoniated submuriate of mercury, i. 623  
 Ammonium, i. 291  
     chloride of, i. 287  
 Ammoniuret of teroxide of gold, i. 570  
 Amomum Afzelii, ii. 151  
     angustifolium, ii. 150  
     aromaticum, ii. 151  
     cardamomum, ii. 147  
 Clusii, ii. 151  
     dealbatum, ii. 151  
     grana-paradisi, ii. 148  
     grandiflorum, ii. 151  
     macrospermum, ii. 151  
     madagascariense, ii. 150  
     maximum, ii. 151  
     melegueta, ii. 148  
     racemosum, ii. 148  
     strobilaceum, ii. 148  
     zingiber, ii. 142  
 Amygdale, ii. 525  
     amaræ, ii. 528  
     dulees, ii. 526  
 Amygdalin, ii. 527  
 Amygdalus communis, ii. 525  
 Persica, ii. 534  
 Amylum, ii. 61  
 Amyris elemifera, ii. 609  
     giladeensis, ii. 610  
     kataf, ii. 606  
     Plumieri, ii. 609  
     zeylanica, ii. 609  
 Anacyclus pyrethrum, ii. 393  
 Anamirta coccus, ii. 727  
 Anatripsologia, i. 156  
 Anchusa tinctoria, ii. 322  
 Anchusic acid, ii. 322  
 Andira inermis, ii. 578  
     refusa, ii. 578  
 Andropogon calamus aromati-  
     cus, ii. 76, 52  
     muricatus, ii. 52  
     nardoïdes, ii. 52  
     schoenanthus, ii. 52  
 Anethum foniculum, ii. 468  
     graveolens, ii. 482  
 Angelica archangelica, ii. 469

Angelica, garden, ii. 469  
     sativa, ii. 469  
 Angostura bark, ii. 622  
     false bark, ii. 622  
 Angosturin, ii. 349, 633  
 Angustura ferruginea, ii. 349  
 Animal black, i. 299  
     charcoal, i. 299  
     diet, i. 99  
     oil, Dippel's, i. 374  
     soda soap, i. 479  
     substances, infusion or decoction of, i. 97  
 Animals, crustaceous, i. 88  
 Anise, ii. 466  
     star, ii. 468, 733  
 Aniseed, ii. 466  
 Anisum stellatum, ii. 733  
 Annulosa, ii. 759  
 Anodynes, i. 178  
 Antacida, i. 207  
 Antagonism or counter-irritation, i. 153  
 Antalkalina, i. 207  
 Antiseptics and disinfectants, i. 209  
 Anthemis nobilis, ii. 389  
     pyrethrum, ii. 392  
 Anthiarin, ii. 302  
 Anthophylli, ii. 516  
 Anthoxanthum odoratum, ii. 52  
 Anthriscus cerefolium, ii. 499  
     vulgaris, ii. 489  
 Antilithics, i. 208  
 Antiaris toxicaria, ii. 201  
 Antimonial powder, i. 551  
     wine, i. 566  
 Antimonii cinis, i. 544  
     crocus, i. 548  
     et potassm tartras, i. 554  
     oxydum, i. 550  
     oxydum nitro-muriaticum, i. 550  
     oxysulphuretum, i. 547  
     potassio-tartras, i. 554  
     sesquioxydum, i. 550  
     sesquichloridum, i. 546  
     sesquisulphuretum, i. 544  
     sulphuretum, i. 544  
         aureum, i. 549  
         sulphuretum preparatum, i. 544, 546  
 Antimonium tartarizatum, i. 554  
 Antimony-ash, i. 544, 551  
     common or crude, i. 544  
     compounds of, i. 544  
     flowers of, i. 550  
     glass of, i. 551  
     golden sulphuret of, i. 547  
     muriate or hydrochlorate of, i. 546  
     nitro-muriatic oxide of, i. 550  
     oil or butter of, i. 546  
     ore, i. 544  
     oxysulphuret of, i. 547  
     precipitated sulphuret of, i. 547

Antimony, red, i. 547  
     sulphuret or sesquisulphuret of, i. 447  
     tartrate of potash, i. 554  
     tartarized, i. 554  
 Antipathia, i. 150  
 Antispasmodics, i. 185  
 Apis mellifica, ii. 784  
 Apium graveolens, ii. 499  
 Apocynaceæ, ii. 347, 363  
 Appolectifacients, i. 178  
 Apples, mad, ii. 190  
 Aqua, i. 93, 238  
     acidi carbonici, i. 305  
     aluminosa batanea, i. 520  
     ammonie, i. 273  
         acetatis, i. 293  
         carbonatis, i. 286  
         causticæ, i. 273  
     anethi, ii. 469  
     anisi, ii. 468  
     argentea, i. 582  
     aurantii, ii. 653  
     baryte muriatis, i. 487  
     binelli, i. 368  
     calcis, i. 491  
         muriatis, i. 493  
     camphoræ, ii. 250  
     carui, ii. 466  
     cassiae, ii. 243  
     chlorinii, i. 220  
     cinnamomi, ii. 239  
     coloniensis, ii. 654  
     cupri ammoniati, i. 644  
     destillata, i. 241  
     ex flumine, i. 223  
         lacu, i. 245  
         palude, i. 245  
         puteo, i. 244  
     florum aurantii, ii. 658  
     funiculi, ii. 469  
     fontana, i. 243  
     fortis, i. 264  
     hordeata, ii. 57  
     hungarica, ii. 282  
     imbrium, i. 243  
     kali, i. 444  
     lauro-cerasi, ii. 537  
     magnesia bicarbonatis, i. 510  
     marina, i. 246  
     menthae piperite, ii. 280  
         pulegii, i. 281  
         viridis, ii. 279  
     mercurialis nigra, i. 605  
     metallorum, i. 582  
     minerales, i. 247  
         acidula, i. 250  
         ferruginosæ seu matriales, i. 248  
         salinæ, i. 252  
         sulphureæ seu hepaticæ, i. 249  
     naphæ, ii. 652  
     nitrogenii protoxydi, i. 264  
     nivalis, i. 243  
     oxymuriatica, i. 220  
     oxygenii, i. 216  
     phagedenica, i. 605  
         mitis, i. 605

Aqua, picis liquida, ii. 178  
     pimentæ, ii. 521  
     pluvia, i. 243  
     pluvialis, i. 243  
     potasse, i. 418  
         sulphureti, i. 430  
     pulegii, ii. 281  
     regia, i. 470  
     reginae hungarie, ii. 282  
     rosæ, ii. 549  
     rosmarini, ii. 282  
     sambuci, ii. 464  
     sapphirina, i. 644  
     sodæ super-carbonatis, i. 474  
 Aquæ acidulæ, i. 250  
     communes, i. 243  
     distillate, i. 241  
     ferruginosæ seu martiales, i. 248  
     medicatae, i. 242  
     minerales, i. 247  
     saline, i. 252  
     sulphureæ seu hepaticæ, i. 249  
 Aquila alba, i. 609  
 Arabine, ii. 571  
 Araceæ, ii. 78  
 Araliaceæ, ii. 464  
 Arbor alba, ii. 513  
     toxicaria, ii. 201  
 Arbutus uva-ursi, ii. 382  
 Arcanum duplicitum, i. 432  
 Archangelica officinalis, ii. 469  
 Archil or orchil, ii. 40  
 Arctium lappa, ii. 400  
 Arctostaphylos uva-ursi, ii. 382  
 Ardent spirit, i. 96  
     production of, i. 310  
 Areca catechu, i. 82  
     nut, i. 82  
 Arena callida, i. 50  
 Arenatio, i. 50  
 Argel leaves, flowers, and fruit, ii. 585  
 Argenti chloridum, i. 581  
     cyanidum, i. 580  
     nitræ, i. 572  
     oxydum, i. 581  
 Argentum, i. 571  
     nitratum, i. 572  
     vivum, i. 582  
     zootinicum, i. 580  
 Argol, or crude tartar, i. 449  
 Aricina, ii. 431  
 Aristolochiaceæ, ii. 231  
     longa, ii. 234  
     rotunda, ii. 234  
     serpentaria, ii. 231  
 Armoracia, ii. 671  
 Arnica montana, ii. 398  
 Arnicin, ii. 398  
 Aromata, ii. 180  
 Aromatic bitters, ii. 189  
     confection, ii. 240  
     powder, ii. 240  
     vinegar, ii. 355  
 Arrack, i. 311, 324  
 Arrangements, empirical, i. 163  
     rational, i. 164

- Arrow-root, East Indian, ii. 147  
 English, ii. 326  
 Brazilian, ii. 229  
 Portland, ii. 78  
 Tahiti, ii. 138  
 West Indian, ii. 139
- Arsenic, antidotes for, i. 541  
 flowers of, i. 521  
 glacial white, i. 521  
 iodide of, i. 543  
 oxide of, i. 521  
 red, i. 543  
 white, i. 521  
 yellow, i. 543
- Arsenical cerate, i. 542  
 ointment, i. 542  
 paste, i. 543  
 solution, i. 542
- Arsenici ceratum, i. 542  
 iodidum, i. 543  
 oxydum album, i. 521  
 sulphuretum, i. 543  
 unguentum, i. 542
- Arsenicum album, i. 521  
 compounds of, i. 520
- Arsenious acid, i. 521  
 tests for, i. 523  
 rough, i. 521
- Arsenate of potash, solution of, i. 542
- Artemisia absinthium, ii. 394  
 Chinensis, ii. 395  
 Indica, ii. 395  
 maritima, ii. 399  
 moxa, ii. 395  
 santonica, ii. 399  
 vulgaris, ii. 399
- Articulata, ii. 759
- Artificial method of Linnaeus, i. 170
- Artocarpus incisa, ii. 202
- Arum colocasia, ii. 78  
 esculentum, ii. 78  
 maculatum, ii. 78  
 triphyllum, ii. 78
- Asa-dulcis, ii. 377
- Asafoetida, ferula, ii. 471
- Asagrea officinalis, ii. 97
- Asarabacca, common, ii. 233
- Asarin, ii. 233
- Asarite, ii. 233
- Asarum Camphor, ii. 233  
 canadense, ii. 234  
 europaeum, ii. 233
- Asclepiadaceæ, ii. 346
- Asclepias gigantea, ii. 346  
 incarnata, ii. 347  
 pseudosarsa, ii. 346  
 syriaca, ii. 347  
 tuberosa, ii. 347
- Asiatic pills, ii. 542
- Asparagin, ii. 121
- Asparagus officinalis, ii. 121
- Asparamide, ii. 121
- Aspartic acid, ii. 122
- Aspidium filix mas, ii. 48
- Assafetida, ii. 472
- Astacus fluvialis, ii. 788
- Asteroidæ, ii. 390
- Astragalus, ii. 561
- Astragalus aristatus, ii. 561  
 creticus, ii. 561  
 gummifer, ii. 561  
 strobiliferus, ii. 561  
 verus, ii. 561
- Astringent bitters, i. 189
- Astringentia pura, i. 188  
 pure, i. 188
- Atramentum sutorium, i. 703
- Atropa belladonna, ii. 301
- Atropia, ii. 302
- Attar of roses, ii. 549
- Aurantiacem, ii. 645
- Aurantii baccae, ii. 651  
 cortex, ii. 651
- Aurantiu, ii. 652
- Aurate of ammonia, i. 570
- Auri iodidum, i. 570  
 terchloridum, i. 569  
 tercyanidum, i. 570  
 teroxydum, i. 569
- Auric acid, i. 569
- Auro-terchloride of sodium, i. 569
- Aurum, i. 567  
 stanno-paratum, i. 570
- Automalite or gahnite, i. 670
- Auxilia medica, i. 41
- Avena sativa, ii. 59
- Avens, common, ii. 541
- Axunge, ii. 813
- Azo-erythrine, ii. 42
- Azolitmine, ii. 43
- Azote, i. 262
- Azoturetted hydrogen, i. 271
- B.
- Bacce copaiferae factitiae, ii. 599  
 orientales, ii. 727
- Baker's salt, i. 283
- Balm, common, ii. 284  
 of Gilead, ii. 610  
 fir, ii. 163
- Balneum, maris factitium, i. 247  
 nitro-hydrochloricum, i. 271  
 sulphuretum, i. 431  
 et gelatinosum, i. 431
- Balsam, Canada, ii. 163, 166  
 commander's, ii. 379  
 copaiva, ii. 593  
 for cuts, ii. 166  
 friar's, ii. 166  
 Hungarian, ii. 162  
 mercurial, i. 634  
 sea side, ii. 219  
 wound, ii. 166  
 of liquidambar, ii. 184
- Peru, ii. 553  
 sulphur, i. 401  
 Tolu, ii. 556
- Balsams, i. 184
- Balsama naturalia, i. 184
- Balsamaceæ, ii. 184
- Balsamodendron gileadense, ii. 610
- Balsamodendron kataf, ii. 606  
 myrrha, ii. 605
- Balsamum, ii. 552  
 carpathicum, ii. 162  
 filicis, ii. 50  
 gileadense, ii. 610  
 libani, ii. 162  
 peruvianum, ii. 553  
 album, ii. 554  
 nigrum, ii. 553  
 sulphuris, i. 401  
 tolutanum vel de Tolu, ii. 556  
 traumaticum, ii. 166
- Barbadoes nuts, ii. 231  
 tar, i. 370
- Barbary gum, ii. 569
- Barii chloridum, i. 484  
 chloridi solutio, i. 487
- Barilla, i. 467
- Barium, chloride of, i. 484  
 compounds of, i. 482
- Bark, Angostura, ii. 621  
 Caribbean, ii. 417  
 cascarilla or elutheria, ii. 219  
 cinchona, ii. 409  
 copalche, ii. 230  
 cililawan or clove, ii. 254  
 Huamalies or rusty, ii. 421  
 Huanuco, gray or silver, ii. 419  
 Jaen or ash, ii. 420  
 Loxa or crown, ii. 417  
 massoy, ii. 254  
 pale, ii. 416  
 Peruvian, ii. 409  
 Pitaya, ii. 417  
 red, ii. 417, 423  
 St. Lucia, ii. 417  
 sintoc, ii. 254  
 Surinam, ii. 528  
 yellow, ii. 417  
 or regia, or Calisaya, ii. 421
- Barks, false cinchonas, 417
- Barley, common or long-eared ii. 56
- sugar, ii. 54  
 water, ii. 57
- Barm, ii. 58
- Barosma, ii. 619  
 crenata, ii. 619  
 crenulata, ii. 619  
 serratifolia, ii. 619
- Baryta, carbonate of, i. 483  
 muriate of, i. 485  
 nitrate of, i. 487  
 sulphate of, i. 482
- Baryta carbonas, i. 483  
 murias, i. 484  
 muriatis aqua, i. 487  
 nitras, i. 487  
 sulphas, i. 482
- Barytes, muriate of, i. 484
- Barytin, ii. 95
- Basilicon ointment, ii. 175
- Bassora gum, ii. 571
- Bassorin, i. 563, 571, 782

- Bastard dittany, i. 624  
 Bate's alum water, i. 520  
 Bath, artificial sea-water, i. 247  
 Dupuytren's gelatino-sulphurous, i. 471  
 nitro-muriatic, i. 471  
 sulphuretted or sulphurous, i. 431  
 Baths, chlorine, i. 221  
 cold, cool, and temperate, i. 60  
 electric, i. 68  
 hot, i. 55  
 hot air, i. 50  
 medicated hot air, i. 50  
 shower, i. 63  
 sulphur, i. 54  
 sulphurous, i. 54  
 tepid and warm bath, i. 55  
 vapour, i. 52  
 Baume de Pérou en cocos, ii. 554  
 Bay salt, i. 453  
 the sweet, ii. 253  
 Bdellium, ii. 610  
 Bean caper tribe, ii. 624  
 of St. Ignatius, ii. 363  
 tribe, ii. 552  
 Bear berry, ii. 382  
 Beaver, ii. 814  
 Bedeguar, or sweet briar sponge, ii. 552  
 Bee, ii. 784  
 Beer, i. 94, 258, 311  
 spruce, ii. 184  
 Beetle blister, ii. 771  
 Beguin's sulphuretted spirit, i. 412  
 Belladonna, ii. 301  
 Belladonnin, ii. 302  
 Benjamin, flowers of, ii. 377  
 tree, ii. 379  
 Benumbers, i. 177  
 Benzimide, i. 522  
 Benzoic acid, i. 363  
 Benzoin, ii. 377, 532  
 Benzoine, ii. 377, 532  
 Benzinum in lachrymis, ii. 327  
 Benzule, or benzoyle, ii. 532  
 Bergamot citrus, ii. 647  
 essence or volatile oil of, ii. 647  
 Berlin or Prussian blue, i. 374, 698  
 Berthollet's neutral carbonate of ammonia, i. 286  
 Beta vulgaris, i. 274  
 Betel nut, i. 82  
 Beth piper, i. 273  
 Borate of soda, i. 462  
 Bicarbonate of ammonia, i. 286  
 potash, i. 444  
 soda, i. 471  
 Bicyanide of mercury, i. 631  
 Bisérocyanide of potassium, i. 375  
 Bigarade or bitter orange tree, i. 652  
 Bihydrate of amiline, i. 312  
 Bindweed tribe, ii. 327  
 Biniodide of mercury, i. 627  
 Binoxalate of potash, ii. 636  
 Binoxide of manganese, i. 713  
 mercury, i. 605  
 Birds, i. 86  
 Bismuth and its compounds, i. 647  
 Bismuth, magistry of, i. 647  
 subnitrate of, i. 647  
 tartaro-nitrate of, i. 647  
 trisnitrate of, i. 647  
 Bismuthi subnitras, i. 647  
 trisnitras, i. 647  
 Bismuthum, i. 647  
 album, i. 647  
 Bistort, great, ii. 274  
 Bisulphate of copper, ii. 640  
 peroxide of mercury, ii. 605  
 potash, ii. 431  
 Bisulphuret of arsenic, ii. 543  
 mercury, ii. 629  
 Bitartrate of potash, ii. 448  
 Bitter almonds, ii. 526  
 cucumber, ii. 500  
 earth, i. 506  
 purging salt, i. 511  
 simaruba, ii. 612  
 Bittern, i. 512  
 Bitters, i. 188  
 aromatic, i. 189  
 astringent, i. 189  
 simple, i. 188  
 Bittersalzerde, i. 506  
 Bittersweet, ii. 326  
 Bitterwood, lofty, ii. 613  
 Bitumen liquidum, i. 370  
 petroleum, i. 370  
 Black bone, i. 299  
 -boy gum, ii. 121  
 drop, ii. 715  
 flux, i. 442  
 ivory, i. 290, 299  
 jack, i. 670  
 lead, i. 296  
 naphtha, i. 370  
 salts, i. 441  
 sticking-plaster, i. 669  
 wash, i. 605  
 Bladder-podded lobelia, ii. 384  
 fucus, ii. 34  
 Blanquinine, ii. 431  
 Bleaching powder, i. 494  
 Blende, or black jack, i. 670  
 Blessed thistle, ii. 400  
 Blister, perpetual, ii. 781  
 Blood, i. 84  
 Blue copperas, i. 640  
 or Neapolitan ointment, i. 600  
 pills, i. 600  
 Prussian, i. 698  
 stone, i. 640  
 vitriol, i. 640  
 Boletus ignarius, ii. 46  
 purgans, ii. 46  
 Bolus armena rubra, i. 520  
 Bone ash, i. 505  
 black, i. 290, 299  
 earth of, i. 505  
 Bone spirit, i. 289  
 Bonplandia trifoliata, ii. 621  
 Boracic acid, i. 388  
 rough of Tuscany, i. 389  
 Boraginaceæ, ii. 327  
 Borate or sub-borate of soda, i. 462  
 Borax, i. 462  
 crude or native, i. 462  
 glass of, i. 463  
 mellite of, i. 464  
 octohedral, i. 463  
 prismatic, i. 463  
 Bos taurus, ii. 809  
 Boswellia serrata, ii. 604  
 thurifera, ii. 604  
 Botany-bay kino, ii. 521  
 Boyle's hell, i. 606  
 Boyle's fuming liquor, i. 412  
 Bran, ii. 62  
 Brandish's alkaline solution, i. 420  
 Brandy, i. 311, 322  
 Bread, i. 90  
 Bread-fruit tree, ii. 202  
 Brimstone, ii. 396  
 horse, ii. 398  
 Bromide of potassium, ii. 427  
 of silver, ii. 235  
 Bromine, ii. 234  
 Brominium, ii. 234  
 Bromus catharticus, ii. 114  
 mollis, ii. 114  
 purgans, ii. 114  
 Brooklime, ii. 296  
 Broom, common, ii. 558  
 Spanish, ii. 599  
 salt of, ii. 558  
 tea, ii. 558  
 tops, ii. 558  
 Brown sugar, ii. 54  
 Brucia or brucina, ii. 349  
 ferruginea or anti-dysenterica, ii. 348  
 Brunonian theory, i. 141  
 Bryonin, ii. 512  
 Bryonia dioica, ii. 512  
 Bryony, white, ii. 512,  
 Babon galbanum, ii. 483  
 Buchu, ii. 619  
 Buckbean, ii. 343  
 Buckthorn tribe, ii. 610  
 Buck-wheat, ii. 261  
 Buds, i. 92  
 Burbot, ii. 793  
 Burnt hartshorn, i. 505  
 magnesia, i. 506  
 Burgundy pitch, ii. 175  
 Butea frondosa, ii. 600  
 Butter, i. 86, ii. 811  
 of zinc, i. 674  
 Buttercup (crowfoot), ii. 735  
 Butternut, ii. 750  
 Byne, ii. 57  
 Bytneriaceæ, ii. 656  
 Butua root, ii. 730  
 Butyrum, i. 86, ii. 811  
 C.  
 Cactus opuntia, i. 124

- Caapéba, ii. 593  
 Caballine aloes, ii. 108  
 Cabbage-bark tree, ii. 578  
     tribe, ii. 670  
 Cacao tribe, ii. 656  
 Cadmia fornacum seu factitia, i. 673  
 Cadmium, i. 525, 672  
 Cæruleum Borussicum seu Berlinense, i. 698  
 Caffeic acid, ii. 462  
 Caffein, ii. 462  
 Caju-kilan, ii. 513  
 Cajaputi, ii. 513  
 Cajaputi oleum, ii. 514  
 Calamina præparata, i. 680  
 Calamine, i. 670, 679  
     electric, i. 670, 679  
     prepared, i. 679  
 Calamus, acorus, ii. 76  
     aromaticus, ii. 52, 76  
 Draco, ii. 83  
     petraeus, ii. 83  
     rotang, ii. 83  
 Calcareous soap, ii. 491  
     spar, ii. 501  
 Calcii chloridum, ii. 491  
 Calcined magnesia, ii. 506  
     mercury, ii. 605  
 Calcis carbonas, ii. 500  
     dura, ii. 501  
     friabilis, ii. 501  
     præcipitatum, ii. 502  
     carbonas præparatus, i. 501  
     chloridi liquor, i. 493  
     chloridum, i. 491  
     hydras, i. 488  
     hypochloris, i. 494  
     muriatis solutio, i. 493  
     murias, i. 491  
     plumbis, i. 637  
     phosphas, i. 504  
         præcipitatum, i. 505  
         subphosphas, i. 504  
 Calcium, compounds of, i. 487  
     oxide of, i. 487  
 Calefacients, i. 182  
 Calisaya bark, ii. 421  
 Callicocca ipecacuanha, ii. 448  
 Calomel, i. 609  
 Calomelas, i. 609  
     præcipitatum, i. 611  
     sublinnatum, i. 610  
 Calotropis gigantea, ii. 346  
 Calumba, American, ii. 344  
     false, ii. 344  
     plant, ii. 723  
 Calumbin, ii. 725  
 Calx, i. 487  
     chlorinata, i. 494  
     extincta, i. 488  
     usta, i. 487  
         recens, i. 487  
         viva, i. 487  
 Cambogia gutta, ii. 639  
     siamensis, ii. 640  
     zeylanica, ii. 641  
 Camphor, ii. 243  
     artificial, ii. 168, 245  
 Camphor, Borneo, ii. 655  
     crude, ii. 244  
     Japan or Dutch, ii. 244  
     liniment, ii. 251  
         compound, ii. 251  
     liquid, ii. 655  
     mixture, ii. 250  
     nitrate of, ii. 425  
     oil, ii. 655  
     refined, ii. 245  
     Sumatra or Borneo, ii. 655  
         tree, ii. 243  
 Camphora officinarum, ii. 243  
 Camphorated acetic acid, i. 356  
     cretaceous tooth-powder, i. 584  
     spirits of wine, ii. 251  
     tincture of opium, ii. 251  
 Camphoric acid, ii. 245  
 Camphrone, ii. 245  
 Canada balsam fir, ii. 163  
 Canarium zephyrinum sive sylvestris primum canari Barat, ii. 609  
 Cances pagurus, ii. 788  
 Candles, mercurial, i. 593  
 Canella alba, ii. 644  
 Canellin (Mannite?), ii. 645  
 Canna coccinea, ii. 141  
 Cannabis sativa, ii. 202  
 Cantharidin, ii. 774  
 Cantharides, ii. 771  
 Cantharis atomaria, ii. 781  
     atrata, ii. 781  
     cinerea, ii. 781  
     gigas, ii. 781  
     marginata, ii. 781  
     ruficeps, ii. 781  
     Syriaca, ii. 781  
     vesicatoria, ii. 771  
     violacea, ii. 781  
     vittata, ii. 781  
 Caper spurge, ii. 231  
 Caphopicrite, ii. 269  
 Caprifoliaceæ, ii. 463  
 Capsicin, ii. 324  
 Capsicum annuum, ii. 223  
     common, ii. 323  
     frutescens, ii. 327  
 Capsulæ seu capita papaveris, ii. 679  
 Capuli, i. 114  
 Caramel, i. 55  
 Carapoucha, i. 114  
 Carapullo, i. 114  
 Caraway, i. 465  
 Carbo animalis, i. 299  
     purificatus, i. 390  
     ligni, i. 297  
 Carbon and its compounds, i. 296  
     hydrates of, i. 77  
 Carbonas ammoniæ, i. 280  
     baryta, i. 483  
     calcis, i. 500  
         dura, i. 501  
         friabilis, i. 501  
     ferri præcipitatus, i. 687  
     plumbi, i. 666  
 Carbonas potassæ, i. 440  
     sodæ, i. 467  
     zinci impura, i. 679  
     impurum præparatum, i. 680  
 Carbonate of ammonia, i. 280  
     iron, i. 501  
     lead, i. 660  
     zinc, i. 679  
 Carbonated waters, i. 250  
     chalybeate waters, i. 248, 708  
 Carbonic acid, i. 300  
     water, i. 305  
 Carbonicum, natrum, i. 467  
 Carbonium, i. 296  
 Carburet or percarburet of iron, i. 296  
 Cardamine pratensis, ii. 670  
 Cardamines, flores, ii. 671  
 Cardamom, black, i. 157  
     Ceylon, i. 155  
     cluster or round, 147  
     greater Java, i. 152  
     greatest or Madagascar, i. 150  
     Java, i. 152  
     Malabar, i. 153  
     ovoid China, i. 157  
     round China, i. 157  
     true or officinal, i. 152  
 Cardamomum amomum, i. 147  
     majus, i. 157  
         vulgare, i. 155  
         rotundum, i. 147  
 Caribbean bark, i. 417  
 Caricæ, i. 200  
 Carmine, i. 784  
 Carnation, i. 663  
 Carolina pink, i. 344  
 Carota daucus, ii. 486  
 Carotin, ii. 487  
 Carageen, or Irish moss, ii. 35  
 Carrageenin, ii. 36  
 Carron oil, i. 491  
 Carrot, i. 486  
 Carthagena barks, 424  
 Carthamin or carthamic acid, i. 401  
 Carthamus tinctorius, i. 401  
 Carum carui, i. 465  
 Caryophyllæ, i. 662  
 Carryophyllin, i. 516  
 Caryophyllus aromaticus, ii. 515  
 Caryota urens, ii. 79  
 Casca d'Anta, ii. 364  
 Cascarilla or eleutheria bark de Trinidad de Cuba, ii. 219  
 Caseum, i. 82  
 Cassava or tapioca plant, ii. 229  
 Cassia, ii. 582  
     acutifolia, ii. 583  
     Æthiopica, ii. 583  
     buds, ii. 242  
     cinnamomum, ii. 240  
     elongata, ii. 583  
     fistula, ii. 591  
     lanceolata, ii. 583  
     ligneæ, ii. 241

## INDEX.

- C**assia Marilandica, ii. 583, 591  
 obovata, ii. 582  
 pulp, ii. 592  
 purging, ii. 592  
 senna, ii. 582  
 Cassius, purple of, i. 570  
 Cassumunar root, i. 158  
 Castile soap, i. 479  
 Castor, ii. 344  
 fiber, ii. 814  
 oil, ii. 223  
 plant, ii. 221  
 seeds, ii. 222  
 Castoreum, ii. 814  
 Castorine, ii. 818  
 Cataplasma aluminis, i. 520  
 carbonis ligni, ii. 299  
 conii, ii. 498  
 dauci, ii. 487  
 faecula cerevisiae, i. 58  
 fermenti, i. 58  
 fermenti cerevisiae, i. 58  
 lini, ii. 662  
 simplex, ii. 59  
 sinapis, ii. 675  
 Cataputia minor, ii. 214  
 Catechine, ii. 576  
 Catechu, acacia, ii. 573  
 areca ii. 82  
 gambier, ii. 456  
 Catechuic acid, ii. 459  
 Cathartics or purgatives, i. 203  
 Cathartine, ii. 587  
 Cathartocarpus fistula, ii. 591  
 Caustic potash, i. 414  
 lunar, i. 572  
 or quicklime, i. 487  
 Caustics, (caustica), i. 208  
 Cauteria, potentilla, i. 208  
 Cauterium, potentiale, i. 415  
 Caviare, ii. 789  
 Cayenne, essence of, ii. 324  
 lozenges, ii. 324  
 pepper, ii. 323  
 Cebadilla, ii. 98  
 Cedar, essence or essential oil of, ii. 646  
 red, ii. 184  
 Cellulares, ii. 33  
 Centaurea benedicta, ii. 408  
 centaurium, ii. 342  
 Centaurin, ii. 342  
 Centaurine or cinicin, ii. 401  
 Centaury, common, ii. 342  
 Cephaelis ipecacuanha, ii. 448  
 Cera alba, ii. 787  
 flava, ii. 786  
 Ceraine, ii. 787  
 Cerasin, ii. 78, ii. 551  
 Cerasus avium, ii. 551  
 lauro-cerasus, ii. 536  
 Cerasus serotina, ii. 538  
 Cerate, Kirkland's neutral, i. 670  
 Turner's, i. 680  
 simple, ii. 787  
 Ceratum, ii. 787  
 arsenici, i. 542  
 calamina, i. 680  
 cantharidis, ii. 780  
 Ceratum cetacei, ii. 800  
 epuloticum, i. 780  
 hydrargyri compositum, i. 603  
 plumbi acetatis, i. 666  
 compositum, i. 668  
 resinæ, ii. 175  
 sabinæ, ii. 183  
 saponis, i. 481  
 simplex, ii. 787  
 Cerbera tanghin, ii. 364  
 Cerebro-spinants, i. 177  
 Cerevisia, i. 311, ii. 58  
 abietis, ii. 184  
 Cerevisia fermentum, ii. 58  
 Ceric acid, ii. 787  
 Cerine, ii. 787  
 Cerussa or cerusse, i. 661  
 acetata, i. 663  
 citrina, i. 656  
 Cervus elaphus, ii. 807  
 Cetaceum, ii. 800  
 Cetene, ii. 800  
 Cetine, ii. 800  
 Cetraria Islandica, ii. 38  
 Cetrarin, ii. 39  
 Cevadilla, ii. 98  
 Chabert's oil, i. 374  
 Chalanthum Cyprium, i. 640, 703  
 Chalk, i. 501  
 lozenges, i. 504  
 mercury with, i. 598  
 mixture, i. 504  
 prepared, i. 504  
 Chalybeated tartar, i. 709  
 Chalybeate waters, i. 248  
 Chalybeates, i. 708  
 carbonated, i. 248, 708  
 Chamædrys teucrium, ii. 285  
 Chamæmelum, ii. 392  
 Chamœpitys ajuga, ii. 285  
 Chamomile, common, ii. 391  
 wild, iii. 399, 392  
 Chamomilla, matricaria, ii. 392  
 Charcoal, animal, i. 299  
 cataplasm, i. 297  
 wood, i. 297  
 Charta lacmi, ii. 43.  
 curcumæ, ii. 146  
 Cheese, i. 86  
 Chelæ cancerorum, ii. 788  
 Chelidonium majus, ii. 677  
 Chemical classifications, i. 170  
 Chenopodiaceæ, ii. 274  
 Chenopodium anthelminticum, ii. 274  
 Cherry-laurel, common, ii. 536  
 Chian turpentine, ii. 602  
 Chicory, or wild endive, i. 94,  
 ii. 405  
 coffee, i. 94  
 Chilly, ii. 323  
 Chimaphila, corymbosa, ii. 380  
 umbellata, ii. 380  
 China root, ii. 133  
 Chinoidine, ii. 431  
 Chiretta, or Chirayta, ii. 341  
 Chironia centaurium, ii. 342  
 Chive ii. 121  
 Chlorate of potash, i. 438  
 Chlorates, i. 218  
 Chloride of ammonium, i. 287  
 barium, i. 484  
 calcium, i. 491  
 gold and sodium, i. 569  
 lead, i. 658  
 lime, i. 494  
 mercury, i. 609  
 silver, i. 218, 581  
 soda, i. 457  
 sodium, i. 452  
 zinc, i. 674  
 Chlorides, i. 218  
 Chloridum barii, i. 484  
 calcii, i. 491  
 hydrargyri, i. 609  
 sodii, i. 452  
 Chlorinated lime, i. 494  
 Chlorine, i. 217  
 water, i. 220  
 Chlorinium, i. 217  
 Chlorite of lime, i. 491  
 Chloro-amide of hydrogen, i. 291  
 Chloruret of the oxide of calcium, i. 494  
 sodium, i. 452  
 Chocolate, i. 94, ii. 656  
 Choke-damp, i. 300  
 Cholagogues, i. 206  
 Chondrus crispus, ii. 35  
 Churrus, ii. 203  
 Cichoraceæ, ii. 401  
 Cichorium intybus, ii. 405  
 Cicuta maculata, ii. 487  
 virosa, ii. 499  
 Cicutine, ii. 490  
 Cimicifuga racemosa, ii. 747  
 Cinchona, ii. 409  
 acutifolia, ii. 411  
 alba, ii. 424  
 alkaloids, ii. 429  
 alkalis, ii. 429  
 angustifolia, ii. 409  
 aurantiacea de Santa Fé,  
 ii. 426  
 barks, ii. 416, 417  
 Bergeniana, ii. 412  
 brasiliiana, ii. 417  
 caduciflora, ii. 412  
 calisaya seu regis, ii. 421  
 caribæa, ii. 417  
 cava, ii. 412  
 condaminea, ii. 409  
 cordifolia, ii. 411  
 corone, ii. 417  
 crassifolia, ii. 412  
 cusco, ii. 426  
 de Sancta Lucia, ii. 417  
 Carthagena dura, ii. 424  
 fibrosa, ii. 425  
 Rio Janeiro, ii. 417  
 dichotoma, ii. 412  
 flava, ii. 421  
 glandulifera, ii. 411  
 gray, ii. 419  
 hirsuta, ii. 411  
 huamalies, ii. 421  
 Huanuco, ii. 419

- Cinchona Humboldtiana, ii. 411  
 Jaen, ii. 420  
 Lambertiana, ii. 412  
 lanceolata, ii. 411  
 lancifolia, ii. 411  
 loxa, ii. 417  
     alba, ii. 424  
 lucumæfolia, ii. 411  
 macrocalyx, ii. 412  
 macrocarpa, ii. 412  
 macrocrommia, ii. 412  
 magnifolia, ii. 412  
 micrantha, ii. 400  
 muzonensis, ii. 412  
 nitida, ii. 400  
 nova, ii. 426  
 oblongifolia, ii. 411  
 officinalis, ii. 417  
 orange of Santa Fé, ii. 426  
 ovalifolia, ii. 411  
 ovata, ii. 411  
 pallida, ii. 416  
 Pavonii, ii. 412  
 Pelalba, ii. 412  
 Peruviana, ii. 417  
 physiological effect of, ii.  
     434  
 pitaya, ii. 417  
 preparations of, ii. 442  
 pubescens, ii. 411  
 purpurea, ii. 421  
 red, ii. 417, 423  
 rotundifolia, ii. 411  
 rubra, ii. 423  
 scrobiculata, ii. 400  
 stenocarpa, ii. 412  
 villosa, ii. 401  
 white loxa, ii. 424  
 yellow, ii. 417-421
- Cinchonaceæ, ii. 409  
 Cinchonia, ii. 430  
     disulphate of, ii. 430  
     native kinate of, ii. 430  
     neutral sulphate of, ii. 445  
 Cinchonic acid, ii. 428  
     red, ii. 428
- Cineres clavellati calcinati, i.  
     441  
     crudi, i. 441  
     vegetabilium, seu cineres  
         e lignis combustis, i. 441
- Cinis antimonii, i. 544, 551  
 Cinnabar, i. 629  
 Cinnabaritis, i. 629  
 Cinnameine, ii. 555  
 Cinnamomum cassia, ii. 240  
     collowan, ii. 254  
     sintoc, ii. 254  
     zeylanicum, ii. 235
- Cinnamon, ii. 235  
 Cinnamomum cassia, ii. 240  
     wild, ii. 254
- Cipipa, ii. 220  
 Cistaceæ, ii. 670  
 Cistus creticus, ii. 670  
 Cissampelos pareira, ii. 729  
 Citric acid, i. 356  
 Citrine ointment, i. 634  
 Citron, essence, or essential oil  
     of, ii. 646
- Citron tree, ii. 646  
     tribe, ii. 645
- Citrus aurantium, ii. 650  
     bergamia, ii. 647  
     limetta, ii. 647  
     bergamium, ii. 647  
     limonum, ii. 647  
     medica, ii. 646  
     vulgaris, ii. 652
- Cladonia rangiferina, ii. 44  
 Claret, ii. 638  
 Clarified honey, ii. 736  
 Classifications, pharmacologia,  
     i. 163
- Climate, i. 104  
 Clove bark, ii. 254  
     pink, ii. 660  
     tree, ii. 515
- Club-moss, common, ii. 44  
     tribe, ii. 44
- Cneorum tricoccon, ii. 258  
 Cnicin, ii. 240  
 Cnicus benedictus, ii. 400  
 Coagulated mercury, i. 605  
 Coalfish, ii. 793  
 Coccoloba uvifera, ii. 274  
 Coccinella, ii. 782  
 Coccus Indicus plant, ii. 727  
     levanticus piscatorius, ii.  
         727  
     palmatus, ii. 723  
     suberosus, ii. 727
- Coccus cacti, ii. 782  
 Cochineal, ii. 783  
 Cochenillin, ii. 783  
 Cochiniilla, ii. 782  
 Cochlearia armoracia, ii. 671  
     officinalis, ii. 672
- Cocoa, 656  
 Cocos nucifera, ii. 79  
 Cod, ii. 793  
 Codeia, ii. 685  
 Codeine, ii. 685  
 Codfish oil, ii. 793  
 Cod oil, ii. 793  
 Cod's liver oil, ii. 793  
 Coffea Arabica, ii. 462  
 Coffee, i. 94, ii. 462  
     chicory, ii. 405  
     green, ii. 462
- Colchicina or colchicine, ii. 85  
 Colchicum autumnale, ii. 84  
     bulbocodiodes, ii. 86  
     byzantium, ii. 93  
     illyricum, ii. 93  
     variegatum, ii. 93  
     montanum, ii. 93
- Colcothar, i. 688  
 Cold, i. 57  
     bath, i. 60
- Coleoptera, ii. 771  
 Colla piscium, ii. 788  
 Collyrium, i. 158  
 Colocynth, ii. 500  
 Colocynthidis, poma, ii. 501  
 Colocynthin, ii. 501  
 Colocynthis eucumis, ii. 500  
 Colomba, ii. 723  
 Colombin, ii. 725  
 Colophonic acid, ii. 174
- Celophonium succini, i. 372  
 Colophony, i. 174  
 Coltsfoot, ii. 389  
 Colubrinum lignum, ii. 364  
 Columbo, ii. 723  
     American, ii. 344  
     false, ii. 344
- Colutoria or gargarismata, ii.  
     155
- Comitissæ palmæ pulvis, ii. 508  
 Composite, ii. 388  
 Conchifera, ii. 758  
 Condiments, i. 97  
 Confectio amygdalæ, ii. 529  
     amygdalarum, ii. 529  
     aromatica, ii. 240  
     aurantii, ii. 653  
     cassiae, ii. 592  
     opi, ii. 712  
     piperis nigri, ii. 208  
     roseæ, ii. 547  
         caninæ, ii. 545  
         gallice, ii. 547  
         rutæ, ii. 618
- Confectio scammonii, ii. 332  
     sennæ, ii. 590
- Conia; conicine; conein, ii. 490  
 Coniferæ, i. 117, 160  
 Conium maculatum, ii. 487  
 Conserva amygdalarum, ii. 529  
     aurantii, ii. 653  
     cynosbati, ii. 545  
     roseæ, ii. 547  
         fructus, ii. 55  
         rutæ, ii. 618
- Conserve of hips, ii. 545  
 Constantinople opium, ii. 680  
 Contra-stimulants, i. 142  
 Contra-stimulus, theory of, i.  
     142
- Contrayerva, ii. 200  
 Contrefeyn, i. 670  
 Convallaria polygonatum, ii.  
     121
- Convolvulaceæ, ii. 327  
 Convolvulin, ii. 330  
 Convolvulus jalapa, ii. 333  
     scammonia, ii. 327
- Convulsives, i. 177  
 Copaiaba, ii. 593  
 Copaiifera, ii. 593  
 Copaiifera byrichii, ii. 593  
     bijuga, ii. 593  
     cordifolia, ii. 593  
     coriacea, ii. 593  
     guianensis, ii. 593  
     Jacquini, ii. 593  
     Jussieui, ii. 593  
     Langsdorffii, ii. 593  
     laxa, ii. 593  
     Martii, ii. 593  
     multijuga, ii. 593  
     nitida, ii. 593  
     oblongifolia, ii. 593  
     officinalis, ii. 593  
     Sellowi, ii. 593
- Copaiava, balsam, ii. 598  
 Copalche bark, ii. 230  
 Copper and its compounds, i.  
     638

- Copper, acetate of, i. 646  
ammoniated, i. 643  
bisulphate of, i. 640  
diacetate of, i. 647  
diacetate cupri impura, i.  
645  
metallic, i. 638  
rust of, i. 645  
subacetate of, i. 645  
sulphate of, i. 640
- Copperas, i. 703  
blue, i. 640  
Coptis trifoliata, ii. 748
- Coral, ii. 757  
red, prepared, i. 502, ii.  
757
- Coralium rubrum, ii. 757
- Coriander, the officinal, ii. 498
- Coriandrum sativum, ii. 498
- Coriaria myrtifolia, ii. 587
- Cork oak, ii. 194
- Corru cervi elaphi, ii. 808  
ustum, ii. 808
- Cornaceæ, ii. 753
- Cornus floridæ, ii. 753
- Corroborants, i. 187
- Corrosive muriate of mercury,  
i. 617  
sublimate, i. 617
- Corsican moss, ii. 36
- Corticin, ii. 186
- Cosmetics, i. 210
- Cosmetic mercury, i. 609
- Cotton, common, ii. 658
- Cotyledoneæ, ii. 50
- Counter-irritation, i. 150
- Court plaster, ii. 795
- Cowhage, common, ii. 563
- Crab's claws, ii. 788  
prepared, ii. 788  
eyes, ii. 788  
stones, ii. 788  
prepared, ii. 788
- Crawfish, ii. 788
- Cream, ii. 810  
of tartar, i. 448  
soluble, i. 450  
whey, i. 450
- Creasote, i. 365
- Creasoton, i. 365
- Crème d'anise, ii. 468
- Cremor lactis, ii. 810  
tartari solubilis, i. 448
- Crete, i. 501  
alba, i. 501  
præparata, i. 501
- Cretaceous mixture, i. 504
- Crithmum maritimum, ii. 499
- Crocus antimonii, i. 548  
martis, i. 687  
sativus, ii. 134
- Croton cascarilla, ii. 219  
eleuteria, ii. 219  
oil, ii. 218  
pavana, ii. 216  
pseudo-china, ii. 230  
seeds, ii. 314  
tiglum, ii. 214
- Crotonic acid, ii. 215
- Crotonin, ii. 215
- Crotonis oleum, ii. 218
- Crowfoot, ii. 735
- Crown or Loxa bark, ii. 417  
imperial, ii. 121
- Crozophora tinctoria, ii. 231
- Crucifera, i. 114, ii. 670
- Crustacea, i. 88
- Cryptogamia, i. 93, ii. 414
- Cubeba, Piper, ii. 209
- Cubebin, ii. 210
- Cubebs, volatile oil of, ii. 212  
essential oil of, ii. 212
- Cuchunchully, ii. 669
- Cuckoo-flower, ii. 670
- Cuckow-pint, ii. 78
- Cucumber, bitter, ii. 500  
squirting, ii. 505  
wild, ii. 500
- Cucumis colocynthis, ii. 500  
melo, ii. 512  
sativus, ii. 512  
citrullus, ii. 512
- Cucurbita melopepo, ii. 512  
ovifera, ii. 512  
pepo, ii. 512
- Cucurbitaceæ, i. 92, ii. 500
- Cudbear, ii. 43
- Culilawan, ii. 254
- Cumin, ii. 486
- Cuminum cyminum, ii. 485
- Cupri acetas, i. 646  
ammoniati aqua, i. 644  
ammoniareum, i. 643  
ammonio-sulphas, i. 643  
subacetas, i. 645  
sulphas, i. 640
- Cupro-sulphate of ammonia, i.  
643
- Cuprum, i. 638  
ammoniatum, i. 643
- Cupulifera, ii. 118
- Curcuma angustifolia, ii. 146  
leucorrhiza, ii. 147  
longa, ii. 145  
rotunda, ii. 145  
rubescens, ii. 147
- Cuedoaria, ii. 158
- zedoaria, ii. 158
- zerumbet, ii. 158
- Curcumin, ii. 146
- Curry powder and paste, ii.  
146
- Cusco cinchonia, ii. 426
- Cusconin, ii. 426
- Cusparia febrifuga, ii. 621
- Cusparin, ii. 623
- Cutch, ii. 576
- Cuttle-fish bone, ii. 759
- Cyanide of gold, i. 570  
mercury, i. 631  
silver, i. 580  
zinc, i. 680
- Cyanodide of silver, i. 580  
mercury, i. 631
- Cyanuret of iron, i. 698  
mercury, i. 631  
silver, ii. 580  
zinc, i. 680
- Cyanuretum seu cyanodidum  
hydrargyri, i. 631
- Cycadeæ, ii. 159
- Cycas circinalis, ii. 159  
inermis, ii. 159  
revoluta, ii. 159
- Cydonin, i. 78, ii. 550
- Cydonia vulgaris, ii. 550
- Cynanchum monspeliacum, ii.  
347  
argel, ii. 347
- Cynapina, ii. 499
- Cynaræ, ii. 401
- Cynips gallæ tinctoriae, ii. 191
- Cynodon dactylon, ii. 52
- Cytisus scoparius, ii. 558
- D.
- Dadyl, ii. 168
- Dahlin, Datisca, ii. 391
- Damson, mountain, ii. 612
- Dandelion, ii. 401
- Daphne gnidium, ii. 200  
laureola, ii. 260  
mezereum, ii. 258  
oleoides, ii. 258
- Daphnæ, ii. 259
- Datura arborea, ii. 326  
fastuosa, ii. 326  
ferox, ii. 325  
metel, ii. 326  
stramonium, ii. 309  
tatula, ii. 326
- Daturæ, ii. 309
- Daucus carota, ii. 486
- Daun kitsjil, ii. 513
- Deadly nightshade, ii. 301
- Decoction of wood, ii. 619
- Decoctum aloës compositum,  
ii. 114  
althææ, ii. 658  
amyli, ii. 62  
avenæ, ii. 59
- Cetrariae, ii. 40  
chimaphila, ii. 381  
chondri, ii. 36  
cinchonæ, ii. 442  
cordifolia, ii. 443  
lancifolia, ii. 443  
oblongifolia, ii. 443
- cornus floridæ, ii. 754
- cydoniæ, ii. 551
- dulcamare, ii. 323
- ergotæ, ii. 74
- geoffroyæ, ii. 579
- glycyrrhizæ, ii. 560
- guaiaci, ii. 629
- haematoxili, ii. 580
- hordei, ii. 57  
compositum, ii. 57
- lichenis islandici, ii. 40
- malva compositum, ii. 657
- mezerei, ii. 260
- papaveris, ii. 710
- pectoral, ii. 57
- pyrolæ, ii. 384
- queræ, ii. 190
- sarsaparillæ, ii. 131  
compositum, ii. 131
- sarzæ, ii. 131  
compositum, ii. 131

- Decocum secalis cornuti, ii. 74  
 senegæ, ii. 665  
 scoparii compositum, ii. 559  
 taraxaci, ii. 402  
 tormentillæ, ii. 543  
 ulmi, ii. 195  
 uva ursi, ii. 384  
 veratri, ii. 97
- Delcroix's poudre subtile, i. 543  
 Deliriacients, i. 178  
 Delphia or delphinia, ii. 739  
 Delphinium staphysagria, ii. 738  
 Demulcents, i. 178  
 Dentifrices, i. 211  
 Depilatories, i. 211  
 Dephlogisticated air, i. 213  
 muriatic acid, i. 217  
 nitrous air, i. 263  
 Derivation and revulsion, i. 154  
 Detergents, i. 209  
 Desiccants, i. 209  
 Diachylon or diachylum, i. 669  
 Dianthus caryophyllus, ii. 663  
 Diaphoretica calida, i. 185  
 Diaphoretics, i. 195  
 Dicotyledons, ii. 158  
 Dictamnus albus, ii. 624  
 fraxinella, 624  
 Dieffenbachia seguina, ii. 78  
 Diet, animal, i. 99  
 full or common, i. 100  
 low, i. 100  
 milk, i. 100  
 vegetable, i. 99  
 tables of the London hospitals, i. 101  
 Dietetical regimen, i. 98  
 Digestives, i. 209  
 Digitalina, ii. 287  
 Digitalis purpurea, ii. 286  
 Dill, ii. 482  
 Diosma crenata, ii. 619  
 crenulata, ii. 619  
 latifolia, ii. 619  
 odorata, ii. 619  
 serratifolia, ii. 619  
 Diosmin, ii. 620  
 Dippel's animal oil, i. 374  
 Dipteraceæ, ii. 655  
 Disinfectants, i. 210  
 Dittany, bastard, ii. 624  
 Diuretics, i. 196  
 Diuretic salt, i. 447  
 Dock, great water, ii. 273  
 Doctrine of contra-stimulus, new Italian, i. 142  
 Dog rose, ii. 544  
 Dogwood, ii. 753  
 Dolichos pruriens, ii. 563  
 Dolomite, i. 511  
 Dorema ammoniacum, ii. 479  
 Dorse, ii. 793  
 Dorstenia brasiliensis, ii. 201  
 contrajerva, ii. 200  
 Doubles, i. 511
- Douche, the, i. 63  
 Dover's powder, ii. 455  
 Dracæna Draco, ii. 121  
 Draconin, ii. 84  
 Drago mitigatus, i. 609  
 Dragon's blood, ii. 83  
 Drastics, i. 203  
 Dressing, simple, i. 757  
 Drimys Winteri, i. 732  
 Drinks, i. 93  
 Drop, black, ii. 715  
 Drops, acidulated, ii. 638  
 Jesuit's, ii. 379  
 nitre, i. 331  
 Drunkenness, i. 318  
 Dryadæ, ii. 541  
 Drymyrhizæ, ii. 141  
 Dryobalanops aromatica, ii. 655  
 camphora, ii. 655  
 Duke of Portland's powder for the gout, ii. 234  
 Dulcamara, ii. 322  
 Dwale, common, ii. 301  
 Dyer's madder, ii. 459  
 Orchil or Orchella, ii. 42
- E.  
 Earth of bones, i. 504  
 Eau de Cologne, ii. 654  
 javelle, i. 459  
 luce, i. 286  
 naphre, ii. 652  
 vie, i. 322  
 médicinale d'Husson, ii. 88  
 Ecbolices, i. 206  
 Effervescing draught, i. 447, ii. 645  
 citrates, i. 359  
 tartrates, i. 362  
 solution of potash, i. 447  
 Egg flip, ii. 323  
 Eggs, i. 86  
 Eglantine, ii. 544  
 Elaidine, ii. 369  
 Elaine or oleinc, ii. 369  
 Elais Guineensis, ii. 83  
 Elaterin, ii. 509  
 Elaterium momordica, ii. 505  
 Elatin, ii. 509  
 Elder berries, ii. 463  
 common, ii. 463  
 flower water, ii. 464  
 ointment, ii. 464  
 rob, ii. 464  
 Elecampane, ii. 390  
 camphor, ii. 391  
 Elecampin, ii. 391  
 Electric calamine, i. 679  
 Electrical apparatus, i. 67  
 diagnostometer, ii. 369  
 Electricity, i. 67  
 Electuarium aromaticum, ii. 240  
 cassia, ii. 592  
 catechu, ii. 578  
 compositum, ii. 578  
 lenitivum, ii. 590
- Electuarium opii, ii. 712  
 piperis, ii. 208  
 scammonii, ii. 332  
 senna, ii. 590  
 Elemi, ii. 609  
 Elettaria cardamomum, ii. 152  
 major, ii. 155  
 medium, ii. 151  
 Eleutheria bark, ii. 219  
 Elixir of vitriol, i. 409  
 proprietatis, ii. 114  
 sacrum, ii. 114  
 salutis, ii. 589  
 Ellagic acid, ii. 192  
 Elm, common small-leaved, ii. 195  
 Embryonatæ, ii. 50  
 Emetic, tartar, i. 554  
 Emetics (emetica), i. 201  
 Emetina or emetine, ii. 451  
 Emetine, indigenous, ii. 669  
 Emmenagogues (emménago-ga), i. 205  
 Emollients, i. 190  
 Empirical arrangements, i. 163  
 Emplastro-endermic method, i. 156  
 Emplastrum adhærens, i. 482  
 adhæsivum, i. 669  
 Anglicum, ii. 380  
 ammoniaci, ii. 482  
 et hydrargyri, i. 603  
 cum hydrargyro, i. 603  
 aromaticum, ii. 787  
 assafetidæ, ii. 478  
 attrahens, i. 669  
 belladonnae, ii. 308  
 calefaciens, ii. 781  
 cantharidis, ii. 780  
 compositum, ii. 781  
 ceræ, ii. 787  
 cumini, ii. 486  
 epispasticum, ii. 780  
 ferri, i. 689  
 galbani, ii. 485  
 gummosum, ii. 485  
 hydrargyri, i. 603  
 lithargyri cum resinæ, i. 669, ii. 175  
 lithargyri, i. 669  
 opii, ii. 713  
 picis, ii. 176  
 burgundica, ii. 176  
 plumbi, i. 669  
 resinæ, i. 669, ii. 175  
 resinosum, i. 669  
 roborans, i. 689  
 saponis, i. 482  
 compositum, i. 482  
 simplex, ii. 787  
 thuris, ii. 689  
 Empyreal air, ii. 213  
 Emulsion of black mustard, ii. 673  
 Emulsio amygdalæ c. amygdalina, ii. 529  
 Enantiopathic or palliative method, i. 150

Endermic or emplastro-endermic method, i. 156  
 Endogeneæ, ii. 51  
 Enema catharticum, ii. 583  
 colocynthidis, ii. 505  
 festidum, ii. 477  
 opii, i. 714  
 vel anodynum, i. 714  
 tabici, ii. 321  
 terebinthina, ii. 173  
 Enemata, i. 160  
 Enepidermic method, i. 156  
 Epidermic method, i. 156  
 Epileptifacients?, i. 177  
 Episastics, i. 209  
 Epsom salts, i. 511  
 Epulotics, i. 209  
 Ergot, or spurred rye, ii. 63  
 Ergotætia abortifaciens, ii. 44  
 Ergotin, ii. 67  
 Ericaceæ, ii. 382  
 Errhines, i. 198  
 Erucin, ii. 676  
 Eryngium campestre, ii. 499  
 Ernygo, ii. 499  
 Erythrae centaurium, ii. 342  
 Erythrine, ii. 41  
 bitter, ii. 41  
 Erythrolein, ii. 41  
 Erythrolitmine, ii. 43  
 Erythronium Americanum, ii. 121  
 Escharotics, i. 208  
 Esenbeckina, ii. 417  
 Espoic medicine, i. 156  
 Essence de petit grain, ii. 653  
 of ambergris, ii. 801  
 bergamot, ii. 647  
 bitter almonds, ii. 531  
 Cayenne, ii. 327  
 cedra, ii. 646  
 citron, ii. 646  
 ginger, ii. 144  
 lemons, ii. 649  
 musk, ii. 807  
 peppermint, ii. 280  
 spearmint, ii. 279  
 spruce, ii. 163, 184  
 Ethal, ii. 800  
 Ether, acetic, i. 342  
 compound spirit of sulphuric, i. 334  
 hydrochloric, i. 342  
 hyponitrous, i. 337  
 nitric, spirit of, i. 337  
 nitrous, spirit of, i. 337  
 cenanthic, i. 312  
 rectified sulphuric, i. 313  
 spirit of muriatic, i. 342  
 nitric, i. 337  
 sulphuric, i. 334  
 Ethereal oil, i. 335  
 Ethero-sulphuric acid, i. 329  
 Etherium, i. 328  
 Etherification, theory of, i. 328  
 Etherine, i. 329  
 hydrate of, i. 329  
 Etherole, i. 335  
 Ethérolés, i. 334  
 Ethiops mineral, i. 631

Ethule, i. 329  
 oxide of, i. 329  
 Eucalyptus resinifera, ii. 521  
 Eugenia caryophyllata, ii. 515  
 pimenta, ii. 519  
 Eugenin, ii. 516  
 Eupatoriaceæ, ii. 339  
 Euphorbia, ii. 226  
 antiquorum, ii. 226  
 canariensis, ii. 226  
 gummi-resina, ii. 226  
 ipecacuanha, ii. 231  
 lathyris, ii. 231  
 meloformis, ii. 213  
 officinarum, ii. 227  
 Euphorbiaceæ, ii. 213  
 Euphorbium, ii. 226  
 Euphrasia officinalis, ii. 296  
 European flowering ash, ii. 371  
 olive, ii. 366  
 Evacuants, i. 192  
 Excitants, i. 182  
 volatile, i. 186  
 Exercitatio, i. 103  
 Exogeneæ, ii. 158  
 Exogens, i. 158  
 Exosmose and endosmose, i. 128  
 Exostema caribæum, ii. 417  
 floribundum, ii. 417  
 peruvianum, ii. 417  
 souzatum, ii. 417  
 Expectorants, i. 200  
 Extract, Gouard's, i. 666  
 fluid of senna, i. 590  
 Extractive, i. 190  
 Extractum aconiti, ii. 745  
 alcoholicum, ii. 745  
 aloes hepaticæ, ii. 114  
 purificatum, ii. 114  
 anthemidis, ii. 392  
 artemisiae absinthii, ii. 395  
 belladonnae, ii. 308  
 cannabis, ii. 205  
 chamaemeli, ii. 392  
 cinchonæ, ii. 444  
 cordifoliae, ii. 444  
 lancifoliæ, ii. 444  
 oblongifoliae, ii. 444  
 colchici cormi, ii. 93  
 (cormi) colchici aceticum,  
 ii. 92  
 colocynthidis, ii. 503  
 compositum, ii. 115,  
 503  
 conii, ii. 497  
 digitalis, ii. 295  
 elaterii, ii. 508  
 filicis æthereum, ii. 50  
 gentianæ, ii. 341  
 glycyrrhizæ, ii. 560  
 haematoxili, ii. 580  
 hellebore, ii. 738  
 humuli, ii. 198  
 hyoscyami, ii. 300  
 jalapii, ii. 336  
 juglandis, ii. 751  
 krameriae, ii. 667  
 lupuli, ii. 198  
 nucie vomicæ, ii. 359  
 Extractum opii, ii. 713  
 papaveris, ii. 711  
 podophylli, ii. 750  
 quassiae, ii. 616  
 quercus, ii. 190  
 rhei, ii. 292  
 ruta, ii. 618  
 sabadilla alcoholicum, ii.  
 100  
 sarzæ, ii. 132  
 compositum, ii. 132  
 fluidum, ii. 132  
 sarsaparillæ, ii. 132  
 fluidum, ii. 132  
 saturni, ii. 166  
 scammonia, ii. 332  
 senegæ, ii. 666  
 spartii scoparii, ii. 559  
 stramonii, ii. 332  
 styracis, ii. 376  
 taraxaci, ii. 402  
 uve ursi, ii. 384  
 Eyebright, common, ii. 296  
 F.  
 Faba Sancta Ignatii, ii. 363  
 Fax sacchari, ii. 54  
 False angostura bark, ii. 349  
 Farina ligni, ii. 662  
 sagu, ii. 80  
 sinapis, ii. 673  
 Farinosa, i. 79  
 Fel bovinum, ii. 812  
 tauri, ii. 812  
 Fennel, common, ii. 468  
 seeds, sweet, ii. 469  
 sweet, ii. 469  
 Fermentation, acetous, i. 310  
 saccharine, i. 310  
 vinous, i. 310  
 Fern, male shield, ii. 48  
 Ferns, ii. 47  
 Feronia elephantum, ii. 654  
 Ferri acetas, i. 711  
 acetatis tinctura, i. 711  
 ammonio-chloridum, i. 694  
 carbonas, i. 687, 706  
 precipitatus, i. 687  
 saccharatum, i. 706  
 cyanureum, i. 698  
 et potassæ tartras, i. 709  
 ferrosesquicyanidum, i.  
 698  
 iodidum, i. 695  
 iodidi syrupus, i. 697  
 lactas, i. 712  
 muriatis tinctura, i. 692  
 oxydi squameæ, i. 681  
 oxydum nigrum, i. 686  
 rubrum, i. 687  
 percyanidum, i. 698  
 pernitras, i. 712  
 persulphas, i. 712  
 potassium-tartras, i. 709  
 rubigo, i. 687  
 sesquioxydum, i. 687  
 hydratum, i. 698  
 sulphas, i. 703  
 exsiccatum, i. 705  
 v.

- Ferri-sulphuretum, i. 697  
tartarum, i. 709
- Ferro-cyanate of potash, i. 700  
cyanide of potassium, i.  
700
- sesquicyanide of iron, i.  
698
- tartras potassii, i. 709
- tartrate of ammonia, i. 712  
potash, i. 709
- Ferroso-ferric oxide, i. 686
- Ferrugo, i. 690
- Ferrum, i. 681  
ammoniatum, i. 694  
tarzatatum, i. 709  
vitriolatum, i. 703
- Ferula assafetida, i. 471  
persica, ii. 472  
(sapagenum), ii. 478
- Festuca quadridentata, i. 116
- Fever powder of Dr. James, i.  
551
- Fibrine, i. 82
- Ficus carica, ii. 200
- Field ladies' mantle, ii. 551
- Fig, common, ii. 200
- Figwort, knotty-rooted, ii. 295
- Filices, ii. 45
- Filicina, ii. 49
- Filix mas, ii. 48
- Filum, i. 681
- Fishery salt, i. 452
- Fishes, i. 87
- Fixed air, i. 300  
nitre, i. 441  
oil, ii. 223  
sal ammoniac, i. 491
- Flag, sweet, ii. 76
- Flake, white, i. 660
- Flax, common, ii. 661  
purging, ii. 662
- Flesh, i. 83, 86
- Flies, potato, ii. 781  
Spanish, ii. 771
- Florentine orris, ii. 137
- Flores benzoini, i. 363  
salis ammoniaci martialis,  
i. 649  
seu calx zinci, i. 671
- Florida arrow-root, ii. 159
- Flour, ii. 60  
of mustard, ii. 673
- Flowerless plants, ii. 33
- Flowers of arsenic, i. 521  
benjamin, i. 563  
sulphur, i. 397  
zinc, i. 671
- Fluor albus, i. 449  
niger, i. 449
- Flux, black, i. 449  
white, i. 449
- Foeniculum dulce, ii. 469  
vulgare, ii. 469
- Food, i. 76
- Foliated earth of tartar, i. 447
- Fossil salt, i. 452
- Fowler's solution, i. 542
- Foxglove, purple, ii. 286
- Frankincense, i. 688, ii. 163,  
166
- Fraseria walteri, ii. 388
- Fraxinella, white, ii. 624
- Fraxinus excelsior, ii. 371  
ornus, ii. 371  
parviflora, ii. 371
- Friar's balsam, ii. 379
- Fritillaria imperialis, ii. 121
- Fruits, aurantiaceous, i. 91  
baccate, i. 91  
cucurbitaceous, i. 92  
cteroio, i. 92  
fleshy, i. 91  
leguminous, i. 92  
pomaceous, i. 91  
sorosis, i. 92  
stone, i. 91  
syconus, i. 92
- Fucus vesiculosus, ii. 34
- Fuligo ligni, i. 367
- Fulminating gold, i. 570
- Fulton's decorticated pepper, ii.  
206
- Fumigating pastilles, ii. 380
- Fumigations nitricæ, i. 269
- Fuming sulphuric acid, i. 404
- Fungi, i. 93, ii. 44
- Fungic acid, ii. 44
- Fungin, ii. 44
- Furfur tritici, ii. 62
- Furnace cadmia, i. 674
- Fuselöl, i. 312
- G.
- Gadus merluccius, ii. 788  
morrhua, ii. 793
- Galangal root, ii. 157
- Galbanum officinale, ii. 483
- Galena, i. 651
- Galipea cusparia, ii. 621  
officinalis, ii. 621
- Gallie acid, i. 190, ii. 192
- Gallinae, ii. 795
- Galls, ii. 190
- Gallus domesticus, ii. 795
- Gambir, ii. 456
- Gamboge, ii. 640  
acid, ii. 641  
hebradendron, ii. 639
- Garcinia mangostana, ii. 639
- Garden angelica, ii. 469  
carrot, ii. 487  
dill, common, ii. 482  
lettuce, ii. 403  
rue, ii. 616
- Gargarismata, i. 158
- Garlic, ii. 119
- Gaultheria procumbens, ii. 384
- Gelatina chondri, ii. 36
- Gelatine, i. 82  
animal, i. 82  
capsules of copaiva, ii. 599
- Gemmæ seu turiones abietis ii.  
184
- Geneva, ii. 311
- Gentian, common or yellow ii.  
337
- Gentiana chirayita, ii. 341  
lutea, ii. 337
- Gentianaceæ, ii. 337
- Gentianin, ii. 339
- Gentianite, ii. 339
- Gentisin, ii. 339
- Geoffroya inermis, ii. 578  
surinamensis, ii. 578
- Geoffroyæ jamaicensis cortex,  
ii. 578
- Geraniaceæ, ii. 751
- Geranium maculatum, ii. 751
- German opium, ii. 683  
tinder, ii. 46
- Germanander, ii. 285
- Geum urbanum, ii. 541
- Glechoma hederacea, i. 114
- Gigartina helminthocorton, ii.  
36
- Gilla theophrasti, i. 676
- Gillenia trifoliata, ii. 540
- Gin, i. 311
- Ginger beer, ii. 145  
powders, i. 474
- black, ii. 143  
lozenges, ii. 144  
narrow-leaved, ii. 143  
powdered, ii. 144  
preserved, ii. 144  
tea, ii. 144  
white, ii. 143
- Gingilie oil, ii. 399
- Ginseng, ii. 464
- Glaser's sal polychrest, i. 433
- Glauber's salt, i. 460  
spirit of nitre, i. 264
- Glires, ii. 814
- Gluten, i. 83
- Glycerine, i. 478
- Glycion or liquorice sugar, ii.  
560
- Glycyrrhiza echinata, ii. 560  
glabra, ii. 559  
glandulifera, ii. 560
- Glycyrrhizin, ii. 560
- Gold, ammoniuret of teroxide,  
of, i. 570  
and its compounds, i. 567  
fulminating, i. 576  
iodide of, i. 570  
litharge, i. 566  
peroxide of, i. 569  
terchloride of, i. 568  
tercyanide of, i. 507  
teroxide of, i. 569
- Golden marcasite, i. 670  
sulphuret of antimony, i.  
547
- Gondret's ammoniacal oint-  
ment, i. 280
- Gossypium herbacea, ii. 658
- Gouard's extract, ii. 666  
water, ii. 668
- Grains of paradise, ii. 148
- Gramineæ, ii. 51
- Granadilla, or grana tilla, ii. 214
- Jaspeada, ii. 783  
nigra, ii. 783
- paradisi, ii. 148
- sagu, ii. 81
- sylvestria, ii. 783
- tiglia, ii. 214

- Granadin, ii. 524  
 Graniteæ, ii. 522  
 Granatum punica, ii. 523  
 Granilla, ii. 783  
 Grape sugar, ii. 632  
 Graphite, or black lead, i. 296  
 Grass-oil of Namur, ii. 52  
 Gratiola officinalis, ii. 296  
 Gravel-root, ii. 730  
 Gray cinchona, ii. 419  
     oxide of mercury, i. 603  
 Green tea, ii. 654  
     vitriol, i. 763  
 Griffith's mixture, i. 707  
 Groats, ii. 59  
 Grossulin, i. 79  
 Ground liverwort, ii. 44  
     pine, ii. 285  
 Gruel, water, ii. 59  
 Guaiacin, ii. 626  
 Guaiacum, ii. 624  
     bark, ii. 628  
     officinale, ii. 624  
     resin, ii. 626  
     sanctum, ii. 626  
     wood, ii. 624  
 Guinea-pepper, ii. 327  
 Guizotia oleifera, ii. 399  
 Gum acacia, ii. 567  
     Arabic, ii. 568  
     Barbary or Morocco, ii.  
         569  
     bassora, ii. 571  
     black boy, ii. 121  
     butea, ii. 600  
     Cape, ii. 570  
     cherry tree, ii. 551  
     dragon, ii. 83  
     East Indian, ii. 570  
     Gedda, ii. 569  
     lozenges, ii. 573  
     resins, i. 185  
     Senegal, ii. 570  
     Turic, ii. 569  
     Turkey, ii. 569  
     yellow, ii. 121  
 Gummi gambiense, ii. 640  
     juniperi, ii. 180  
     rubrum astringens, ii. 565  
     nostras, ii. 551  
 Gungah, ii. 203  
 Guttiferae, ii. 639  
 Gyrophora, ii. 44
- H.
- Hæmanthus toxicariæ, ii. 139  
 Hæmatin, or hematoxylin, ii.  
     580  
 Hematoxylon campechianum,  
     ii. 579  
 Hair dye, i. 271  
 Hartshorn, ii. 880  
     burnt, i. 505  
 Head matter, ii. 799  
 Heat, i. 46  
 Heath tribe, ii. 382  
 Hebradendron cambogioides,  
     ii. 639  
 Hedge hyssop, ii. 296
- Hedgehog pterocarpus, ii. 565  
 Helenin, ii. 391  
 Helenium inula, ii. 390  
 Hellebore black, ii. 736  
     white, ii. 94  
 Helleborus fetidus, ii. 749  
     hiemalis, ii. 737  
     niger, ii. 736  
     officinalis, ii. 736  
     viridis, ii. 736  
 Hellot's test, ii. 41  
 Helonias officinalis, ii. 97  
 Hemidesme acid, ii. 346  
 Hemidesmus indicus, ii. 346  
 Hemiptera, ii. 782  
 Hemlock, ii. 787  
     poultice, ii. 490  
     spruce fir, ii. 163  
     water drop-wort, ii. 499  
 Hemp, Indian, ii. 202  
     extract of plant, ii. 202  
 Henbane, common, ii. 297  
 Henry's aromatic vinegar, i.  
     355  
 Hepar sulphuris, i. 429  
 Hepatic aloes, ii. 107  
 Hepatized ammonia, i. 412  
 Herb bennet, i. 541  
 Hermodactylus, ii. 92  
 Hesperidin, ii. 648  
 Heteropathic method, i. 153  
 Heudolotia Africana, ii. 610  
 Hirudo, ii. 760  
 Hoffman's mineral anodyne  
     liquor, i. 384  
 Hog, ii. 812  
 Hog's lard, ii. 813  
 Hollands, i. 311  
 Homberg's pyrophorus, i. 515  
 Homeopathia, i. 150  
 Honey, ii. 785  
     clarified, ii. 785  
     dew, ii. 731  
     of borax, i. 464  
     of roses, ii. 547  
     oil, ii. 731  
 Hop common, ii. 196  
 Hordein, ii. 57  
 Hordeum distichon, ii. 56  
     hexastichon, ii. 56  
     mundatum, ii. 56  
     perlatum, ii. 56  
     vulgare, ii. 56  
     zeocitron, ii. 56  
 Horehound candied, ii. 285  
     syrup of, ii. 285  
     tea, ii. 285  
     white, ii. 285  
 Horn, ii. 807  
     silver, or luna cornea, i.  
         218  
 Horse-radish, ii. 671  
 Hot bath, i. 55  
 Huamalies bark, ii. 421  
 Huanuco bark, ii. 419  
 Hume's test, i. 580  
 Humulus lupulus, ii. 196  
 Hundred-leaved roses, ii. 548  
 Hungarian balsam, ii. 379  
 Hungary water, ii. 282
- Huxham's tincture of bark, ii.  
     443  
 Hydragogues, i. 203  
 Hydrargyri acetas, i. 636  
     ammonio-chloridum, i. 623  
     bichloridum, i. 617  
     bicyanidum, i. 631  
     biniodidum, i. 627  
     binoxydum, i. 605  
     bisulphuretum, 629  
     cum sulphure, i. 631  
     chloridum, i. 609  
     corrosivum, i. 617  
     cyanuretum, 631  
     iodidum, i. 626  
     murias corrosivus, i. 617  
     nitrico oxydum, i. 607  
     oxidum cinereum, i. 603  
     oxydum, i. 603  
         nigrum, i. 603  
         nitricum, i. 607  
         rubrum, i. 605  
     oxydum sulphuricum, i.  
         637  
     oxymurias, 617  
     prussias, i. 631  
     submurias, i. 609  
         ammoniatum, i. 623  
     sub-sulphas flavus, i. 637  
     sulphuretum cum sul.  
         phure, i. 631  
         nigrum, i. 631  
         rubrum, i. 629
- Hydrargyro-iodides, i. 628  
     iodide of potassium, i. 619  
     odo-cyanide of potassium,  
         i. 379
- Hydrargyrosis seu hydrargyri.  
     asis, i. 586
- Hydrargyrum, i. 581  
     ammoniatum, i. 623  
     boruccicum, i. 631  
     calcinatum, i. 605  
     cum calcis carbonate, i.  
         598  
     cum creta, i. 598  
         magnesia, i. 599  
     muriaticum, i. 617  
         mite, i. 609  
     precipitatum, i. 603  
         album, i. 623  
         purificatum, i. 598
- Hydrargyrus, i. 582
- Hydrate of amule, i. 312  
     cinnameine, ii. 555  
     oxide of methule, i. 347  
     potash, i. 414  
     sulphur, i. 401
- Hydrated peroxide of iron, i.  
     690  
     sesquioxide of iron, i. 690  
     oxide of lead, i. 656
- Hydrates, i. 239
- Hydriodate of iron, i. 695  
     potash, i. 420
- Hydriodic acid, i. 262
- Hydrobromate of potash, i. 427
- Hydrocarbon, double sulphate  
     of ether and, i. 325  
     sulphate of, i. 335

- Hydrochlorate of ammonia, i. 287  
  soda, i. 452  
  of mercury, i. 617  
  of zinc, i. 674
- Hydrochloric acid, i. 256  
  ether, i. 342
- Hydrocyanate of silver, i. 580
- Hydrocyanic acid, i. 374
- Hydrogen, i. 237  
  water, i. 238
- Hydrogenium i. 231
- Hydrolats, i. 241
- Hydroles, i. 241
- Hydromeli, i. 311
- Hydrometer, Sykes's, i. 315
- Hydrosulphate of ammonia, i. 412
- Hydrosulphuret of ammonia, i. 412
- Hydrosulphuretum ammoniae, i. 412
- Hydrous prussic acid, i. 374
- Hygrusin, i. 186
- Hymenoptera, ii. 784
- Hyoscyamia, ii. 798
- Hyoscyamus albus, ii. 297  
  niger, ii. 297
- Hypnotics or soporifics, i. 178
- Hypoehlorite of lime, i. 494  
  soda, i. 457
- Hypoehloris sodicus aqua solutus, i. 460
- Hyponitromeconic acid, i. 687
- Hyponitrous ether, i. 337
- Hypopicrotoxic acid, ii. 728
- Hysop, common, ii. 296
- Hysopus officinalis, ii. 285
- I.**
- Iatralptic method, i. 156
- Ice and snow, i. 65
- Iceland moss, ii. 38
- Ichthyocolla, ii. 788
- Icica icicaribi, ii. 609
- Illicium anisatum, ii. 466
- Imbibition, i. 128
- Imperial, i. 450  
  crown, ii. 121
- Incitants or excitants, i. 182
- Indian Arrow-root, East, ii. 140  
  West, ii. 139  
  corn, ii. 76  
  hemp, ii. 203  
  opium, ii. 681  
  tin, i. 670  
  tobacco, ii. 384
- Indigo, ii. 600  
  sulphate of, ii. 600
- Indigofera, ii. 600  
  tinctoria, ii. 600
- Indigotin, ii. 600
- Inebriants or intoxicants, i. 178
- Infernall stone, i. 572
- Infusa, i. 242
- Infusion of roses, i. 546
- Infusum angusture, ii. 624  
  anthemidis, ii. 392  
  compositum, ii. 672  
  armoraceæ, ii. 672  
  aurantii, ii. 653  
  compositum, ii. 653  
  buchu, ii. 621  
  calumba, ii. 726  
  caryophylli, ii. 517  
  caryophyllorum, ii. 517  
  cascarillæ, ii. 221  
  catechu, ii. 577  
  compositum, ii. 577  
  chamaemeli, ii. 392  
  chirettæ, ii. 342  
  cinchone, ii. 442  
  colombæ, ii. 726  
  cuspariæ, ii. 624  
  digitalis, ii. 294  
  diösnae, ii. 621  
  ergota, ii. 74  
  gentianæ compositum, ii. 340  
  krameriae, ii. 667  
  lini, ii. 661  
  lini compositum, ii. 661  
  lupuli, ii. 198  
  menthae compositum, ii. 278  
  piperitæ, ii. 278  
  simplex, ii. 278  
  pareire, ii. 731  
  pruni virginianæ, ii. 540  
  quassiae, ii. 615  
  rhei, ii. 271  
  rosæ, ii. 546  
   acidum, ii. 546  
   compositum, ii. 546  
  sarsaparille compositum, ii. 131  
  secalis cornuti, ii. 74  
  scoparii, ii. 559  
  sennæ, ii. 589  
   compositum, ii. 589  
  cum tamarindis, ii. 589  
  serpentariae, ii. 232  
  simaroubae, ii. 613  
  spigeliae, ii. 346  
  tabaci, ii. 321  
  valerianæ, ii. 408  
  zingiberis, ii. 145
- Injection into the veins, i. 162
- Insecta, ii. 771
- Insipissated juice of elder, ii. 464
- Intoxicants, i. 178
- Intoxication, i. 318
- Inula helenium, ii. 390
- Inulin, ii. 391
- Invertebrata, ii. 755
- Iodate of silver, i. 224
- Iodic acid, i. 234
- Iodide of potassium, i. 420  
  compound solution of, i. 426  
  liniment of, i. 426  
  of lead, i. 224, ii. 658  
  silver, i. 224  
  starch, i. 233  
  sulphur, i. 411
- Iodidum amyli, i. 283
- arsenici, i. 543
- auri, i. 570
- ferri, i. 695
- hydrargyri, i. 626
- plumbi, i. 658
- potassii, i. 420
- sulphuris, i. 411
- Iodine, i. 222  
  compound tincture of, i. 425  
  ointment, i. 234
- Iodini composita tinctura, i. 425
- Iodinium, i. 222
- Iodism, i. 227
- Iodure of potassium, i. 426
- Ioduretted baths, i. 426  
  cataplasm, i. 426  
  iodide of potassium, i. 422  
  mineral water, i. 426  
  ointment, i. 425
- Ionidum, ii. 669  
  ipecacuanha, ii. 669  
  microphyllum, ii. 669
- Ipecacuanha, ii. 448  
  annulated, ii. 449  
  black or Peruvian, ii. 461  
  brown annulated, ii. 449  
  cephaelis, ii. 448  
  false Brazilian, ii. 669  
  gray, ii. 450  
  annulated, ii. 450  
  striated, ii. 461  
  undulated, ii. 461  
  white, i. 461
- Ipomoea jalapa, ii. 333  
  purga, ii. 333  
  turpethum, ii. 337
- Iridaceæ, ii. 134
- Iridea edulis, ii. 38
- Iris florentine, ii. 137  
  tuberosa, ii. 137
- Irish moss, ii. 35
- Iron and its compounds, i. 681  
  acetate of, i. 711  
  ammonio-chloride of, i. 694  
  black oxide of, i. 686  
  carbonate of, i. 706  
  carburet or percarburet of, i. 296  
  ferrocyanide of, i. 698  
  ferroprussiate of, i. 698  
  ferrosesquicyanide of, ii. 698  
  hydriodate of, ii. 695  
  iodide of, i. 695  
  liquor, i. 699  
  percyanide of, i. 698  
  pernitrate of, i. 712  
  persulphate of, i. 712  
  precipitated carbonate of, i. 687  
  protiodide of, i. 695  
  red or peroxide of, i. 687  
  rust of, i. 687

- Iron, saccharine carbonate of, i. 706  
 sesquioxide of, i. 706  
 sulphate of, i. 703  
 sulphuret of, i. 697  
 syrup of iodide of, i. 697  
 tincture of the muriate of, i. 692  
 vitriolated, i. 703  
 wine, i. 712  
 Irritation, counter, i. 150  
 Isinglass, ii. 788  
 Isis nobilis, ii. 757  
 Issue peas, ii. 651  
 Italian or Spanish juice, ii. 560  
 Itch insect, i. 400  
 Ivory-black, i. 299  
  
 J.  
 Jaen bark, ii. 420  
 Jalapa ipomaea, ii. 333  
 Jalapic acid, ii. 335  
 Jalapin, ii. 334  
 Jamaica pepper, ii. 379  
     kino, ii. 274  
 Jamaicina, ii. 578  
 James's powder, i. 551  
 Janipha manihot, ii. 229  
 Jatropha curcas, ii. 231  
     manihot, ii. 229  
 Jatrophic acid, ii. 215  
 Jelly, animal, i. 82  
     vegetable, i. 79  
 Jervin, ii. 95  
 Jesuit's drops, ii. 379  
     powder, ii. 410  
 Juglans cinerea, ii. 750  
 Juices, preserved vegetable, i. 325  
 Juniper, common, ii. 179  
     berries, ii. 180  
 Juniperus communis, ii. 179  
     sabina, ii. 181  
     virginiana, ii. 184  
  
 K.  
 Kali preparatum, i. 443  
     purum, i. 414  
     tartrated, i. 450  
 Kali or vegetable alkali, i. 41  
     vitriolated, i. 432  
 Kelp, i. 469  
 Kermes mineral, i. 547  
     native, i. 547  
 Kino, ii. 566  
     Amboyna, ii. 566  
     Botany Bay, ii. 521  
     East Indian, ii. 566  
     genuine gum, ii. 566  
     Jamaica, ii. 274  
     tincture of, ii. 566  
 Kinic acid, ii. 428  
 Kinovic acid, ii. 428  
 Kirkland's neutral cerate, i. 67  
 Krameria triandra, ii. 666  
 Krameric acid, ii. 667  
 Kreosote or creosote, i. 365  
 Kypootie oil, ii. 513

3

- Jaen bark, ii. 420  
 Jalapa ipomaea, ii. 333  
 Jalapic acid, ii. 335  
 Jalapin, ii. 334  
 Jamaica pepper, ii. 379  
     kino, ii. 274  
 Jamaicaina, ii. 578  
 James's powder, i. 551  
 Janipha manihot, ii. 229  
 Jatropha curcas, ii. 231  
     manihot, ii. 229  
 Jatrophic acid, ii. 215  
 Jelly, animal, i. 82  
     vegetable, i. 79  
 Jervin, ii. 95  
 Jesuit's drops, ii. 379  
     powder, ii. 410  
 Juglans cinerea, ii. 750  
 Juices, preserved vegetable, i.  
     325  
 Juniper, common, ii. 179  
     berries, ii. 180  
 Juniperus communis, ii. 179  
     sabina, ii. 181  
     virginiana, ii. 184

K

- Kali præparatum, i. 443  
     purum, i. 414  
     tartarized, i. 450  
 Kali or vegetable alkali, i. 41  
     vitriolated, i. 432  
 Kelp, i. 463  
 Kermes mineral, i. 547  
     native, i. 547  
 Kino, ii. 566  
     Amboyna, ii. 566  
     Botany Bay, ii. 521  
     East Indian, ii. 566  
     genuine gum, ii. 566  
     Jamaica, ii. 274  
     tincture of, ii. 566  
 Kinic acid, ii. 428  
 Kinovic acid, ii. 428  
 Kirkland's neutral cerate, i. 67  
 Krameria triandra, ii. 666  
 Krameric acid, ii. 667  
 Kreosote or creosote, i. 365  
 Kypootie oil, ii. 513

I

- Labarraque's soda disinfecting liquid, i. 457  
 Labiate, i. 114, ii. 275  
 Lac, ii. 810  
     ammoniaci, ii. 481  
     asarifictae, ii. 477  
     sulphuris, i. 400  
     vaccinum, ii. 810  
 Lace bark-tree, ii. 260  
 Lacmus (litmus), ii. 43  
 Lactalbumen, i. 82, ii. 811  
 Lactate of iron, i. 712  
 Lactic acid, ii. 812  
 Lactin, ii. 811  
 Lactuce sativa, ii. 403  
     virosa, ii. 405  
 Lactucarium, ii. 403  
 Lactucie acid, ii. 404  
 Lactucin, ii. 204  
 Ladanum, ii. 670  
 Ladies' mantle, field, ii. 551  
 Lagetta linteraria, ii. 260  
 Laminaria digitata, ii. 37  
     saccharina, ii. 38  
 Lana philosophica, i. 671  
 Lapilli cancerorum, ii. 788  
 Lapis calaminaris præparatu  
     i. 680  
     infernalis, i. 414  
         sive septicus, i. 572  
 Lappa minor, ii. 400  
 Larch agaric, ii. 46  
     or Venice turpentine, ii. 10  
 Lard, ii. 813  
 Larix Europæa, ii. 163  
 Laser of Persia, ii. 472  
 i. Lasertenium, ii. 471  
 Latania borbonica, ii. 79  
 Laudanum, ii. 713  
     liquidum Sydenhami,  
     714  
 Laughing gas, i. 263  
 Lauraceæ, ii. 235  
 Laurel fat, ii. 253  
     leaved canella, ii. 644  
     common cherry, ii. 536  
     water, ii. 537  
 Laurentia pinnatifida, ii. 37  
 Laurin, ii. 253  
 Lanrus camphora, ii. 243  
     cassis, ii. 240  
     cinnamomum, ii. 235  
     nobilis, ii. 253  
     sassafras, ii. 253  
 Lavender, ii. 276  
     drops, ii. 277  
     oil of, ii. 277  
     water, ii. 277  
 Lavendula spica, ii. 276  
     vera, ii. 276  
 Lavation, washing or sponge  
     i. 64  
 Lavements, i. 160  
 Laxatives or lenitives, i. 204  
 Lead and its compounds, i. 6  
     acetate of, i. 663  
     carbonate of, i. 660  
     chloride of, i. 658

- Lead, colic, i. 658  
     deutoxide of, i. 657  
     hydrated oxide of, i. 656  
     iodide of, i. 658  
     magistery of, i. 660  
     nitrate of, i. 662  
     oxide or protoxide of, i.  
         655  
     plaster of, i. 668  
     plumbite of, i. 656  
     red oxide of, i. 657  
     solution of diacetate of, i.  
         668  
     subcarbonate of, i. 660  
     sugar of, i. 663  
     superacetate of, i. 663  
         white, i. 660  
 Lecanora tartarea, ii. 42  
 Leccos gum, ii. 367  
 Leeches, ii. 759  
 Leek, ii. 121  
 Leguminosæ, ii. 552  
 Lemery's white precipitate, i.  
     623  
 Lemnian earth, i. 520  
 Lemon and kali, i. 447  
 Lemon tree, ii. 647  
     essential salt of, i. 309  
     juice, ii. 648  
         artificial, i. 359  
     peel, ii. 647  
 Lemons, concrete acid of, i. 355  
     oil of, i. 649  
 Lenitive electuary, ii. 590  
 Lentisk tree, ii. 602  
 Leontodon taraxacum, ii. 401  
 Lettuce, garden, ii. 403  
     opium, ii. 403  
     strong-scented, ii. 405  
 Levant nut, ii. 727  
 Levisticum officinale, ii. 499  
 Lichen islandicus, ii. 38  
 Lichenes, ii. 38  
 Lichens, i. 93  
 Lichenin, ii. 39  
 Lichenic acid, ii. 39  
 Light, i. 44  
 Light oil of wine, i. 335  
     wines, ii. 634  
 Lignum colubrina, ii. 364  
 Lignin, i. 79  
 Lignum quassiae, ii. 614  
     jamaicensis, ii. 614  
     surinamense, ii. 616  
     santali rubri, ii. 565  
     vite, ii. 625  
 Liliaceæ, ii. 704  
 Lilium candidum, ii. 121  
 Lily, common white, ii. 121  
 Lima bark, ii. 419  
 Lime, i. 487  
     burned, i. 488  
     carbonate of, i. 500  
     chloride of, i. 491  
     chlorite of, i. 494  
     hydrate of, i. 488  
     hypochlorite of, i. 494  
     juice, i. 357, ii. 648  
     muriate of, i. 491  
     oil of, i. 492

- Lime, oxalate of, ii. 265  
oxymuriate of, i. 491  
phosphate, i. 504  
slaked, i. 488  
subphosphate of, i. 504  
water, i. 491
- Limonum oleum, ii. 649
- Linaceæ, ii. 660
- Ling, ii. 793
- Liniment, anodyne, ii. 714  
of ammonia, i. 279  
sesquicarbonate of ammonia, i. 286  
soap, i. 481  
volatile, i. 482
- Linimentum æruginis, i. 646  
ammonie, i. 279  
compositum, i. 279  
calcis, i. 491  
camphoræ, ii. 251  
compositum, ii. 251  
crotonis, ii. 219  
sesquicarbonatis, i. 286  
hydrargyri compositum, i. 603  
opii, ii. 714  
saponis, i. 481  
cum opio, i. 714  
simplex, i. 788  
terebinthinæ, ii. 173
- Linseed, ii. 660  
oil, ii. 661  
tea, ii. 661
- Liparolé d'ammoniaque, i. 280
- Liqueur de Labarraque, i. 457
- Liquefacients, i. 193
- Linum catharticum, ii. 662  
utitassium, ii. 660
- Liquidambar styraciflua, ii. 184  
tribe, ii. 184
- Liquid balsam of storax, ii. 184  
oxymuriatic acid, i. 217
- Liquor aluminis compositus, i. 520  
ammoniæ, i. 273  
fortior, i. 273  
sesquicarbonatis, i. 286  
ammoniæ acetatis, i. 273  
anodynus mineralis Hoffmanni, i. 335  
anti-podagricus, i. 413  
argentii nitrat, i. 582  
arsenicalis, i. 542  
barii chloridi, i. 487  
Boyle's fuming, i. 412  
calcii chloridi, i. 493  
calcis, i. 491  
chlorinate, i. 493  
chlori, i. 220  
cupri ammonio-sulphatis, i. 644  
hydrargyri bichloridi, i. 623  
oxymuriatis, i. 623  
opii sedativus, Battley's, ii. 713  
plumbi diacetatis, i. 666  
dilutus, i. 668
- Liquor plumbi subacetatis, i. 666  
potassæ, i. 418  
arsenitis, i. 542  
carbonatis, i. 444  
effervescent, i. 447  
potassii iodidi compositus, i. 426  
pyro-oleosus e linteo paratus, i. 368  
sacchari tosti, ii. 55  
soda chlorinata, i. 400  
effervescent, i. 474  
tartari emetici, i. 566
- Liquorice, ii. 559  
lozenges, ii. 561  
sugar, ii. 560
- Lirioidendron tulipifera, ii. 784
- Lisbon diet drink, ii. 131
- Litharge, or silver stone, i. 655  
gold or silver, i. 655
- Lithargyrum, i. 656
- Lithontriptes, i. 208
- Litmus, ii. 40  
paper, ii. 43
- Liverwort, ground, ii. 44
- Lixivius saponarium, i. 418
- Lixivius cinis, i. 441
- Lobelia inflata, ii. 384  
siphilitica, ii. 388
- Lobeliacæ, ii. 384
- Lobelianin, ii. 384-5
- Lobelie acid, ii. 386
- Lobelina, ii. 385
- Lofty bitter-wood tree, ii. 613
- Logwood, common, ii. 579
- Lofium temulentum, i. 114
- Long pepper, i. 209
- Loosestrife, spiked purple, ii. 522  
tribe, ii. 521
- Lota molva, ii. 793  
vulgaris, ii. 793
- Lotio ammoniæ hydrochloratis, i. 293  
flava, i. 606  
nigra, i. 605  
phagedænica, i. 605
- Lotions, cold, i. 64
- Lovage, ii. 499
- Loxa bark, ii. 417
- Lozenges, acidulated lemon, ii. 633  
cayenne, ii. 327  
gum, ii. 573  
liquorice, ii. 561  
magnesia, ii. 510  
morphia, ii. 721  
and ipecacuanha, ii. 456  
of lactucarium, ii. 405
- Opium, ii. 712
- Peppermint, ii. 280
- Pontefract, ii. 256
- Soda, i. 478
- Tolu, ii. 557
- (trochisci) or masticatories, i. 158
- Lugol's caustic, rubefacient, and stimulant solutions, i. 426  
concentrated solution of iodine in iodide of potassium, i. 426  
ioduretted baths, i. 426  
mineral water, i. 426
- Luna cornea, i. 218
- Lunar caustic, i. 572
- Lupulin, or lupulite, ii. 198
- Lupulina, ii. 198
- Lupulinic glands or grains, ii. 198
- Lux, i. 44
- Lycium europæum, ii. 611
- Lycopodiaceæ, ii. 47
- Lycopodium, ii. 47  
clavatum, ii. 47
- Lythracæ, ii. 521
- Lythrum salicaria, ii. 522
- Lyta cærulea, ii. 781  
gigas mas, ii. 781  
segetum, ii. 781  
vesicatoria, ii. 771  
vittata, ii. 681
- M.
- Mace (macis), ii. 256
- Mad apples, ii. 190
- Madar, ii. 346
- Madder, Dyer's, ii. 459  
Dutch or Zealand, ii. 459  
East India, ii. 459  
Levant, ii. 459  
Turkey or Smyrna, ii. 459
- Madeira wine, ii. 688  
weed, ii. 41
- Magisterium plumbi, i. 660
- Magistry of bismuth, i. 647  
lead, i. 660
- Magnesia, i. 506  
alba, i. 508  
calcinata seu usta, i. 506  
calcined or burnt, i. 506  
carbonate of, i. 508  
citrate of, i. 508  
condensed solution of, i. 510  
heavy carbonate of, i. 508  
Indian calcined, i. 508  
light carbonate of, i. 508  
lozenges, i. 510  
mercury with, i. 599  
ponderosa, i. 508  
subcarbonate of, i. 508  
sulphate of, i. 511  
vitriariorum, i. 713  
vitriolated, i. 511  
water, aerated, i. 510  
carbonated, i. 508
- Magnesiæ carbonas, i. 508  
sulphas, i. 511
- Magnesium, compounds of, i. 506
- Magnetic electricity, i. 75  
iron pyrites, i. 697  
oxide, i. 686

Magnetism, i. 75  
 Magnoliaceæ, ii. 782  
     acuminata, ii. 734  
 Magnolia glauca, ii. 733  
     grandiflora, ii. 734  
 Majorana hortensis, ii. 282  
     onites, ii. 285  
 Maize or Indian corn, ii. 76  
 Mala insana, ii. 190  
 Malaguetta pepper, ii. 148  
 Male shield fern, ii. 48  
 Malicorium, ii. 523  
 Mallow tribe, ii. 656  
     common, ii. 655  
     marsh, ii. 656  
 Malt, ii. 57  
     liquor, i. 311, ii. 57  
     vinegar, i. 344  
 Maltum, ii. 57  
 Malva rotundifolia, ii. 657  
     sylvestris, ii. 656  
 Malvaceæ, ii. 656  
 Malwa opium, ii. 682  
 Mammalia, i. 83, ii. 798  
 Mandragora officinalis, ii. 325  
 Mandrake, ii. 325  
 Manganese, i. 713  
     binoxide of, i. 713  
     native black or peroxide  
         of, i. 713  
 Manganesii oxidum, i. 713  
     binoxidum, i. 713  
 Manna, ii. 371  
     cannulata, ii. 372  
         de Briançon, ii. 163  
         of the larch, ii. 163  
     metallorum, i. 609  
         Sicilian toffa, ii. 372  
     sugar, ii. 372  
 Mannite, ii. 372  
 Maranta arundinacea, ii. 139  
     indica, ii. 140  
 Marantaceæ, ii. 139  
 Marble, i. 501  
 Marbled soap, i. 479  
 Marcasita, i. 647  
 Margarine, ii. 369  
 Marine acid, i. 256  
 Marjoram, common, ii. 282  
     sweet, ii. 282  
 Marmor, i. 501  
     album, i. 501  
 Marrubium, ii. 284  
     vulgare, ii. 284  
 Mars, salt of, i. 703  
     vitriol of, i. 703  
 Marshmallow, ii. 657  
 Marsh trefoil, ii. 343  
 Marsh's test, i. 526  
 Martial Ethiops, i. 686  
 Massicot, i. 656  
 Massing, i. 53  
 Massoy bark, ii. 254  
 Masticatories, i. 158  
 Mastic tree, ii. 602  
 Mastiche, ii. 602  
 Masticine, ii. 603  
 Materia Medica, i. 41  
 Matricaria chamomilla, ii. 393  
 Mead, i. 311

Meadow-saffron, ii. 134  
 Mechanical and surgical  
     agents, i. 111  
 Mechloic acid, ii. 687  
 Mechoacan, ii. 337  
 Meconic acid, ii. 688  
 Meconine, ii. 687  
 Medicated vinegars, i. 356  
 Medicines, absorption of, i.  
     104  
     active forces of, i. 119  
     circumstances which mo-  
         dify the effects of, i.  
         144  
     classifications of, i. 163  
     injection of, into the  
         veins, i. 162  
     means of ascertaining the  
         effects of, i. 112  
     operation of, nervous  
         agency, i. 137  
     parts to which they are  
         applied, i. 155  
     pathogenetic effects, re-  
         mote effects of, i. 123  
     therapeutical effects of, i.  
         149  
     topical or local effects, i.  
         122  
 Mel, i. 785  
     ægyptiacum, i. 646  
     boracis, i. 464  
     despumatum, i. 785  
     rossi, i. 547  
 Melaleucus minor, ii. 513  
 Melampodium ii. 136  
 Melanthaceæ, ii. 84  
 Melissa officinalis, ii. 284  
 Mellite of borax, ii. 464  
 Meloe proscarabaeus, ii. 782  
     majalis, ii. 782  
 Menispermaceæ, ii. 723  
 Menispermine, ii. 728  
 Menispermum palmatum, ii.  
     723  
 Mentha piperita, ii. 279  
     pulegium, ii. 279  
     viridis, ii. 278  
 Menyanthes trifoliata, ii. 343  
 Menyanthin, ii. 343  
 Mephitic air, i. 262  
 Mercurial balsam, i. 634  
     candles, i. 593  
     compounds, i. 581  
     disease, i. 586  
     erethism, i. 586  
     fever, i. 586  
     ointment, i. 600  
     pills, i. 599  
     plaster, i. 603  
     purging, i. 588  
     vapours, injurious effects  
         of, i. 584  
 Mercurius alcalisatus, i. 598  
     cosmeticus, i. 609  
     dulcis, i. 609  
     precipitatus ruber, i. 605  
         ruber per se, i. 603  
     sublimatus corrosivus, i.  
         617

Mercury and its compounds,  
     i. 581  
     acetate of, i. 636  
     ammonio-chloride, i. 623  
     ammoniated, i. 623  
     submuriate of, i. 609  
     bichloride of, i. 617  
     bicyanide of, i. 631  
     bimiodide of, i. 627  
     binoxide of, i. 605  
     bisulphate of, i. 637  
     bisulphuret of, with sul-  
         phur, i. 631  
     bisulphuret of, i. 629  
     black oxide of, i. 603  
         sulphuret of, i. 631  
     calcined, i. 605  
     chloride of, i. 609  
     coagulated, i. 605  
     corneus, i. 609  
     corrosive muriate of, i.  
         617  
     cyanuret of, i. 631  
     cyanodide of, i. 631  
     deutiodide of, i. 627  
     dichloride of, i. 609  
     gray oxide of, i. 603  
     hydrochlorate of, i. 617  
     hydrocyanate of, i. 631  
     iodide of, i. 626  
     metallic, i. 581  
     muriate of, i. 609  
     nitric oxide of, i. 607  
     of life, i. 546  
     ointment of, i. 600  
         nitrate of, i. 634  
     oxide of, i. 603  
     oxymuriate of, i. 617  
     periodide of, i. 627  
     peroxide of, i. 605  
     persulphate of, i. 637  
     pills of, i. 599  
     plaster of, i. 603  
     purified, i. 598  
     preparations of, i. 592  
     protochloride of, i. 609  
     protiodide of, i. 626  
     prussian, i. 631  
     prussiate of, i. 631  
     red precipitated, i. 605  
         oxide of, i. 603  
         sulphuret of, i. 629  
     subchloride of, i. 609  
     submuriate, i. 609  
     white precipitated, i. 623  
     with chalk, i. 598  
         magnesia, i. 599  
     yellow subsulphate of, i.  
         637

Merlangus carbonarius, ii. 793  
 Metalloids, i. 213  
 Metagallic acid, ii. 192  
 Metaphosphate of soda, i.  
     466  
 Mezereon, common, ii. 258  
 Mezereum, daphne, ii. 258  
 Mild mineral or fossil alkali, i.  
     467  
 vegetable alkali, i. 441

- Milk, i. 84, 87, ii. 810  
albumen of, i. 82, ii. 811  
butter, i. 86, ii. 811  
sugar of, ii. 811  
of sulphur, i. 400  
vetch, ii. 561  
Milkwort tribe, ii. 663  
*Mimosæ*, ii. 567  
*Mimosa catechu*, ii. 573  
nilotica, ii. 573  
Mindereri liquor, i. 293  
Mineral, æthiop's, i. 631  
kermes, i. 547  
solution, i. 334  
springs, table of, i. 254  
turpeth, i. 637  
waters, i. 247  
Minium, i. 657  
secundarium, i. 657  
Mistura acaciæ, ii. 573  
altheæ, ii. 658  
ammoniaci, ii. 481  
amygdaleæ, ii. 529  
amygdalarum, ii. 529  
assafetidæ, ii. 477  
camphore, ii. 250  
cum magnesiæ, ii. 250  
cascarillæ composita, ii.  
221  
creasoti, i. 369  
crete, i. 504  
færi composita, i. 707  
gentianæ composita, ii.  
341  
Griffithii, i. 707  
guaiaci, ii. 629  
hordei, ii. 57  
moschi, ii. 807  
scammonii, ii. 333  
spiritus vini gallici, i. 323  
Molasses, i. 323, ii. 54  
*Mollusca*, i. 88, ii. 757  
Molybdæna, i. 656  
Momordica elaterium, ii. 505  
Momordicina, ii. 509  
Monkshood, ii. 739  
Monocotyledones, ii. 51  
Montanin, ii. 417  
Morbus oryzeus, ii. 76  
Morchella esculenta, ii. 46  
Morel, common, ii. 46  
Morphia, ii. 716  
and ipecacuanha, lozen-  
ges, ii. 721  
acetate of, ii. 719  
hydrochlorate, ii. 719  
lozenges, ii. 721  
muriate of, ii. 719  
sulphate of, ii. 721  
Morphia acetas, ii. 719  
hydrochloratas, ii. 719  
murias, ii. 719  
muriatis solutio, ii. 721  
sulphas, ii. 722  
*Morrhua vulgaris*, ii. 793  
*Morus nigra*, ii. 199  
*Moschus*, ii. 801  
moschiferus, ii. 801  
artificialis, i. 373, ii. 805  
factitius, i. 373, ii. 805
- Moss, carrageen, or Irish, ii.  
35  
club, ii. 47  
Corsican, ii. 36  
cup, ii. 44  
Iceland, ii. 38  
pearl, ii. 36  
reindeer, ii. 44  
tartareous, ii. 42  
Mountain arnica, ii. 308  
damson, ii. 612  
Moussache, ii. 229  
Moxa, ii. 395  
weed, ii. 395  
Moxibustion, ii. 396  
Mucilage, ii. 573  
linseed, ii. 661  
of gum, ii. 573  
quince seeds, ii. 551  
starch, ii. 62  
tragacanthæ, ii. 563  
Mucilaginosa, i. 78  
Mucilago, ii. 573  
amyli, ii. 62  
gummi Arabici, ii. 573  
tragacanthæ, ii. 563  
Mucuna pruriens, ii. 563  
prurita, ii. 563  
Mucus, ii. 551  
Mud bathing, i. 56  
Mudar or madar, ii. 346  
Mudarine, ii. 346  
Mugwort, ii. 346  
Mugwort, ii. 439  
Mulberry, common, ii. 199  
Mull, ii. 459  
Mundie, ii. 697  
Munjeet, ii. 459  
Murias ammoniæ, i. 287  
baryte, i. 485  
hydrargyri corrosivus, i.  
617  
sodæ, i. 452  
Muriate of ammonia and mer-  
cury, i. 623  
antimony, i. 546  
barytes, i. 485  
iron, tincture of, i. 692  
lime, i. 491  
morphia, ii. 719  
soda, i. 452  
zinc, i. 674  
Muriatic acid, i. 256  
gas, i. 266  
Muriatis færi liquor, i. 692  
Muride, i. 234  
Musaceæ, ii. 139  
*Musa paradisiaca*, ii. 139  
sapientum, i. 139  
Muscovada sugar, ii. 53  
Mushroom, common, ii. 46  
sugar, ii. 44  
tribe, ii. 44  
Mushrooms, ii. 44  
Musk, ii. 801  
mixture, ii. 807  
artificial, i. 373, ii. 805  
Must (mustam), ii. 58  
Mustard, ii. 673  
black, ii. 673
- Mustard, poultice, ii. 675  
white, ii. 675  
*Mycoderma cerevisæ*, ii. 58  
*Mylabris chicorii*, ii. 781  
Füsselini, ii. 771  
*Myrica cerifera*, ii. 786  
*Myricine*, ii. 787  
*Myristica moschata*, ii. 255  
officinalis, ii. 255  
*Myristicaceæ*, ii. 254  
*Myristicae* adeps, ii. 257  
Myristicin, ii. 258  
Myronic acid, ii. 673  
*Myrosyne*, ii. 673  
Myrospermine, ii. 555  
Myroxiline, ii. 555  
*Myrosperrnum peruferum*, ii.  
553  
toluiferum, ii. 556  
*Myroxylon peruferum*, ii. 553  
toluiferum, ii. 556  
Myrrh, ii. 606  
*Myrrha turcica*, ii. 606  
*Myrtaceæ*, ii. 513  
Myrtle wax, ii. 786  
*Myrtus pimenta*, ii. 519
- N.
- Nannari, ii. 346  
Namur, grass oil of, ii. 52  
Naphtha, i. 347  
Barbadoes, i. 370  
black, i. 370  
vitrioli, i. 327  
Narcine, ii. 686-689  
*Narcissus*, odorous, ii. 139  
pseudo-narcissus, ii. 139  
tazette, ii. 139  
Narcotic salt, i. 388  
Narcotics, i. 177  
Narcotin, or narcotina, ii. 686  
*Nardostachys jatamansi*, ii.  
408  
Natron carbonicum, ii. 467  
vitriolatum, i. 460  
Natrum carbonicum, i. 467  
Natural-historical classifica-  
tions, i. 165  
Nauclea gambir, ii. 456  
Neatsfoot oil, i. 635  
*Nephrodium filix mas*, ii. 48  
Neroli, oil of, ii. 653  
Nervinia volatilia, ii. 185  
Nervines, volatile, ii. 185  
Nervine alterantia, i. 176  
Neutral ointment, i. 670  
New Italian doctrine, i. 142  
medical doctrine, i. 174  
*Nicotiana persica*, ii. 313  
repanda, ii. 313  
rustica, ii. 313  
tabacum, ii. 312  
Nicotianin, i. 315  
Nicotin, or nicotine, ii. 315  
Nightshade, black, ii. 326  
deadly, ii. 301  
tribe, ii. 296  
woody, ii. 322  
Nihil album, i. 671

Nitras argenti, i. 672  
potassæ, i. 434  
Nitrate of ammonia, i. 205  
camphor, ii. 425  
lead, i. 662  
potash, i. 434  
silver, i. 572  
Nitrates, i. 267  
Nitre, i. 434  
beds, i. 435  
drops, i. 331  
fixed, i. 441  
sweet spirit of, i. 337  
walls, i. 436  
Nitric acid, i. 264  
oxide of mercury, i. 607  
Nitrières, artificial, i. 435  
Nitrogen, protoxide of, i. 263  
Nitrogenii protoxydum, i. 263  
Nitrogenium, i. 262  
Nitromuriatic acid, i. 270  
oxide of antimony, i. 550  
Nitrous acid, i. 265  
ether, spirit of, i. 337  
oxide, i. 263  
Nitrum, i. 460-467  
flammans, i. 295  
semivolatile, i. 295  
tabulatum, or sal prunelle,  
i. 436  
Nopal, ii. 782  
Nordhausen, fuming sulphuric  
acid of, i. 404  
Nut, poison, ii. 347  
Nutgalls, ii. 190  
Nuts, physic, ii. 231  
Nutmegs, ii. 255  
butter of, ii. 257  
Nux barbadensis, ii. 231  
cathartica americana, ii.  
231  
mechil, ii. 348  
moschata, ii. 255  
vomica, strychnos, ii. 347  
tribe, ii. 347  
  
O.  
  
Oak, agaric of the, ii. 46  
common British, ii. 188  
cork, ii. 194  
dyer's, ii. 194  
lungs, ii. 44  
Oat, common, ii. 55  
Oatmeal, ii. 55  
Ocimum basilicum, ii. 285  
minimum, ii. 285  
Œnanthe crocata, ii. 499  
apiifolia, ii. 499  
Œnanthic ether, i. 312  
Oil, animal, i. 374  
cajeput, ii. 513  
camphor, ii. 655  
caron, i. 491  
castor, ii. 223  
Chabert's, i. 374  
cod, ii. 793  
corn spirit, i. 312  
croton, ii. 218  
Dippel's, i. 374

Oil, empyreumatic, i. 374  
etherial, i. 335  
Florence, ii. 368  
Gallipoli, ii. 368  
Genoa, ii. 368  
gingilie, ii. 399  
linseed, ii. 661  
cold-drawn, ii. 223  
Lucca, ii. 368  
neatsfoot, i. 635  
of almonds, fixed or ex-  
pressed, ii. 531  
allspice, ii. 520  
amber, i. 372  
anise, ii. 467  
antimony, i. 546  
balm, ii. 284  
balsam of Peru, ii. 555  
bays, ii. 253  
bergamot, ii. 647  
bitter almonds, ii. 531  
orange, ii. 653  
camomile, ii. 393  
caraway, ii. 466  
cardamom, fixed, ii. 154  
volatile or essential,  
ii. 154  
cassia, ii. 242  
cebadilla, ii. 98  
cedra, ii. 646  
cherry-laurel, volatile, ii.  
536  
cinnamon, ii. 238  
leaf, ii. 239  
citron, ii. 646  
cloves, ii. 517  
copaiba, ii. 598  
cubebis, ii. 212  
dill, ii. 482  
elder, ii. 463  
ergot, ii. 74  
fennel, sweet, ii. 469  
garlic, ii. 121  
gentian, ii. 339  
grain, i. 312  
hartshorn, i. 374  
hemlock, ii. 490  
hops, ii. 197  
juniper, ii. 181  
lavender, ii. 277  
laurel-berries, ii. 253  
lemons, ii. 649  
lemon grass, ii. 52  
lettuce, empyreumatic, ii.  
404  
lime, i. 492  
linseed, ii. 661  
mace, ii. 257  
male fern, ii. 48  
marjoram, ii. 284  
mustard, ii. 694  
myrrh, volatile, ii. 607  
Namur, ii. 252  
neroli, ii. 653  
nutmeg, ii. 257  
nutmegs, expressed, ii.  
257  
onions, ii. 121  
orange flower, ii. 651  
leaf, ii. 653

Oil, pennyroyal ii. 281  
peppermint, ii. 280  
pimento, ii. 520  
potatoes, ii. 327  
roses, ii. 459  
rosemary, ii. 282  
rue, ii. 618  
sarsaparilla, ii. 126  
savine, ii. 183  
senna, ii. 587  
spearmint, ii. 278  
spike, ii. 276  
star-anise, ii. 733  
sweet marjoram, ii. 284  
sweet orange, ii. 651  
tar, ii. 177  
teel seeds, ii. 218  
tobacco, ii. 316  
orange, ii. 651  
thyme, ii. 285  
turpentine, ii. 186  
vitriol, i. 401  
vitriol, sweet, i. 335  
volatile, i. 186  
wine, i. 335  
heavy, i. 335  
light, i. 335  
olive, ii. 368  
or butter of antimony, i.  
546  
palm, ii. 83  
paper, i. 368  
potatoe spirit, i. 327  
rag, i. 368  
rock, i. 370  
Sicily, ii. 368  
sweet, droppings of, ii. 368  
wild cherry, ii. 539  
Oinomania, i. 319  
Ointment, arsenical, i. 542  
blue or Neapolitan i. 600  
citrine, i. 634  
mercurial, i. 600  
of ammonia, i. 280  
Olea europea, ii. 366  
latifolia, ii. 367  
longifolia, ii. 367  
Oleacæ, ii. 366  
Olefiant gas, dihydrate of, i. 332  
Oleine ii. 369  
Oleo-margarate of lime i. 491  
resinæ, i. 184  
terebinthinæ, ii. 164  
Oleum absinthii, ii. 394  
æthereum, i. 335  
amygdalæ, ii. 530  
amygdalæ amaræ, ii. 531  
anethi, ii. 483  
animale, i. 374  
anisi, ii. 467  
anthemidis, ii. 393  
anthos, ii. 282  
armoracie, ii. 671  
asari, ii. 234  
aurantii, ii. 653  
badiani, ii. 467  
bergamii, or oleum ber-  
gamotæ, ii. 647  
barosmæ seu diosmæ, ii.  
620

Oleum cajuputi, ii. 513  
 calcis, i. 492  
 camphoratum, ii. 251  
 carui, ii. 466  
 caryophylli, ii. 517  
 cassiae, ii. 242  
 chæmæmeli Romani, ii.  
     392  
 cinnamomi, ii. 238  
 copaibæ, ii. 595  
 coriandri, ii. 498  
 cornu cervi, i. 374  
 croci, ii. 134  
 erotonis, ii. 218  
 cumini, ii. 486  
 cubebæ, ii. 212  
 ergotæ, ii. 74  
 feniculi, ii. 469  
     dulcis, ii. 469  
     vulgaris, ii. 469  
 filicis maris, ii. 50  
 gabianum, i. 370  
 jatrophæ curcadis, ii. 231  
 jecoris aselli, ii. 793  
 juniperi, ii. 181  
 limonum, ii. 649  
 lini, ii. 661  
 lauri, ii. 253  
 lauro-cerasi, ii. 536  
 lavandula, ii. 277  
 macidis, ii. 251  
 majorana, ii. 284  
 melisse, ii. 284  
 menthae piperitæ, ii. 280  
 menthae pulegii, ii. 278  
 menthae viridis, ii. 278  
 morrhæ, ii. 793  
 myristice, ii. 257  
 nucis moschatae, ii. 257  
 origani, ii. 285  
 olive, ii. 368  
 palme, ii. 83  
 phosphoratum, i. 394  
 picis liquidae, ii. 177  
 pimentæ, ii. 520  
 pini rubrum, ii. 178  
 piperis, ii. 207  
 provinciale, ii. 368  
 pulegii, ii. 779  
 ricini, ii. 223  
 rosæ, ii. 459  
 rosmarini, ii. 283  
 rute, ii. 618  
 sabinæ, ii. 183  
 sambuci, ii. 463  
 sessami, ii. 399  
 sassafras, ii. 282  
 seu butyrum antimonii, i.  
     546  
 spicæ, ii. 276  
 succini, i. 72, 73  
     rectificatum, i. 73  
 sulphuratum, i. 401  
 tanaceti, ii. 397  
 terebinthine, ii. 186  
     rectificatum, ii. 187  
 thymi, ii. 283  
 tiglii, ii. 218  
 viride, i. 367  
 vitrioli dulce, i. 335

Oleum, volatile, i. 186  
 Olibanum, ii. 604  
 Olive, ii. 367  
     oleum, ii. 368  
 Olives, ii. 367  
 Olive gum, ii. 369  
     oil, ii. 368  
     spurge, ii. 258  
 Oleine, ii. 369  
 Ombro, ii. 483  
 Onion, ii. 120  
     sea, ii. 118  
 Opium and calomel pills, i. 617  
     Bengal, ii. 681  
     clyster, ii. 714  
     Constantinople, ii. 680  
     Cutch, ii. 682  
     Dr. Porter's solution of,  
         in citric acid, ii. 716  
     eating, ii. 694  
     Egyptian, ii. 681  
     English, ii. 683  
     French, ii. 683  
     German, ii. 683  
     Indian, ii. 681  
     lettuce, ii. 403  
     lozenges, ii. 712  
     Malwa, ii. 682  
     Persian, ii. 681  
     plaster, ii. 713  
     preparations of, ii. 711  
     smoking, ii. 696  
     Smyrna, ii. 680  
     Turkey, ii. 680  
     Trebizon, ii. 681  
     vinegar of, ii. 715  
 Opobalsanum, ii. 610  
 Opodiodœc, i. 251  
 Opopoïdia galbanifera, ii. 483  
 Opopanax chironium, ii. 470  
 Opuntia cochinillifera, ii. 780  
 Orange, bigarade or bitter ii.  
     652  
     common or sweet, ii. 650  
     Seville, ii. 652  
     tribe, ii. 645  
 Orcein, ii. 42  
 Orchidæ, ii. 158  
 Orchil, Dyer's, or orchella, ii.  
     42  
 Orchis, latifolia, ii. 158  
     mascula, ii. 158  
 Origanum heracleoticum, ii.  
     285  
     marjorana, ii. 285  
     vulgare, ii. 285  
 Ornus Europea, ii. 372  
     rotundifolia, ii. 372  
 Orpiment, i. 372  
 Orris, Florentine, ii. 133  
     root, ii. 133  
 Oryza sativa, ii. 76  
 Ozmazone, i. 82  
 Os sepiæ, ii. 759  
 Ossa usta, i. 505  
     alba, i. 505  
     calcinata, i. 506  
 Ostrea edulis, i. 89, ii. 758  
 Otto of roses, ii. 459  
 Ourari poison, ii. 364

Ovis ammon, ii. 809  
     aries, ii. 808  
     musimon, ii. 809  
 Ovum, ii. 797  
 Ox, ii. 809  
 Ox-gall, ii. 812  
 Oxalate of ammonia, i. 309  
 Oxalic acid, i. 306  
 Oxalidaceæ, ii. 629  
 Oxalis acetosella, ii. 636  
 Oxoles, i. 356  
 Oxy carbons, i. 300  
 Oxide, nitrous, i. 263  
     of lead, i. 655  
     manganese, i. 713  
     mercury, i. 603  
     silver, i. 581  
     zinc, i. 671  
 Oxy-chloruret of antimony, i.  
     550  
 Oxydi ferri squamæ, i. 681  
 Oxydum antimonii nitro-mu-  
     riaticum, i. 550  
     arsenici, i. 521  
     ferroso-ferricum, ii. 686  
     ferri nigrum, i. 686  
     rubrum, i. 687  
     hydrargyri cinereum, i.  
         603  
     rubrum, i. 605  
     plumbi semivitrum, i. 655  
     zinci, i. 671  
     impurum, i. 674  
 Oxygen, i. 213  
     and its aqueous solution,  
         i. 213  
     water, i. 216  
 Oxygenized fat, i. 270  
     muriatic acid, i. 217  
     water, i. 216  
 Oxygenium, i. 213  
 Oxyhydrocarbons, i. 309  
 Oymel, i. 356  
     eruginis i. 646  
     cormi colchici, ii. 92  
     cupri subacetatis, 646  
     scillæ, ii. 119  
     simplex, i. 556  
 Oymuriate of potash, i. 438  
     lime, i. 494  
     soda, i. 457  
 Oymuriatic acid liquid, i. 258  
 Oxsulphion of ammonium, i.  
     412  
 Oxsulphuret of antimony, i.  
     547  
 Oyster, i. 501, ii. 758  
     shell, ii. 758  
     prepared, i. 501, ii.  
         758

## P.

Pachydermata, ii. 812  
 Pale cinchona bark, ii. 416  
 Palm oil, ii. 83  
     wine, i. 79  
 Palma Christi, ii. 228  
 Palmæ, ii. 78  
 Palmine, ii. 225

- Panax quinquefolium, ii. 464  
schin-seng, ii. 464
- Panchymagogum minerale, i. 609
- Panicum millaceum, ii. 139
- Panis triticus, ii. 62
- Pannus vesicatorius, ii. 781
- Papaver officinale, ii. 678  
rhœas, ii. 677  
sommiferum, ii. 678
- Papaveraceæ, ii. 677
- Papaveris capsule, ii. 679
- Papilionacæ, ii. 553
- Paradise, grains of, i. 148
- Parallinic acid, ii. 127
- Paralysers, i. 177
- Paramenispermia, ii. 728
- Paramorphia, ii. 687
- Paregoric elixir, ii. 215, 714
- Paregorics, i. 178
- Pareira brava, ii. 729
- Parietaria officinalis, ii. 205
- Pariglin, ii. 127
- Parsley, common beaked, ii. 490  
fool's, ii. 490  
piert, ii. 551
- Pasta arsenicalis, i. 543
- Paste, Ward's, ii. 208
- Pastinaca opopanax, ii. 470  
sativa, ii. 499
- Pastry, i. 90
- Peach, ii. 534  
leaves, ii. 534
- Pearl ash, ii. 440  
barley, ii. 56  
white, ii. 647
- Peas, issue, ii. 651
- Pectic acid, ii. 487
- Pectin, ii. 79
- Pectoral decoction, ii. 57
- Pellitory of Spain, ii. 393
- Peltidea canina, ii. 44
- Pennyroyal, ii. 279
- Pepper, black, ii. 205  
Fulton's decorticated,  
ii. 206  
cayenne, ii. 223  
cubeb, ii. 209  
Guinea, ii. 327  
Jamaica, ii. 379  
long, ii. 209  
malaguetta, ii. 148  
volatile oil of, ii. 207  
white, ii. 206
- Peppermint, ii. 279  
oil of, ii. 280
- Percolation, i. 326
- Pereira bark, ii. 729
- Pereira medica, ii. 729
- Pereirin, ii. 730
- Perennial worm grass, ii. 344
- Periploca indica, ii. 346
- Pernitrate of iron, i. 712
- Peroxide of gold, i. 569  
manganese, i. 713  
mercury, i. 581
- Persian opium, ii. 681
- Persica vulgaris, ii. 534
- Persio, (eudbear), ii. 43
- Persulphate of iron, i. 712  
mercury, i. 637
- Peru, liquid balsam of, ii. 553
- Peruvian bark, ii. 409  
ipecauanha, ii. 461
- Petroleum, i. 370  
Barbadense, i. 370
- Petroselinum sativum, ii. 499
- Peucyl, ii. 168
- Phancerogamia, ii. 250
- Pharmacognosia, i. 111
- Pharmaco-dynamics, i. 112
- Pharmacologia specialis, i. 213
- Pharmacology, i. 111
- Pharmacy, i. 112
- Phasianus Gallus, ii. 795
- Phoenix daurifera, ii. 79  
farinifera, ii. 79
- Phosphas sodæ, i. 465
- Phosphate of lime, precipitated,  
i. 505  
soda, i. 504
- Phosphoric acid, i. 394
- Phosphorized oil, aromatic, i. 394
- Phosphorus, i. 391  
etherial solution of, i. 394
- Phlogisticated air, i. 362
- Physeter macrocephalus, ii. 798
- Physic nuts, ii. 231
- Picea vulgaris, i. 115
- Picraea excelsa, i. 613
- Picrin, i. 287
- Pi reglition, ii. 322
- Picrotoxic acid, ii. 728
- Picrotoxin, ii. 728
- Pigmentum indicum, ii. 600
- Pills, aloetic, ii. 113  
blue, i. 599  
Plummer's, i. 616
- Pilulæ aloes, ii. 113  
cæruleæ, i. 599  
compositæ, ii. 113  
cum myrrhæ, ii. 113  
et assafetidæ, ii. 113  
et ferri, ii. 113  
ammoniætæ cupri, i. 644  
asiaticæ, i. 542  
assafetidæ, ii. 478  
cæruleæ, i. 599  
calomelanos compositæ, i.  
616  
calomelanos et opii, i. 617  
cambogiæ compositæ, ii.  
644  
catharticæ compositæ, i.  
617  
colocynthidis, ii. 504  
et hyoscyami, ii. 505  
conii compositæ, ii. 498  
copaibæ, ii. 598  
cupri ammoniati, i. 644  
digitalis et scillæ, ii. 295  
ferri carbonatis, i. 708  
compositæ, i. 708  
sulphatis, i. 706
- galbani composite, ii. 478
- gambogiæ, ii. 644  
composite, ii. 644
- Pilulæ hydrargyri, i. 599  
chloridi compositæ, i.  
616  
iodidi, i. 627  
submuriatis compositæ, i.  
616
- ipecacuanha compositæ,  
ii. 456
- ipacacuanha et opii, ii. 456  
opii sive thebaïce, ii. 711  
plumbi opite, i. 666  
rhei, ii. 272  
et ferri, ii. 272  
compositæ, ii. 272
- rufi, ii. 479
- sagapeni compositæ, ii.  
113, 479
- saponis compositæ, ii. 711  
eum opio, ii. 711
- scillæ compositæ, ii. 118
- styracis, ii. 118  
compositæ, ii. 377
- veratriæ, ii. 103
- Pimentic acid, ii. 520
- Pimento, ii. 519  
hydro-carbon, ii. 520  
ovate, ii. 519  
pepper, ii. 519
- Pimpinella anisum, ii. 466
- Pinaster or cluster pine, ii. 161
- Pinic acid, ii. 194
- Pink carolina, ii. 344  
clove, ii. 660  
root, ii. 344
- Pinus, ii. 160  
abies, ii. 162  
balsamea, ii. 162  
canadensis, ii. 163  
cembra, ii. 162  
Larix, ii. 163  
maritima, ii. 164  
nigra, ii. 163  
palustris, ii. 161  
Picea, ii. 163  
Pinaster, ii. 161  
pinea, ii. 162  
pumilio, ii. 162  
sylvestris, ii. 160  
teda, ii. 161
- Piperaceæ, ii. 205
- Piper album, ii. 206  
betel, ii. 213  
cubeba, ii. 209  
longum, ii. 209  
nigrum, ii. 205  
trioicum, ii. 213
- Piperin, ii. 207
- Pississewa, ii. 380
- Pisces, i. 87, ii. 788
- Pisselnum indicum, i. 370
- Pistacia lentiscus, ii. 602  
terehinthus, ii. 601
- Pitaya bark, ii. 417
- Pitch, black, ii. 179  
Burgundy, ii. 175  
plaster, Burgundy, ii. 176
- Pix abietina, ii. 176  
arida, ii. 179  
burgundia, ii. 175  
liquida, ii. 177

- Pix nigra, ii. 179  
solida, ii. 179
- Plaster, adhesive, i. 569, 668  
blistering, ii. 780  
Burgundy pitch, ii. 176  
of ammoniacum with mercury, i. 603  
mercury, i. 603  
strengthening, i. 689
- Plumbago, i. 296
- Plum-tree, ii. 551
- Plumbi acetas, i. 663  
carbonas, i. 660  
chloridum, i. 658  
diacetatis solutio, i. 668  
iodidum, i. 655  
oxidum, i. 655  
hydratum, i. 656  
semivitreum, i. 655  
oxydum rubrum, i. 657  
subacetatis liquor, i. 666  
compositus, i. 668  
superacetas i. 663
- Plumbite of lime, i. 657
- Plumbum, i. 651
- Plummer's pill, i. 616
- Podophylleæ, ii. 749
- Podophyllum peltatum, ii. 749
- Podophyllin, ii. 750
- Poison-oak, ii. 603  
flour, ii. 600  
nut, the, ii. 347
- Polychorite, ii. 136
- Polygonal senega, ii. 663
- Polygalæ, ii. 663
- Polygalic acid, ii. 664
- Polygonaceæ, ii. 620
- Polygonum bistorta, ii. 274
- Polyphæra, ii. 757
- Polypodium caligula, ii. 48
- Polyporus fomentarius, ii. 46  
igniarus, ii. 46  
laricis, ii. 86
- Pomaceæ, ii. 550
- Pomegranate tribe, ii. 523
- Pommade d'Aylon, i. 270  
ammoniacale de Gondret, i. 280
- Pompholyx, i. 671
- Pontefract lozenges, ii. 256
- Poppy, black, ii. 678  
fomentation, ii. 716  
heads, ii. 679  
preparation of, ii. 679  
oil, ii. 679  
red, or corn, ii. 677  
syrup of, ii. 711  
white, ii. 678  
syrup of, ii. 711
- Poriphera, ii. 755
- Porphyra laciniata et vulgaris, i. 38
- Porphyroxin, ii. 684, 687
- Porrion, ii. 121  
Portland powder, ii. 234  
sago, ii. 81
- Port wine, i. 638
- Potash, i. 414  
acetate of, i. 447
- Potash, acidulous tartrate of, i. 448  
antimony, tartrate of, i. 554  
bicarbonate of, i. 444  
binoxalate of, i. 309  
bisulphate of, i. 443  
bitartrate of, i. 488  
carbonate of, i. 440  
caustic, i. 414  
chlorate of, i. 438  
ferro-cyanate of, i. 700  
prussiate of, i. 700  
hydrate of, i. 414  
hydriodate of, i. 420  
hydrobromate of, i. 427  
nitrate of, i. 434  
oxymuriate of, i. 438  
prussiate of, i. 700  
quodroxalate of, i. 309  
soap, i. 477  
solution of, i. 418  
subcarbonate of, i. 440  
sulphate of, i. 432  
sulphuret of, i. 429  
supersulphate of, i. 431  
supertartrate, i. 488  
tartrate of soda and, i. 475
- Potassa, i. 414  
caustica, i. 414  
cum calce, i. 426  
fusa, i. 414  
impura, i. 414
- Potassæ acetas, i. 447  
antimonio-tartras, i. 554  
aqua, i. 418  
effervescens, i. 447  
bicarbonas, i. 444  
bisulphas, i. 443  
bitartras, i. 488  
caustica aqua, i. 418  
carbonatis aqua, i. 444  
chloras, i. 438  
et soda tartras, i. 475  
ferro-cyanidum, i. 700  
tartras, i. 709  
fusa, i. 414  
hydras, i. 414  
hydriodias, i. 420  
nitras, i. 434  
quodroxalas, i. 309  
sulphas, i. 432  
sulphureti aqua, i. 430  
sulphuretum, i. 429  
sulphas cum sulphure, i. 433  
supertartras, i. 448  
tartras, i. 450
- Potassii, bromidum, i. 427  
ferro-cyanidum, i. 700  
iodidum, i. 420  
sulphuretum, i. 4'9
- Potassio-tartras antimonii, i. 554
- Potassium, cyanuret of, i. 377  
bisferro-cyanide of, i. 376  
ferrocyanide of, i. 700  
hydrargyro-iodocyanide of, i. 379
- Potassium, iodide of, i. 420  
ioduretted iodide of, i. 421  
protoxide of, i. 414
- Potatoe, i. 91, ii. 326  
flies, ii. 781  
oil of, ii. 326  
sago, ii. 326  
spirit oil, i. 312, ii. 326  
starch, ii. 326  
wine, ii. 326
- Potentilla reptans, ii. 542  
tormentilla, ii. 542
- Potulenta, i. 93
- Poulte, charcoal, i. 299  
linseed, ii. 662  
mustard, ii. 675
- Powder, antimonial, i. 551  
aromatic, ii. 446  
Duke of Portland's, ii. 234  
Dr. James's, i. 551  
jesuit's, ii. 410  
of antimony, compound, i. 551  
of Algaroth, i. 544  
Tennant's bleaching, i. 494
- Powders, ginger-beer, i. 474  
Seidlitz, i. 474  
soda, i. 474
- Precipitate, red, i. 605  
white, i. 620
- Precipitated phosphate of lime, i. 505
- Proof spirit, i. 413  
vinegar, i. 351
- Protiodide of mercury, i. 603
- Protocolide of mercury, i. 609
- Protoxide of hydrogen, i. 238  
nitrogen, i. 262  
potassium, i. 414
- Protosulphuret of arsenic, i. 543
- Provence oil, ii. 369
- Prunes, ii. 535
- Prunus domestica, ii. 535  
lauro-cerasus, ii. 536  
Virginiana, ii. 538
- Prussian, or Berlin blue, i. 698  
mercury, i. 631
- Prussiate of iron, i. 698  
mercury, i. 631  
potash, i. 177
- Prussian acid, i. 374
- Psammismus, i. 50
- Pseudomorphia, ii. 716
- Pseudotoxin, ii. 302
- Psimmythium, i. 660
- Psychotria emetica, ii. 461
- Ptarmies, i. 158
- Ptero-carpus draco, ii. 565  
erinaceus, ii. 565  
marsupium, ii. 566  
santa'inus, ii. 566
- Puddings, i. 90
- Pudding-pipe tree, ii. 591
- Puff ball, ii. 47

- Pulveres effervescentes, i. 474  
 Pulvis aloes compositus, ii.  
 113  
 cum canella, ii. 114  
 aluminis compositus, i.  
 520  
 antimonii compositus, i.  
 551  
 antimonialis, i. 551  
 aromaticus, ii. 440  
 asari compositus, ii. 234  
 auri, i. 568  
 basilicus, ii. 232  
 capucinorum, ii. 100  
 cinnamomi compositus, ii.  
 240  
 comitissæ, ii. 410  
 conii, ii. 496  
 contrajervæ compositus, ii.  
 201  
 corni colchici, ii. 90  
 cornu cervini ustæ, ii. 808  
 creta compositus, ii. 504  
 cum opio, ii. 712  
 opiatum, ii. 712  
 Doveri, ii. 455  
 ergote, ii. 74  
 escharotica arsenicalis, i.  
 543  
 febrifugus Jacobi, i. 551  
 ipecacuanha compositus,  
 ii. 455  
 jalape compositus, ii. 336  
 jesuiticus, ii. 410  
 kino compositus, ii. 567  
 pro cataplasmate, ii. 59  
 rhei compositus, ii. 272  
 sabadille, ii. 100  
 salinus compositus, i. 514  
 seminum colchici, ii. 90  
 secalis cornuti, ii. 74  
 scammonii compositus, ii.  
 332  
 cum calomelane, ii.  
 332  
 spongæ ustæ, ii. 757  
 stanni, i. 650  
 tragacanthæ compositus,  
 ii. 563  
 veratri, ii. 96  
 Punica granatum, ii. 523  
 Purgatives, i. 203  
 saline or antiphlogistic, i.  
 204  
 strong acrid or drastic, i.  
 204  
 Purging croton, ii. 214  
 cassia, ii. 591  
 flax, ii. 662  
 nuts, ii. 231  
 Purple of Cassius, i. 576  
 foxglove, ii. 286  
 Purpura mineralis Cassii, i.  
 570  
 Purpurin, ii. 460  
 Pyrethrin, ii. 392  
 Pyrethrum, ii. 393  
 Pyretine, crystallized, i. 372  
 Pyrites cockscomb, i. 697  
 Pyro-acetic spirit, i. 351  
 Pyro-conia, ii. 490  
 Pyrodigitalina, ii. 287  
 Pyro-gallic acid, ii. 192  
 Pyrolaceæ, ii. 380  
 Pyrola umbellata, ii. 380  
 Pyroligneous acid, i. 346  
 ether, i. 347  
 Pyrophosphate of soda, i. 465  
 Pyrotartaric acid, i. 361  
 Pyrothonide, i. 368  
 Pyroxilic spirit, i. 347  
 Pyrus cydonia, ii. 550  
 Pyroxanthine, i. 348  
 Pyroxilene, i. 348  
 Q.  
 Quassia amara, ii. 613, 616  
 excelsa, ii. 613  
 simaruba, ii. 612  
 Quassia, i. 614  
 Quassite, ii. 614  
 Queen of Hungary's water, ii.  
 282  
 Quercitron, ii. 194  
 Quercus ægilops, ii. 194  
 infectoria, ii. 190  
 manifera, ii. 194  
 marina, ii. 34  
 pedunculata, ii. 188  
 robur, ii. 188  
 suber, ii. 194  
 tinctoria, ii. 194  
 Quicklime, i. 487  
 Quicksilver, i. 581  
 Quince, common, ii. 556  
 mucilage, ii. 551  
 seeds, ii. 551  
 Quina, ii. 429  
 blanca, ii. 230  
 disulphate of, 445  
 do Campo, ii. 230  
 native kinato of, ii. 430  
 monosulphate of, ii. 430  
 neutral sulphate of, ii. 430,  
 445  
 Quinæ disulphas, ii. 430, 445  
 Quinquino, ii. 553  
 Quinometry, ii. 433  
 R.  
 Rack or arrack, i. 324  
 Radiata, ii. 757  
 Rafflesia Arnoldii, ii. 50  
 Rafflesiacæ, ii. 50  
 Raisins, ii. 632  
 Ranunculaceæ, ii. 735  
 Ranunculus acris, ii. 735  
 flammula, ii. 735  
 Raphanus sativus, i. 114  
 Ratanhy, ii. 666  
 Rauwolfia, ii. 372  
 Realgar, i. 521, 543  
 Receptacles and bracts, i. 92  
 Rectified spirit, i. 312  
 sulphuric ether, i. 313  
 Red antimony, i. 547  
 arsenic, i. 543  
 bark, ii. 423  
 Red cedar, ii. 784  
 coral, ii. 757  
 lavender drops, ii. 277  
 oxide of lead, i. 657  
 mercury, i. 605  
 or peroxide of iron, i.  
 687  
 poppy, ii. 677  
 precipitate, i. 607  
 per se, i. 605  
 roses, ii. 545  
 sandal or sander's wood,  
 ii. 565  
 sulphuret of mercury, i.  
 629  
 wines, ii. 634  
 zinc, i. 670  
 Refrigerants or temperants, i.  
 192  
 Regimen, dietetical, i. 98  
 Regnum inorganicum, i. 213  
 organicum, ii. 33  
 Rein-deer moss, ii. 44  
 Remedies, physical or mental,  
 i. 41  
 Reptiles, i. 87  
 Resina, i. 186, ii. 174  
 flava, ii. 174  
 Resinæ nigrae, ii. 174  
 terebinthinae, ii. 174  
 Resinigommæ, ii. 99  
 Resins, i. 183, 184  
 Reussite, ii. 511  
 Revulsion and derivation, ii.  
 154  
 Rex metallorum, ii. 567  
 Rhabarbaric acid, ii. 268  
 Rhabarbarin, ii. 268  
 Rhamnaceæ, ii. 610  
 Rhammus, ii. 611  
 catharticus, ii. 611  
 Rhaponticin, ii. 268  
 Rhatanhy, ii. 666  
 Rhein, ii. 268  
 Rheum, ii. 260  
 australe, ii. 263  
 barbandifolium, ii. 262  
 bullatum, ii. 262  
 caspicum, ii. 262  
 compactum, ii. 262  
 confluentis, ii. 262  
 crassinervium, ii. 262  
 Emodi, ii. 263  
 Fischeri, ii. 262  
 hybridum, ii. 262  
 leucorrhizon, ii. 263  
 Moorcroftianum, ii. 263  
 palmatum, ii. 262  
 rhabarbarum, ii. 261  
 rhiponicum, ii. 263  
 spiciforme, ii. 263  
 tartaricum, ii. 263  
 undulatum, ii. 263  
 Webbianum, ii. 263  
 Rheumin, ii. 268  
 Rhodomenia ciliata, i. 38  
 palmata (or dulse), ii. 38  
 Rhœados petala, ii. 677  
 Rhombic phosphate of soda, i.  
 465

Rhubarb, Batavian, or Dutch  
trimmed, ii. 265  
China, or East Indian, ii.  
265  
common stick, English, ii.  
267  
French, ii. 267  
Himalayan, ii. 266  
rhapontic, ii. 267  
Russian or Bucharian, ii.  
264  
Turkey, ii. 264  
white, or imperial, ii. 265  
*Rhus glabrum*, ii. 610  
metopium, ii. 610  
radicans, ii. 603  
toxicodendron, ii. 603  
*Rice*, ii. 75  
*Richardsonia brasiliensis*, ii.  
461  
scabra, ii. 461  
*Ricini oleum*, ii. 223  
Ricinic and elaeodic acids, ii.  
225  
*Ricinus africanus*, ii. 222  
communis, ii. 221  
leucocarpus, ii. 222  
lividus, ii. 222  
macrophyllus, ii. 222  
viridis, ii. 223  
*Rhizantheæ*, ii. 50  
*Roeella tinctoria*, ii. 40  
Roellie acid, i. 41  
Roelline, ii. 41  
Roche alum, i. 514  
Rochelle salt, i. 475  
Rock-rose tribe, ii. 670  
Rodentia, ii. 814  
Roman alum, i. 515  
vitriol, i. 515  
*Rosa canina*, ii. 544  
centifolia, ii. 548  
gallica, ii. 545  
rubiginosa, ii. 552  
*Rosaceæ*, ii. 524  
Roseæ, ii. 544  
Rose, dog, common, ii. 544  
hundred-leaved, or cab-  
bage, ii. 546  
red, or French, ii. 545  
water, ii. 549  
Rosemary, common, ii. 281  
oil of, ii. 282  
Roses, attar of, ii. 459  
Rosin, brown, ii. 174  
Flockton's patent, i. 174  
transparent, ii. 174  
yellow, ii. 174  
*Rosmarinus officinalis*, ii. 281  
*Rotala menthae piperite*, ii.  
280  
Rubefacients, i. 209  
*Rubia munjista*, ii. 459  
tinctorum, ii. 459  
Rubiaceæ, ii. 409  
*Rubigo ferrí*, i. 687  
*Rubus villosus*, ii. 543  
trivialis, ii. 543  
Rue, common or garden, ii.  
616

*Rum*, i. 323  
*Rumex acetosa*, ii. 273  
hydrolapathum, ii. 273  
*Ruminantia*, ii. 801  
Rust of copper, i. 645  
iron, i. 711  
*Ruta graveolens*, ii. 616  
*Rutaceæ*, ii. 616  
Rye, common, ii. 62  
ergot of, ii. 63  
spurred, ii. 63  
  
S.  
*Sabadilla*, ii. 98  
*Sabadiilla*, ii. 100  
*Sabina*, ii. 181  
*Saccharina*, i. 77  
*Saccharum*, ii. 52  
aluminatum, i. 519  
candum album, ii. 54  
officinarum, ii. 52  
saturni, ii. 663  
*Saccholactin*, ii. 811  
*Safflower*, ii. 401  
*Saffron bastard*, ii. 401  
cake, ii. 135  
common meadow, ii. 84  
crocus, ii. 134  
hay, ii. 135  
*Sagapenum*, ii. 478  
*Sago*, ii. 81  
Japan, ii. 159  
meal, ii. 80  
palm, *Rumphius's wine*,  
ii. 79  
the Malay, or Rum-  
phius's, ii. 80  
the unarmed, ii. 80  
Portland, ii. 78  
*Saguerus Rumphii*, ii. 80  
*Sagus laevis*, ii. 79  
*Rumphii*, ii. 80  
Saint Lucia bark, ii. 417  
*Sal absinthii*, i. 443, ii. 395  
*Sal ammoniac*, i. 287  
fixum, i. 491  
Glauber's secret, i.  
460  
plaster, i. 293  
acetoselæ, i. 309  
anglicum, i. 511  
auri philosophicum, i. 431  
catharticum, i. 511  
catharticus Glauberi, i.  
460  
de duobus, i. 432  
Seignette, i. 475  
enixum, i. 431  
fossili, or sal gemmæ, i.  
452  
martis, i. 703  
mirabile Glauberi, i. 460  
perlatum, i. 465  
polychrest, i. 432, 475  
polychrestum Glaseri, i.  
433  
Seignetti, i. 475  
prunellæ, i. 436  
rupellensis, i. 475  
*Sal succini*, i. 373  
*Seidlitzense*, i. 474  
tartari, i. 443  
vitrioli, i. 675  
*Salep*, ii. 158  
Otaheite, ii. 138  
*Sales veratriæ*, ii. 103  
*Salicaceæ*, ii. 185  
*Salicin*, ii. 187  
*Salicornia*, ii. 274  
Saline treatment, i. 456  
waters, i. 252  
*Salix*, ii. 185  
alba, ii. 186  
caprea, ii. 186  
fragilia, ii. 186  
pentandra, ii. 186  
purpurea, ii. 186  
*Russelliana*, ii. 185  
*Saloop*, ii. 158  
*Salseparine*, ii. 127  
*Salsola*, ii. 274  
*Salt*, alkaline, i. 475  
baker's, i. 283  
bitter purging, i. 511  
black, i. 441  
common, i. 452  
culinary, i. 452  
diuretic, i. 447  
Epsom, i. 511  
fossil, i. 467  
Glauber's, i. 460  
hair, i. 511  
of lemons, essential, i. 309  
Mars, i. 694  
Seignette, i. 475  
tartar, i. 441  
wood sorrel, i. 309, ii.  
630  
wormwood, ii. 395  
*Rochelle*, i. 475  
rock, i. 467  
sedative or narcotic, i. 388  
tasteless purging, i. 465  
vegetable, i. 450  
yellow, i. 376  
*Saltpetre*, i. 434  
*Salts*, smelling or volatile, i.  
283  
*Salvia officinalis*, ii. 285  
sclarea, ii. 285  
*Sambucus nigra*, ii. 463  
*Samphire*, common, ii. 499  
*Sandaraca germanica*, ii. 180  
Sandarach or red arsenic, i.  
543  
or juniper resin, ii. 184  
*Sanguinaria canadensis*, ii. 722  
*Sanguinarina*, ii. 722  
*Sanguis draconis*, ii. 83  
*Sanguisuga medicinalis*, ii. 759  
officinalis, ii. 759  
*Santalum*, ii. 565  
*Santonino*, ii. 399  
*Sap green, or vert de vessie*, ii.  
611  
*Sapo*, ii. 477  
amygdalinus, ii. 479  
*Castiliensis*, ii. 479

- Sapo, crotonis, ii. 219  
durus, ii. 479  
ex olive oleo et potassā confectus, ii. 477  
oleo et soda confectus, ii. 477  
guaiacinus, ii. 626  
jalapinus, i. 187  
mollis, i. 479  
potassicus, i. 479  
sodacus, i. 479  
vulgaris, i. 479
- Sarsaparilla, ii. 122  
Brazilian, Lisbon, Portugal, or Rio Negro, ii. 124  
Caracas, ii. 125  
country, ii. 346  
Honduras, ii. 125  
Indian, or scented, ii. 346  
Jamaica, ii. 123  
Lima, ii. 125  
Vera Cruz, ii. 125
- Sarcoptes hominis, i. 399
- Sassafras nuts, i. 254  
officinale, ii. 252  
oil of, ii. 252  
tea, ii. 252
- Satureja montana, ii. 285  
Saturn, extract of, i. 666  
Saunders red, ii. 565  
Savine, common, ii. 181  
Savon de terebinthine, i. 187  
Scales of the oxide of iron, i. 681
- Scammonium gallicum, ii. 347  
smyrneum, ii. 347
- Scammony, ii. 329  
Aleppo, ii. 329  
factitious, ii. 330  
Indian, ii. 330  
Montpellier, ii. 330, 347  
resin, ii. 330
- Smyrna, ii. 328, 347
- Trebizon, ii. 330  
virgin, or lachryma, ii. 329
- Scaptin, ii. 287
- Scilla maritima, ii. 115
- Scillitin (scillitite), ii. 116
- Scitamineæ, ii. 141
- Scobs styracina, ii. 375
- Scrophularia nodosa, ii. 295
- Scrophulariaceæ, ii. 285
- Scurvy-grass, common, ii. 672
- Scyphophorus pyxidatus, ii. 44
- Sea-onion, or officinal squill, ii. 115
- Sea-ware, common, ii. 34  
weeds, ii. 34  
weed tribe, ii. 33  
wrack, ii. 34
- Searle's patent oxygenous aerated water, i. 364
- Secale cereale, ii. 62  
cornutum, ii. 63
- Secamone Alpini, ii. 347
- Sedative salt, ii. 388
- Sedatives, i. 178
- Sedatives, nauseating cardiovascular, i. 178
- Seeds, i. 89
- Seidlitz powders, i. 474
- Seignette's salt, i. 475
- Semen contra, ii. 399
- Semina, i. 89
- Senecio Jacobea, ii. 399
- Senecionideæ, ii. 391
- Senega, Polygala, ii. 663
- Senegin, ii. 664
- Seneka, the, ii. 663  
snakeroot, ii. 663
- Senna, ii. 582  
Aleppo, ii. 586  
Alexandrian, ii. 586  
American, ii. 591  
bladder, ii. 586  
India, ii. 586  
Mecca, ii. 586  
Senegal, ii. 586  
Smyrna, ii. 586  
tea, ii. 589  
Tinnevelly, ii. 586  
Tripoli, ii. 585  
wild, ii. 582
- Sepia officinalis, ii. 759
- Septfoil, ii. 542
- Serai, ii. 810
- Serpentaria, aristocholia, ii. 231
- Serum lactis, i. 97, ii. 810  
tamarindatum, ii. 581  
tarataratum, i. 550  
aluminosum, seu serum  
lactis aluminatum, i. 519  
vinosum, ii. 812
- Sesamum orientale, ii. 399
- Sesquicarbonate of ammonia, i. 286  
soda, i. 470
- Sesquichloride of antimony, i. 546
- Sesquioxide of antimony, i. 550
- Sesquisulphuret of antimony, i. 544
- Sevum, ii. 808  
ovillum, ii. 808  
præparatum, ii. 809
- Shallot, ii. 121
- Shells, ii. 758
- Sherry wine, ii. 638
- Shower-bath, i. 63
- Shoemaker's black, i. 703
- Shorea camphorifera, ii. 655
- Sialogogues, i. 199  
specific or remote, i. 200  
local, i. 199
- Siliceous waters, i. 253
- Siliqua hirsuta, ii. 564
- Silver and its compounds, i. 571  
cyanide of, i. 580  
cyanuret of, i. 580  
litharge, i. 655  
nitrate of, i. 572  
stone, i. 655
- Simarubaceæ, ii. 612
- Simaruba amara, ii. 612  
officinalis, ii. 612
- Simple bitters, i. 188  
syrup, ii. 55
- Sinapis alba, ii. 675
- Sinapis nigra, ii. 673
- Sinapisin, ii. 673
- Sinapismus, or sinapism, ii. 675
- Singles, i. 512
- Sintoc bark, ii. 254
- Smelling salt, i. 283
- Smeltinghouse smoke, i. 521
- Smilaceæ, ii. 121
- Smilacin, ii. 127
- Smilasperic acid, ii. 346
- Smilax, ii. 122  
aspera, ii. 134  
root of, ii. 134  
China, ii. 133  
medica, ii. 122  
officinalis, ii. 122
- Smilax sarsaparilla, ii. 122  
siphilitica, i. 122  
Smyrna opium, ii. 680
- Snakeroot seneka, ii. 663  
Virginian, ii. 231
- Snake-weed, ii. 274  
wood, ii. 364
- Soap, i. 477  
almond, i. 479  
animal oil soda, i. 477  
potash, i. 477  
calcareous, i. 491  
Castile, i. 479  
cerate, i. 481  
common, ii. 479  
eroton, ii. 219  
hard, ii. 479  
liniment, i. 481  
mottled, i. 479  
olive oil soda, i. 479  
potash, i. 479  
plaster, i. 482  
soda, i. 479
- soft common, i. 479
- Starkey's, i. 187
- transparent, i. 478
- white, i. 479
- Windsor, i. 479
- yellow, i. 479
- Soaps, i. 477  
guaiacum, ii. 626  
insoluble, i. 477  
resinous, i. 187  
soluble, i. 477
- Soda, acetate of, i. 476  
borate of, i. 462  
bicarbonate of, i. 470  
borate of, i. 462  
carbonate of, i. 467  
chloride of, i. 450  
dried carbonate of, i. 470  
hypochlorite of, i. 457  
liquid, Labarraque's, i. 457  
lozenges, i. 474  
metaphosphate of, i. 465  
muriate or hydrochlorate of, i. 452  
oxymuriate of, i. 457  
phosphate of, i. 465  
powders, i. 474  
pyrophosphate of, i. 466  
rhombic phosphate of, i. 456  
sesquicarbonate of, i. 470

- Soda soap, i. 479  
 animal oil, i. 479  
 olive oil, i. 479  
 subcarbonate of, i. 467  
 sulphate of, i. 460  
 tartarizata seu natron tar-  
 tarizatum, i. 475  
 tartarized, i. 475  
 triphosphate of, i. 465  
 water, i. 474  
 bottled, i. 474  
 from the fountain or  
 pump, i. 474
- Sodæ acetæ, ii. 476  
 aqua effervescentia, ii. 474  
 bicarbonas, ii. 471  
 biboras, ii. 462  
 boras, ii. 462  
 carbonas, ii. 467  
 exsiccata, ii. 470  
 carbonatis aqua, ii. 474  
 chloridum, ii. 452  
 hypochloris, ii. 457  
 murias, i. 452  
 nitras, ii. 464  
 phosphas, ii. 465  
 potassio-tartars, ii. 475  
 sesquicarbonas, ii. 467  
 sulphas, i. 466
- Sodaic powders, i. 474  
 Sodii auro-terchloridum, i. 569  
 chloridum, i. 452  
 Sodio-tartrate of potash, i. 475  
 Sodium, auro-terchloride of, i.  
 569  
 chloride of, i. 452  
 chloruret of the oxide of,  
 i. 457
- Soft soap, i. 479  
 Solanaceæ, i. 114, ii. 296  
 Solaneæ, ii. 296  
 Solanina, ii. 322  
 Solanum dulcamara, ii. 322  
 nigrum, ii. 326  
 tuberosum, ii. 326
- Solazzi juice, ii. 560  
 Solomon's seal, ii. 121  
 Sol, or rex metallorum, ii.  
 567
- Soluble cream of tartar, i. 450  
 tartar, i. 450
- Solutio aconitinae, ii. 746  
 argenti ammoniati, i. 580  
 nitrat, i. 580
- arsenicalis, i. 542  
 baryta muriatæ, i. 487  
 nitrat, i. 487
- chlorinii, i. 220  
 elaterinæ, ii. 512  
 potassii sulphuretum, i.  
 430
- soda phosphatis, i. 467
- Solution, Brandish's alkaline,  
 i. 420
- Fowler's, i. 542  
 mineral, i. 542  
 of acetate of ammonia, i.  
 293  
 chlorinated lime, i. 500  
 diacetate of lead, i. 666
- Solution of opium, Dr. Porter's,  
 ii. 716
- Solutive water, i. 264
- Soot, wood, i. 367
- Soporifics, i. 178
- Sorrel, common, ii. 733
- Sour springs, i. 250
- Spaniolitmine, ii. 43
- Spanish broom, ii. 558  
 flies, ii. 751  
 juice, ii. 560  
 white, i. 647
- Spar, ponderous or heavy, i.  
 484
- Spartium junceum, ii. 599  
 scoroparium, ii. 558
- Spearmint, ii. 278  
 oil of, ii. 278
- Species ad suffiendum, ii. 380
- Specificum purgans Paracelsi,  
 i. 432
- Speltre or speltrum, i. 670
- Spermacti, ii. 799  
 cerate, ii. 800  
 ointment, ii. 800
- Spialuter, i. 670
- Spices, i. 183
- Spigelia antelmintica, ii. 344  
 marilandica, ii. 344
- Spigeliaceæ, ii. 344
- Spike-flowered asagrea, ii. 97
- Spiked purple loosestrife, ii.  
 522
- Spikenard, ii. 408
- Spinacia olereracea, ii. 274
- Spina sitchens, ii. 567
- Spiraceæ, ii. 520
- Spiracea tomentosa, ii. 552
- Spirit, Beguin's sulphuretted,  
 i. 412  
 bone, i. 289  
 corn, i. 311  
 of alum, i. 515  
 ammonia, i. 281  
 hydrochloric ether, i.  
 342  
 muriatic ether, i. 342  
 nitrous or nitric ether,  
 i. 337  
 sal volatile, i. 283  
 salt, i. 258  
 tin, i. 259  
 turpentine, i. 168  
 wine, i. 311  
 camphorated, ii. 501  
 proof, i. 313
- pyro-acetic, i. 347  
 pyroxilic, i. 347  
 rectified, i. 311
- Spirits, ardent, i. 311
- Spiritus, i. 327  
 ætheris hydrochlorici, i.  
 342  
 nitrici, i. 337  
 nitrosi, i. 337  
 sulphurici, i. 334  
 compositus, i. 334
- ammoniac, i. 281  
 aromaticus, i. 282  
 fætidus, i. 282
- Spiritus succinatus, i. 373  
 anisi, ii. 468  
 compositus, ii. 468
- ardens, ii. 311
- armoraciæ compositus, ii.  
 672
- camphoratus, ii. 501
- carui, ii. 466
- cassie, ii. 243
- cinnamomi, ii. 239
- colchici ammoniatus, ii. 91
- frumenti, i. 311  
 compositus, i. 324
- juniperi compositus, ii. 181
- lavandulaæ, ii. 77  
 compositus, ii. 77
- menthae, ii. 280  
 piperite, ii. 280  
 pulegii, ii. 281  
 viridis, ii. 279
- Mindereri, i. 193
- myristice, ii. 257
- nitri dulcis, i. 337
- oryze, i. 324
- pimentæ, ii. 221
- pulegii, ii. 281
- rectificatus, i. 311
- rosmarini, ii. 282
- sacchari, i. 323
- salis ammoniaci causticus  
 cum calce viva paratus,  
 i. 273
- seu liquor Mindereri, i.  
 193
- tenuior, i. 313
- vini gallici, i. 322
- Spodium album, i. 505
- Sponge, i. 755
- Sponge, burnt, ii. 757
- Spongia, ii. 755  
 officinalis, ii. 755  
 usta, ii. 757
- Sponging or washing, i. 64
- Spruce beer, ii. 184
- Spruce, essence of, ii. 84
- Spunk, ii. 46
- Spurge, caper, ii. 258  
 olive, ii. 258
- Spurred rye, ii. 63
- Squilla maritima, ii. 115  
 pancretion, ii. 121
- Squirting cucumber, ii. 505
- Stag's horn, ii. 808
- Stalagmitis cambogioides, ii.  
 639
- Stanni limatura, i. 654
- Stanni, pulvis, i. 650
- Stannum, i. 649  
 Indicum, ii. 649
- Staphisagria, ii. 738
- Star anise, ii. 733
- Starch, ii. 61  
 iodide of, i. 233  
 of the canna coccinea, ii.  
 141
- Starchy matter (lichenin) ii. 38
- Stavesacre, ii. 738
- Stearic acid, i. 478
- Stearine, i. 478, 481
- Stéaroptène, i. 186

## INDEX.

- Stems, i. 93  
 Stephens's receipt for the stone  
     and gravel, i. 490  
 pepper medicine, ii. 325  
 Stereusin, i. 186  
 Sternutatories, i. 198  
 Stibiated tartar, i. 554  
 Stibium, i. 544  
 Sticta pulmonaria, ii. 44  
 St. Ignatius's bean, ii. 363  
 Stimulants, ii. 141, 182  
     and contra-stimulants, ta-  
     ble of, i. 142  
 Stimuli, volatile pungent, i. 183  
     general vital, i. 141  
     special, i. 141  
 Stimulus, doctrine of contra, i.  
     142  
 Stizolobium pruriens, ii. 563  
 Stone, the infernal, i. 572  
 Storax, bark, ii. 374  
     black, ii. 375  
     common, ii. 375  
     in the tear, ii. 374  
     liquid balsam of, i. 184  
     liquid, i. 184  
     oil, ii. 376  
     reddish brown, ii. 375  
     the officinal, ii. 373  
     volatile oil of, ii. 376  
     white, ii. 374  
 Stramonium, datura, ii. 309  
 Strengthening plaster, i. 686  
 Strychnia, ii. 360  
 Strychnic, or ignasuric acid, ii.  
     350  
 Strychnos colubrina, ii. 364  
     ignatia, ii. 363  
     ligustrina, ii. 363  
     nux vomica, ii. 347  
     pototarum, ii. 364  
     p.euco-quina, ii. 364  
     tiente, ii. 363  
     toxifera, ii. 364  
 Stupeficients, i. 178  
 Surgeon, ii. 789  
 Styptics, i. 209  
 Stytraceæ, ii. 373  
 Stryacin, ii. 185  
 Stryacina, scobs, ii. 375  
 Stryacis balsamum, ii. 185  
 Stryaz albus, ii. 374  
     amygdaloid, ii. 374  
     benzoin, ii. 377  
     colatus, ii. 376  
     liquidus, ii. 375  
     officinale, ii. 373  
 Subacetate of copper i. 645  
 Subcarbonate of ammonia, i.  
     283  
     potash i. 440  
 Subchloride of mercury i. 609  
 Suberic acid, ii. 194  
 Suberin, ii. 194  
 Suboxide of mercury, i. 603  
 Sublimatus corrosivus, i. 617  
 Submuriate of mercury, i. 609  
 Subphosphate of lime, i. 504  
 Sub-sulphas hydrargyri flavus,  
     i. 637
- Subterranean stems, i. 92  
 Succinated spirit of ammonia,  
     i. 373  
 Succini, colophonum, i. 372  
     oleum, i. 372  
 Succinic acid, i. 373  
 Succinum, i. 371  
     album, i. 371  
 Succory, i. 94  
     wild, ii. 405  
 Succus belladonnae, ii. 309  
     colchici, ii. 92  
     cyreniacus, ii. 471  
     inspissatus conii, ii. 479  
     limonum, ii. 648  
     spissatus aconiti, ii. 745  
         belladonnae, ii. 309  
         conii, ii. 479  
         hyoseyami, ii. 300  
         sambuci, ii. 464  
 Sudorifics or diaphoretics, i. 95  
 Suet, ii. 808  
 Sugar, ii. 52  
     brown, ii. 54  
     candy, white, ii. 54  
     cane, ii. 52  
     Demerara crystal, ii. 54  
     liquorice, ii. 560  
     manufacture of, ii. 52  
     muscovado or raw ii. 53  
     of grapes, ii. 632  
     lead, i. 663  
     milk, ii. 811  
     purified, ii. 54  
     white, ii. 54  
 Sulphas aluminae et potassæ, i.  
     514  
     cupri, i. 640  
     ferri, i. 703  
         exsiccatum, i. 705  
     magnesiae, i. 511  
     potassæ, i. 432  
     sodæ, i. 460  
     zinci, i. 674  
 Sulphate of ammonia, i. 295  
     baryta, i. 482  
     chirayitine, ii. 342  
     cinchonia, ii. 430  
     copper, i. 640  
     hydrocarbon, i. 329  
     indigo, ii. 600  
     iron, i. 703  
     magnesia, i. 511  
     morphia, ii. 721  
     oxide of ammonium, i.  
         295  
         ethule and etherole,  
             i. 329  
     potassa, i. 432  
     quina, ii. 430  
     soda, i. 400  
     zinc, i. 674  
 Sulphated chalybeates, i. 249  
 Sulphatic ether, i. 327  
 Sulpho-sinapisin, ii. 676  
     vinic acid of Hennell, i.  
         329  
 Sulphur, i. 396  
     antimoniatum fuscum, i.  
         547
- Sulphur, balsam of, i. 401  
     caballinum, i. 398  
     common native, i. 396  
     erudum, i. 397  
     flowers of, i. 397  
     griseum, i. 398  
     hydrate of, i. 401  
     iodide of, i. 411  
     liver of, i. 429  
     lotum, i. 397  
     milk of, i. 400  
     native or virgin, i. 396  
     ointment, i. 400  
         compound, i. 400  
         of the iodide of, i. 412  
     præcipitatum, i. 400  
     precipitated, i. 400  
     refined, i. 397  
     roll, stick, or cane, i. 397  
     sublimatum, i. 397  
     sublimed, i. 397  
     vegetable, ii. 47  
     vivum, i. 398  
     volcanic, i. 396  
     washed, i. 396  
 Sulphurated oil, i. 401  
 Sulphuretted or sulphurous  
     bath, i. 431  
 Sulphurous or hepatic waters,  
     i. 249  
 Sulphuret of ammonia, i. 412  
     antimony, golden, i. 540  
     iron, i. 697  
     potash, i. 429  
     potassium, i. 429  
 Sulphuretted waters, i. 249  
 Sulphuretum, antimonii, i. 544  
     præparatum, i. 544  
         hydrargyri nigrum, i.  
             631  
         rubrum, i. 629  
 Sulphuratum oleum, i. 401  
 Sulphuric acid, i. 401  
     ointment, i. 410  
         ether, i. 327  
 Sulphuris hepar, i. 429  
     iodidum i. 411  
 Sulphurus acid, i. 410  
 Sumach, ii. 603  
 Super-acetate of lead, i. 663  
     carbonated chalybeates, i.  
         250  
         sulphate of potash i. 431  
         tartrate of potash, i. 450  
 Suppositories, i. 160  
 Suppurants, ii. 209  
 Surinam bark, ii. 616  
 Sus scrofa, ii. 812  
 Swallow-wort tribe, ii. 526  
 Sweet almonds, ii. 526  
     bay, ii. 253  
     briar, ii. 552  
         sponge, ii. 552  
     fennel, ii. 469  
     flag, common, ii. 76  
     marjoram, ii. 283  
     oil of vitriol, i. 335  
     spirit of nitre, i. 337  
     toddy, ii. 79  
     wood, ii. 219

- Sweet wines, ii. 634  
 Sylvic acid, ii. 174  
 Syrup of copaiva, ii. 598  
 Syrupus, ii. 55  
 alii, ii. 120  
 aceti, i. 356  
 althaea, ii. 658  
 aurantii, ii. 653  
 balsami tolutani, ii. 557  
 croci, ii. 137  
 empyreumaticus, i. 54  
 ferri iodidi, i. 697  
 ipecacuanha, ii. 455  
 krameriæ, ii. 608  
 limonum, ii. 650  
 mori, ii. 199  
 papaveris, ii. 711  
 rhamni, ii. 612  
 rheædos, ii. 678  
 roseæ, ii. 548  
 centifoliae, ii. 548  
 gallica, ii. 547  
 rutæ, ii. 618  
 sarsaparilla, ii. 131  
 sarza, ii. 131  
 Syrupus scilleæ, ii. 119  
 scilleæ compositus, ii. 666  
 senegæ, ii. 665  
 semmeæ, ii. 590  
 simplex, ii. 55  
 tolutanus, ii. 257  
 violæ, ii. 669  
 zingiberis, ii. 144
- T.  
 Tabacum, ii. 312  
 Taccaceæ, ii. 138  
 Taccæ pinnatifida, ii. 138  
 oceanica, ii. 138  
 Taffetas vesicant, ii. 781  
 Tahiti arrow-root, ii. 138  
 Tale earth, (Talkeerde), i. 506  
 Tamarind-tree, common, ii. 580  
 whey, ii. 581  
 Tamarindus Indica, ii. 580  
 Tanacetæ acid, ii. 397  
 Tanacetum vulgare, ii. 397  
 Tanghicin, ii. 364  
 Tanghinia venenifera, ii. 364  
 Tangin camphor, ii. 364  
 Tanginen, ii. 364  
 Tanguine, ii. 364  
 Tannic acid, i. 189, ii. 192, 576  
 Tannin, ii. 192  
 Tanningensauere, ii. 459  
 Tansey, ii. 397  
 Tapioca plant, ii. 929  
 Tar, ii. 277  
 Barbadoes, i. 370  
 oil of, ii. 177  
 ointment, ii. 178  
 vegetable, ii. 177  
 water, ii. 178  
 Taraxacum dens-leonis, ii. 401  
 Tartar, i. 449  
 chalybeated, i. 709  
 cream of, i. 448
- Tartar, crude, i. 448  
 emetic, i. 554  
 ointment, i. 566  
 red, i. 449  
 salt of, i. 443  
 soluble, i. 450  
 stibiated, i. 554  
 vitriolated, i. 433  
 whey, cream, i. 450  
 white, i. 449
- Tartare moss, ii. 42  
 Tartari terra foliata, i. 447  
 Tartaric acid, i. 359  
 Tartarized antimony, i. 554  
 iron, i. 709  
 kali, i. 430  
 soda, i. 475  
 tartar, i. 450
- Tartarus albus vel ruber, i. 449  
 boraxatus, i. 449  
 chalybeatus seu ferratus, i. 709  
 crudus, i. 448  
 emeticus, i. 554  
 stibiatius, i. 554
- Tartras potasse, i. 450  
 et ferri, i. 709
- Tartrate of iron and ammonia, i. 712  
 potash, i. 709  
 and soda, i. 475  
 antimony, i. 554  
 iron, i. 709
- Tartrates, effervescent, i. 362
- Tasteless ague drops, i. 542  
 purging salts, i. 465  
 Taxus baccata, ii. 184
- Tea, i. 94  
 black, ii. 654  
 oil, ii. 654  
 green, ii. 654  
 tribe, ii. 654
- Tectum argenti, i. 647
- Teel seeds, ii. 214
- Telerythrine, ii. 41
- Temperants or refrigerants, i. 192
- Tennant's bleaching powder, i. 494
- Tepid bath, i. 55
- Terebinthaceæ, ii. 163, ii. 601
- Terebinthina, ii. 163  
 argenteoratensis, ii. 166  
 canadensis, ii. 166  
 chia, ii. 602  
 veneta, ii. 165  
 factitia, ii. 185  
 vulgaris, ii. 167
- Terebinthine-oleum, ii. 168
- Terebinthinate oleo-resins, ii. 164  
 resins, ii. 174
- Terebinthines, ii. 117
- Terebinthine de Boston, ii. 164
- Ternstromiacæ, ii. 654
- Terra foliata tartari, i. 447  
 foliata tartari crystallisata  
 or terra foliata mine-  
 ralis, i. 447  
 japonica, ii. 457, 473
- Terra, black, ii. 576  
 pale, ii. 557  
 lemnia, ii. 520  
 merita, ii. 145  
 ossium, i. 505  
 ponderosa salita, i. 484
- Test, Hume's, i. 580  
 Marsh's, i. 526
- Testæ, ii. 758  
 preparate, ii. 758
- Teucrium chamaedrys, ii. 285  
 marum, ii. 285  
 scordium, ii. 285
- Tetanics, i. 177
- Tetanine, ii. 360
- Thapsia silphion, ii. 471
- Thea bohea, ii. 654  
 viridis, ii. 654
- Thebaïna, ii. 687
- Theina, ii. 654
- Thenardite, i. 460
- Theobroma cacao, ii. 656
- Theory, Brunonian, i. 141  
 contra stimulant, i. 142
- Therapeutics, i. 41
- Thieves' or Marseilles vinegar, i. 355
- Thirsty thorn, ii. 568
- Thistle, blessed, ii. 400
- Thorn-apple, common, ii. 309
- Thridace seu lactucarium, ii. 403
- Thus, ii. 166
- Thymelæcæ, ii. 258
- Thymus citriodorus, ii. 285  
 vulgaris, ii. 285
- Tigillæ oleum, ii. 218
- Tin, i. 649  
 filings and powder, i. 649  
 granulated, i. 650  
 Indian, i. 650  
 powder of, i. 650
- Tincil, i. 462
- Tinctura acetatis ferri cum  
 alcohol, i. 711  
 aconiti, ii. 744  
 ætherea cum phosphoro,  
 i. 394  
 aloes, ii. 114  
 et myrræ, ii. 144  
 composita, ii. 114  
 amara, ii. 341  
 ammonie composita, i. 280  
 angusturm, ii. 624  
 assafetida, ii. 477  
 aurantii, ii. 653  
 balsami tolutani, ii. 557  
 belladonneæ, ii. 308
- Tinctura benzoini composita,  
 ii. 379  
 buchu, ii. 621  
 calumba, ii. 727  
 camphoræ, ii. 251  
 composita, ii. 251  
 cannabis, ii. 205  
 cantharidis, ii. 780  
 capsici, ii. 325  
 cardamomi, ii. 154  
 composita, ii. 155  
 caryophilli, ii. 518

Tinctura cascarillæ, ii. 221  
 cassiæ, ii. 243  
 castorei, ii. 818  
   ammoniata, ii. 819  
 catechu, ii. 577  
 cinchona, ii. 443  
   composita, ii. 443  
 cinnamomi, ii. 239  
   composita, ii. 249  
 colchici, ii. 90  
 columbae, ii. 727  
 conii, ii. 496  
 crotonis, ii. 219  
 croci, ii. 137  
 cubeba, ii. 212  
 cusparia, ii. 624  
 digitalis, ii. 294  
 elaterii, ii. 512  
 ergotæ, ii. 174  
 etherea cum phosphoro, i.  
   394  
 euphorbiæ, ii. 229  
 ferri ammonio chloridi, i.  
   694  
   muriatis, i. 692  
   sesquichloridi, i. 692  
 galbanii, ii. 485  
 gallarum, ii. 193  
 gallæ, ii. 193  
 gentianæ composita, ii. 341  
 guaiaci, ii. 629  
   ammoniata, ii. 699  
   composita, ii. 629  
 hellebori, ii. 738  
 humuli, ii. 193  
 hyoscyami, ii. 300  
 iodinii, i. 233  
   composita, i. 425  
 jalapæ, ii. 336  
 kino, ii. 567  
 krameriae, ii. 667  
 lacmi, ii. 43  
 lactucarii, ii. 405  
 lavandulæ composita, ii.  
   277  
 lobelia, ii. 387  
   æthera, ii. 387  
 lupuli, ii. 198  
 lupuline, ii. 198  
 lytta, ii. 780  
 moschi, ii. 807  
 myrrhæ, ii. 508  
 nuci vomice, ii. 359  
 olei menthae piperitæ, ii.  
   280  
 olei menthae viridis, ii. 278  
 opii, ii. 713  
 opii acetata, ii. 714  
   ammoniata, ii. 715  
   camphorata, ii. 251,  
   714  
 piperis cubebæ, ii. 212  
 pyrethri, ii. 394  
 quassiae, ii. 615  
   composita, ii. 615  
 rhei, ii. 271  
   composita, ii. 271  
   et aloes, ii. 271  
   et gentianæ, ii. 272  
 sabadillæ, ii. 100  
 sacra, ii. 114

Tinctura sanguinarie, ii. 723  
 scillæ, ii. 118  
 secalis cornuti, ii. 74  
 seminum colchici, ii. 90  
   composita, ii. 91  
 sennæ composita, ii. 589  
 serpentine, ii. 232  
 stramonii, ii. 312  
 thebaica, ii. 713  
 tolutana, ii. 557  
 valerianæ, ii. 408  
   ammoniata, ii. 408  
   composita, ii. 408  
 veratris, ii. 103  
 veratri albi, ii. 97  
 zingiberis, ii. 144  
 Tincturæ, i. 325  
   ethereæ, i. 334  
 Tincture of litmus, ii. 43  
 Tinctures, i. 325  
 Tikor, ii. 147  
 Tisan de Felts, i. 545  
 Sisana imperialis, i. 450  
 Tobacco, volatile oil of, ii. 316  
   empyreumatic oil of, ii.  
   316  
   camphor, ii. 316  
   Indian, ii. 384  
   ointment, ii. 321  
   smoke, ii. 316  
   Virginian, ii. 312  
   wine of, ii. 321  
 Tolu, balsam of, ii. 556  
 Toluifera balsamum, ii. 556  
 Tonics, i. 186  
   acid, i. 189  
   alkaloid i. 189  
   metallic, i. 189  
 Tormentil, common, ii. 542  
 Tormentilla erecta, ii. 542  
   officinalis, ii. 542  
 Torsk, ii. 793  
 Torula cervisiae, ii. 58  
 Touchwood, ii. 46  
 Tous les mois, ii. 141  
 Toxicodendron rhus, ii. 603  
 Tragacanth, ii. 502  
 Tragacanthin, i. 78, ii. 562  
 Trailing poison-oak or sumach,  
   ii. 603  
 Transfusion, i. 162  
 Treacle, ii. 52  
 Trebizon opium, ii. 681  
 Tremor mercurialis, i. 584  
 Tripe de roche, ii. 44  
 Tripelophosphate of soda and basic  
   water, i. 465  
 Triticum, ii. 60  
   hybernatum, ii. 60  
   monoecuum, ii. 60  
   polonicum, ii. 60  
   repens, ii. 52  
 Spelta, ii. 60  
   turgidum, ii. 60  
   compositum, ii. 60  
 vulgare, ii. 60  
   vulgare aestivum, ii. 60  
   hybernatum, ii. 60  
 Trochisci acacia, ii. 573  
   acidi tartarici, ii. 633  
   calcis carbonatis, i. 504

Trochisci crete, i. 504  
 glycyrrhiza, ii. 501  
 of opii, ii. 561  
 lactucarii, ii. 405  
 magnesia, i. 510  
 morphie, ii. 721  
   et ippecacuanha, ii. 456,  
   721  
   opii, 712  
   soda bicarbonatis, i. 478  
   spongina ustæ, ii. 757  
 Trona, i. 470  
 Truille, ii. 46  
 Tuber cibarium, ii. 46  
 Tubers, i. 92  
 Turkey gum, ii. 569  
   opium, ii. 680  
   rhubarb, ii. 264  
 Turmeric, long-rooted, ii. 145  
   narrow-leaved, ii. 146  
   paper, ii. 146  
 Turner's cerate, i. 680  
 Turpentine, ii. 160  
 Turpentine, American or  
   white ii. 164  
   Bordeaux, ii. 164  
   Canadian, ii. 166  
   China, ii. 602  
   common, ii. 164  
   larch or Venice, ii. 165  
   oil of ii. 168  
   pistacia, ii. 601  
   Strasburgh, ii. 166  
 Turpeth or turbith mineral i.  
   637  
 Turpethum minerale, i. 637  
 Tossilago farfara, ii. 389  
 Tutia seu tuthia, i. 674  
   præparata, i. 674  
 Tutt, i. 674  
   ointment, i. 674  
   prepared, i. 674

## U.

Ulmae, ii. 194  
 Ulmin, ii. 195  
 Ulnic acid, ii. 195  
 Ulmus campestris, ii. 195  
   fulva, ii. 195  
 Ulva latissima, ii. 38  
 Umbelliferæ, i. 114  
 Uncaria gambir, ii. 456  
 Undulated ippecacuanha, ii. 461  
 Unguentum, ii. 787  
   acidi nitrici, i. 270  
   sulphurici, i. 410  
   aconitinæ, ii. 746  
   æruginis, i. 646  
   ægyptiacum, i. 616  
   ammoniæ, i. 280  
   antimonii, i. 566  
   antimonii potassium-tartratis, i. 566  
   aque rosæ, ii. 549  
   arsenici, i. 542  
   basilikum nigrum, ii. 178  
   belladonnæ, ii. 308  
   calaminæ, i. 680  
   cantharidis, ii. 780

- Unguentum carbonatis plumbi, i. 662  
ceræ albae, ii. 787  
flavæ, ii. 788  
cetacei, ii. 800  
citrinum, i. 634  
cocculi, i. 729  
conii, ii. 498  
creasoti, i. 369  
cupri subacetatis, i. 646  
elemi, ii. 609  
galle compositum, ii. 193  
et opii, ii. 193  
gallarum, ii. 193  
hydrargyri, i. 600  
ammonio-chloridi, i. 626  
biniodi, i. 629  
chloridi, i. 617  
fortius, i. 600  
iodidi, i. 627  
mitius, i. 602  
nitratis, i. 634  
nitrico-oxydi, i. 609  
oxydi nitrici, i. 609  
infusi cantharidis, ii. 780  
iodinei, i. 234  
iodinii compositum, i. 425  
oxydi hydrargyri, i. 609  
picis liquida, ii. 178  
nigra, ii. 179  
piperis nigri, ii. 208  
plumbi acetatis, i. 666  
carbonatis, i. 662  
compositum, i. 670  
iodidi, i. 660  
potassæ hydriodatis, i. 425  
potassii bromidi, i. 429  
potassii iodidi, i. 425  
præcipitati albi, i. 626  
resinæ albae, ii. 175  
resinosum, ii. 175  
sabinæ, ii. 183  
sambuci, ii. 464  
satureinum, i. 666  
seropulariæ, ii. 296  
simplex, ii. 787  
sulphuris, i. 400  
compositum, i. 400  
iodidi, i. 412  
tabaci, ii. 321  
tartari emeticci, i. 566  
tutia, i. 674  
veratri, ii. 197  
veratris, ii. 103  
zinci, i. 674  
oxydi, i. 674  
Upas poison, ii. 363  
tienté jettek, ii. 363  
Urari poison, ii. 364  
Urticaceæ, ii. 196  
Usquebaugh, ii. 468  
Uva passæ majores, ii. 632  
Uva Ursi, ii. 382
- V.  
Vaccinium vitis idæ, ii. 382  
Valerian, great wild, ii. 406  
Valeriana Diocordis, ii. 406  
jatamansi, ii. 408
- Valeriana officinalis, ii. 406  
Valerianaceæ, ii. 406  
Valerianic acid, ii. 407  
Vallesia, ii. 364  
Vanilla, ii. 158  
aromatica, ii. 158  
pompona, ii. 158  
sativa, ii. 158  
sylvestris, ii. 158  
Vanillaceæ, ii. 158  
Vapour bath, i. 52  
Vasculares, ii. 50  
Vauqueline, ii. 360  
Vegetable alkali, i. 181, 414  
mild, i. 441  
ethiops, ii. 35  
jelly, i. 79  
juices preserved, i. 325  
salt, i. 450  
sulphur, ii. 47  
tar, ii. 177  
wax, ii. 786  
Velonia, ii. 194  
Venice turpentine, ii. 165  
Veratris (veratine) ii. 100,  
95  
embrocation, ii. 103  
ointment, ii. 103  
pills, ii. 103  
sulphate and tartrate of, ii.  
103  
Veratrin, ii. 100  
Veratrum album, ii. 94  
sabadilla, ii. 97  
Viride, ii. 103  
Verbascum thapsus, ii. 295  
Verdigris, i. 645  
prepared, i. 646  
distilled or crystallized, i.  
646  
Vermilion, ii. 629  
Veronica beccabunga, ii. 296  
Vert de Vesse, ii. 611  
Vertebrata, ii. 788  
Vesicants, i. 209  
Vesicatoria, ii. 774  
Vina medicata, ii. 638  
proof, i. 313  
Vinegar, i. 343  
aromatic, i. 355  
distilled, i. 354  
of cantharides, ii. 779  
of opium, ii. 715  
of squills, ii. 118  
malt, i. 344  
proof, i. 351  
wine, i. 345  
white wine, i. 345  
thieves' or Marseilles,  
i. 355  
Vinegars, medicated, i. 356  
Vinous fermentation, i. 310  
liquor, production of, i. 310  
Vinum, i. 311, ii. 633  
album Hispanum, ii. 633  
aloës, ii. 114  
antimonii, i. 566  
antimonii potassium tartra-  
tis, i. 566  
colchici (seminum) ii. 91  
Vinum cormi colchici, ii. 91  
ferri, i. 712  
gentianæ, ii. 341  
ippecacuanha, ii. 455  
opi, ii. 714  
rhei, ii. 271  
tabaci, ii. 321  
veratri, ii. 97  
xericum, ii. 633, 638  
Violaceæ, ii. 669  
Viola odorata, ii. 668  
Violine, ii. 669  
Virgin sulphur, i. 396  
oil, ii. 368  
Virgineic acid, ii. 685  
Virginian snakeroot, ii. 231  
Virginian tobacco, ii. 312  
Vitaceæ, ii. 630  
Vital air, i. 213  
Vitellus ovi, ii. 798  
Vitis vayr, ii. 52  
Vitis vinifera, ii. 631  
Vitriolated iron, i. 703  
kali, ii. 432  
magnesia, ii. 511  
taratar, ii. 432  
Vitriol, blue, i. 640  
elixir, i. 409  
green, i. 703  
of Mars, i. 703  
oil of, i. 401  
Roman, i. 640  
spirit of, i. 402  
sweet oil of, i. 335  
white, i. 675  
Vitrioli, sal, i. 676  
Vitriolic naphtha, i. 327  
Vitriolum caruleum, i. 640  
Martis, i. 703  
viride, i. 703  
Vitrum antimonii, i. 551  
Volatile alkali, i. 283  
oil, i. 186, 189  
liniment, i. 279  
Volcanic sulphur, i. 306  
Voltaic electricity, i. 71  
Vomicina, ii. 360  
Vomitoria, i. 201  
W.  
Ward's paste, ii. 208  
Warm bath, i. 55  
Warming plaster, ii. 781  
Wash, black, i. 605  
yellow, i. 606  
Washed sulphur, i. 397  
Washes, i. 311  
Washing or sponging, i. 64  
Water, i. 55, 93, 238  
barley, ii. 57  
distilled, i. 241  
dock, great, ii. 733  
dressing, i. 241  
elder flower, ii. 464  
gruel, ii. 59  
hemlock, ii. 494  
lake, i. 245  
laurel, ii. 537  
lime, i. 491

Water, marsh, i. 245  
of ammonia, i. 272  
orange flower, ii. 653  
oxygenated, i. 216  
rain, i. 243  
river, i. 223  
sea, i. 246  
seltzer, i. 305  
snow, i. 243  
soda, i. 474  
solutive, i. 264  
spring, i. 244  
tar, ii. 178  
toast, ii. 61  
well, i. 244  
Waters, acidulous or carbonated, i. 305  
acidulo-alkaline, i. 250  
alkaline, i. 253  
aluminous chalybeate, i. 520  
artificial mineral, i. 256  
carbonated chalybeate, i. 248  
calcareous, i. 252  
chalybeate, or feruginous, i. 248  
common, i. 238  
distilled, i. 241  
mineral, i. 247  
purging saline, i. 252  
saline or brine, i. 252  
siliceous, i. 253  
sulphated chalybeate, i. 248  
sulphureous, or hepatic, i. 249  
Wax, ii. 786  
myrtle, ii. 786  
plaster, ii. 787  
vegetable, ii. 786  
white, ii. 787  
yellow, ii. 786  
Wheat flour, ii. 660  
starch, ii. 661  
Whey, cream of tartar, i. 550  
Whiskey, ii. 324  
White arsenic, i. 520  
bryony root, ii. 512  
flake, i. 660  
flux, ii. 449  
fraxinella, ii. 624  
ginger, ii. 143  
hellebore, ii. 94  
horehound, ii. 284  
iron pyrites, i. 697  
lead, i. 660  
lily, i. 121  
mustard, ii. 675  
of eggs, ii. 798  
pearl, i. 647  
pepper, ii. 206  
poppy, ii. 679  
precipitate, i. 623  
precipitated mercury, i. 623

White, Spanish, i. 647  
sugar, ii. 54  
vinegar, i. 345  
vitriol, i. 675  
wines, ii. 633  
Whitlaw's ethereal tincture, ii. 380  
Wild carrot, ii. 486  
cinnamon, ii. 235  
endive or succory, ii. 405  
vine, ii. 500  
Willow, ii. 185  
Wine, i. 311, ii. 633  
antimonial, i. 566  
astringent, ii. 637  
Burgundy, ii. 638  
Champagne, ii. 638  
claret, ii. 638  
light, ii. 634  
Madeira, ii. 638  
of gentian, ii. 341  
of iron, ii. 712  
of aloes, ii. 114  
oil of, i. 335  
palm, i. 311, ii. 79  
port, ii. 638  
red, ii. 633  
sherry, ii. 633, 638  
sparkling, ii. 634  
spirit of, i. 322  
sweet, i. 634  
Whey, ii. 812  
White, ii. 633  
Wines, i. 90  
medicated, ii. 638  
Rhine, ii. 638  
Winter aromatica, ii. 732  
Winter-green, umbellated, ii. 380  
Winter's bark, ii. 732  
Witchmeal, ii. 47  
Witherite, i. 483  
Wolfsbane, ii. 789  
Wood charcoal, i. 297  
snake, ii. 364  
soot, i. 367  
sorrel, salt of, ii. 630  
tribe, ii. 629  
Woody nightshade, ii. 322  
Wooraly poison, ii. 364  
Worm bark, ii. 578  
grass, ii. 344  
seed, ii. 399  
tea, ii. 346  
Wormwood, common, ii. 394  
Wort, ii. 57  
Wound balsam, ii. 379

## X.

Xanthin, ii. 460  
Xanthochymus ovalifolius ii. 640  
Xanthorrhœa urborea, ii. 121

Xanthorrhœa hastile, ii. 121

## Y.

Yeast, ii. 53  
poultice, ii. 58  
Yellow arsenic, i. 543  
bark, ii. 421  
gentian, ii. 337  
gum, ii. 121  
ointment, ii. 634  
resin, ii. 174  
salt, i. 376  
sulphate of mercury, i. 637  
wash, i. 606  
wax, ii. 786

## Z.

Zamia, ii. 159  
integrifolia, ii. 169  
Zea mays, ii. 75  
Zedoary, turmeric coloured, ii. 157  
Zerumbet root, ii. 158  
Zieger, ii. 810  
Zinc and its compounds, i. 670  
acetate of, i. 678  
butter of, i. 674  
carbonate of, i. 679  
chloride of, i. 674  
cyanide of, i. 680  
cyanuret or hydrocyanate of, i. 680  
flowers or calx of i. 671  
hydrochlorate of, i. 674  
impure oxide of, i. 671  
muriate of, i. 674  
oxide of, i. 671  
prepared carbonate of, i. 680  
red, i. 670  
silicate of, i. 670  
sulphate of, i. 675  
Zinci acetas, i. 678  
acetatis tinctura, i. 679  
carbonas, i. 672  
impurum, i. 680  
carbonas impurum præparatum, i. 680  
chloridum, i. 674  
cyanidum, i. 680  
oxydum, i. 671  
oxydum impurum, i. 681  
sulphas, i. 675  
Zinecum, i. 670  
Zingiberaceæ, ii. 141  
Zingiber cassumuniar, ii. 158  
officinale, ii. 142  
Zootic acid, ii. 374  
Zumin, ii. 58  
Zygodiphyllaceæ, ii. 624



Date Issued

F 28 33

Date Issued

F 28 '33



