

## MATERIA MEDICA,

S - I V E

CATALOGUS MEDICAMENTORUM  
SIMPLICIUM ET QUORUNDAM  
PRÆPARATORUM, QUÆ A PHAR-  
MACOPOEO IPSO NON PRÆPA-  
RANTUR, SED IN OFFICINA  
EJUS SEMPER PRÆSTO ESSE  
DEBENT.

MILITIA MEDIEA

— 1 —

CATHOLICAE MILITIAM IN

ARMED FORCES OF THE CATHOLIC MONARCHY

BY A. J. BROWN, CHIEF OF STAFF

ARMED FORCES OF THE CATHOLIC MONARCHY

ARMED FORCES OF THE CATHOLIC MONARCHY

ARMED FORCES OF THE CATHOLIC MONARCHY

ARMED FORCES

# MATERIA MEDICA. 3

ABROTANUM. In usu est herba.

*Artemisia foliis ramosissimis setaceis, caule erecto suffruticoso.* Linnæi Species Plantarum, Edit. 1762. pag. 1185.

Absinthium. In usu sunt *folia*, et *summitates florentes*.

*Artemisia foliis compositis multifidis, floribus subglobosis pendulis, receptaculo villoso.* Linn. Sp. Plant. pag. 1188.

Acetosa. *Folia:*

*Rumex floribus dioicis, foliis oblongis sagittatis.* Lin. Sp. Pl. 481.

Acidum vitriolicum.

*Spiritus vitrioli fortis.* Pharm. Lond.

*Oleum vitrioli vulgo dictum.*

4 MATERIA MEDICA

Aconitum.

Folia.

*Aconitum foliorum lacinii tiniaribus superne latoribus linea exaratis.* L. Sp. Pl. 751.

Acorus. *Calamus aromaticus.* Radix.

Acorus. *Varietas a.* L. Sp. Pl. 462.

Ærugo.

Agaricus.

*Boletus acaulis pulvinatus lœvis, poris tenuissimis.* L. Sp. Pl. 1645.

Allium.

Radix.

*Allium caule planifolio bulbifero, bulbo composito, staminibus tricuspidatis.* L. Sp. Pl. 425.

Aloe hepatica, sive Barbadensis.

Aloe socotorina.

Althæa. *Bismalva.*

Radix.

*Althæa foliis simplicibus tomentosis.* L. Sp. Pl. 966.

Alu-

Alumen.

Ambragrisea.

Amygdalæ amarae.

Amygdalæ dulces.

Anchusa.

*Radix.*

*Anchusa tomentosa*, foliis lanceolatis obtusis, staminibus corolla brevioribus. L.  
Sp. Pl. 192.

Anethum.

*Semen.*

*Anethum fructibus compressis.* L. Sp. Pl.

377.

Angelica sativa.

*Radix, folia, semen.*

*Angelica foliorum impari lobato.* L. Sp.  
Pl. 360.

Angelica sylvestris.

*Radix.*

*Angelica foliis æqualibus ovato-lanceolatis serratis.* L. Sp. Pl. 361.

6 MATERIA

Anisum.

Semen.

*Pimpinella foliis radicalibus trifidis incisis.* L. Sp. Pl. 379.

Antimonium. Stibium.

Aristolochia tenuis.

Radix.

*Aristolochia foliis cordatis, eaule erecto,  
floribus axillaribus confertis.* L. Sp. Pl.  
1364.

Artemisia.

Folia.

*Artemisia foliis pinnatifidis planis incisis  
subtus tomentosis, racemis simplicibus  
recurvatis, floribus radio quinquefloro.*  
Linnæi Systema Naturæ, Edit. 1767.  
pag. 542.

Arum.

Radix.

*Arum acaule, foliis hastatis integerrimis,  
spadice clavato.* L. Sp. Pl. 1370.

Afa fœtida,

Afa

M E D I C A 7

Afarum.

Folia.

*Afarum foliis reniformibus obtusis binis.*

L. Sp. Pl. 633.

Atriplex fœtida.

Herba.

*Chenopodium foliis integerrimis rhomboideo-ovatis, floribus conglomeratis axillaribus.* L. Syst. Nat. 195.

Aurantium Hispalense. *Folia, fructus, succus, et cortex exterior.*

Aurantium Curaçavense; sive, *Aurantia enascens immatura.*

Axungia porcina.

Balaustia. *Vide Granata malus.*

Balsamum Canadense.

Balsamum Copaibæ.

Balsamum Peruvianum.

A 4

Bal

8 MATERIA

Balsamum Tolutanum.

Bardana.

*Radix.*

*Arctium foliis cordatis inermibus petiolatis.* L. Sp. Pl. 1143.

Belladonna. *Solanum lethale.*

*Folia.*

*Atropa caule herbaceo, foliis ovatis integris.* L. Sp. Pl. 260.

Benzoinum.

Bistorta,

*Radix.*

*Polygonum caule simplicissimo monostachyo, foliis ovatis in petiolum decurrentibus.* L. Sp. Pl. 516.

Bolus Gallica.

Borax.

Bryonia,

*Radix.*

*Bryonia foliis palmatis utrinque callososcabris.* L. Sp. Pl. 1438.

*Cala-*

M E D I C A. 9

Calamus aromaticus. *Vide Acorus.*

Camphora.

Canella alba.

Cantharides.

Cardamomum minus. *Semen decorticatum.*

Carduus benedictus. *Herba.*

Centaurea calycibus duplicato-spinosis lanatis involucratis, foliis semi-decurrentibus denticulato-spinosis. L. Sp. Pl. 1296.

Carvi. *Semen.*

Carum. L. Sp. Pl. 378.

Caryophylla aromatica. *Fructus et eorum oleum stillatitium.*

Caryophylla rubra. *Flores.*

Dianthus floribus solitariis, squamis calycinis subovatis brevissimis, corollis crenatis. L. Sp. Pl. 587.

A 5 Casca-

TO MATERIA.

Cascarilla.

*Cortex*

Casia fistularis.

Castoreum.

Centaureum minus. *Summitates florentes.*

*Gentiana corollis quinquefidis infundibuliformibus, caule dichotomo.* L. Sp. Pl. 332.

Cera alba et flava.

Cerussa.

Chamæmelum. *Herba et flores.*

*Anthemis foliis pinnato compositis linearibus acutis subvillosis.* L. Sp. Pl. 1260.

Cicuta. *Folia, semen.*

*Conium seminibus striatis.* L. Sp. Pl. 349.

Cinchona. *Cortex Peruvianus.*

Cinnabaris factitia.

*Cin-*

M E D I C A. 41

Cinnamomum. *Cortex et ejus oleum stillatum.*

Cochinillæ.

Cochlearia.

*Herba.*

*Cochlearia foliis radicalibus subrotundis,  
caulinis oblongis subsinuatis.* L. Sp. Pl.  
903.

Colchicum.

*Radix.*

*Colchicum foliis planis lanceolatis erectis.*  
L. Sp. Pl. 485.

Colocynthis. *Fructus, cortice seminibusque  
abjectis.*

Colomba.

*Radix.*

Contrayerva.

*Radix.*

Convallaria. *Sigillum Solomonis.* *Radix.*

*Convallaria foliis alternis amplexicauli-  
bus, caule ancipiti, pedunculis axillari-  
bus subunifloris.* L. Sp. Pl. 451.

Co-

12 MATERIA

Coriandrum. Semen.  
Coriandrum fructibus globosis. L. Sp. Pl.  
367.

Cornu cervi calcinatum; vel, Ossa anima-  
tum calcinata.

Cortex Peruvianus. Cinchona.

Creta alba.

Crocus. Florum stigmata.  
Crocus spatha univalvi radicali, corollæ  
tubo longissimo. Var. a. L. Sp. Pl. 50.

Cuminum. Semen.

Cuminum. L. Sp. Pl. 365.

Curcuma. Radix.

Cydonia Mala, et eorum semina.  
Pyrus solii integerrimis, floribus solita-  
riis. L. Sp. Pl. 687.

Dau-

M E D I C A 13

Daucus sylvestris. *Semen.*

*Daucus seminibus hispidis, petiolis subtus nervosis.* L. Sp. Pl. 348.

Dens leonis. *Vide Taraxacum.*

Dictamnus albus. *Radix.*

*Dictamnus.* L. Sp. Pl. 548.

Dulcamara. *Stipites.*

*Solanum caule inermi frutescente flexuoso, foliis superioribus hastatis, racemis cymosis.* L. Sp. Pl. 264.

Enula campana. *Vide Helenium.*

Eryngium. *Radix.*

*Eryngium foliis radicalibus subrotundis plicatis spinosis, capitulis pedunculatis, paleis tricuspidatis.* L. Syst. Nat. pag. 202.

Flammula Jovis. *Folia, flores.*

*Clematis foliis pinnatis: foliolis ovato-lanceolatis integerrimis, caule erecto, floribus pentapetalis tetrapetalisque.* L. Sp. Pl. 767.

Flam-

## 14 MATERIA

Fœniculum dulce. *Semen.*

*Anethum fructibus ovatis.* L. Sp. Pl. 377.

Fœniculum vulgare. *Radix.*

*Anethum fructibus ovatis.* *Var. s.* L. Sp.  
Pl. 377.

Fœnum Græcum. *Semen.*

Fuligo ligni.

Fumaria. *Herba.*

*Fumaria pericarpiis monospermis racemo-*  
*sis, caule diffuso.* L. Sp. Pl. 984.

Galbanum.

Gallæ.

Gambogia.

Genista. *Summitates, semina.*

*Spartium foliis ternatis solitariisque, ra-*  
*mis inermibus angulatis.* L. Sp. Pl. 996.

Geno-

M E D I C A. 15

Gentiana. *Radix.*

*Gentiana corollis subquinquefidis rotatis  
verticillatis, calycibus spathaceis.* L. S.  
N. 199.

Glycyrrhiza. *Radix.*

*Glycyrrhiza leguminibus glabris, stipulis  
nullis, foliolo impari petiolato.* L. S. N.  
490.

Granata malus. *Flores pleni Balaustia dicti,  
fructus, et ejus cortex.*

Guajacum. *Lignum, Gummi.*

Gummi Ammoniacum.

Gummi Arabicum.

Gummi tragacanthæ.

Hedera terrestris. *Herba.*

*Glechoma foliis reniformibus crenatis.* L.  
Sp. Pl. 807.

Hede.

## 16 MATERIA

Helenium. *Enula Campana.* Radix.

*Inula foliis amplexicaulibus ovatis rugosis, subtus tomentosis, calycum squamis ovatis.* L. Sp. Pl. 1236.

Helleborus albus. *Vide Veratrum.*

Helleborus niger. *Vide Melampodium.*

Hippocastanum. Fructus.

*Aesculus floribus heptandris.* L. Sp. Pl. 488.

Hydrargyrus. *Argentum vivum.* Mercurius.

Hydrolapathum. Radix.

*Rumex floribus hermaphroditis; valvulis integerrimis nudis, foliis cordatis glabris acutis.* L. S. N. 255.

Hyoscyamus. Herba, Semen.

*Hyoscyamus foliis amplexicaulibus sinuatibus, floribus sessilibus.* L. Sp. Pl. 257.

Hy-

M E D I C A. 17

Hypericum. *Herba, flores.*

*Hypericum floribus trigynis, caule ancipiti, foliis obtusis pellucido punctatis.*  
L. Sp. Pl. 1105.

Hyssopus. *Herba.*

*Hyssopus spicis secundis foliis lanceolatis.*  
L. S. N. 389.

Jalappa. *Radix.*

Imperatoria. *Radix.*

*Imperatoria.* L. Sp. Pl. 371.

Ipecacuanha. *Radix.*

Iris Florentina. *Radix.*

Iris palustris. *Radix.*

*Iris corollis imberibus, petalis interioribus stigmate minoribus, foliis ensiformibus.* L. Sp. Pl. 56.

Juniperus. *Baccæ.*

*Juniperus foliis ternis patentibus mucronatis, bacca longioribus.* L. Sp. Pl. 1470.

B Kino.

Kino.

*Gummi.**Gummi rubrum astringens Gambiense.*

Fothergill, Lond. Med. Observ. vol. I.

Lapis calaminaris.

Lavendula

*Spicæ florentes.**Lavandula foliis lanceolatis integerrimis,  
spicis nudis.* L. Sp. Pl. 800.Laurus. *Folia, baccæ, baccarum oleum  
expressum.**Laurus foliis lancolatis venosis perennan-  
tibus, floribus quadrifidis.* L. S. N. 280.Ligusticum. *Levisticum. Semen.**Ligusticum foliis multiplicibus: foliolis su-  
perne incisis.* L. Sp. Pl. 359.

Lichen cinereus terrestris.

*Herba.**Lichen coriaceus repens lobatus obtusus pla-  
nus: subtus venosus villosus, pelta mar-  
ginali adscendente.* L. S. N. 712.

Lignum Campechense.

*Lilium*

M E D I C A. 19

Lilium album. Radix.

*Lilium foliis sparsis, carollis campanulatis;  
intus glabris.* L. S. Pl. 433.

Limonia. *Fructus, cortex fructus, et ejus  
oleum vulgo Essentia dictum.*

Linum.

*Linum calycibus capsulisque mucronatis,  
petalis crenatis, foliis lanceolatis alternis,  
caule subsolitario.* L. Sp. Pl. 397.

Lithargyrus.

Majorana. Herba.

*Origanum foliis ovatis obtusis, spicis su-  
brotundis compactis pubescentibus.* L. S.  
N. 399.

Malva. Herba, flores.

*Malva caule erecto herbaceo, foliis septem-  
lobatis acutis, pedunculis petiolisque pilo-  
sis.* L. Sp. Pl. 969.

Manna. B 2 Mar-

Marrubium.

*Herba.*

*Marrubium dentibus calycinis setaceis uncinatis.* L. S. Pl. 816.

Mars saccharatus.

Mastiche.

Melampodium. *Helleborus niger.* *Radix.*

*Helleborus scapo subbifloro subnudo, foliis pedatis.* L. S. N. 381.

Melissa.

*Folia.*

*Melissa racemis axillaribus verticillatis: pedicellis simplicibus.* L. Sp. Pl. 827.

Mentha piperitis.

*Herba.*

*Mentha floribus capitatis, foliis ovatis petiolatis, flaminibus corollo brevioribus.* L. S. N. 392.

Mentha sativa.

*Herba.*

*Mentha spicis oblongis, foliis lanceolatis nudis serratis sessilibus, staminibus corolla longioribus.* L. Sp. Pl. 804.

*Me-*

M E D I C A      21

Menyanthes. *Trifolium palustre.* *Folia.*

*Menyanthes foliis ternatis.* L. Sp. Pl. 208.

Mezereon. *Radicis cortex.*

*Daphne floribus sessilibus ternis caulinis,  
foliis lanceolatis deciduis.* L. Sp. Pl. 509.

Millefolium. *Folia, flores.*

*Achillea foliis bipinnatis nudis: laciniis li-*  
*nearibus dentatis, caulis sulcatis.* L.  
Sp. Pl. 1267.

Millepedæ.

Moschus.

Myrrha.

Nasturtium aquaticum. *Herba.*

*Sisymbrium siliquis declinatis, foliis pinna-*  
*tis: foliolis subcordatis.* L. Sp. Pl. 916.

Nitrum.

Nux moschata.

Nux moschata condita.

B. 3

Ocu.

22 MATERIA

Oculi cancerorum dicti.

Olea stillatitia Caryophyllorum aromaticorum.

Cinnamomi.

Corticis limonum

vulgo *Effentia*.

Terebinthinæ.

Oleum expressum Baccarum lauri.

Palmæ.

Seminum ricini.

Olibanum.

Opium.

Opopanax.

Ostreorum testæ.

Papaver album

*Capita, semen.*

*Papaver calycibus capsulisque glabris, foliis amplexicaulibus incisis.* L. Sp. Pl. 726.

Parietaria. *Herba.*

*Parietaria foliis lanceolato-ovatis, pedunculis dichotomis, calycibus diphylis.* L.  
S. N. 672.

Petroleum Barbadense.

Petroselinum. *Radix.*

*Apium foliolis caulinis linearibus, involucellis minutis.* L. Sp. Pl. 379.

Pimenta. *Piper Jamaicense.*

Pimpinella. *Radix.*

*Pimpinella foliis pinnatis: foliolis radicibus subrotundis, summis linearibus.*  
L. Sp. Pl. 378.

Piper Jamaicense. *Vide Pimenta.*

Piper longum.

Piper nigrum.

Pix Burgundica.

## 24 MATERIA

Plantago.

*Folia.*

*Plantago foliis ovatis glabris, scapo tereti,  
spica flosculis imbricatis.* L. Sp. Pl. 163.

Pulegium.

*Herba.*

*Mentha floribus verticillatis, foliis ovatis  
obtusis subcrenatis, caulis subteretibus  
repentibus, staminibus corolla longiori-  
bus.* L. Sp. Pl. 807.

Pulsatilla nigricans.

*Herba cum floribus.*

*Anemone pedunculo involucrato, petalis  
apice reflexis, foliis bipinnatis.* L. Sp.  
Pl. 760.

Pyrethrum.

*Radix.*

Quercus.

*Cortex.*

*Quercus foliis deciduis oblongis superne ta-  
tioribus, sinubus acutioribus, angulis ob-  
tusis.* L. Sp. Pl. 1414.

Raphanus rusticana.

*Radix.**Cochle-*

M E D I C A. 25

*Cochlearia* foliis radicalibus lanceolatis cre-  
natis, caulinis incisis. L. Sp. Pl. 905.

*Refina* alba.

*Ricinus*. Semen et ejus oleum.

*Rhamnus catharticus*. *Spina cervina*. *Bacca-*  
*rum succus*.

*Rhamnus spinis terminalibus, floribus,*  
*quadrifidis dioicis, foliis ovatis, caule*  
*erecto*. L. S. N. 178.

*Rheum. Rhabarbarum.* Radix.

*Rheum* foliis palmatis acuminatis. L. Sp.  
Pl. 531.

*Rosa Damascena. Rosa pallida.* Petala.

*Rosa rubra.* Petala.

*Rosa germinibus ovatis pedunculisque hispi-*  
*dis, caule petiolisque hispidio-aculeatis.*  
L. Sp. Pl. 704.

26 MATERIA.

Rosmarinus. *Summitates florentes.*

*Rosmarinus.* L. Sp. Pl. 33.

Rubia.

*Radix.*

*Rubia foliis annuis, caule aculeato.*

L. S. N. 119.

Ruta.

*Herba.*

*Ruta foliis decompositis, floribus lateratibus  
quadrididis.* L. S. N. 293.

Sabina.

*Folia.*

*Juniperus foliis oppositis erectis decurrenti-  
bus: oppositionibus pyxidatis.* L. Sp. Pl.  
1472.

Sagapenum.

Sal alkalinus fixus ex lignis crematis, præfertim  
is, qui *Pearl-ashes* dicitur.

Sal Ammoniacus.

Sal catharticus amarus.

Sal

M E D I C A. 27

Sal cornu cervi, i. e. Sal alcalinus volatilis,  
siccus, ex ossibus vel cornibus animalium igne  
paratus, ab oleo rectificatus.

Sal marinus Hispanus.

Salvia.

Folia.

*Salvia foliis lanceolato-ovatis integris cre-*  
*nulatis, floribus spicatis, calycibus acu-*  
*tis.* L. Sp. Pl. 34.

Sambucus.

*Flores, baccæ, cortex.*

*Sambucus cymis quinquepartitis, caule ar-*  
*boreo.* L. Sp. Pl. 385.

Santalum citrinum.

Santalum rubrum.

Santonicum semen.

Sarsaparilla.

*Radix.*

Sassafras.

*Radix ejusque cortex.*

Satyrion.

*Radix.*

*Or-*

## 28 MATERIA

*Orchis bulbis indivisis, nectarii, labio quadrilobo crenulato: cornu obtuso, petalis dorsalibus reflexis.* L. Sp. Pl. 1333.

Scammonium.

Scilla.

Radix.

*Scilla nudiflora, bracteis refractis.* L. Sp. Pl. 442.

Scolopendrium. Lingua cervina. Herba.

*Asplenium frondibus simplicibus cordatosingu-  
latis integerrimis, stipitibus hirsutis.*  
L. Sp. Pl. 1537.

Scordium.

Herba.

*Teucrium foliis oblongis sessilibus dentato-  
serratis, floribus geminis axillaribus pendunculatis, caule diffuso.* L. S. N. 338.

Seneka.

Radix.

Senna.

Folia.

Serpentaria Virginiana.

Radix.

Ser-

M E D I C A. 29

Serpyllum. *Summitates floentes.*

*Thymus floribus capitatis, caulis repen-*  
*tibus, foliis planis obtusis basi ciliatis.*

L. S. N. 399.

Sigillum Solomonis. *Vide Convallaria.*

Simarouba. *Cortex.*

Sinapi album. *Semen.*

*Sinapis siliquis hispidis, rostro obliquo lon-*  
*gissimo.* L. Sp. Pl. 933.

Solanum lethale. *Vide Belladonna.*

Sperma ceti dictum.

Spina cervina. *Vide Rhamnus catharticus.*

Spiritus cornu cervi, hoc est, Salis alcalini vo-  
latilis ex ossibus vel cornubus animalium pa-  
rati, portio volatilior liquida bene rectifica-  
ta, ut decolor sit.

Spi-

30 MATERIA

Spiritus vinosus rectificatus; sive, Spiritus de-  
stillatus ex vino vel aliis liquoribus fermenta-  
tis, ab odore ingrato purificatus, cuius  
libra mensura sit ponderis unciarum tre-  
decim.

Spiritus vinosus tenuior; sive, Spiritus rectifi-  
catus cui immixta fuerit aquæ pars aquæ,  
qualem lingua vernacula vocamus Proof-  
spirit.

Stanni limatura et pulvis.

Stramonium.

Herba.

*Datura pericarpiis spinosis erectis ovatis,*  
*foliis ovatis glabris.* L. Sp. Pl. 255.

Styrax calamita.

Succinum.

Sulphuris flores.

Symphytum.

Radix.

*Symphytum foliis ovato-lanceolatis decur-  
rentibus.* L. Sp. Pl. 195.

Ta-

M E D I C A      31

Tamarindus.      *Fructus.*

Tanacetum.      *Folia, flores.*

*Tanacetum foliis bipinnatis incisis serratis.*

L. Sp. Pl. 1184.

Taraxacum. *Dens leonis.*      *Herba.*

*Leontodon calyce squamis inferne reflexis,*

*foliis runcinatis denticulatis laevibus.* L.

S. N. 521.

Tartari crystalli.

Terebinthina Veneta.

Terra Japonica.

Thymus

*Herba.*

*Thymus erectus, foliis revolutis ovatis,*

*floribus verticillato-spicatis.* L. Sp. Pl.

825.

Tomentilla.

*Radix.*

*Tomentilla caule erectiusculo, foliis sessili-*

*bus.* L. Sp. Pl. 716.

*Tra-*

32 MATERIA

Tragacantha. *Vide* Gummi.

Trichomanes.

*Herba.*

*Asplenium frondibus pinnatis; pinnis sub-rotundis crenatis.* L. Sp. Pl. 1540.

Trifolium palustre. *Vide* Menyanthes.

Tusfilago.

*Folia, flores.*

*Tusfilago scapo imbricato unifloro, foliis subcordatis angulatis denticulatis.* L. Sp. Pl. 1214.

Tutia.

Valeriana sylvestris.

*Radix.*

*Valeriana floribus triandris, foliis omnibus pinnatis.* L. Sp. Pl. 45.

Veratrum. *Helleborus albus.*

*Radix.*

*Veratrum racemo supradecomposito, corollis erectis.* L. Sp. Pl. 1479.

Verbascum.

*Folia.*

*Ver-*

*Verbascum foliis decurrentibus utrinque tomentosis, caule simplici.* L. S. N. 169.

Viola. *Flores.*

*Viola acaulis, foliis cordatis, stolonibus reptantibus.* L. Sp. Pl. 1324.

Vitriolum album; *sive Zinci.*

Vitriolum cæruleum; *sive Cupri.*

Vitriolum viride; *sive Ferri.*

Urtica. *Herba.*

*Urtica foliis oppositis cordatis, racemis geminis.* L. Sp. Pl. 1396.

Uva urfi. *Folia.*

*Arbutus caulinibus procumbentibus, foliis integerrimis.* L. Sp. Pl. 566.

Zedoaria. *Radix.*

Zincum.

Zingiber.

Zingiber conditum.

