

Ayapana (B.) III. 741.
 Aye-aye (Z.) VII. 1707.
 Ayenia (B.) III. 1199.
 pusilla (B.) III. 1099.
 Ayer-Ayer, f. Lansium (B.)
 III. 1310.
 Aygula (Z.) VII. 1801.
 Aylanto (B.) III. 1278.
 Aylantus (B.) III. 1277.
 glandulosus (B.) III. 1277.
 Aymara (B.) III. 881.
 posoquero (B.) III. 881.
 Aymestry limestone (M.) I.
 758.
 Ayri (B.) III. 658.
 Azadirachta (B.) III. 1305.
 Azalea (B.) III. 902.
 nudiflora (B.) III. 903.
 pontica (B.) III. 902.
 procumbens (B.) III. 902.
 viscosa (B.) III. 903.
 Azara, Quadrupedes du
 Paraguay (Z.) VII. 1859.
 Azarolus (B.) III. 2066.
 Azedarach (B.) III. 1306.
 Azeitones do Malavar (B.)
 III. 1194.
 Azetolier (B.) III. 2066.
 Azier à l'asthme (B.) III.
 873.
 Azot (M.) I. 115.
 Azzarola (B.) III. 2066.
 Azzarolo (B.) III. 2066.

B.

Baakroosen (B.) III. 1887.
 Babafahstatter (B.) III. 1696.
 Baboon (Z.) VII. 1790.
 great (Z.) VII. 1790.
 Babouin (Z.) VII. 1783.
 Babr (Z.) VII. 1635.
 Babunth (Z.) VII. 1632.
 Babylonischer Thurm (Z.) V.
 489.
 Babyrussa (Z.) VII. 1134.
 Baca = Amyris gileadensis
 (B.) II. 379.
 Bacaba (B.) III. 673.
 de Azeite (B.) III. 673, 674.
 Baccæ, Baccæe (B.) II. 93. —
 III. 14.
 halicacabi (B.) III. 982.
 jajubac (B.) III. 1746.

Bacca myrtillosum (B.) III.
 892.
 Paridis (B.) III. 621.
 rubi (B.) III. 2017.
 solani vesicarii (B.) III.
 982.
 sorbi alpini (B.) III. 2068.
 spinæ cirvinae (B.) III.
 1745.
 Baccariæ (B.) III. 1785.
 alburnales (B.) III. 1849.
 baccales (B.) III. 1830.
 cauliales (B.) III. 1873.
 cellulales (B.) III. 1792.
 corollales (B.) III. 1905.
 corticales (B.) III. 1844.
 drupales (B.) III. 1923.
 florenales (B.) III. 1888.
 foliales (B.) III. 1880.
 fructuales (B.) III. 1916.
 lignales (B.) III. 1857.
 nucules (B.) III. 1917.
 parenchymales (B.) III.
 1789.
 pistillales (B.) III. 1893.
 pomales (B.) III. 1940.
 radicales (B.) III. 1870.
 scapales (B.) III. 1844.
 seminales (B.) III. 1889.
 tracheales (B.) III. 1822.
 truncates (B.) III. 1870.
 vasales (B.) III. 1799.
 Bacchariden (B.) III. 776.
 Baccharis (B.) III. 777.
 ivæfolia (B.) III. 776.
 Baccole, f. Myrtilus (B.) III.
 891.
 Bach (M.) I. 555.
 Bachampfer (B.) III. 1482.
 Bachbaumstein (Z.) VI. 292,
 307.
 Bachbunnet (Z.) VI. 308.
 Bachbungen (B.) III. 996.
 Bachbutte (Z.) VI. 296.
 Bache (B.) III. 655.
 Bachforelle (Z.) VI. 345.
 Bachholz (B.) III. 860.
 gemeines (B.) III. 860.
 Bachkressen (Z.) VI. 293.
 Bachmünze (B.) III. 1055.
 Bachschwamm (B.) III. 211.
 Bachstelsje (Z.) VII. 47.
 gelbe (Z.) VII. 49.
 gemeine (Z.) VII. 47.
 graue (Z.) VII. 48.

Bachstelsjen (Z.) VII. 47.
 Bachweide (B.) III. 1533.
 Bachweidenmotte (Z.) V. 1315.
 Baccæi (B.) III. 431.
 Bacillaria (Z.) V. 24.
 palpa (Z.) V. 24.
 paradoxa (Z.) V. 24.
 pectinalis (Z.) V. 24.
 ulna (Z.) V. 26.
 viridis (Z.) V. 25.
 Bacille (B.) III. 1823.
 Baeckea (B.) III. 1931.
 frutescens (B.) III. 1932.
 virgata (B.) III. 1932.
 Baden (Z.) V. 327.
 Badenbein (Z.) IV. 327.
 Badenpalmen (B.) III. 691.
 gemeine (B.) III. 691.
 Badrosen, f. Badrosen.
 Badenquaste (Z.) V. 213.
 gemeine (Z.) V. 213.
 Badenstöhne (Z.) IV. 30.
 ächte (Z.) IV. 30.
 unächte (Z.) IV. 30.
 Backer, Diss. de radicum
 plantarum physiologia
 (B.) II. 271.
 Backstöhle (M.) I. 308.
 Baco (B.) III. 1930.
 Bacong (B.) III. 543.
 Bactridium (B.) III. 60.
 flavum (B.) III. 60.
 Bactris (B.) III. 656.
 Gachipaës (B.) III. 659.
 major (B.) III. 656.
 minor (B.) III. 657.
 Bacalliten (M.) I. 681.
 Bacuri (B.) III. 1431.
 Bad = Gossypium herbaceum
 (Z.) II. 379.
 Badak (Z.) VII. 1203.
 Badamier (B.) III. 913.
 Badfäse (B.) III. 189.
 Badger (Z.) VII. 1525.
 Badianifera (M.) III. 1237.
 Badjar-eit (Z.) VII. 860.
 Badkraut (B.) III. 1809.
 Badschnecke (Z.) V. 432.
 Badschwamm (B.) III. 212.
 Badula (B.) III. 1122, 1123.
 Badur (Z.) VII. 982.
 Ba-ga-ree (Z.) VII. 903.
 Bagatilla, f. Phillyrea (B.)
 III. 1118.
 Baggea (B.) III. 1766.

- Bagolar (B.) III. 2069.
 Bagolaro (B.) III. 1557.
 Bagole (B.) III. 1557.
 Bagre (Z.) VI. 90.
 do Rio (Z.) VI. 92.
 Baghyr-Sand (M.) I. 667.
 Baguari (Z.) VII. 543.
 Baguenadier (B.) III. 1649.
 Bahobab (B.) III. 1232.
 Bährendyrlein (B.) III. 961.
 gemeines (B.) III. 961.
 Baibak (Z.) VII. 762.
 Baicolo (Z.) VI. 264.
 Baifafit (M.) I. 259.
 Bait (Z.) VI. 371.
 white (Z.) VI. 371.
 Bailleria (B.) III. 752.
 Baja (Z.) VII. 72.
 Bajucola, f. Zapfenuß (B.) III.
 1546.
 Bafelmann (Z.) VII. 451.
 Bafel, Microscop (Z.) V. 56.
 Bakker, Osteographia pi-
 scium (Z.) VI. 407.
 Bafrofe (B.) III. 1886.
 chinesifche (B.) III. 1886.
 indifche (B.) III. 1887.
 Bafrofen (B.) III. 1886.
 Bafwell (M.) I. 746.
 Bala (B.) III. 518, 520.
 Bala limestone (M.) I. 764.
 Balam-Pulli (B.) III. 1718.
 Balaena (Z.) VII. 993, 1006,
 1014.
 australis (Z.) VII. 1039.
 boops (Z.) VII. 1039, 1044.
 gibbosa (Z.) VII. 1006.
 glacialis (Z.) VII. 1036.
 musculus (Z.) VII. 1036,
 1039.
 mysticetus (Z.) VII. 1014.
 nodosa (Z.) VII. 1006.
 physalus (Z.) VII. 1039.
 rostrata (Z.) VII. 1039, 1046.
 vera (Z.) VII. 1040.
 Balaughas (B.) III. 1208.
 Balani (Z.) V. 868.
 Balani myrepsicae (B.) III.
 1728.
 Balaninus (Z.) V. 1642.
 Balaniten (B.) III. 926.
 Balanites (B.) III. 926, 1531.
 aegyptiaca (B.) III. 926.
 Balanophoren, f. M. de (B.)
 III. 584.
- Balaeoptera (Z.) VII. 1039.
 boops (Z.) VII. 1039.
 musculus (Z.) VII. 1039.
 physalus (Z.) VII. 1039.
 rostrata (Z.) VII. 1039.
 Balanopteris (B.) III. 1205.
 tonica (B.) III. 1206.
 Balantia (Z.) VII. 903.
 alba (Z.) VII. 905.
 cavifrons (Z.) VII. 905.
 cookii (Z.) VII. 909.
 gliciformis (Z.) VII. 911.
 maculata (Z.) VII. 908.
 rufa (Z.) VII. 905.
 ursina (Z.) VII. 910.
 Balanus (Z.) V. 509.
 balanaris (Z.) V. 511.
 balanoides (Z.) V. 510.
 complanatus (Z.) V. 511.
 diadema (Z.) V. 511.
 mitella (Z.) V. 508.
 pollicipes (Z.) V. 508.
 testudinarius (Z.) V. 511.
 tintinnabulum (Z.) V. 510.
 variolaris (Z.) V. 509.
 Balaou (Z.) VI. 393.
 Balata (B.) III. 947.
 Balate (Z.) V. 584.
 Balaustia (B.) III. 2039.
 Balbis, G., Flora taurinen-
 sis (B.) III. 2124.
 J., Flore lionnaise (B.)
 III. 2125.
 Icones Horti taurinensis
 (B.) III. 2120.
 Bal-busard (Z.) VII. 148.
 Balchen (Z.) VI. 364.
 fchwarzer (Z.) VI. 364.
 Waldinger, über Literär-
 gefchichte der Botanik
 (B.) II. 96. — III. 2115.
 Baldracan (B.) III. 1388.
 Baldrian (B.) III. 787.
 ceitfcher (B.) III. 788.
 Felds (B.) III. 787.
 Garten (B.) III. 788.
 Heils (B.) III. 789.
 knolliger (B.) III. 788.
 rother (B.) III. 789.
 Wiefen (B.) III. 788.
 Baldriane (B.) III. 787.
 Baleine (Z.) VII. 1014.
 feanche (Z.) VII. 1014.
 nordecaper (Z.) VII. 1039.
 Barlessan (B.) III. 1760.
- Balestruccio (Z.) VII. 94.
 Balg (B.) III. 83.
 Balgcapfein (B.) III. 704.
 Bälge (B.) II. 71. — III. 384.
 Balgpflanzen = Samenpflan-
 zen (B.) III. 1140.
 Balgpitze (B.) III. 46, 75.
 Flocken (B.) III. 75, 76.
 Leber (B.) III. 75, 83.
 Schopf (B.) III. 75, 79.
 Balgpitzfäfer (Z.) V. 1775.
 braunfchwarzer (Z.) V. 1775.
 rother (Z.) V. 1775.
 Balgfhötchen (B.) III. 1390.
 Balia (Z.) VII. 72.
 Balingasan (B.) III. 1928.
 Balistes (Z.) VI. 103.
 aculeatus (Z.) VI. 104.
 americanus (Z.) VI. 107.
 bursa (Z.) VI. 107.
 caprisca (Z.) VI. 103.
 conspicillam (Z.) VI. 107.
 monoceros (Z.) VI. 105.
 ringens (Z.) VI. 104.
 vetula (Z.) VI. 103.
 Balten (Z.) IV. 51.
 Ballentimmen (B.) III. 667.
 gemeine (B.) III. 667.
 hohe (B.) III. 667.
 Ballenquaste (Z.) V. 194.
 gemeine (Z.) V. 195.
 Ballasrubin (M.) I. 216.
 Ballenbiene (Z.) V. 978.
 große (Z.) V. 982.
 kleine (Z.) V. 978.
 Ballenbienen (Z.) V. 978.
 Ballenbufe (B.) III. 84.
 gemeiner (B.) III. 84.
 Ballenfüte (B.) III. 82.
 grauer (B.) III. 82.
 überhängender (B.) III. 82.
 Ballenfäpfe (B.) III. 207.
 ballenförmiger (B.) III. 206.
 ovaler (B.) III. 206.
 Ballenfchinken (B.) III. 199.
 zweythellige (B.) III. 200.
 Ballenfuppen (B.) III. 248.
 brüchige (B.) III. 248.
 corallenförmige (B.) III.
 249.
 Ballerina (Z.) VII. 47.
 Ballerus (Z.) VI. 319.
 Rondeletii (Z.) VI. 317.
 Balletjes-Struyk (B.) III. 1725.
 Ballongfedermäufe (Z.) VII. 960.

Balsens (M.) I. 549.
 Ballota (B.) III. 1064.
 nigra (B.) III. 1064.
 Balsam, Balsame (B.) II.
 111, 112, 113, 134. - III.
 1423, 1761. - (M., D.
 M. S.) I. S. XVII.
 Amber: (B.) III. 1539.
 Ampris: (B.) III. 1761.
 Calaba: (B.) III. 1426.
 canadischer (B.) III. 351.
 caribischer (B.) III. 1765.
 Copaiva. (B.) III. 1713,
 1714.
 Garten: (B.) III. 1056.
 von Gitead (B.) III. 351.
 grüner (B.) III. 1426.
 Leber: (B.) III. 958.
 Mecca: (B.) III. 1758.
 Münz: (B.) III. 765.
 Muscatus: (B.) III. 1519.
 Peru: (B.) III. 1679.
 Tolu: (B.) III. 1680.
 ungarischer (B.) III. 348.
 Balsampfeil (B.) III. 825.
 Balsambaum (B.) III. 1758.
 arabischer (B.) III. 1758.
 brasilischer (B.) III. 1762.
 stijger (B.) III. 1760.
 guyanischer (B.) III. 1761.
 ungleicher (B.) III. 1763.
 Balsambäume (B.) III. 1758.
 Balsambirne (B.) III. 2079.
 Balsame, f. Balsam.
 Balsamea (B.) III. 1758.
 gileadensis (B.) III. 1758.
 myrrha (B.) III. 1760.
 opobalsamum (B.) III. 1758.
 Balsamgurke (B.) III. 825.
 indische (B.) III. 826.
 Balsamgurken (B.) III. 825.
 Balsamhiefen (B.) III. 1304.
 gemeine (B.) III. 1304.
 Balsamhnen, Siter. der (B.)
 III. 2102.
 Balsamina (B.) III. 825, 1166.
 Balsamine (B.) III. 1167.
 Balsaminen (B.) III. 1166.
 Siter. der (B.) III. 1441.
 Balsamita (B.) III. 765.
 maris (B.) III. 765.
 Balsamkühe (B.) III. 1713.
 brasilische (B.) III. 1713.
 indische (B.) III. 1714.
 westindische (B.) III. 1714.

Balsamkäfen (B.) III. 1713.
 Balsamkühe (B.) III. 76.
 grüner (B.) III. 76.
 Balsamkissen (B.) III. 755.
 gemeine (B.) III. 755.
 Balsamkraut (B.) III. 765.
 Balsamkühe (B.) III. 1679.
 peruvische (B.) III. 1679.
 trotutatische (B.) III. 1680.
 Balsamkühen (B.) III. 1679.
 Balsammünze (B.) III. 1056.
 Balsamo, Prodr. Bryologiae
 mediolan. (B.) III. 302.
 Balsamo-Crivelli, De
 Solanaearum familia
 et Verbascis (B.) III.
 1135.
 Balsamodendron (B.) III. 1758.
 Balsamo. G., et Notaris.
 Synopsis muscorum in
 agro mediolanensi (B.)
 III. 2125.
 Balsampflanzen (B.) III. 1759.
 Balsamredern (B.) III. 1423.
 glatte (B.) III. 1423.
 Balsamrose (B.) III. 2018.
 Balsamsaare (B.) III. 1536.
 Balsamsaude (B.) III. 1071.
 Balsamtanne (B.) III. 351.
 Balsamum carpathicum (B.)
 III. 349.
 de St. Domingo Clusii (B.)
 III. 1764.
 domingense (B.) III. 1764.
 indicum (B.) III. 1680.
 Libani (B.) III. 349.
 palustre (B.) III. 1055.
 Baltimore (B.) III. 752.
 Baltimore (Z.) VII. 320.
 Baltimorevogel (Z.) VII. 320.
 Garten: (Z.) VII. 320.
 Balton, Filices Britanniae
 (B.) III. 371.
 Bamberlein (Z.) VI. 307.
 Bach: (Z.) VI. 292, 307.
 schuppiger (Z.) VI. 307.
 Bambu (B.) III. 420.
 Bambusa (B.) III. 419.
 arundinacea (B.) III. 419.
 aspera (B.) III. 422.
 baccifera (B.) III. 424.
 eratium (B.) III. 422.
 fera (B.) III. 423.
 maxima (B.) III. 422.
 spiculorum (B.) III. 422.

Bambusa spinosa (B.) III. 423.
 verticillata (B.) III. 421.
 Bambusaceen (B.) III. 382, 419.
 Bambuseen (B.) III. 410, 419.
 Bambusröhre, f. Baumstämme
 (B.) III. 419.
 Bammia (B.) III. 1221.
 Ban (B.) III. 854.
 Banana (Z.) VII. 319.
 Bananen (B.) III. 514.
 Dach: (B.) III. 515.
 Obst: (B.) III. 517.
 Tafel: (B.) III. 515.
 Wasser: (B.) III. 514.
 Zier: (B.) III. 514.
 Bananier (B.) III. 517.
 Bancaulus (B.) III. 862.
 Banc des Aiguilles (Z.) V.
 521.
 Bancoul (B.) III. 1599.
 Bancudus (B.) III. 872.
 angustifolia (B.) III. 872.
 latifolia (B.) III. 873.
 Band (Z.) VI. 141.
 Band (Z.) IV. 32.
 Bandachar (M.) I. 145.
 Bandapfel (B.) III. 2086.
 Bandassel (Z.) V. 621.
 braune (Z.) V. 621.
 gelbe (Z.) V. 622.
 indische (Z.) V. 622.
 Bandasseln (Z.) V. 621.
 Bandcorall (Z.) V. 91.
 Bänder (Z.) IV. 31.
 Bandfäden (B.) III. 185.
 dünn (B.) III. 185.
 gemeine (B.) III. 185.
 Bandfisch (Z.) VI. 140.
 gemeiner (Z.) VI. 141.
 Bandgras (B.) III. 393.
 Bandgumpeln (B.) III. 1124.
 gemeine (B.) III. 1124.
 Bandholz (B.) II. 356.
 Bandhorn (Z.) V. 489.
 Bandlinea (B.) III. 856.
 Bandjaspis (M.) I. 144, 484.
 Bandkiste (B.) III. 77.
 rosenrother (B.) III. 77.
 Bandstüder (B.) III. 231.
 esbarer (B.) III. 232.
 fingerförmiger (B.) III. 232.
 knolliger (B.) III. 231.
 Bandkreuzschnabel (Z.) VII.
 266.
 Bandling (Z.) V. 1285.

- Bandmafsreife (Z.) VI. 206.
 große (Z.) VI. 206.
 lößige (Z.) VI. 207.
 Bandqualle (Z.) V. 211.
 gemeine (Z.) V. 212.
 südliche (Z.) V. 212.
 Bandrose (B.) III. 2020.
 Bandschefen (B.) III. 1692.
 gemeine (B.) III. 1693.
 Bandschmetterlinge (Z.) V. 1414.
 Bandweide (B.) III. 1535.
 Bandwurm (Z.) V. 546.
 breiter (Z.) V. 548.
 eigentlicher (Z.) V. 546.
 Hunds- (Z.) V. 547.
 Kafens- (Z.) V. 548.
 langfliebriger (Z.) V. 547.
 Schafs- (Z.) V. 548.
 Schnefens- (Z.) V. 548.
 Bandwürmer (Z.) V. 544.
 eigentliche (Z.) V. 546.
 eitmündige (Z.) V. 548.
 mundlose (Z.) V. 544.
 vielmündige (Z.) V. 544.
 Bandwurmmittel, vorreff-
 liches (B.) III. 332.
 Bangia (B.) III. 191.
 atropurpurea (B.) III. 191.
 Bangring (Z.) VII. 933.
 Banisteria (B.) III. 1328.
 sinemariensis (B.) III.
 1328.
 Bänke (M.) I. 562.
 Bankiva (Z.) VII. 604.
 Banks, J., on Blight in
 corn (B.) II. 283.
 Banksia (B.) III. 1507.
 ericaeifolia (B.) III. 1507.
 marcescens (B.) III. 1507.
 serrata (B.) III. 1507.
 Banstickle (Z.) VI. 176.
 Bantanjan (Z.) VII. 1818.
 Banyana (B.) III. 1561.
 Bananabaum (B.) III. 1561.
 Baobab (B.) III. 1233.
 Baomyces (B.) III. 250.
 roseus (B.) III. 250.
 rufus (B.) III. 250.
 rupestris (B.) III. 250.
 Baphia (B.) III. 1687.
 nitida (B.) III. 1687.
 Baptisia (B.) III. 1676.
 australis (B.) III. 1672.
 flactoria (B.) III. 1677.
 Bar (Z.) VI. 263.
 Bär (Z., N. Th.) V. 468,
 1120.
 Bär, Bären (Z.) VII. 1659.
 americanischer (Z.) VII.
 1682.
 Ingenz (Z.) VII. 1700.
 brauner (Z.) VII. 1668.
 eigentliche (Z.) VII. 1660.
 Eis- (Z.) VII. 1660.
 föfite (M.) I. 632.
 gemeiner (Z.) VII. 1668.
 glatte (Z.) VII. 1682.
 grauer (Z.) VII. 1580.
 graulicher (Z.) VII. 1680.
 Haut- (Z.) VII. 1660.
 König- (Z.) VII. 1703.
 fangnäfiger (Z.) VII. 1685.
 malayischer (Z.) VII. 1685.
 nackter, großer (Z.) VII.
 1681.
 Nafens- (Z.) VII. 1691.
 Ohrens- (Z.) VII. 1698.
 fchwarzer (Z.) VII. 1682.
 Wafch- (Z.) VII. 1687.
 weiße (Z.) VII. 1660, 1664.
 Zottel- (Z.) VII. 1660.
 Bär, Entwickelungsgeich. der
 Fische (Z.) VI. 407.
 Baras (B.) III. 984.
 Barba caprae (B.) III. 2026.
 Barbacou (Z.) VII. 233.
 Barbado (Z.) VII. 1731, 1737.
 Barbadoes-cherries (B.) III.
 1330.
 Barba hirci (B.) III. 719.
 Barba jovis (B.) III. 1640.
 Barbagianni (Z.) VII. 125.
 Barbarastio f. Verbascum (B.)
 III. 972.
 Barbarea (B.) III. 1400.
 Barbascu (B.) III. 1125.
 Barbe (Z.) VI. 294.
 Meer- (Z.) VI. 273, 278.
 Barbeau (Z.) VI. 294.
 Barbel (Z.) VI. 294.
 Barbefraut (B.) III. 1399.
 gemeines (B.) III. 1399.
 Barbefräuter (B.) III. 1399.
 Barbet (Z.) VII. 1564.
 Barbicon (Z.) VII. 237.
 Barbichon (Z.) VII. 75.
 Barbier (Z.) VI. 256.
 Barbo (Z.) VI. 294.
 Barbon (Z.) VI. 279.
 Barboni (B.) III. 111.
 Barbu (Z.) VI. 282.
 Barbue (Z.) VI. 165, 282.
 Barbula (B.) III. 284.
 fallax (B.) III. 284.
 muralis (B.) III. 284.
 rigida (B.) III. 284.
 unguiculata (B.) III. 284.
 Barbus (Z.) VI. 294.
 Bardana (B.) III. 730, 754.
 minor (B.) III. 754.
 Bardeau (Z.) VII. 1232.
 Bardottier (B.) III. 945.
 Bärenbredt (B.) III. 1646. —
 (M., D. N. S.) I. S. XV.
 Bärenfuß (B.) III. 1156.
 Bärenftau (B.) III. 1001, 1812.
 gemeine (B.) III. 1001.
 unächte (B.) III. 1002.
 Bärenftauen (B.) III. 1001.
 Bärenftochen (M.) I. 641.
 Bärenftrebs (Z.) V. 633, 642.
 breiter (Z.) V. 643.
 gemeiner (Z.) V. 643.
 indischer (Z.) V. 643.
 Bärenftrebs (Z.) V. 642.
 Bärenftauch (B.) III. 557.
 Bärenmotte (Z.) V. 1358.
 Bärenöhrlein (B.) III. 961.
 gemeines (Z.) V. 961.
 Bärenraupe (Z.) V. 1120, 1337.
 gemeine (Z.) V. 1357.
 Bärenraupen (Z.) V. 1357.
 Bärenrobbe (Z.) VII. 1469.
 Bärentraube (B.) III. 960.
 Alpens (B.) III. 901.
 gemeine (B.) III. 900.
 rothe (B.) III. 902.
 Bärentrauben (B.) III. 902.
 Barge (Z.) VII. 503.
 aboyeuse (Z.) VII. 503.
 rousse (Z.) VII. 503.
 Barigudo (Z.) VII. 1739.
 Barilla (B.) III. 1463, 1464.
 Barillet f. Pupa (Z.) V. 425.
 Barita (Z.) VII. 88.
 Barker-Web et Barthe-
 lot, Hist. nat. des Iles
 Canaries (B.) III. 2126.
 Barkhausia (B.) III. 716.
 Bärklapp, Bärklappen (B.) III.
 23, 307, 316.
 cypreffenförmiger (B.) III.
 317.
 Kocher (B.) III. 317.

- Bärtapp, geißelförmiger (B.) III. 317.
 gemeiner (B.) III. 316.
 taunenförmiger (B.) III. 317.
 wachholderförmiger (B.) III. 317.
- Barley = Hordeum (B.) III. 387.
- Barnadesia (B.) III. 739.
 spinosa (B.) III. 740.
- Barn-owl (Z.) VII. 125.
- Baromez (B.) III. 333.
- Barosma (B.) III. 1271.
 crenata (B.) III. 1271.
 serratifolia (B.) III. 1271.
- Barracuda (Z.) VI. 389.
- Barrelier, J., Plantae per Galliam etc. observatae (B.) III. 2117.
- Barren (M.) I. 605.
- Barrère, Essay sur l'hist. nat. de la France équinoct. (B.) III. 2127.
 Ornith. specimen, aves in montibus pyrenaeis (Z.) VII. 670.
- Barrigudo (Z.) VII. 1730.
- Barringtonia (B.) III. 1925.
 acutangula (B.) III. 1927.
 littorea (B.) III. 1925.
 racemosa (B.) III. 1926.
 rosaria (B.) III. 1926.
 rubra (B.) III. 1927.
 speciosa (B.) III. 1925.
- Barringtonien (B.) III. 1789, 1917, 1923.
 Liter. der (B.) III. 2108.
- Barris (Z.) VII. 1792, 1845.
- Barron (Z.) VII. 1797.
- Bars (Z.) VII. 1636.
- Barsch, Bärtsche (Z.) VI. 240, 250, 261.
 Beutels (Z.) VI. 255.
 eigentliche (Z.) VI. 250, 261.
 einflüssige (Z.) VI. 250.
 gemeiner (Z.) VI. 261.
 Kauts (Z.) VI. 251.
 Merz (Z.) VI. 283.
 Ranken (Z.) VI. 259.
 Riefen (Z.) VI. 258.
 Säge (Z.) VI. 251.
 Schnabel (Z.) VI. 260.
 Schwarz (Z.) VI. 253.
 Stachel (Z.) VI. 183, 260.
- Barsch, Bärtsche, Stein (Z.) VI. 267.
 Wolfs (Z.) VI. 263.
 zweiflüssige (Z.) VI. 259.
- Bärtsch (Z.) VI. 263.
- Bärtsche, f. Barsch.
- Bart (Z.) VI. 329.
- Bartaffen (Z.) VII. 1731.
- Bartasche (Z.) V. 327.
- Bartavelle (Z.) VII. 583.
- Bartdingel (B.) III. 471.
 gemeiner (B.) III. 472.
 schuppiger (B.) III. 471.
- Bärtel (Z.) IV. 341.
- Barten (Z.) VII. 1013.
- Barrenwale (Z.) VII. 995, 1013.
- Barriedern (Z.) IV. 335.
- Bartflechten (B.) III. 69, 257.
- Bartgerste (B.) III. 388.
- Bartgeyer (Z.) VII. 145.
- Bartgras (B.) III. 398.
 busenartiges (B.) III. 399.
 gemeines (B.) III. 398.
 verwirrtes (B.) III. 398.
- Bartgrundel (Z.) VI. 286.
- Bartguckguck (Z.) VII. 237.
 brauner (Z.) VII. 237.
 gefleckter (Z.) VII. 237.
- Bartguckgucke (Z.) VII. 237.
- Barchäring (Z.) VI. 387.
- Barthesia (B.) III. 1122.
- Bartholin, Graëmus (M.) I. 99.
- Bartfuciper (Z.) V. 369.
 gemeiner (Z.) V. 369.
- Bartkrabbe (Z.) V. 665.
- Bartklappen (Z.) IV. 334.
- Bartling, Ordines naturales plantarum (B.) III. 1130, 1133, 2115.
 Beiträge (B.) III. 1446, 2099.
- Bartling und Wendland, Beiträge zur Botanik III. 2119.
- Bartmännchen (Z.) VI. 140.
- Bartmeise (Z.) VII. 246.
- Bartmoos, Bartmoose (B.) (B.) III. 273.
 gezähntes (B.) III. 273.
 stumpfes (B.) III. 273.
 zugespitztes (B.) III. 273.
- Bartneffe (B.) III. 1359.
- Barton, W., Compendium Florae philadelphicae. (B.) III. 2134.
- Barton, W., Mem. concerning an animal of the class. of Reptiles (Z.) VI. 687.
 Prodr. Florae philad. (B.) III. 2134.
 Sirenlacertina (Z.) VI. 687.
 Vegetable materia med. of the United States (B.) III. 2131.
 Zauberkräft der Klapper- schlange (Z.) VI. 691.
- Bartramia (B.) III. 291.
 fontana (B.) III. 291.
 pomiformis (B.) III. 291.
- Bartraußen (B.) III. 257.
 gemeine (B.) III. 258.
- Bartröbbe (Z.) VII. 1454.
- Bartsch (B.) III. 1811.
 gemeiner (B.) III. 1811.
- Bartsche (B.) III. 1811.
- Bartschwärmer (Z.) V. 1372.
- Barttüber (Z.) VI. 247.
- Baru (B.) III. 1938.
- Baruce (B.) III. 1608.
- Baru faldus, H., LaTabaccheide ditirambo (B.) III. 2132.
- Bärwurz (B.) III. 1823.
 Alpen (B.) III. 1824.
 gemeine (B.) III. 1823.
- Bärwurzen (B.) III. 1823.
- Baryosma (B.) III. 1685.
- Baryum (M.) I. 113, 118.
- Baryt (M.) I. 272.
 crySTALLisierte, deutlich theils bare Varietät des (M.) I. 273.
- Baryt, dichter (M.) I. 274.
- Baryterde (M.) I. 228.
- Baryt, erdiger (M.) I. 274.
- Baryt, faseriger (M.) I. 274.
- Baryt-Harmotom (M.) I. 173.
- Baryt, förmiger (M.) I. 274.
- Baryt-Kreuzstein (M.) I. 173.
- Baryt, krümmlichaliger (M.) I. 274.
- Barytocalcit (M.) I. 277.
- Barytpräparate (M.) I. 247.
- Baryt, spärlicher (M.) I. 273.
 stängeliger (M.) I. 274.
- Baryxylum (B.) III. 938, 1713.
- rusum (B.) III. 1713.
- Basalt (M.) I. 491, 503, 523, 526, 747, 763, 805, 829.

- Basaltconglomerat (M.) I. 523.
 Basaltdurchbrüche (M.) I. 105.
 Basalte (M.) I. 805, 826.
 Basaltgebilde (M.) I. 805.
 Basaltgrus (M.) I. 533.
 Basaltmandelstein (M.) I. 504.
 Basalt, plattenförmiger (M.) I. 809.
 Basalt, polyedrischer (M.) I. 809.
 Basalt, schaliger (M.) I. 809.
 Basaltstein (M.) I. 164.
 Basalttruff (M.) I. 533.
 Basanit (M.) I. 506, 526.
 Baseggio, G. Ucelli dell
 Bassano (Z.) VII. 671.
 Basella (B.) III. 1464.
 alba (B.) III. 1464.
 rubra (B.) III. 1465.
 Baselfein (M.) I. 164.
 Basettino (Z.) VII. 246.
 Basilaria (B.) III. 563.
 Basilararterie (Z.) IV. 76.
 Basilicum (B.) III. 1067.
 Bastienkraut (B.) III. 1067.
 Bastien-Perlerstein (Z.) III. 1832.
 Basiliscus (Z.) VI. 609.
 ambouensis (Z.) VI. 611.
 Bastisch (Z.) VI. 610.
 Bastler Laufftein (M.) I. 164.
 Basourinha (B.) III. 975.
 Bass (Z.) VI. 263.
 Bassaris (Z.) VII. 1697.
 astuta (Z.) VII. 1697.
 Basset (Z.) VII. 1565.
 Bassia (B.) III. 940.
 butyracea (B.) III. 941.
 latifolia (B.) III. 941.
 longifolia (B.) III. 940.
 Bassus, Cassianus, Be-
 stäub. der Palmen (B.) II. 278.
 Bast (B.) II. 21. — III. 14.
 Bastaberer (B.) III. 205.
 Bastpflanz (B.) III. 1959, 1982.
 Bastard-Baltimore (Z.) VII. 320.
 Bastardcedern (B.) III. 1294.
 gemeine (B.) III. 1294.
 Bastard-cherry-tree (B.) III. 1097.
 Bastarde (Z.) VII. 1232.
 Bastardeseisenholz (B.) III. 937.
 Bastardeseisenholz (B.) III. 1287.
- Bastardfrosch (Z.) VI. 477.
 steine (B.) III. 124.
 Bastardgondel (Z.) V. 458.
 Bastardflee (B.) III. 1636.
 Bastardforbeer (B.) III. 1856.
 Bastardmaifreien (Z.) VII. 190.
 Bastardmops (Z.) VII. 1564.
 Bastardmorcheln (B.) III. 124.
 große (B.) III. 124.
 Bastardnachtigal (Z.) VII. 32.
 Bastardpflanzen (B.) II. 254.
 Liter. der (B.) II. 283.
 Bastardwasserhuhn (Z.) VII. 490.
 Bastbaster (B.) III. 482.
 Bastbeerer (B.) III. 1788, 1849.
 Bastblätter (B.) II. 36.
 Bastblumenpflanzen (B.) III. 1346, 1372.
 Bastdröfster (B.) III. 319.
 Baste (M., D. M. S.) I. S. XII.
 Baster = Bastpflanzen (B.) III. 462.
 Ader: (B.) III. 470.
 Apfel: (B.) III. 564.
 Bast: (B.) III. 482.
 Beeren: (B.) III. 554.
 Blumen: (B.) III. 538.
 Büschen: (B.) III. 524.
 Drossel: (B.) III. 472.
 Frucht: (B.) III. 546.
 Größt: (B.) III. 528.
 Holz: (B.) III. 483.
 Laub: (B.) III. 514.
 Mark: (B.) III. 468.
 Ruff: (B.) III. 547.
 Pflanzen: (B.) III. 551.
 Rinden: (B.) III. 480.
 Samen: (B.) III. 524.
 Schaft: (B.) III. 479.
 Stamm: (B.) III. 491.
 Stengel: (B.) III. 510.
 Wurzel: (B.) III. 491.
 Zellen: (B.) III. 468.
- Baster, Opuscula successiva
 (Z.) V. 182, 253.
 Bastfären (B.) III. 319.
 Bastgräser (B.) III. 405.
 Bastgrößpflanzen (B.) III. 1262, 1285.
 Bastholz (B.) II. 356.
 Bastholzer (B.) III. 602.
 Bastlaubpflanzen (B.) III. 953, 994.
- Bastlilien (B.) III. 464, 482.
 Bastlörschen (B.) III. 1579.
 Bastmoose (B.) III. 203.
 Bastmuntwieser (Z.) V. 1781.
 Bastnusspflanzen (B.) III. 1453, 1475.
 Bastonagia (B.) III. 1804.
 Bastpalmen (B.) III. 582, 602.
 Bastpflanzen (B.) III. 18, 23, 380, 462. S. Baster.
 Bastpflanzenpflanzen (Z.) III. 1615, 1640.
 Bastpitze (B.) III. 63.
 Bastreider (Z.) III. 405.
 Baststamenpflanzen (B.) III. 1142, 1186.
 Baststengel (B.) II. 27.
 Baststengelpflanzen (B.) III. 638, 859.
 Bastwurzeln (B.) II. 25.
 Bastwurzelpflanzen (B.) III. 710, 742.
 Bastzeller (B.) III. 63.
 Batarra, Fungorum agri
 arimensis historia (B.) III. 171.
 Batatas (B.) III. 1085.
 Batate (B.) III. 1085.
 Bataten (B.) II. 311. — III. 1085.
 Batatenfago (B.) III. 653.
 Batana (B.) III. 673.
 Bateleur (Z.) VII. 148.
 Batfengel (B.) III. 1061.
 gemeiner (B.) III. 1062.
 Bathyergus (Z.) VII. 713.
 Batis (B.) III. 356.
 maritima (B.) III. 356.
 Batrachion (B.) III. 1146.
 Batrachospermeae (B.) III. 195.
 Batrachospermen (B.) III. 179, 196.
 Batrachospermum (Z.) III. 197.
 monilliforme (B.) III. 197.
 Barrachus (Z.) VI. 75, 77.
 Batfch, Anteil. zur Kenntniss
 der (Pflanzen) Gewächse
 (B.) II. 95. — III. 2120.
 Bandwürmer (Z.) V. 558.
 Botanik für Frauenzimmer
 (B.) II. 95. — III. 2120.
 Gattungen u. Arten der
 Schwämme (Flechten)

- Fungorum (B.) III. 172.
- Batsch, Tabula affinitatum regni vegetabilis (B.) III. 2099, 2114.
- Battara (B.) VII. 87.
- großer (B.) VII. 87.
- Batteca (B.) III. 829.
- Batticoda (B.) VII. 47.
- Bauch (B.) IV. 327.
- Bauchblutader, untere (B.) IV. 83.
- Bauchfell (B.) IV. 66.
- Bauchfloßen (B.) IV. 340. — VI. 16.
- Bauchfloßer (B.) IV. 340. — VI. 16, 82, 272.
- Bauchglieder (B.) IV. 168, 328.
- Bauchhöhle (B.) IV. 25, 187, 188.
- Bauchspitzen (B.) VI. 278. mit 2 Rückenfloßen (B.) VI. 278.
- Bauchmuskeln (B.) IV. 36. äußere schiefe (B.) IV. 36. innere schiefe (B.) IV. 36. quere (B.) IV. 37. schmale gerade (B.) IV. 37.
- Bauchnerven (B.) IV. 192.
- Bauchspitze, f. Balgspitze (B.) III. 75.
- Bauchrippen (B.) IV. 24.
- Bauchschlagader (B.) IV. 78.
- Bauchschnecken (B.) V. 423.
- Bauchschwimmer (B.) V. 1624.
- Bauchspeichel (B.) IV. 69, 212.
- Bauchspeicheldrüse (B.) IV. 69, 70, 135.
- Einöfhrungsgang der (B.) IV. 69.
- Bauchwand (B.) IV. 37.
- Bauchwirbel (B.) IV. 169.
- Baudroye (B.) IV. 74.
- Bauer, F., Illustrationes Florae novae Holl. (B.) 2127.
- Illustr. plantarum novae Holland. (B.) III. 699.
- The Genera et Species of Orchideous Plants (B.) III. 699.
- Bauera (B.) III. 1993.
- rubroides (B.) III. 1993.
- Baueraceen (B.) III. 1959, 1986, 1993.
- Baueraceen, Liter. der (B.) III. 2109.
- Bauerarmut (B.) V. 452.
- Bauerndase (B.) VII. 1340.
- Bauerseuf (B.) III. 1390, 1391.
- Bauhinia (B.) III. 1730.
- anguina (B.) III. 1704.
- guyanensis (B.) III. 1704.
- lingua (B.) III. 1703.
- reticulata (B.) III. 1703.
- scandens (B.) III. 1703.
- Bauhinus, Joh., Hist. nova Plantarum (B.) III. 2116.
- Prodromus hist. plant. (B.) III. 2116.
- Bauhinus, C., Catalogus Plantarum circa Basileam nascentium (B.) III. 2117.
- Opera Matthioli (B.) III. 2116.
- Phytopinax s. Enumeratio Plantarum (B.) III. 2116.
- Pinax theatri bot. s. Index in Theophrasti etc. Opera (B.) III. 2117.
- Prodromus theatri botanici (B.) III. 2117.
- Bauhinus, J., De Plantis a Divis sanctissive nomen habentibus (B.) III. 2131.
- Bauhölz (B.) II. 355. — III. 1532.
- Baumaloe (B.) III. 638.
- gemeine (B.) III. 638.
- sprossende (B.) III. 639.
- sinkende (B.) III. 640.
- wohlrichende (B.) III. 640.
- Baumampfer (B.) III. 1486.
- gemeiner (B.) III. 1486.
- Baumann, Camellias à Bollwyler (B.) 1441.
- Baumannshöhle (M.) I. 642.
- Baum an Wasserbüchen ic. (Pflanzl. I, 3) = Nerium oleander (B.) II. 381.
- Baumcochenille (B.) V. 1536, 1541.
- Baumdach (B.) VII. 889.
- Baum der Erkenntnis = Eugenia malaccensis oder Michelia triampaca (B.) II. 380.
- Baum der Reisenden (B.) III. 516.
- Baume Focot (B.) III. 1426.
- vert (B.) III. 1426.
- Bäume am Vorgebirge der guten Hoffnung (B.) II. 361.
- Baumweidhirschen (B.) VII. 769.
- Baumweidhirschen (B.) VI. 583, 591.
- Baumente (B.) VII. 462, 464.
- Baumfalte (B.) VII. 129.
- Baumfarren (B.) III. 326, 334.
- essbarer (B.) III. 334.
- gemeiner (B.) III. 335.
- prächtig (B.) III. 336.
- schwarzer (B.) III. 335.
- weißer (B.) III. 335.
- Baumfische (B.) VI. 467.
- Baumgabelschwanz (B.) VI. 617.
- Baumgänse (B.) VII. 472.
- Baumgarten, Enum. Stegium Transsylvanae (B.) III. 2123.
- Baumhacker (B.) VII. 205.
- Baumheuschrecke (B.) V. 1522.
- Baumhuhn, Baumhühner (B.) VII. 595.
- braunes (B.) VII. 597.
- gemeines (B.) VII. 609.
- grünliches (B.) VII. 598.
- Spelm. (B.) VII. 600.
- pipendes (B.) VII. 597.
- rothbraunes (B.) VII. 602.
- rothschnäbeliges (B.) VII. 601.
- schwebendes (B.) VII. 598.
- Stein (B.) VII. 599.
- Strauß (B.) VII. 599.
- Baum, immerwährender (B.) III. 1039.
- Baumfäber (B.) V. 1807.
- Baumflette (B.) VII. 197.
- Baumfletten (B.) VII. 206.
- Baumfloh (B.) III. 1404.
- Baumfräse (B.) III. 240, 255.
- Baumläufer (B.) VII. 18, 179, 196.
- gemeiner (B.) VII. 197.
- Baumterbe (B.) VII. 291.
- Baumtarder (B.) VII. 1491.
- Baummoos (B.) III. 240, 259.
- Baumöl (M., D. M. S.) I. S. V. u. VI. — (B.) II. 127. — III. 1117.

- Baumöl, gelblichweißes (B.) III. 1117.
 gemeines (B.) III. 1118.
 weißes (B.) III. 1117.
 Baumpapagenen (Z.) VII. 363.
 Baumpflöcker (Z.) VII. 197.
 capensischer (Z.) VII. 198.
 spechtartiger (Z.) VII. 199.
 Baumwicper (Z.) VII. 49.
 Baumwitze (B.) III. 131.
 Baumpitzsäfer (Z.) V. 1776.
 gemeiner (Z.) V. 1776.
 Baumweife (B.) III. 131.
 ausdauernde (B.) III. 132.
 ausgeduöftene (B.) III. 131.
 brandiger (B.) III. 134.
 citronenartiger (B.) III. 133.
 einjährige (B.) III. 133.
 gemeiner (B.) III. 132.
 glänzender (B.) III. 134.
 fchuppiger (B.) III. 135.
 umgefchlagene (B.) III. 131.
 weicher (B.) III. 131.
 wohlriechender (B.) III. 133.
 Baumrinde (B.) III. 421.
 Baumrüßen (B.) III. 781.
 gemeine (B.) III. 781.
 Baumfamenreffer (Z.) VII. 264.
 Baumfchiffe (B.) III. 419.
 beerenträgendes (B.) III. 424.
 dorniges (B.) III. 423.
 dünnes (B.) III. 421.
 gemeines (B.) III. 419.
 großes (B.) III. 422.
 rauchtes (B.) III. 422.
 fcharfes (B.) III. 422.
 wildes (B.) III. 423.
 Baumfchlangen (Z.) VI. 556.
 Baumfperling (Z.) VII. 275.
 Baumfackelchweine (Z.) VII. 776.
 Baumtermiten (Z.) V. 1444.
 Baumthierchen (Z.) V. 32.
 gemeines (Z.) V. 32.
 Baumtöfel (B.) III. 483.
 Baumweifehen (B.) III. 1376.
 bitteres (B.) III. 1376.
 gelbes (B.) III. 1376.
 Baumwal (Z.) VII. 999.
 Baumwanze (Z.) V. 1618.
 graue (Z.) V. 1619.
 rothfüßige (Z.) V. 1619.
 zweifarbigte (Z.) V. 1621.
 Baumwanzen (Z.) V. 1618.
 Baumweidenmorte (Z.) V. 1316.
 Baum, weifer (B.) III. 1938.
 Baumweifung (Z.) V. 1169, 1396.
 Baumwolle (B.) II. 370. — III. 1213.
 gelbe (B.) III. 1216.
 fchwarze (B.) III. 1216.
 weiße (B.) III. 1213.
 Baumwollenfplanze (B.) II. 371.
 Baumwollenfloff (B.) II. 118.
 Baumzanken (B.) III. 628.
 Baufchmuckeln (Z.) IV. 34.
 Bavian (Z.) VII. 1783.
 Baxi ova (B.) III. 668.
 Bay (M.) I. 547.
 Bayad (Z.) VI. 90.
 Bay-cat (Z.) VII. 1587.
 Bay le Barelle, Fungli nocivi e sospetti (B.) III. 176.
 Bdellium (B.) III. 691.
 ächtes (B.) III. 691.
 ägyptifches (B.) III. 691.
 arabifches (B.) III. 691.
 ficilianifches (B.) III. 691.
 B'dolach = Borassus flabelliformis (B.) II. 379.
 Beam-tree, f. Aria (B.) III. 2068.
 Bear (Z.) VII. 1668.
 big naked (Z.) VII. 1681.
 grisly (Z.) VII. 1680.
 grisly (Z.) VII. 1680.
 Beatsonia (B.) III. 1365.
 Beaumont, E. de (M.) I. 633, 786, 840.
 Beauvais, f. Vincentius.
 Beauvois, Journal de Physique (B.) II. 276.
 Beaver wood (B.) III. 1240.
 Beben (Z.) VII. 1600.
 Bebe-boom (B.) III. 1675.
 Bécard (Z.) VI. 339.
 Bécasse (Z.) VII. 507.
 Bécassau, f. Trynga (Z.) VII. 490.
 Becassine (Z.) VII. 506.
 double (Z.) VII. 505.
 petite (Z.) VII. 506.
 Becassine (Z.) VII. 506.
 große (Z.) VII. 505.
 Beccabunga (B.) III. 995.
 Becaccia di mare (Z.) VI. 509.
 Beccafico (Z.) VI. 33, 284.
 Becca moschino (Z.) VI. 45.
 Becco fruscone (Z.) VI. 81.
 Bee croisée. (Kreuzfchnabler) (Z.) VII. 264.
 Bee en ciseau (Z.) III. 392.
 Bee en fourreau (Z.) VII. 572.
 Bee-figure (Z.) VII. 51.
 Bee fin, f. Sylvia (Z.) VII. 28.
 gros (Z.) VII. 267.
 Bèche (Z.) V. 1649.
 Becher (B.) III. 268.
 Becher, Physica subterranea (M.) I. 27.
 Becherftume (B.) III. 2903.
 gemeine (B.) III. 2903.
 Becherftumen (B.) III. 291.
 Bechercorall (Z.) V. 152.
 Becherfüße (B.) III. 81.
 gemeiner (B.) III. 81.
 Becherfchellen (B.) III. 250.
 Becherfüße (B.) III. 115.
 Becherfchnoppe (B.) III. 1065.
 gemeine (B.) III. 1065.
 knollige (B.) III. 1066.
 Becherfchnoppen (B.) III. 1065.
 Becherftuppen (B.) III. 250.
 büchfenförmige (B.) III. 250.
 gefranzte (B.) III. 251.
 grünliche (B.) III. 251.
 warzenförmige (B.) III. 251.
 Becherrüffeln (B.) III. 108.
 gelbe (B.) III. 108.
 geftreifte (B.) III. 108.
 grünliche (B.) III. 108.
 Bechstein, Forst u. Jagdwissenschaft (B.) II. 385.
 Dreihol. Taschenbuch (Z.) VII. 669.
 Naturgefch. Deutschlands (Z.) VII. 670.
 Taschenbuch der Forstbetriebe mit (B.) III. 2129.
 Bechstein und Scharfenberg. Naturgefchichte d. fchädlichen Forstinfekten. (Z.) V. 1826.
 Beech, Käfer v. Insektensammlern (Z.) V. 1822.
 Bechen (Z.) IV. 36.

Beckmann, J., Lexicon botan. etymol. etc. (B.) III. 2132.
 Beckmannia (B.) III. 396.
 cauciformis (B.) III. 396.
 Bedeguar (B.) III. 2021. — (S.) V. 861.
 Bedrthout (B.) III. 1704.
 Beebeea Baugh (S.) VII. 1600.
 Beechey (M.) I. 795.
 Beedel-Snoeren (B.) III. 1928.
 Beelzebul (S.) VII. 1731.
 Beelzebuth (S.) VII. 1743.
 Beere, Beeren (B.) II. 93. — III. 14, 277.
 Apfel (B.) II. 93.
 Aris (B.) III. 2068.
 Brust (B.) III. 1746.
 Darm (B.) III. 2068.
 eigentliche (B.) II. 93.
 Eisen (B.) III. 2048, 2067.
 Erbs (B.) III. 2008.
 Ferris (B.) III. 1413.
 Gicht (B.) III. 1906.
 Hülsen (B.) II. 93.
 Johannis (B.) III. 1905.
 Kermes (B.) III. 1476.
 Kintischel (B.) III. 2048.
 Krähen (B.) III. 1893.
 Krausel (B.) III. 1908.
 Maul (B.) III. 1561.
 Mehl (B.) III. 2068.
 Netzer (B.) III. 2014.
 Nuß (B.) II. 93.
 Panten (B.) III. 2015.
 Pfäumen (B.) II. 93.
 Pimper (B.) III. 1733.
 Prummel (B.) III. 1413.
 Quandel (B.) III. 2070.
 Quicken (B.) III. 2073.
 Rauch (B.) III. 1730.
 Rech (B.) III. 1905.
 Schorlach (B.) III. 1476.
 Schlauch (B.) II. 93.
 Schminz (B.) III. 1462.
 Schoten (B.) II. 93.
 Stachel (B.) III. 1906.
 Stein (B.) III. 2015.
 Stick (B.) III. 1907.
 Vogel (B.) III. 2073.
 Wolfen (B.) III. 2015.
 Beerenaderer (B.) III. 277.
 Beeren-Angelica (B.) III. 1861.

Beerenapfel (B.) II. 94.
 Beerenäpfel (B.) III. 1960, 2064.
 Beerenbaster (B.) III. 554.
 Beerenbeeder (B.) III. 1789, 1930.
 Beerenblumenpflanzen (B.) III. 1347, 1428.
 Beerenbromen (B.) III. 2014.
 Beerenbrofster (B.) III. 359.
 Beerenfarren (B.) III. 309, 359.
 Beerenfresser (S., B.) VII. 53.
 Beerenfresser (S., E. Th.) VII. 1659.
 Beerenfirren (B.) III. 1477.
 gemeine (B.) III. 1477.
 Beerengräser (B.) III. 383, 450.
 Beerengrößpflanzen (B.) III. 1263, 1331.
 Beerenholzer (B.) III. 667.
 Beerenjageln (B.) III. 1332.
 glatte (B.) III. 1332.
 rauhe (B.) III. 1332.
 Beerenkerbel (B.) III. 1799.
 jarter (B.) III. 1890.
 Beerenklimmen (B.) III. 1180.
 gemeine (B.) III. 1181.
 Beerenküder (B.) III. 236.
 gemeiner (B.) III. 236.
 Beerenlahnen (B.) III. 1143.
 gemeine (B.) II. 1143.
 Beerenlaubpflanzen (B.) III. 954, 1110.
 Beerenleimkraut (B.) III. 1362.
 Beerenlilien (B.) III. 465, 554.
 Beerenlingen (B.) III. 1013.
 gemeine (B.) III. 1013.
 Beerenlorchen (B.) III. 1606.
 Beerenmetastomen (B.) III. 1889, 1893.
 Beerenmoose (B.) III. 277.
 Beerenwalde (B.) III. 810.
 gemeine (B.) III. 810.
 Beerenwollen (B.) III. 810.
 Beerenwurz (B.) II. 91.
 Beerenwurzpflanzen (B.) III. 1454, 1557.
 Beerenpalmen (B.) III. 583, 667.
 Beerenpflanzen (B.) III. 22, 25, 707, 1451, 1785. S. Beerer.
 Literatur der (B.) III. 2105.
 Beerenpflaumen (B.) II. 92.

Beerenpflanzen (B.) III. 1616, 1740.
 Beerenpilze (B.) III. 120.
 Beerenrinde (B.) III. 450.
 Beerenroden (B.) III. 1241.
 gemeine (B.) III. 1241.
 Beerenrodenpflanzen (B.) III. 1143, 1247.
 Beerenroden (B.) III. 976.
 gemeine (B.) 976.
 Beerenroden (B.) III. 1409.
 gemeine (B.) III. 1409.
 Beerenroden (B.) III. 1779.
 gemeine (B.) III. 1779.
 Beerenroden (B.) III. 1049.
 esbare (B.) III. 1049.
 saure (B.) III. 1049.
 Beerenroden (B.) III. 1049.
 Beerenrodenpflanzen (B.) III. 839, 931.
 Beerenwange (S.) V. 1619.
 Beerenwurzpflanzen (B.) III. 711, 811.
 Beerenwurz (B.) III. 129.
 Beerenwurz (B.) III. 2044.
 gemeine (B.) III. 2045.
 Beerer = Beerenpflanzen (B.) III. 1785.
 Ader (B.) III. 1799.
 Apfel (B.) III. 1940.
 Baß (B.) III. 1849.
 Beeren (B.) III. 1930.
 Blumen (B.) III. 1905.
 Blüthen (B.) III. 1888.
 Droffel (B.) III. 1822.
 Frucht (B.) III. 1916.
 Größe (B.) III. 1893.
 Holz (B.) III. 1857.
 Laub (B.) III. 1880.
 Mark (B.) III. 1789.
 Nuß (B.) III. 1917.
 Pfäumen (B.) III. 1923.
 Rinden (B.) I. 1844.
 Samen (B.) III. 1889.
 Schaft (B.) III. 1814.
 Stamm (B.) III. 1870.
 Stengel (B.) III. 1873.
 Stock (B.) III. 1789.
 Strauß (B.) III. 1888.
 Wurzel (B.) III. 1870.
 Zellen (B.) III. 1792.
 Beerenmeide (B.) III. 1462.
 gemeine (B.) III. 1462.
 Beerenmeiden (B.) III. 1462.
 Beerenwurz (B.) III. 1825.

- Beella** Codi, f. *Piper betle* (B.) III. 604.
Befroi (Z.) VII. 65.
 grand (Z.) VII. 65.
Befruchtung der Blüthen (B.) II. 69.
Begonia (B.) III. 832.
 discolor (B.) III. 833.
 nitida (B.) III. 833.
 tuberosa (B.) III. 833.
Begenien (B.) III. 832.
 Viter der (B.) III. 1132.
Behemoth (Z.) VII. 1118, 1185.
Behen (B.) III. 729, 1361, 1728.
 album (B.) III. 729, 1361.
 magnum (B.) III. 1695.
 rubrum (B.) III. 1474.
Behend (B.) III. 1112, 1728.
Behike (B.) III. 2089.
Bei ic., f. *Bej* ic.
Beid el Ossar (B.) III. 1030.
Beißfiß (Z.) VI. 328.
 gemeiner (Z.) VI. 328.
Beißfäßer (Z.) V. 1781.
 bläulicher (Z.) V. 1781.
Beißschmied, f. *Beißftröm*.
 Pflanzengeographie (B.) II. 289. — III. 2122.
Beißstein (M.) I. 227.
Beinbrecher (Z.) VII. 388.
Beinbruch (M.) I. 234.
Wein, *dreieckiges* (Z.) IV. 26.
Weinfiß (Z.) VI. 109. & *Koffenfiß*.
Weinhaut (Z.) IV. 120.
Weinhay (Z.) VI. 63.
Weinholz (B.) III. 1119, 1848.
Wein samen (B.) III. 771.
 gemeiner (B.) III. 772.
Weinweß (B.) III. 1092.
Weinwoß (B.) III. 1092.
Beisa (Z.) VII. 1392.
Weißchen (B.) III. 582, 612.
 Gemüß: (B.) III. 614.
 Knollen: (B.) III. 612.
Weißbeere (B.) III. 986.
 strauchartige (B.) III. 987.
Weißbeeren (B.) III. 986.
Weißfäßer (Z.) V. 1705.
Bejuca de la Estrella (*Aristolochia fragrantissima*) (B.) III. 804.
Bejuco (Z.) III. 909, 1331.
- Bejuco de Guayca** (B.) III. 909.
 de Mavacuré (B.) III. 1049.
Bekker el Wash (Z.) VII. 1388.
Belahé (B.) III. 883.
Bela Riba (Z.) VI. 444.
Belchen (M.) I. 549.
Belenniten in der Kreide (M.) I. 673.
Belennitenmergel, obere (M.) I. 702.
Belennitenschiefer, untere (M.) I. 703.
Belennites (Z.) V. 531.
 ferruginosus (M.) I. 698.
Belette (Z.) VII. 1497.
Belier (Z.) VII. 1338.
 des Indes (Z.) VII. 1342.
Belilla (B.) III. 883.
Belladonna (B.) III. 545, 983.
Belle (B.) III. 1536.
 chevreuse (B.) III. 2063.
 de Choisy (B.) III. 2052.
 de jour (B.) III. 1083.
 de nuit (B.) III. 1488, 1489.
 de Rocmont (B.) III. 2054.
 de Vitry (B.) III. 2064.
Bellegarde (B.) III. 2064.
Bellerica (B.) III. 915.
Bellerophon (M.) I. 731.
Bellharé (Z.) VII. 811.
Bellis (B.) III. 760, 775.
 major (B.) III. 760.
 minor (B.) III. 775.
 perennis (B.) III. 775.
Belluta Tsambacam (B.) III. 1425.
Belo (B.) III. 1337.
Belon, P. du Mans, *Aquatilla* (Z.) V. 182. — VI. 403.
 Hist. de la nature des oiseaux (Z.) VII. 665.
 Hist. nat. des étranges poissons marins (Z.) VI. 403.
 Observations des choses au Grèce etc. (Z.) VI. 685. — VII. 868.
 Portraits d'Oiseaux etc. (Z.) VI. 686.
Belone (B.) V. 391.
Beluga (Z.) VII. 1085.
- Belugenstein** (Z.) VI. 71.
Belvisia (B.) III. 931.
Belvisien (B.) III. 931.
 Literatur der (B.) III. 1134.
Bembex (Z.) V. 981.
Bembidium (Z.) V. 1717.
Bemtere (Z.) VII. 76.
Beuca de Deos, f. *Abutilon esculentum* (B.) III. 1213.
Bendiscioli, *Collezione del Funghi* (B.) III. 173.
Benedicentrant (B.) III. 2000.
Bengal-beans (B.) III. 916.
Bengalst (Z.) VII. 268.
 getigterter (Z.) VII. 269.
Bengalus (Z.) VII. 269.
Bengieiri (B.) III. 1607.
Bénitier = Tridacna (Z.) V. 330.
Benjamin (B.) III. 1562.
Benjoin, faux (B.) III. 1524.
Bennett, Zoological Gardens (Z.) VII. 1858.
Benoite (B.) III. 2006.
Bentaveo (Z.) VII. 76.
Bentham, Labiatarum Gen. et Spec. (B.) III. 1136.
 Revisio Scroful. (B.) III. 1135.
Benze (M., D. M. C.) I. C. XVII. — (B.) II. 113. — III. 913, 930, 1423.
 gemeine, körnige, Maudel (B.) III. 930.
Benzo (B.) III. 930.
 amygdalina (B.) III. 930.
 in granis (B.) III. 930.
 in sortis (B.) III. 930.
Benzebaum (B.) III. 930.
Benzeblumen (B.) II. 122.
Benzoecatappe (B.) III. 913.
Benzeharz (B.) III. 913.
 ächtes (B.) III. 930.
 unächtes (B.) III. 913.
Benzejäure (B.) III. 111, 122, 930. — Z. IV. 207.
Benzoïn (B.) III. 913, 930, 1523.
Berard, Mém. sur la Maturation des Fruits (B.) II. 277.
Berber (*Pferde*) (Z.) VII. 1237.

Berberiden (B.) III. 1347, 1407, 1411.
 Literatur der (B.) III. 1448.
 Borberis (B.) III. 1412.
 vulgaris (B.) III. 1413.
 Berberisgen (B.) III. 1413.
 Berberry = Berberis (B.) III. 1412.
 Berce (B.) III. 1812.
 Berchemia (B.) III. 1743.
 lineata (B.) III. 1743.
 Berchtold, Seidl, Dpiž und Fieber, ökonom. technol. Flora Böhmens (B.) II. 384. — III. 2129.
 Berkheya (B.) III. 773.
 fruticosa (B.) III. 773.
 incana (B.) III. 773.
 Berenice (Z.) V. 217.
 rosea (Z.) V. 217.
 Berg (M.) I. 543.
 brennender, bei Duttweiler (M.) I. 740.
 Bergader (Z.) VI. 546.
 Bergahorn (B.) III. 1321.
 Bergamaschi. Enumerazione storica di tutt i funghi del Pavese (B.) III. 173.
 Bergamotta (B.) III. 1318.
 Bergamottbirnen (B.) III. 2086.
 Bergamotte (Birne) (B.) III. 2080.
 Herbst (B.) III. 2081.
 holländische (B.) III. 2081.
 rotte (B.) III. 2080.
 Schweizer (B.) III. 2081.
 Sommers (B.) III. 2080.
 Winters (B.) III. 2081.
 Bergamotten (B.) III. 2080.
 Bergamottöl (B.) III. 1318.
 Bergamot (Z.) VII. 61.
 Bergschentkraut (B.) III. 768.
 Bergcitronenfrucht (B.) III. 1070.
 Bergcompaß (M.) I. 562.
 Bergcrystall (M.) I. 137, 825.
 Bergdohle (Z.) VII. 338.
 Bergdrossel (Z.) VII. 59.
 Berge (M.) I. 543.
 Verbindung der (M.) I. 546.
 Bergente (Z.) VII. 449, 470.

Berger, S., Die Bersteinigungen der Pflanzen u. Fische der Coburger Gegend (B.) 2128.
 Bergeronette (Z.) VII. 49.
 Bergfälle (M.) I. 586.
 Bergfischel (B.) III. 1825.
 verdrehter (B.) III. 1825.
 Bergflink (Z.) VII. 273.
 Bergflachs (M.) I. 269.
 Bergfließkraut (B.) III. 1059.
 Berggruppe (M.) I. 546.
 Berggujave (B.) III. 1953.
 Berggliebkraut (B.) III. 1059.
 Berggruppe (M.) I. 546.
 Berggujave (B.) III. 1953.
 Bergknie (Z.) VII. 261.
 Berghas (Z.) VII. 796.
 Berghase (Z.) VII. 816.
 Berghöhen, Regionen der (B.) II. 305.
 Bergholz (M.) I. 270.
 Bergius. Plantae capenses (B.) III. 2126.
 Semina Muscorum (B.) III. 301.
 Bergkalk (M.) I. 745.
 Bergkette (M.) I. 546.
 Bergkia (B.) III. 885.
 Bergkorf (M.) I. 269.
 Bergkummel (B.) III. 1805.
 breiter (B.) III. 1805.
 gemeiner (B.) III. 1805.
 Bergkuch (Z.) VI. 161.
 Bergleder (M.) I. 269.
 Berglerche (Z.) VII. 292.
 Berglinse (B.) III. 1626.
 spanische (B.) III. 1626.
 Berglinfen (B.) III. 1626.
 Berglöcher (B.) III. 1599.
 Bergmann, Abhandlung über das Löhrohr (M.) I. 28.
 Bergmilch (M.) I. 234.
 Bergmünze (B.) III. 1071.
 Bergnägelmurze (B.) III. 2007.
 Bergpetersilie (B.) III. 1816.
 große (B.) III. 1816.
 Bergpflanzenzwetschen (B.) III. 2044.
 Bergreis (B.) III. 404.
 Bergrüden (M.) I. 544.
 Bergsalben (B.) III. 1104.

Bergsalben, gemeiner (B.) III. 1104.
 theoretischer (B.) III. 1105.
 Bergsalben (B.) III. 1105.
 Bergschlupfe (M.) I. 587.
 Bergseite (M.) I. 213.
 Bergsträsser, Europäische Schwärmerausen (Z.) V. 1425.
 Hanau'sche Insecten (Z.) V. 1425.
 Nomenclatur und Beschreibung der Insecten der Grafschaft Hanau (Z.) V. 1823.
 Bergwürze (M.) I. 586.
 Bergtalz (M.) I. 317.
 Bergthaler (M.) I. 553.
 Bergtheer (M.) I. 318.
 Bergtheer (B.) III. 1063.
 Berkeley, Fungi (B.) III. 174.
 Expos. characterum florum comp. (B.) III. 1130.
 Berlin, Usus Muscorum (B.) III. 301.
 Berliner naturforschende Gesellschaft, Beschäftigung, Schriften, Magazin, Verhandlungen der (M.) I. 23.
 Bermudiana (B.) III. 533.
 Bernacle (Z.) VII. 472.
 Bernackelmuschel (Z.) V. 508.
 Bernhards, Beobachtungen über die Pflanzengefäße (B.) II. 94, 269.
 Ehrenpreisarten (B.) III. 1135.
 Tent. novae dispos. filicum (B.) III. 371.
 Bernhardsberg, großer (M.) I. 551.
 kleiner (M.) I. 551.
 Bernhardskrebs (Z.) V. 644.
 Bernicla (Z.) VII. 473.
 Bernoulli, Christoph, Geognostische Uebersicht der Schweiz (M.) I. 138, 179.
 Bernstein (M.) I. 313. — (B.) II. 114.
 Bernsteinkirche (B.) III. 2052.
 Bernsteintö (M., D. M. S.) I. S. XVII.

- Bernsteinssäure (B.) II. 114/122.
- Bernsteinsschnecke (Z.) V. 426.
- Beroe (Z.) V. 209.
- constricta (Z.) V. 210.
- multicornis (Z.) V. 208.
- pileus (Z.) V. 209.
- rubescens (Z.) V. 210.
- Berolla del duro (Z.) V. 472.
- di mare (Z.) V. 405.
- del tenero (Z.) V. 472.
- Beröschung (Z.) VI. 263.
- Bersich (Z.) VI. 263.
- Berthierit (M.) I. 439.
- Bertholletia (B.) III. 1918.
- excelsa (B.) III. 1918.
- Bertholon, De l'Electricité de Végétaux (B.) II. 264, 265.
- Bertoloni, Amoenitates italicæ (B.) III. 2124.
- Decades rar. Plant. Italiae (Bot.) III. 2124.
- Flora italica (B.) III. 2124.
- Rar. Plantae Liguriae (B.) III. 2124.
- Bertram (B.) III. 758.
- deutscher (B.) III. 758.
- wilder (B.) III. 758, 1817.
- Bertramwurzel (B.) III. 759, 760.
- Bertramwurzel (B.) III. 757.
- Beruskraut (B.) III. 775, 1062.
- Beryll (M.) I. 154, 825.
- edler (M.) I. 155.
- gemeiner (M.) I. 155.
- Beryllium (M.) I. 113, 119.
- Berzelia (B.) III. 1983.
- abrotanoides (B.) III. 1984.
- lanuginosa (B.) III. 1983.
- Berzelius, Jacob, Prof., I. 31, 133, 458, 471, 824.
- Anwendung des Lörhohres in der Chemie u. Mineralogie (M.) I. 134.
- Besaanden (Z.) VI. 211.
- Besaunergetel (Z.) V. 492.
- aufgerolltes (Z.) V. 493.
- kleines (Z.) V. 493.
- langes (Z.) V. 492.
- Besatz (B.) III. 262.
- Beschläge (M., D. M. S.) I. S. XIX.
- Beschreykraut (B.) III. 775, 1062.
- Besecke, Vögel Curlands (Z.) VII. 670.
- Besem = Balsam (B.) II. 379.
- Besen (B.) II. 45.
- Besengräfer (B.) III. 396.
- gemeines (B.) III. 396.
- Besenholz (B.) II. 356.
- Besenirgetel (B.) III. 1932.
- gemeine (B.) III. 1932.
- Besentraut (B.) III. 763, 1643.
- Besenschmergel (B.) III. 1461.
- Besenschraden (B.) III. 975.
- füße (B.) III. 975.
- Besenstrauch (B.) II. 45.
- Besemwinde (B.) III. 1086.
- Besler, Bas., Hortus ey-stettensis (B.) III. 2117.
- Besleria (B.) III. 993.
- violacea (B.) III. 994.
- Besser, Enumer. Plantarum in Volhynia (B.) III. 2123.
- Flora Galicæ (B.) III. 2123.
- Besandtheile, nähere (Z.) IV. 206.
- Beskäubung (B.) II. 233.
- der blüthenlosen Pflanzen (B.) II. 238.
- Literatur der (B.) II. 278, 280.
- Beste (Birne) (B.) III. 2079.
- Besugo (Z.) VI. 236.
- Beta (B.) III. 1462.
- ciela (B.) III. 1462.
- vulgaris (B.) 1462.
- Bête à Dieu, s. Coccinella (Z.) V. 1762.
- puante (Z.) VII. 1505.
- ronge (Z.) V. 662.
- Betel (B.) III. 604.
- Betelnuß (B.) II. 348.
- Betelpfeffer (B.) II. 348.
- Bethylus (Z.) VII. 89.
- Betke, De Valerianellis (B.) III. 1131.
- Betonica (B.) III. 1061.
- aquatica (B.) III. 967.
- hirta (B.) III. 1062.
- officinalis (B.) III. 1062.
- stricta (B.) III. 1062.
- Beträger (Z.) VI. 222.
- rother (Z.) VI. 222.
- Betrunkener (Z.) VI. 179.
- Bettdecke (Z.) V. 481.
- rothe (Z.) V. 481.
- Bett der Blume (B.) II. 53, 63.
- Bett des Wassers (M.) I. 556.
- Bette-rave (B.) III. 1462.
- Bettlerin (Z.) V. 1352.
- Bettlerstänkefrau (B.) III. 754, 1803.
- Bettstroh unserer sieben Frauen (B.) III. 842.
- Bettwanze (Z.) V. 1610.
- gemeine (Z.) V. 1610.
- Betula (B.) III. 1537, 1538.
- alba (B.) III. 1537.
- alnus (B.) III. 1538.
- incana (B.) III. 1538.
- nana (B.) III. 1537.
- Betulaeaceen (B.) III. 1537.
- Literatur der (B.) III. 2102.
- Beudantit (M.) I. 184.
- Beugemuskel (Z.) IV. 32.
- kleiner (Z.) IV. 42.
- Beuger (Z.) IV. 36.
- kurzer (Z.) IV. 42.
- Beurrieria (B.) III. 1097.
- succulenta (B.) III. 1097.
- Beutet (B.) III. 383.
- Beutetöhr (Z.) VII. 894.
- gemeiner (Z.) VII. 894.
- Beutetbarich (Z.) VI. 255.
- Beutetblattlaus (Z.) V. 1559.
- Beutetblüthen (B.) II. 66.
- Beutetdach (Z.) VII. 912.
- brauner (Z.) VII. 913.
- gelblicher (Z.) VII. 913.
- Beutetdach (Z.) VII. 912.
- Beutetfisch (Z.) VI. 105, 107.
- Beutetfedermaus (Z.) VII. 973.
- ägyptische (Z.) VII. 974.
- surinamische (Z.) VII. 974.
- Beutetfedermäuse (Z.) VII. 973.
- Beutethafe (Z.) VII. 895. S. Rängurnh.
- Beutetknochen (Z.) IV. 402.
- Beutetkrebs (Z.) V. 645.
- Beutetmarder (Z.) VII. 914.
- bärenartiger (Z.) VII. 916.
- borstiger (Z.) VII. 917.
- gestrecker (Z.) VII. 916.
- gepreukter (Z.) VII. 915.
- großer (Z.) VII. 918.
- Beutetmeise (Z.) VII. 246.
- Beutetmurmeltiere (Z.) VII. 884. S. Wombat.

Beutelaquelle (Z.) V. 227.
 gemeine (Z.) V. 228.
 kegelförmige (Z.) V. 227.
 Beutetratte, Beutetratten (Z.)
 VII. 920.
 brafsische (Z.) VII. 927.
 cayennische (Z.) VII. 929.
 dickschwänzige (Z.) VII. 925.
 dreifarbig (Z.) VII. 924.
 fahle (Z.) VII. 925.
 gemeine (Z.) VII. 925.
 kurzschwänzige (Z.) VII. 923.
 nordamerikanische (Z.) VII.
 925.
 paraguayische (Z.) VII. 928.
 rothbraune (Z.) VII. 924.
 Beutefrag (Z.) VII. 903.
 bärenartige (Z.) VII. 910.
 corfische (Z.) VII. 909.
 eichhornartige (Z.) VII.
 904.
 fuchsartige (Z.) VII. 905.
 gefleckte (Z.) VII. 908.
 gemeine (Z.) VII. 905.
 große (Z.) VII. 904.
 zwerghartige (Z.) VII. 904.
 Beutefraßen (Z.) VII. 903.
 Beutefloar, Beuteflaare (Z.)
 VII. 316.
 feuerrother (Z.) VII. 316.
 gelber (Z.) VII. 322.
 gelbflügeliger (Z.) VII. 319.
 gemeiner (Z.) VII. 316.
 Hauben (Z.) VII. 323.
 rother (Z.) VII. 323.
 rothflügeliger (Z.) VII. 317.
 schwarzer (Z.) VII. 321.
 Beutethierchen (Z.) V. 30.
 boordförmiges (Z.) V. 30.
 täufchendes (Z.) V. 30.
 Beutethiere (Z.) VII. 882.
 americanische (Z.) VII. 922.
 fleifchreifende (Z.) VII. 912.
 gefchwänzige (Z.) VII. 895.
 pflanzenreifende (Z.) VII.
 883.
 fchwanzlofe (Z.) VII. 884.
 Beutewiefel (Z.) VII. 918.
 gemeines (Z.) VII. 919.
 Beut-tree = Melia (B.) III.
 1305.
 Beverador, f. Dipsacus laci-
 niatus (B.) III. 786.
 Bewegung (Z.) IV. 198.
 Alder: (Z.) IV. 244.

Bewegung, Athem: (Z.) IV.
 230, 237, 243.
 der Atome (B.) II. 101. —
 (Z.) IV. 251.
 Bfieder: (Z.) IV. 231, 237.
 Knochen: (Z.) IV. 231.
 Kopf: (Z.) IV. 237.
 lebendige (Z.) IV. 198.
 Muskel: (Z.) IV. 234.
 organifche (Z.) IV. 189.
 Ders: (Z.) IV. 230.
 der Pflanzen (M.) I. 13. —
 (B.) III. 101, 160.
 Rumpf: , allgemeine (Z.)
 IV. 237.
 feifftändige und wieder-
 hotte (M.) I. 10.
 Verdauungs: (Z.) IV. 242.
 Wiederholung der (Z.) IV.
 198.
 willkürliche (Z.) IV. 254.
 Wirbel: (Z.) IV. 237.
 im Wollen (Z.) IV. 252.
 Bewegungen (Z.) IV. 204.
 animale (Z.) IV. 237.
 der Gewebe (Z.) IV. 204.
 geiftige (Z.) IV. 237, 244.
 Kopf: (Z.) IV. 237.
 des Rückgraths (Z.) IV. 230.
 vegetative (Z.) IV. 237,
 242.
 willkürliche (Z.) IV. 236.
 Bewegungsnerven der Augen
 (Z.) IV. 58.
 des Athmens (Z.) IV. 187.
 Bewegungsfyftem des Thieres
 (M.) I. 13.
 Bewick, British Birds (Z.)
 VII. 670.
 Bewußtfeyn (Z.) IV. 252.
 Beyfuß (B.) III. 762.
 Beymenningen des Gefteins
 (M.) I. 479.
 Beynerve zum Augennerven
 (Z.) IV. 62.
 Bejoar (Z.) VI. 602. — VII.
 1250, 1352, 1384.
 Bejoargenie (Z.) VII. 1400.
 Bejoarstein (Z.) VII. 1342.
 Bejoarthier (Z.) VII. 1351.
 Bejoarwurj (B.) III. 1558.
 Bejoarziede (Z.) VII. 1350,
 1377.
 Bezola (Z.) VI. 362.
 Bia garu (Z.) V. 330.

Biasoletto, Dialecne Algha
 microscopiche (B.) III. 300,
 2125.
 Biava, f. Bromus mollis (B.)
 III. 411.
 Bibaron de mare (Z.) V. 314.
 Bibas (B.) III. 2071.
 Biber (Z.) VII. 730, 736.
 gemeiner (Z.) VII. 737.
 größere VII. (Z.) 735.
 Gruben: (Z.) VII. 750.
 rätrenartige (Z.) VII. 731.
 Gumpf: (Z.) VII. 735.
 Biberazza de mar (Z.) V. 306.
 Biberbaum (B.) III. 1239.
 brauner (B.) III. 1239.
 chinefifcher (B.) III. 1239.
 gemeiner (B.) III. 1240.
 großblumiger (B.) III. 1240.
 Biberbäume (B.) III. 1239.
 americanifche (B.) III. 1341.
 öhindifche (B.) III. 1239.
 Bibergeiß (Z.) IV. 207. — VII.
 737.
 Bibernelle (B.) III. 1835.
 große (B.) III. 1835.
 fchwarze (B.) III. 1835,
 2063.
 unächte (B.) III. 2002.
 Bibernellen (B.) III. 1835.
 Bibio (Z.) V. 739.
 Johannis (Z.) V. 740.
 Marci (Z.) V. 739.
 Biblis (B.) III. 433.
 Biberola (B.) III. 915.
 Biche (Z.) VII. 1289.
 Bichir (Z.) VI. 388.
 Bicho (Z.) V. 761.
 Bicho de mare (Z.) V. 584.
 Bichon (Z.) VII. 1564.
 Bidveere (B.) III. 892.
 Bidens (B.) III. 784.
 ceruus (B.) III. 749.
 chinensis (B.) III. 749.
 tripartita (B.) III. 749.
 Bidet (Z.) VII. 1234.
 Biebertstein, Marschall de,
 Centuria Plantarum rar.
 Rossiae merid. (B.) III.
 2123.
 Flora taurico-caucasica
 (B.) III. 2123.
 Biegam (M.) I. 103.
 Biene, Bienen (Z.) V. 831,
 836, 974.

Biene, Afer: (Z.) V. 976.
 ägyptische (Z.) V. 1049.
 Arbeits: (Z.) V. 1006.
 Ballen: (Z.) V. 978.
 Buckel: (Z.) V. 977.
 Dufelfack: (Z.) V. 1047.
 Entwicklung des Eyes der
 (Z.) V. 1035.
 Eyerlegen der (Z.) V.
 1029.
 gelbe (Z.) V. 1049.
 Grab: (Z.) V. 976.
 Holz: (Z.) V. 991.
 Honig: (Z.) V. 1006.
 Horn: (Z.) V. 993.
 Hüften: (Z.) V. 984.
 Ichneumon: (Z.) V. 972.
 indische (Z.) V. 1050.
 Literatur der (Z.) V. 1050.
 Mauer: (Z.) V. 995.
 Mohn: (Z.) V. 986.
 Nest: (Z.) V. 1000.
 Rosen: (Z.) V. 988.
 Sand: (Z.) V. 982.
 Schnabel: (Z.) V. 981.
 Seiden: (Z.) V. 983.
 Tapezier: (Z.) V. 986.
 Verlegung der (Z.) V. 1033.
 Waben: (Z.) V. 1006.
 Wand: (Z.) V. 985.
 Wolf: (Z.) V. 984.
 Zellen: (Z.) V. 999.
 Bienenhonig (Z.) V. 1014.
 Bieneukönigin (Z.) V. 1007.
 Bienenkorb, großer (Z.) V.
 426.
 Bienenkörbchen (Z.) V. 425.
 Bienenläuse (Z.) V. 1755.
 Bienenmännchen (Z.) V. 1007.
 Bienenmücken (Z.) V. 808.
 braune (Z.) V. 808.
 gelbe (Z.) V. 808.
 graue (Z.) V. 808.
 Bienenpflege (Z.) V. 1044.
 Bienenstockarten (Z.) V. 1017.
 Bienenwärme (Z.) V. 1037.
 Bienenwärrer (Z.) V. 1371.
 Bienenwachtel (Z.) V. 1017.
 Bienenwäcke (Z.) V. 1047.
 Bienenwaben (Z.) V. 1022.
 Bienenwachs (B.) II. 117. —
 (Z.) V. 1014.
 Bienenwischen (Z.) V. 1047.
 Bienenwespe (Z.) V. 954.
 gemahte (Z.) V. 954.

Bier (M., D. M. S.) I. S.
 XV. — (B.) II. 352. —
 III. 388, 389, 404.
 Biergährung (B.) II. 141.
 Bierfahm (B.) III. 193.
 Bierpflanzen (B.) II. 352.
 Biessuren (Z.) VI. 285.
 Bietheimer (Apfel) (B.) III.
 2085.
 Bietola (B.) III. 1462.
 Bietolina (B.) III. 1373.
 Bifolium (B.) III. 469.
 Bifore, f. Salpa (Z.) V. 497.
 Bigarade (B.) III. 1318.
 Bigarella (B.) III. 2053.
 Bigarreux (B.) III. 2053,
 2054.
 Bigelow, J., American me-
 dical Botany (B.) III.
 2131.
 Florula bostoniensis (B.)
 III. 2134.
 Forwardness of the Spring
 etc. (B.) II. 275.
 Biggel (Z.) VII. 1386.
 Bighorn (Z.) VII. 1337.
 Bigia (Z.) VII. 347.
 grossa (Z.) VII. 34.
 Bigiarella (Z.) VII. 34.
 Bigione (Z.) VII. 33.
 Big-Laurel (B.) III. 1241.
 Bignonia (B.) III. 1006, 1025.
 aequinoctialis (B.) III.
 1007.
 brasiliana (B.) III. 1009.
 catalpa (B.) III. 1007.
 ehica (B.) III. 1009.
 erucigera (B.) III. 1008.
 hortensis (B.) III. 1009.
 leucoxydon (B.) III. 1008.
 procera (B.) III. 1009.
 radicans (B.) III. 1003.
 suberosa (B.) III. 1009.
 unguis (B.) III. 1007.
 Signonien (B.) III. 702, 951,
 953, 990, 1005.
 Siter, der (B.) III. 1135.
 Bihai (B.) II. 515.
 Bihoreau (Z.) VII. 539.
 Bikh, f. Aconitum ferox (B.)
 III. 1161.
 Bilacns (B.) III. 1315.
 tellor (B.) III. 1315.
 Bilberry, f. Vaccinium (B.)
 III. 891.

Bilch (Z.) VII. 765.
 gemeiner (Z.) VII. 766.
 Bildefügel (Z.) V. 1135, 1301.
 Bildstein (M.) I. 197.
 Bildung der Gebirge (M.) I.
 577.
 der Gerölle, und Fortschaf-
 fung derselben durch irdi-
 mendes Wasser (M.) I.
 596.
 gegenwärtige (M.) I. 583.
 gegenwärtige, von Conglo-
 meraten u. Sandsteinen
 (M.) I. 606.
 keramische (M.) I. 596.
 von Geschiebetränken, Sands-
 bänken und Dünen (M.)
 I. 603.
 Bildungen, crystallinische (M.)
 I. 768.
 eocene (M.) I. 661.
 miocene (M.) I. 653.
 pliocene (M.) I. 650.
 Bildungsfest der Pflanzen (B.)
 III. 21.
 Bilimbi (B.) III. 1187.
 Billardiera (B.) III. 1299.
 scandens (B.) III. 1299.
 Billerbeck, Flora classica
 (B.) III. 2131.
 Billeri rossi, f. Campanula
 speculum (B.) III. 798.
 Bilfenkraut (B.) III. 976.
 schwarzes (B.) III. 976.
 weißes (B.) III. 977.
 Bilfenkräuter (B.) III. 976.
 Bilfenkrautmücke (Z.) V. 798.
 Bilfenkrautwanze (Z.) V. 1616.
 Bilfenmücke (Z.) V. 798.
 Bimanns (Z.) VI. 586.
 Bimscoran (Z.) V. 91.
 Bimsstein (M.) I. 204, 494,
 522.
 Bimsstein-Conglomerat (M.)
 I. 522.
 Bimsstein der Vulcane (M.)
 787.
 Bimssteinmasse (M.) I. 494,
 522.
 Bimärties (M.) I. 402.
 Bind-weed f. Convolvulus (B.)
 III. 1082.
 Binzelkraut (B.) III. 1577.
 Sommer, (B.) III. 1577.
 Winter, (B.) III. 1577.

- Binglekräuter (B.) III. 1576, 1577.
 Binse (B.) III. 437. Bgl. Binsen.
 Feld: (B.) III. 438.
 Platter: (B.) III. 437.
 Glieder: (B.) III. 437.
 Halm: (B.) III. 438.
 Knopf: (B.) III. 437.
 Kröten: (B.) III. 437.
 Strandfals: (B.) III. 442.
 Zwiebel: (B.) III. 437.
 Binsenartige (Pflanzen) (B.) III. 381, 382, 436.
 Binsen (R.) I. 589. — (B.) III. 377, 380, 382, 436. Bgl. Binse.
 Blumens: (B.) III. 444.
 Blüthen: (B.) III. 381.
 Degen: (B.) III. 438.
 eigentliche (B.) III. 382.
 Frucht: (B.) III. 381.
 Ketsch: (B.) III. 438.
 Mark: (B.) III. 437.
 Satz: (B.) III. 442.
 Spelzen: (B.) III. 436.
 Binsengras (B.) III. 429.
 Meer: (B.) III. 430.
 Moor: (B.) III. 429.
 See: (B.) III. 429.
 Sumpf: (B.) III. 429.
 Wald: (B.) III. 430.
 Binsengräser (B.) III. 381, 382, 429.
 Binsennadeln (B.) III. 1297.
 gemeine (B.) III. 1298.
 Binsennarcisse (B.) III. 539.
 Binsenröschen (B.) III. 780.
 rauhe (B.) III. 780.
 Bintangor *maritima* (B.) III. 1426.
 Binturong (Z.) VII. 1698.
 Binzbinne (Z.) VI. 292.
 Biologie der Pflanzen (B.) II. 175.
 Biophytum (B.) III. 1177.
 Biot (R.) I. 455.
 Inflammation de la Fraxinelle (B.) II. 264.
 Bipes (Z.) VI. 586, 591.
 Birch, f. Birke (B.) III. 1537.
 Birch-tree (B.) III. 1764.
 Birdgras (B.) III. 413.
 Birgus (Z.) V. 645.
crumenatus (Z.) V. 645.
 Birgus latro (Z.) V. 645.
 Biria, Hist. de *Ranonculus* (B.) III. 1440.
 Birke (B.) III. 1537.
 weiße (B.) III. 1537.
 Zwerg: (B.) III. 1537.
 Birken (B.) III. 1537.
 Birkenforche (B.) III. 1586.
 brasiliische (B.) III. 1587.
 gemeine (B.) III. 1586.
 Birkenforchen (B.) III. 1586.
 Birkenholz, Fische der Curmark (Z.) VI. 405.
 Birkenknippen (B.) III. 91.
 Birkenöl (B.) III. 1537.
 Birkenreißer (B.) III. 157.
 wider (B.) III. 157.
 Birkenrost (B.) III. 1537.
 Birkenständer (Z.) V. 1778.
 Birkenspanner (Z.) V. 1273.
 Birkenstille (B.) III. 1763.
 gemeine (B.) III. 1763.
 javanische (B.) III. 1764.
 Birkenstippen (B.) III. 1763.
 Birkenwein (B.) III. 1537.
 Birkenzucker (B.) III. 1537.
 Birkenheher (Z.) VII. 334.
 Birkenhuhn (Z.) VII. 591.
 Birkenäpfel (B.) III. 2086.
 blaue (B.) III. 2086.
 bunte (B.) III. 2086.
 rothe (B.) III. 2086.
 Birkenbaum (B.) III. 2074. Bgl. Birne.
 gemeiner (B.) III. 2074.
 Birnbirnen (B.) III. 2077.
 Birnblattfloh (Z.) V. 1581.
 Birnblattlaus (Z.) V. 1557.
 Birnblattwespe (Z.) V. 886, 891.
 Birnblüthenwager (Z.) V. 1642.
 Birnbrand (B.) III. 52.
 Birne (B.) III. 2074. Bgl. Birnen.
 Ananas: (B.) III. 2079.
 Atlas: (B.) III. 2078.
 August: (B.) III. 2079.
 Bassam: (B.) III. 2079.
 Bergamott: (B.) III. 2080.
 — Herbst: (B.) III. 2081.
 — holländische (B.) III. 2081.
 — rothe (B.) III. 2080.
 — Schweizer (B.) III. 2081.
 — Sommer: (B.) III. 2080.
 — Winter: (B.) III. 2081.
 Birne, beste (B.) III. 2079.
 Bisam: (B.) III. 2078.
 Butter: (B.) III. 2077.
 — graue (B.) III. 2077.
 — Winters: (B.) III. 2077.
 Caffee: (B.) III. 2079.
 Castanien: (B.) III. 2079.
 Champagnerwein: (B.) III. 2076.
 Eider: (B.) III. 2076.
 Damen: (B.) III. 2079.
 Eyer: (B.) III. 2079.
 — Herbst: (B.) III. 2080.
 Fals: (B.) III. 2076.
 Feigen: (B.) III. 2078.
 Fisch: (B.) III. 2070.
 Forellen: (B.) III. 2080.
 Franciscus: (B.) III. 2076.
 Früh: (B.) III. 2077.
 Garten: (B.) III. 2080.
 gemeine (B.) III. 2074.
 Glanz: (B.) III. 2080.
 Glas: (B.) III. 2078.
 Gold: (B.) III. 2077.
 Gras: (B.) III. 2076.
 Harnett: (B.) III. 2078.
 Hermanns: (B.) III. 2078.
 Honig: (B.) III. 2077.
 — große (B.) III. 2080.
 — Winter: (B.) III. 2080.
 Hut: (B.) III. 2076.
 Jagd: (B.) III. 2078.
 Johannis: (B.) III. 2077.
 Kaiser: (B.) III. 2078.
 Ketter: (B.) III. 2081.
 Kibbepel: (B.) III. 2081.
 Kümmer: (B.) III. 2077.
 Leder: (B.) III. 2078.
 Liebes: (B.) III. 2079.
 Magdalenen: (B.) III. 2080.
 Manna: (B.) III. 2079.
 Marzipan: (B.) III. 2080.
 Martinus: (B.) III. 2080.
 Moos: (B.) III. 2076.
 Muscateller: (B.) III. 2079.
 — rothe (B.) III. 2079.
 Nuss: (B.) III. 2078.
 Pfalzgrafen: (B.) III. 2079.
 Pomeranzen: (B.) III. 2080.
 — Winter: (B.) III. 2081.
 Rhytes: (B.) III. 2080.
 Saracenen: (B.) III. 2078.
 Schäfers: (B.) III. 2077.
 Schag: (B.) III. 2076.
 Schmalz: (B.) III. 2077.

- Birne, Schmalz-, graue (B.) III. 2077.
 Sommers (B.) III. 2079.
 - graue (B.) III. 2077.
 Spars (B.) III. 2079.
 Tafel (B.) III. 2078.
 - Fürsten (B.) III. 2078.
 Berier (B.) III. 2080.
 Waffer (B.) III. 2078.
 Weiß (B.) III. 2080.
 Welsch (B.) III. 2079.
 Winter (B.) III. 2076.
 - grüne (B.) III. 2078.
 - schöne (B.) III. 2076.
 Zucker (B.) III. 2077.
 - große (B.) III. 2077.
 - Herbst (B.) III. 2078.
 - - grüne (B.) III. 2078.
 - Johannis (B.) III. 2078.
 - Winter (B.) III. 2078.
 Zwiebel (B.) III. 2079.
 - Sommer (B.) III. 2079.
 Birnenstein (B.) III. 1743.
 süße (B.) III. 1744.
 Birnen (B.) III. 2074. Hgf.
 Birne.
 Apfel (B.) III. 2079.
 Bergamott (B.) III. 2080.
 Birn (B.) III. 2077.
 Bollweiser (B.) III. 2074.
 Butten (B.) III. 2076.
 Butters (B.) III. 2076.
 Essen (B.) III. 2076.
 Essig (B.) III. 2076.
 Gewürz (B.) III. 2079.
 Hagebutten (B.) III. 2074.
 Herbst (B.) III. 2078, 2080, 2081.
 Holz (B.) III. 2075.
 Lager (B.) III. 2076.
 Mehl (B.) III. 2074.
 Meth (B.) III. 2077.
 Nüßel (B.) III. 2074, 2076.
 Nöß (B.) III. 2076.
 Muscateller (B.) III. 2077.
 Pfund (B.) III. 2076.
 Pomeranz (B.) III. 2080.
 Quitten (B.) III. 2080.
 Saft (B.) III. 2076.
 Schmalz (B.) III. 2076.
 Sommer (B.) III. 2077, 2079, 2080.
 Spier (B.) III. 2074, 2077.
 Spors (B.) III. 2074.
 Tafel (B.) III. 2077.
 Birne, Winter (B.) III. 2076, 2078, 2080, 2081.
 Birnenmich (B.) III. 62.
 Birnenwurm (Z.) V. 1198.
 Birnenmoos f. Bryum (B.) III. 293.
 Birnenrost (B.) III. 2076.
 Birnrippeln (B.) III. 104.
 Birnquitte (B.) III. 2090.
 Birnquitten (B.) III. 2090.
 Birnschnecke (Z.) V. 489.
 gebänderte (Z.) V. 489.
 Birnschuben (B.) III. 1924.
 gemeine (B.) III. 1924.
 Birnspanner (Z.) V. 1275.
 Birnwein (B.) III. 2076.
 Birolia, G., Flora aconien-
 sis (B.) III. 2124.
 Birolia, f. Elatina (B.) III.
 1355.
 Birthwort, f. Aristolochia (B.)
 III. 804.
 Bisam (Z.) IV. 207. - VII.
 1272.
 Bisamaffe (Z.) VII. 1747.
 Bisambiene (B.) III. 2078.
 Bisambtume (B.) III. 728.
 weiße (B.) III. 728.
 Bisambod (Z.) V. 1702.
 Bisambdistel (B.) III. 731.
 Bisamente (Z.) VII. 469.
 Bisamflitte (B.) III. 1220.
 Bisamfloekenblume (B.) III.
 728.
 Bisamgehren (B.) III. 2032.
 gemeine (B.) III. 2032.
 Bisamhiefen (B.) III. 1307.
 gemeine (B.) III. 1307.
 Bisamkäspappel (B.) III. 1208.
 Bisamkräuter (B.) III. 1221.
 Bisamkraut (B.) III. 1171,
 1857.
 gemeines (B.) III. 1857.
 Bisamkräuter (B.) III. 1857.
 Bisamnagel (Z.) V. 485, 489.
 kleiner (Z.) V. 485.
 Bisamochse (Z.) VII. 1403.
 Bisamratte (Z.) VII. 721, 731.
 gemeine (Z.) VII. 731.
 Bisamrose (B.) III. 2020.
 Bisamschafgarbe (B.) III. 758.
 Bisamschröder (Z.) V. 1702.
 Bisamschwein (Z.) VII. 1138.
 mit Halsband (Z.) VII. 1138.
 weißlippiges (Z.) VII. 1137.
 Bisamschweine (Z.) VII. 1137.
 Bisamspigmaus (Z.) VII. 944.
 gemeine (Z.) VII. 944.
 pyrenäische (Z.) VII. 947.
 Bisamspigmäuse (Z.) VII. 944.
 Bisamsprutte (Z.) V. 535.
 Bisamthier (Z.) VII. 1272.
 americanisches (Z.) VII.
 1280.
 ceylonisches (Z.) VII. 1280.
 gemeines (Z.) VII. 1280.
 javanisches (Z.) VII. 1279.
 Zwerg (Z.) VII. 1280.
 Bisamthiere (Z.) VII. 1272.
 Biscacha (Z.) VII. 805.
 Biscacho (Z.) VII. 808.
 Bischoff, G. W., Die cryp-
 toganischen Gewächse
 (B.) II. 95, 267. - III.
 2117.
 Grundriß der medicin. Bot-
 tanik (B.) II. 385.
 Handb. der bot. Termino-
 logie (B.) II. 96. - III.
 2120.
 Ueber Charen u. Equiseten
 (B.) II. 276.
 Wärmerlehre (M.) I. 816.
 Bischoff, Th., De vasorum
 spirialium structura et
 indole (B.) II. 268.
 Bischofsmüge (Z.) V. 456.
 Bischofsstab (Z.) V. 531.
 Biscutella (B.) III. 1399.
 apula (B.) III. 1399.
 Biserrula (B.) III. 1626.
 pelocinus (B.) III. 1626.
 Biset (Z.) VII. 299.
 Bish, f. Aconitum ferox (B.)
 III. 1162.
 Bis lingua (B.) III. 620.
 Bisamthum = Bisamurth
 (M.) I. 124.
 Bison (Z.) VII. 1415, 1420,
 1425.
 Bissa (Z.) VI. 124.
 Bisse dei legni (Z.) V. 280.
 Bissen (Z.) V. 210.
 Bissen, saurer (B.) III. 1258.
 süßer (B.) III. 1259.
 Bistorta (B.) III. 1480.
 Bitter Doorn (B.) III. 853.
 Bitterdöve (B.) III. 1252.
 haarige (B.) III. 1252.
 strauchartige (B.) III. 1252.

Bitterbären (B.) III. 1252.
 Bitterdorn (B.) III. 852.
 gemeiner (B.) III. 853.
 kleinblütiger (B.) III. 852.
 Bitterdorne (B.) III. 852.
 Bittererde (M.) I. 119, 514.
 Bitterkratten (B.) III. 1164.
 gemeine (B.) III. 1164.
 Bittergrauten (B.) III. 877.
 rothe (B.) III. 877.
 Bitterholz (B.) III. 1290.
 gemeines (B.) III. 1290.
 Bitterhölzer (B.) III. 1290.
 Bitterjaden (B.) III. 1269.
 Bitterkalk (M.) I. 241.
 Bitterlee (B.) III. 1017.
 gemeiner (B.) III. 1017.
 schildförmiger (B.) III. 1018.
 Bitterkraut (B.) III. 721.
 borstiges (B.) III. 721.
 rauhes (B.) III. 721.
 Bitterkräuter (B.) III. 721.
 Bitterling (B.) III. 154.
 Bitterling (Z.) VI. 292, 301.
 Bittertoren (B.) III. 1525.
 gemeine (B.) III. 1525.
 Bittertortise (B.) III. 1579.
 gemeine (B.) III. 1579.
 schildförmige (B.) III. 1579.
 Bitterröschen (B.) III. 1579.
 Bittermandelöl (B.) II. 122.
 Bitte (Z.) VII. 541.
 Bitterröschen (B.) III. 779.
 gemeine (B.) III. 779.
 Bittersalz (M.) I. 119, 299, 720.
 prismatisches (M.) I. 299.
 Bitterspath (M.) I. 242, 243, 770.
 hängeliger (M.) I. 243.
 Bitterstoffe (B.) II. 126.
 Bitterstrepfen (B.) III. 744.
 orientalische (B.) III. 744.
 Bittersüß (B.) III. 988.
 Bitterwasser (M.) I. 300.
 Bitterwurz (B.) III. 1019.
 bunte (B.) III. 1020.
 frühe (B.) III. 1019.
 gelbe (B.) III. 1021.
 gewimperte (B.) III. 1019.
 gewürzhafte (B.) III. 1020.
 krenzförmige (B.) III. 1019.
 schmalblättrige (B.) III. 1020.
 schwambwurzartige (B.) III. 1021.

Bitterwurz (B.) III. 1019.
 Bitumen (M.) I. 704.
 Bivona-Bernardi. Centuria II. Sicularum Plantarum (B.) III. 2124.
 Stirpes rar. in Sicilia (B.) III. 2124.
 Bixa (B.) III. 1379.
 orellana (B.) III. 1379.
 Biraceen (Birinen) (B.) III. 1140, 1346, 1364, 1377, 1378.
 Biter. der (B.) III. 1447.
 Bjeluga (Z.) VI. 69.
 Bjoerkna (Z.) VI. 316.
 Blackbass (Z.) VI. 253.
 Black-bird (Z.) VII. 60.
 Black-drink (B.) III. 1739.
 Black-Fox (Z.) VII. 1494.
 Black-Grouse (Z.) VII. 591.
 Black-Grunt (Z.) VI. 241.
 Black-Hairy (Z.) VI. 253.
 Black-Leopard (Z.) VII. 1608.
 Black-Snake (Z.) VI. 556, 579.
 Black-Tiger (Z.) VII. 1590.
 Black-Walnut (B.) III. 1751.
 Black-wood (B.) III. 1673.
 Bladhia (B.) III. 1123.
 Blado (Z.) VI. 229.
 Blainville, Malocologie (Z.) V. 390.
 Blair, P. Botanical Essays (B.) II. 279, 284.
 Blaireau (Z.) VII. 1525.
 Blakea (B.) III. 1901.
 parasitica (B.) III. 1901.
 quinquenervis (B.) III. 1901.
 trinervia (B.) III. 1902.
 Bla-Kraka (Z.) VII. 334.
 Blanc de Baleine (Z.) VII. 1058.
 Blanc-nez (Z.) VII. 1809.
 Blandow, Musci frondosi exsicc. (B.) III. 303.
 Blanquette (Z.) VI. 371.
 Blanus (Z.) VI. 586.
 Blaps (Z.) V. 1786.
 mortisaga (Z.) V. 1787.
 Blarin (Z.) VI. 291.
 Bläschen (B.) III. 182. - (Z.) IV. 105, 150.
 Darm: (Z.) IV. 303.

Bläschen, Datter: (Z.) IV. 303.
 Eynweiß: (Z.) IV. 151.
 Gallerts: (Z.) IV. 151.
 Nabel: (Z.) IV. 302.
 Urförm der organ. Welt (Z.) IV. 106.
 Bläscheninhalt (Z.) IV. 186.
 Blase (Z.) IV. 152, 302.
 Athens: (Z.) IV. 155.
 Darm: (Z.) IV. 155, 303.
 Ernährungs: (Z.) IV. 155.
 Gallen: (Z.) IV. 70.
 Gefäß: (Z.) IV. 155, 303.
 Geschlechts: (Z.) IV. 303.
 große: (Z.) IV. 152.
 Horn: (Z.) IV. 104, 303.
 Haut: (Z.) IV. 155.
 Kiemen: (Z.) IV. 303.
 runde: (Z.) IV. 456.
 Verdauungs: (Z.) IV. 155.
 Blasen (Z.) IV. 65, 109, 302.
 concentrische (Z.) IV. 155.
 einfache (Z.) IV. 109.
 Wasser: (Z.) IV. 109.
 Blasenaiagen (B.) III. 182.
 Blasenbrande (B.) III. 53.
 gemeiner (B.) III. 53.
 Blasenacalline (Z.) V. 75.
 ältige (Z.) V. 80.
 cypresseartige (Z.) V. 79.
 federartige (Z.) V. 77.
 gräthenförmige (Z.) V. 79.
 haarförmige (Z.) V. 79.
 sichtförmige (Z.) V. 79.
 Blasenacallien (Z.) V. 72, 73, 75.
 Blasenflappe (B.) III. 206.
 gabeliger (B.) III. 206.
 gemeiner (B.) III. 206.
 förmiger (B.) III. 206.
 rasenartiger (B.) III. 206.
 Blasenflitte (B.) III. 1221.
 Blasenfuß (Z.) V. 1439.
 Blasenquideln (B.) III. 1896.
 gemeine (B.) III. 1896.
 Blasenkielementiere (Z.) IV. 579.
 Blasenlee (Z.) III. 1635.
 Blasenlöcher (B.) III. 236.
 gemeiner (B.) III. 236.
 Blasenklumpenmoder (B.) III. 65.
 Blasenmoos, f. Splachnum (B.) III. 278.
 Blasenquallen (Z.) V. 195.

Blasenschimmel (B.) III. 59.
 Blasenschlingen (B.) III. 205.
 langborstige (B.) III. 205.
 Blasenschnecke (Z.) V. 404.
 braune (Z.) V. 405.
 durchsichtige (Z.) V. 404.
 gefürchte (Z.) V. 405.
 geprennfeste (Z.) V. 404.
 offene (Z.) V. 405.
 Blasenenden (B.) III. 435.
 gemeine (B.) III. 436.
 Blasenenne (B.) III. 1649.
 Blasenfrauch (B.) III. 1648.
 gemeiner (B.) III. 1649.
 rother (B.) III. 1648.
 Blasenfräucher (B.) III. 1648.
 Blasenfang (B.) III. 234.
 Blasenfräger (Z.) V. 198.
 gemeiner (Z.) V. 198.
 quastenförmiger (Z.) V. 198.
 Blasenwand (Z.) V. 109.
 Blasenwanze (Z.) V. 1615.
 Rüster (Z.) V. 1616.
 Blasenwanzen (Z.) V. 1615.
 Blasenwürmer (Z.) V. 544.
 Blaser (Z.) VII. 1050, 1070.
 Blasia (B.) III. 269.
 pusilla (B.) III. 269.
 Bläßbock (Z.) VII. 1372.
 Bläßengans (Z.) VII. 479.
 Bläßente (Z.) VII. 464.
 Bläßfuchs (Z.) VII. 1545.
 Bläßhuhn, Bläßhühner (Z.)
 VII. 566.
 gemeines (Z.) VII. 567.
 rothes (Z.) VII. 566.
 Bläßmoll (Z.) VII. 713.
 Bla-stal (Z.) VII. 221.
 Blatt (Z.) f. kleines, trockenes
 u. wandelndes.
 Blatt (Z.) f. Blätter.
 Blatta (Z.) V. 1503, 1786.
 americana (Z.) V. 1406.
 byzantina (Z.) V. 484.
 germanica (Z.) V. 1405.
 lapponica (Z.) V. 1405.
 orientalis (Z.) V. 1405.
 Blattaderer (B.) III. 228.
 Blattaria (B.) III. 973.
 Blattarzney (B.) II. 373.
 Blattarsener (Z.) V. 381.
 Blättchen (M.) I. 83.
 durchsichtige (B.) III. 384.
 Blättchenflemer (Z.) V. 571.
 Blättchenschnecke (Z.) V. 408.

Blättchenwürm (Z.) V. 571.
 Blätter (B.) II. 32, 219.
 Alters (B.) II. 36.
 Arten der (B.) II. 36.
 Athemorgane der (B.) II.
 195.
 ausgeschlagene (B.) II. 36.
 Baß (B.) II. 36.
 Bewegung der (B.) II. 160.
 - Litter. der (B.) II. 261.
 Drossel (B.) II. 36.
 eingerollte (B.) II. 36.
 eingeschlagene (B.) II. 36.
 Einfangung der (B.) II.
 190.
 flächigende (B.) II. 36.
 fußförmige (B.) II. 36.
 gefiederte (B.) II. 34.
 geglederte (B.) II. 36.
 Gerber (B.) II. 373.
 handförmige (B.) II. 36.
 Hauptstiel der (B.) II. 34.
 Holz (B.) II. 36.
 Knospentage der (B.) II. 36.
 Lappen der (B.) II. 34.
 Lungen der (B.) II. 195.
 Luftathmung der (B.) II.
 192.
 - Litter. der (B.) II. 268.
 Neben (B.) II. 38.
 Neg (B.) II. 33.
 Quier der (B.) II. 35.
 Ranken der (B.) II. 37.
 Rinden (B.) II. 36.
 Scheiden (B.) II. 33.
 Stellung der (B.) II. 34.
 Stengel (B.) II. 31.
 Stiel der (B.) II. 34.
 Theilung der (B.) II. 34.
 Verbitdung der (B.) II. 37.
 Verkümmerung der (B.) II.
 36.
 vollkommene (B.) II. 36.
 Wurzel (B.) II. 36.
 Zellen (B.) II. 36.
 Zier (B.) II. 362.
 zugerollte (B.) II. 36.
 zusammengesclagene (B.)
 II. 36.
 zusammengesetzte (B.) II.
 36.
 Zusammenschlagen der (B.)
 II. 161.
 Blätteramphibien (Z.) VI. 630,
 631.

Blätterasteln (Z.) V. 612.
 Blätterblumen (B.) III. 15.
 Blätter der Robinia (botan.
 Zeit.) (B.) II. 361.
 Blätterdeckhen (Z.) VI. 631.
 Blättererz (M.) I. 433.
 Blätterfische (Z.) VI. 237.
 Blätterfäfer (Z.) V. 1789.
 Blätterköhse (M.) I. 308.
 Blätterkuchen (Z.) V. 313.
 Blätterläschen (B.) III. 269.
 dreplappige (B.) III. 371.
 farrenartige (B.) III. 270.
 flache (B.) III. 270.
 gedehnte (B.) III. 271.
 haarblätterige (B.) III. 271.
 kleine (B.) III. 270.
 kriechende (B.) III. 271.
 stiellose (B.) III. 269.
 vielblättrige (B.) III. 270.
 vielpaltrige (B.) III.
 Blätterwagen (Z.) VII. 1242.
 Blätterpilz (B.) III. 107.
 Blätterrippe (B.) III. 46, 129,
 145.
 ächte (B.) III. 145.
 Blätterraubfäfer (Z.) V. 1713.
 gemeiner (Z.) V. 1713.
 Blätterrinde (Z.) V. 90.
 gemeine (Z.) V. 90.
 Blätterstein (M.) I. 499, 512.
 Blättertellur (M.) I. 433.
 Blätterzähne (Z.) IV. 138, 417.
 Blätterzeolith (M.) I. 170.
 Blattfall (B.) II. 257.
 Blattfarben (B.) II. 372.
 Blattfasern (B.) II. 369.
 Blattsiederchen (B.) II. 81.
 Blattstoh, Blattstöhe (Z.) V.
 1578.
 Dien (Z.) V. 1581.
 Buchs (Z.) V. 1580.
 Erlens (Z.) V. 1583.
 Feigen (Z.) V. 1579.
 Nessels (Z.) V. 1581.
 Blattfutter (B.) II. 334.
 Blattgemüse (B.) II. 343.
 Blattgeräth (B.) II. 367.
 Blattgeränt (B.) II. 351.
 Blattgewürz (B.) II. 348.
 Blattjirt (B.) II. 362.
 Blattgrün (M., D. M. S.)
 S. XVII. — (B.) II.
 128.
 Blattthylser (Z.) V. 1183.

Blattl (B.) III. 1933.
 Blattkäfer (Z.) V. 1663, 1667, 1714.
 bedekte (Z.) V. 1670.
 bloße (Z.) V. 1664.
 eigentliche (Z.) V. 1667.
 enfförmige (Z.) V. 1667.
 Fappel (Z.) V. 1667.
 Nainfarren (Z.) V. 1666.
 rothgefäunter (Z.) V. 1668.
 rothschwänziger (Z.) V. 1668.
 Rüsler (Z.) V. 1676.
 schlanke (Z.) V. 1675.
 Seerofen (Z.) V. 1667.
 violettschwarzer (Z.) V. 1669.
 Blatt, kleines (Z.) V. 381.
 Blattknospen (B.) II. 31.
 Blattkohl (B.) III. 1403.
 Blattkohlte (M.) I. 310.
 Blattkrone (Z.) V. 513.
 Blattkrebs (Z.) V. 633.
 Blattlachs (Z.) VI. 328.
 Blattlaus, Blattläuse (Z.) V. 1553.
 Afler (Z.) V. 1578.
 Aßern (Z.) V. 1560.
 Aßfel (Z.) V. 1557, 1568, 1573.
 Bedeckung der (Z.) V. 1560.
 Beutel (Z.) V. 1559.
 Birn (Z.) V. 1557.
 in Blasen (Z.) V. 1558.
 auf Blättern (Z.) V. 1557.
 Buchen (Z.) V. 1561.
 Diftel (Z.) V. 1572.
 Eichen (Z.) V. 1562.
 Fichtenzellen (Z.) V. 1570.
 Fichtenproffen (Z.) V. 1566.
 Filder, schwarze (Z.) V. 1555.
 Rohk (Z.) V. 1558.
 Linden (Z.) V. 1556.
 Lirer, der (Z.) V. 1628.
 Ruß (Z.) V. 1557.
 Pflanzien (Z.) V. 1559.
 Roßen (Z.) V. 1562, 1568.
 Rüslerblättern (Z.) V. 1569.
 Rüslergallen, schwärzliche (Z.) V. 1558.
 Schaben (Z.) V. 1576.
 Spindelbaum (Z.) V. 1564.
 Terpenthin (Z.) V. 1559.
 Vermehrung der (Z.) V. 1564.
 Verwandlung der (Z.) V. 1561.

Blattlaus, Wohnörter, beson-
 dere, der (Z.) V. 1562.
 auf Zweigen (Z.) V. 1555.
 Zwischen (Z.) V. 1557, 1568.
 Blattlausfresser (Z.) V. 809, 1762.
 citronengelber (Z.) V. 1766.
 geäungeter (Z.) V. 1766.
 mit schwarzen Düpfeln (Z.) V. 1765.
 mit weißen Düpfeln (Z.) V. 1766.
 mit vierzehn Düpfeln (Z.) V. 1767.
 mit zwey Düpfeln (Z.) V. 1765.
 schwarzer (Z.) V. 1763.
 jactig gezeichnet (Z.) V. 1766.
 zweyflecker, kleiner (Z.) V. 1764.
 Blattlauskäfer (Z.) V. 1762.
 Blattlauslöwe (Z.) V. 1447, 1762.
 gemeinßer (Z.) V. 1448.
 goldäunziger (Z.) V. 1450.
 spinnenförmiger (Z.) V. 1449.
 Blattlauslöwen (Z.) V. 1447.
 Blattlausmücken (Z.) V. 809.
 Blattnehl (B.) II. 314.
 Blattmoose (B.) III. 228.
 Blattnager (Z.) V. 1637.
 Blattmaien (Z.) VII. 961.
 Blattobst (B.) II. 330.
 Blattträger (Z.) V. 1270.
 Blattroller (Z.) V. 1619.
 Fappel (Z.) V. 1649.
 flahlblauer (Z.) V. 1649.
 Blattflüßelkäfer (Z.) V. 1635.
 Blattschaber (Z.) V. 1634.
 Blattscheide (B.) II. 33, 261.
 Blattschneider (Z.) V. 987.
 Blattschwüngen (B.) II. 161.
 Blatt, trockenes (Z.) 1508.
 Blattunkraut (B.) II. 361.
 Blatt, wandelndes (Z.) V. 1509, 1511.
 Blattwespe (Z.) V. 874.
 Apricoßen (Z.) V. 889.
 Birn (Z.) V. 886, 891.
 Erlen (Z.) V. 886.
 Fichten (Z.) V. 884.
 furchtsame (Z.) V. 883.

Blattwespe, Galläpfel (Z.) V. 887.
 Geißblatt (Z.) V. 882.
 holzgelbe (Z.) V. 880.
 Kirichen (Z.) V. 886.
 Korbweiden (Z.) V. 886.
 Möhren (Z.) V. 888.
 ovale (Z.) V. 883.
 Pappeln (Z.) V. 890.
 Roßen (Z.) V. 888.
 schwarze (Z.) V. 881.
 - große (Z.) V. 881.
 - kleine (Z.) V. 882.
 Weiden (Z.) V. 887.
 Weißdorn (Z.) V. 886.
 Blattweiden (Z.) V. 874.
 Blattwickler (Z.) V. 1088, 1244.
 einsame (Z.) V. 1244.
 gefestige (Z.) V. 1256.
 Blau (M.) I. 96. (D. M. S.) XVIII.
 Blaumiel (Z.) VII. 62.
 Blaubäuchlein (Z.) VI. 307.
 Blaubere (B.) III. 892.
 Blaubeyerz (M.) I. 426.
 Blaubock (Z.) VII. 1396.
 Blaueisenerde (M.) I. 360.
 Blaueisenstein (M.) I. 357.
 Blaueute (Z.) VII. 464.
 Blauföchen (Z.) VI. 361.
 Blaufuchs (Z.) VII. 132.
 Blaugrundel (Z.) VI. 170.
 Blauhofz (B.) II. 192. — III. 1720.
 gemeines (B.) III. 1720.
 Blauhötzer (Z.) III. 1720.
 Blauhofz, Roth (M., D. M. S.) I. S. XVII. — (B.) III. 1721.
 Blaukehchen (Z.) VII. 41.
 Blaukohl (B.) III. 1403.
 Blaukopf (Z.) V. 1091, 1340.
 Blaukopf (Z.) VII. 364.
 Blaukühnen (B.) III. 1676.
 gemeine (B.) III. 1677.
 Blaulichgrau (M.) I. 96.
 Bläuling (Z.) V. 1391.
 gemeiner (Z.) V. 1393.
 Spanhechel (Z.) V. 1392.
 Bläuling (Z.) VI. 308.
 Bläuling (Z.) VI. 364.
 Bläulinge (Z.) V. 1383, 1391.
 Blaumeise (Z.) VII. 244.
 Blauschnoppen (B.) III. 1054.
 gemeine (B.) III. 1054.

Blausäure (M.) I. 115. — (B.) II. 121, 125. — III. 2047 ff.
 Blauspath (M.) I. 185.
 Blausparthe (M., D. M. S.) I. S. XI.
 Blauschwarz (Z.) V. 1306.
 Blauvogel (Z.) VI. 62.
 Blauwasser (B.) III. 1836.
 Blé (B.) III. 389.
 Bleak (Z.) VI. 311.
 Blechnum (B.) III. 328.
 boreale (B.) III. 328.
 Bled (B.) III. 389.
 Bleich (Z.) VI. 316.
 Blei (M.), f. Bleiz.
 Bleich (Z.) VI. 317.
 Bleichholz (Z.) VII. 1362.
 Bleich (Z.) VI. 317.
 Blendbaum (B.) III. 1585.
 gemeiner (B.) III. 1585.
 Blendbäume (B.) III. 1585.
 Blende, Antimon: (M.) I. 440.
 Arsenik, gelbe (M.) I. 449.
 — rothe (M.) I. 450.
 Arseniksilber: (M.) I. 446.
 Blanz: (M.) I. 441.
 Granat: (M.) I. 442.
 Mangan: (M.) I. 441.
 Mercur: (M.) I. 448.
 Purpur: (M.) I. 440.
 Rothspiegglanz: (M.) I. 440.
 Rubin: , semiprismatische (M.) I. 447.
 — peritome (M.) I. 448.
 — rhomboedrische (M.) I. 444.
 — Silber: (M.) I. 444.
 Spiegglanz: (M.) I. 440.
 Zink: (M.) I. 442.
 Blendes (M., D. M. S.) I. S. XX. 440, 722, 741, 744.
 Brenz:)
 Classen:)
 Elementen:)
 Erds:)
 Erz:)
 Feuer: (M., D. M. S.) I. S. XX., XXI., XXII.
 Feds:)
 Kalk:)
 Kiesel:)
 Lufts:)
 Salz:)
 Latt:)
 Thon:)
 Wasser:)

Biennius (Z.) VI. 145.
 gattorugine (Z.) VI. 146.
 gunnellus (Z.) VI. 146.
 ocellaris (Z.) VI. 146.
 phocis (Z.) VI. 145.
 phycis (Z.) VI. 149.
 viviparus (Z.) VI. 145.
 Biennus (Z.) VI. 146.
 Blevine (Z.) VII. 569.
 Bley (M.) I. 113, 124.
 Bleyantimonerz (M.) I. 436.
 Bley, apfelsaures (M., D. M. S.) I. S. XX.
 Bley, arseniksaures (M.) I. 377.
 Bleyfunden mit Zellur (M., D. M. S.) I. S. XXI.
 Schwefel (M., D. M. S.) I. S. XXI.
 Selen: (M., D. M. S.) I. S. XXI.
 Bleychloroxyd (M.) I. 383.
 Bleychromat (M.) I. 380.
 Bley, chromsaures (M., D. M. S.) I. S. XX.
 Bleyerde (M.) 384.
 Bleyerze des bunten Sandsteins (M.) I. 725.
 des Quecks (M.) I. 772.
 des Kohlenkalkes (M.) I. 746.
 des Vias (M.) I. 704.
 des Uebergangschiefergebirges (M.) I. 761.
 sibirische (B.) I. 370.
 Bleyerz von Mendip (M.) I. 383.
 Bley, essigsaures (M., D. M. S.) I. S. XVI.
 Bley, gediegenes (M.) I. 460.
 Bleyglanz (M.) I. 426, 722, 726, 741, 744, 826.
 feinspreißiger (M.) I. 427.
 grobspreißiger (M.) I. 427.
 hexaedrischer (M.) I. 426.
 feinspreißiger (M.) I. 427.
 malmiger (M.) I. 427.
 silberhaltiger (M.) I. 772.
 Bleyglanzblende (M.) I. 773.
 Bleyglarte (M., D. M. S.) I. S. XIX.
 Bleygran (M.) I. 96.
 reines (M.) I. 96.
 schwärzliches (M.) I. 96.
 weißliches (M.) I. 96.

Bleygummi (M.) I. 383.
 Bleyhalde, erzsaures (M., D. M. S.) I. S. XX.
 kochsaftsaures (M., D. M. S.) I. S. XX.
 kohlenfaures (M., D. M. S.) I. S. XX.
 phosphorsaures (M., D. M. S.) I. S. XX.
 schwefelsaures (M., D. M. S.) I. S. XX.
 Bleyhornerz (M.) 382.
 Bleykalk (M., D. M. S.) I. S. XV.
 Bley, kohlenfaures (M.) 322, 241.
 Bleylager im Muschelkalk (M.) I. 718.
 Bleymothyddar (M.) I. 378.
 Bleyoxyd, natürliches rothes (M.) I. 351.
 Bleyplaster (M., D. M. S.) I. S. XV.
 Bley, phosphorsaures (M.) I. 377.
 prismatisches schwefelkohlenfaures (M.) I. 375.
 rhomboedrisches (M.) I. 374.
 Bleysteeat (M.) I. 381.
 Bley, schwefelsaures (M.) I. 375.
 Bleystschweif (M.) I. 427.
 Bleyspath, rothersibirischer (M.) I. 381.
 Bleystricarbonat (M.) I. 374.
 Bley, vanadinsaures (M., D. M. S.) I. S. XX.
 Bleyvitriol (M.) I. 373.
 kupferhaltiger (M.) I. 375.
 Bley, Wottrams (M., D. M. S.) I. S. XX.
 Bleywuriz (B.) III. 1475.
 gemeine (B.) III. 1475.
 Bleywurzen (B.) III. 1475.
 Bleyzucker (M., D. M. S.) I. S. XVI.
 Blicca (Z.) VI. 316.
 Blieg (Z.) VI. 312.
 Blicke (Z.) VI. 312.
 Blicf (Z.) VI. 316.
 Blicke (Z.) VI. 312.
 Blicthe (Z.) VI. 311.
 Blightia (B.) III. 1338.
 Blimbing (B.) III. 1178.

- Blümbing, gemeiner (B.) III. 1178.
 runder (B.) III. 1178.
 Blümbinge (B.) III. 1178.
 Blündaal (Z.) VI. 124.
 Blünderarm (Z.) IV. 71.
 Blünderdärme (Z.) IV. 310.
 Blünderfliege (Z.) V. 829.
 Blündermaus (Z.) VII. 704.
 gemeine (Z.) VII. 704.
 Blünderjaak (Z.) IV. 67.
 Blünderfchlängen (Z.) VI. 584.
 C. Kreuzfchliden.
 Blünderfchleiche (Z.) VI. 588.
 augentlofe (Z.) VI. 589.
 gemeine (Z.) VI. 588.
 geprenkelte (Z.) VI. 589.
 Blünderfchliden (Z.) VI. 588.
 Blüthe, bei Bulcananfbrüchen (M.) I. 784.
 Blüthling (Z.) VI. 364.
 Blüthum (B.) III. 1462, 1468.
 capitatum (B.) III. 1462.
 indicum album (B.) III. 1468.
 Bloch, Ausfand. Fifche (Z.) VI. 406.
 Eingeweidwürmer (Z.) V. 558.
 Naturgefchichte der Fifche Deutfchlands (Z.) VI. 404.
 Bloch, Schneider, Syst. Ichthyologiae (Z.) VI. 405.
 Blüthe, erratiche (M.) I. 637.
 tofe (M.) I. 827.
 Blüthfchwärz (B.) III. 500.
 Blüthen (Z.) VII. 1410.
 Blüther (Z.) VI. 228.
 Blongios de Suisse (Z.) VII. 539.
 Blood-wort (B.) III. 1420.
 Blue-bill (Z.) VII. 449.
 Blue-tangles (B.) III. 839.
 Bluff et Fingerhuth, Compend. Florae germ. (B.) III. 2122.
 Blümfchen (B.) III. 712.
 einhäutige (B.) III. 713.
 Gänfe (B.) III. 775.
 gleichgattige (B.) III. 713.
 heterogamifche (B.) III. 713.
 homogamifche (B.) III. 713.
 Junger (B.) III. 1395.
 ungleichgattige (B.) III. 713.
- Blümfchen, zweyhäufige (B.) III. 713.
 Blume, C. Bytragen tot de Flora van Nederlandsch Indie (B.) III. 1136, 2127.
 Catalogus in Planten tuinte Buitenzorg (B.) III. 2127.
 Enumer. Plant. Javae (B.) III. 2127.
 Expositio nov. famil. (B.) III. 2101.
 Flora Javae (B.) III. 1132, 1443, 2127.
 Rumphia, s. Comment. de Plantis Indiae (B.) III. 2127.
 Blume, Blumen (B.) II. 10, 39, 50. — III. 14, 712.
 am Vorgebirg der guten Hoffnung (B.) II. 365.
 Anfer (B.) III. 1146.
 Arjunct (B.) II. 374.
 Anfertigungen der (B.) II. 61.
 ausgezeichnete, in China, Indien u. Japan (B.) II. 366.
 Bau der (B.) II. 54.
 — Liter. vom (B.) III. 275.
 Becher (B.) III. 2003.
 befeherte (B.) II. 60.
 Butter (B.) III. 1144, 1146.
 canadifche (B.) III. 1977.
 der Forfhpflanzen (B.) II. 357.
 Doppelt (B.) III. 1152.
 doppelte (B.) II. 60.
 Dotter (B.) III. 1154.
 Drattel (B.) III. 961.
 dreyzählige (B.) II. 57.
 einblättrige (B.) II. 54, 56.
 einnächtige (B.) II. 159.
 eintägige (B.) II. 159.
 Farben der (B.) II. 61.
 — Liter. über die (B.) II. 263.
 Farbefloffe der (B.) II. 129.
 Fieder (B.) II. 54.
 Flammen (B.) III. 1077.
 Fref (B.) III. 747.
 Fleisch (B.) III. 1362.
 Flocken (B.) III. 728.
 Flügel (B.) II. 59.
- Blume, Füllung der (B.) II. 60.
 fünfzählige (B.) II. 67.
 Gänfe (B.) III. 775.
 Gaufier (B.) III. 998.
 gefüllte (B.) II. 60.
 Gerber (B.) 373.
 Gift (B.) III. 757.
 Glocken (B.) III. 796.
 Gyps (B.) III. 1144, 1146.
 Goid (B.) III. 761.
 Görter (B.) III. 963.
 gottlofe (B.) III. 1198.
 Grab (B.) III. 1358, 1359.
 Gröps (B.) II. 54. — III. 704, 706, 709, 838, 840.
 Guckguck (B.) III. 1362.
 helmartige (B.) II. 59.
 König (B.) III. 1274.
 Jupiters (B.) III. 1362.
 Reich (B.) II. 54. — III. 704, 705, 706, 837, 839, 889, 1449.
 Knollen (B.) III. 1155.
 Knorpel (B.) III. 1455.
 Knospentage der (B.) II. 58.
 Korn (B.) III. 728, 729.
 Kragen (B.) III. 767.
 Kreuz (B.) II. 55. — III. 1222, 1246, 1383.
 Kugel (B.) III. 783.
 Lappen (B.) III. 1415.
 Laub (B.) II. 57.
 Laugen (B.) III. 761.
 Lebers (B.) III. 1149.
 Leder (B.) III. 1278.
 Lippen (B.) II. 54. — III. 705.
 Mehl (B.) III. 743.
 mehrtägige (B.) II. 159.
 meteorifche (B.) II. 159.
 Nacht (B.) II. 159. — III. 876.
 in Nordamerica (B.) II. 364.
 Pantoffel (B.) III. 966.
 Quirt (B.) II. 57.
 reahnäßige (B.) 54, 57.
 Riemen (B.) III. 1846.
 Ring (B.) III. 757.
 Ringel (B.) III. 771.
 Rinnen (B.) III. 1075.
 Röhren (B.) II. 57. — III. 15, 24, 704, 706, 708.
 röhrenförmige (B.) II. 54.

- Blume, runde (B.) II. 54.
 sackförmige (B.) II. 59.
 Sammet- (B.) III. 746.
 Scheiden- (B.) II. 54, 57.
 Schild- (B.) III. 971.
 Schlüssels- (B.) III. 959.
 Schmalz- (B.) III. 1157.
 Schmetterlings- (B.) II. 54, 55.
 Schrauben- (B.) II. 57.
 Schuppen- (B.) II. 54.
 Sechels- (B.) III. 1741.
 Seifen- (B.) III. 1412.
 spornförmige (B.) II. 59.
 Stern- (B.) II. 57.
 Stiel- (B.) II. 54 — III. 704, 705, 706, 951, 1139.
 Strauß- (B.) III. 1467.
 Streich- (B.) III. 779.
 Stroh- (B.) III. 727.
 Strauben- (B.) II. 159. — III. 1217.
 in Südamerika (B.) II. 365.
 Sultan- (B.) III. 728.
 Tag- (B.) II. 159.
 Tross- (B.) III. 1154.
 Trompeten- (B.) III. 1006.
 tropische (B.) II. 159.
 unregelmäßige (B.) II. 54.
 Verblüthungen der (B.) II. 59.
 Verdoppelung der (B.) II. 60.
 Verklümmungen der (B.) II. 59.
 Wach- (B.) III. 1095.
 Wind- (B.) III. 1149.
 Woll- (B.) III. 972.
 Wucher- (B.) III. 760.
 Wunder- (B.) III. 1488.
 Wasser- (B.) III. 1973.
 Wasser- (B.) III. 1706.
 Zier- (B.) III. 363.
 zungenförmige (B.) II. 58.
 zusammenstäubende (B.) II. 68.
 zweyseitige (B.) II. 54, 56.
 Blumenaderer (B.) III. 252.
 Blumenähren (B.) II. 43.
 Blumenblätter (B.) III. 1959, 2023.
 Blumenbach (M.) I. 642, 624, 642.
 Blumenblätter (B.) III. 538.
 Blumenbecker (B.) III. 1789, 1905.
 Blumenbildung (B.) II. 54.
 Blumenbinse (B.) III. 444.
 gemeine (B.) III. 444.
 Blumenbüschel (B.) III. 444.
 Blumenblätterchen, verkleinert (B.) II. 49.
 Blumenblätter (B.) II. 51.
 Fieder-, Quirl-, Schraubenlage der (B.) II. 58, 59.
 Blumenblumenpflanzen (B.) III. 1347, 1413.
 Blumencorall (Z.) V. 146.
 Blumendrosier (B.) III. 342.
 Blumenfarben (B.) II. 61, 372.
 Blumenfarren (B.) III. 342.
 Blumenfasern (B.) II. 371.
 Blumenfeucht (B.) II. 90, 93.
 Blumenfarren (B.) II. 334.
 Blumengewebe (B.) II. 373.
 Blumengerath (B.) II. 368.
 Blumengerath (B.) II. 353.
 Blumengewürz (B.) II. 349.
 Blumengift (B.) II. 362.
 Blumenglumen (B.) III. 1381.
 prächtige (B.) III. 1381.
 Blumengräber (B.) III. 383, 439.
 Blumengrößspflanzen (B.) III. 1263, 1311.
 Blumenholzer (B.) III. 630.
 Blumenthale (Z.) V. 1791.
 blauer (Z.) V. 1792.
 blumiger (Z.) V. 1792.
 mehlig (Z.) V. 1791.
 silberglänzender (Z.) V. 1792.
 Blumenthale (B.) II. 54.
 Blumentrost (B.) III. 1404.
 Blumentraut (B.) II. 371.
 Blumentrone (B.) II. 50. — III. 384.
 Blumentraubpflanzen (B.) III. 954, 1079.
 Blumenthale (Z.) V. 1413.
 Blumenthale (B.) III. 465, 538.
 Liter. der (B.) III. 1146.
 Blumenforscher (B.) III. 1603.
 Blumenthale (B.) II. 15.
 Blumenmarmor (M.) I. 236.
 Blumenmehl (B.) II. 344.
 Blumenrose (B.) III. 232.
 Blumentraubpflanzen (B.) III. 1453, 1516.
 Blumentrost (B.) II. 331.
 Blumentrauben (B.) III. 582, 630.
 Blumentrauben (B.) III. 20, 21, 24, 707, 1140, 1314.
 C. Blument.
 fünfzählige (B.) III. 1345, 1347.
 Liter. der (B.) III. 1446.
 vierzählige (B.) III. 1345, 1383.
 Blumentraubpflanzen (B.) III. 1616, 1702.
 Blumentrauben (B.) III. 95.
 Blumentrauben (Z.) V. 48.
 Blumentraubpflanzen (Z.) V. 1713.
 Blumentrauben (B.) III. 1439.
 Blumentraut (B.) III. 464, 513.
 gemeines (B.) III. 514.
 Blumentraut (B.) III. 511.
 Blumentraubpflanzen (B.) III. 1142, 1224.
 Blumentrauben (Z.) VII. 190.
 africanischer (Z.) VII. 191.
 gemeiner (Z.) VII. 190.
 grüner (Z.) VII. 191.
 taugschwänziger (Z.) VII. 192.
 purpurrother (Z.) VII. 190.
 Blumentraut (B.) II. 158.
 Blumentraut (Z.) V. 986.
 Blumentraut, dazu gehörige Pflanzen (B.) II. 378.
 Blumentraubpflanzen (B.) III. 839, 902.
 Blumentraut (B.) III. 1181, 1183.
 Blumentraubpflanzen (Z.) V. 47.
 gemeines (Z.) V. 47.
 Blumentraubpflanzen (B.) III. 711, 795.
 Blumentraut = Blumentrauben (B.) III. 1344.
 Ader- (B.) III. 1353.
 Apfel- (B.) III. 1429.
 Bost- (B.) III. 1372.
 Beeren- (B.) III. 1428.
 Blumentraut (B.) III. 1413.
 Blumentraut (B.) III. 1407.
 Droffel- (B.) III. 1355.
 Frucht- (B.) III. 1420.
 Größ- (B.) III. 1411.
 Hofs- (B.) III. 1377.

- Blumer, Laub: (B.) III. 1397.
 Mark: (B.) III. 1347.
 Nuss: (B.) III. 1421.
 Pflanzen: (B.) III. 1421.
 Rinden: (B.) III. 1364.
 Samen: (B.) III. 1407.
 Schaft: (B.) III. 1364.
 Stamm: (B.) 1383.
 Stenact: (B.) III. 1390.
 Wurzel: (B.) III. 1384.
 Zellen: (B.) III. 1348.
 Blut (Anthemion) (B.) II. 39, 46, 47.
 (Perigonium) (B.) II. 49.
 Blut (M., D. M. C.) I. C. XV. — 3. IV. 71, 73.
 Arterien: (B.) IV. 71.
 arteriöses (B.) IV. 222.
 Bestandtheile des (B.) IV. 218.
 desoxydirtes (B.) IV. 227.
 ein Oxyd (B.) IV. 222.
 geronnenes (B.) IV. 225.
 hydrothales (B.) IV. 132.
 Venen: (B.) IV. 71.
 venöses (B.) IV. 222, 227.
 Kreislauf des (B.) IV. 227.
 Veränderungen des, durch Athmen (B.) IV. 217.
 zerfallenes (B.) IV. 225.
 Blutadern = Venen (B.) IV. 73, 80, 114, 131, Vergl. Ader, Adern.
 Bauch: (B.) IV. 83.
 Haut: (B.) IV. 83.
 Kranz: (B.) IV. 80.
 Lunge (B.) IV. 84.
 Leber: (B.) IV. 83.
 Lenden: (B.) IV. 83.
 Milz: (B.) IV. 84.
 Nieren: (B.) IV. 83.
 Rippen: (B.) IV. 80.
 Wirbel: (B.) IV. 82.
 Blutampfer (B.) III. 1483.
 Blutänderung (B.) IV. 217.
 Blutapfel (B.) III. 2086.
 Blutauge (B.) III. 1149, 2010.
 gemeines (B.) III. 2010.
 Blutauge (B.) III. 2010.
 Blutbereitung (B.) IV. 220, 222.
 Blutecade (B.) V. 1597.
 Blutcorall (B.) V. 101.
 Bluteigel (B.) V. 560, 1123.
 achtfähriger (B.) V. 562.
 Bluteigel, gemeiner (B.) V. 561.
 esündlicher (B.) V. 562.
 Blutflut (B.) VII. 264.
 Blutgemüse (B.) III. 614.
 Blutgälte (B.) III. 542.
 dunkelrothe (B.) III. 542.
 hochrothe (B.) III. 542.
 Blüthe, Blüthen (B.) II. 9, 39, 46. — III. 14, 712.
 abweichende (B.) II. 42.
 Bau der (B.) II. 54.
 — Literatur des (B.) II. 275.
 Befruchtung der (B.) II. 69.
 Beutels (B.) II. 66.
 Bewegungen der (B.) II. 261.
 — Liter. der (B.) II. 62.
 blumentöse (B.) II. 59.
 der Acotyledonen (B.) II. 85.
 der Gräser (B.) III. 383.
 Duft der (B.) 69.
 einbettige (B.) II. 66.
 einhäufige (B.) III. 213.
 einzelne (B.) II. 42.
 End: (B.) II. 42.
 Entwicklung der, Liter. der (B.) II. 275.
 fünfährige (B.) III. 1347.
 gegenüberstehende (B.) II. 42.
 gehäufte (B.) II. 44.
 Gipsels (B.) II. 42.
 gleichgattige (B.) III. 713.
 Gräps: (B.) II. 66.
 heterogamische (B.) III. 713.
 homogamische (B.) III. 713.
 Honigorgane der (B.) II. 70.
 Kelch: (B.) III. 1449.
 Kops: (B.) II. 44. — III. 6.
 Kern: (B.) II. 68.
 Narben der (B.) II. 69.
 quirlförmige (B.) II. 42.
 Samen: (B.) III. 712.
 Samentloch der (B.) II. 69.
 Schuppen: (B.) III. 583.
 Seiten: (B.) II. 43.
 spirale (B.) II. 42.
 Staub: (B.) III. 713.
 taube (B.) III. 713.
 ungleichgattige (B.) III. 713.
 vierährige (B.) III. 1383.
 Blüthe, Wärme der, Literatur der (B.) II. 282.
 Wurf der (B.) II. 69.
 zerstreute (B.) II. 42.
 zusammengelegte (B.) II. 44.
 zweibettige (B.) III. 6.
 zweihäufige (B.) III. 713.
 Zwitter: (B.) II. 66. — III. 5, 713.
 Blüthenaderer (B.) III. 238.
 Blüthenäpfel (B.) III. 1959, 2000.
 Blüthenbaßer (B.) III. 524.
 Blüthenbecher (B.) III. 1788, 1888.
 Blüthenblumenpflanzen (B.) III. 1347, 1407.
 Blüthenbohrer (B.) V. 1638.
 Blüthenbröglor (B.) III. 337.
 Blüthenfarben (M., D. M. C.) I. C. XVIII. — (B.) II. 61.
 Liter. der (B.) II. 263.
 Blüthenfarren (B.) III. 337.
 Blüthengräser (B.) III. 381, 382, 434.
 Blüthengräpspflanzen (B.) III. 1263, 1299.
 Blüthenhäufige (B.) III. 622.
 Blüthenhaupfpflanzen (B.) III. 954, 1052.
 Blüthenhäute (B.) III. 465, 524.
 Blüthenhorische (B.) III. 1589.
 Blüthenmoose (B.) III. 180, 238.
 Blüthenmuspflanzen (B.) III. 1433, 1504.
 Blüthenpatmen (B.) III. 582, 622.
 Blüthenpflanzen (B.) III. 5, 15, 16, 20, 21, 24, 707, 1139.
 einhäufige (B.) III. 6.
 vielhäufige (B.) III. 6.
 zweibettige (B.) III. 6.
 zweihäufige (B.) III. 6.
 Blüthenpflanzpflanzen (B.) III. 1615, 1680.
 Blüthenpitze (B.) III. 90.
 Blüthenreiber (B.) V. 1661.
 weißgefleckter (B.) V. 1661.
 Blüthenrinde (B.) III. 434.

- Blütenfamelpflanzen (B.) III. 1142, 1208.
 Blütenheide (B.) II. 41.
 Blüthenkufe (B.) III. 417.
 Blüthenkufel (B.) II. 158.
 Blüthenland (B.) II. 40.
 weiblicher (B.) II. 46.
 Blüthenraub (B.) II. 69, 233.
 Blüthenzungenpflanzen (B.) III. 839, 889.
 Blüthenwanze (B.) V. 1615.
 Blüthenwurzpflanzen (B.) III. 711, 781.
 Blüthenzeller (B.) III. 90.
 Bluthirse (B.) III. 397.
 Blutholz (B.) III. 1721.
 Blutkraut (B.) III. 1882, 2002.
 raubhes (B.) III. 2003.
 Blutkuchen (B.) IV. 72.
 Blutkügeln (B.) IV. 71, 72.
 Blutlauf (B.) IV. 228.
 Blutwasse des Menschen (B.) IV. 72.
 Blutpfeil (B.) III. 2063.
 Blutpils (B.) III. 139.
 Blutregen (B.) V. 1141, 1423.
 Blutreich (B.) III. 158.
 Blutroth (M., D. M. S.) I. S. XVIII.
 Blutrottaug (B.) III. 648.
 Blutsäure (B.) II. 121, 125.
 Blutschwabel (B.) VII. 270.
 Blutschwamm (B.) III. 131.
 Bluthorn (M.) I. 329.
 Blutröpfen (B.) III. 1149.
 Blüthling (B.) VII. 52.
 Blutwärme (B.) IV. 72.
 Blutwässer (B.) IV. 72, 223.
 Blutwurz (B.) III. 1420, 2011.
 gemeine (B.) III. 1420.
 Blutwurzeln (B.) III. 1420.
 Blutzahn (B.) V. 438.
 Blutzwicken (B.) III. 2042.
 gemeine (B.) III. 2042.
 Boa (B.) VI. 526, 528, 532.
 albicans (B.) VI. 534.
 amethystina (B.) VI. 533.
 annulifer (B.) VI. 530.
 aquatica (B.) VI. 529.
 canina (B.) VI. 532.
 castanea (B.) VI. 534.
 cenchria (B.) VI. 530.
 constrictor (B.) VI. 528.
 coronata (B.) VI. 526.
 Devin (B.) VI. 529.
- Boa gigas (B.) VI. 529.
 imperator (B.) VI. 529.
 javanica (B.) VI. 533.
 murina (B.) VI. 529.
 Schneideri (B.) VI. 533.
 scytale (B.) VI. 529.
 tigris (B.) VI. 534.
 Boat-bill (B.) VII. 554.
 Bobak (B.) VII. 762.
 Boblaye (M.) I. 595, 629.
 Bobbo (B.) VI. 228.
 Boblink (B.) VII. 312.
 Bohne (B.) VII. 761.
 Bocassan (B.) III. 504. — (B.) V. 310, 650.
 Bocassanmuscheln (B.) V. 310.
 Boeca in capo (B.) VI. 79.
 Boccalepre (B.) VII. 73.
 Bocca preta (B.) III. 1894.
 Boccone, P., De Plantis siculis (B.) III. 2117.
 Ic. et Descr. Plant. Siciliae, Melitae etc. (B.) III. 2117.
 Boceonia (B.) III. 1416.
 frutescens (B.) III. 1416.
 Boehart, Hierozoicon (B.) VII. 673.
 Bock (des Ohres) (B.) IV. 97.
 Bock, Böcke (B.) VII. 1342.
 Bäck: (B.) VII. 1372.
 Biau: (B.) VII. 1396.
 Biech: (B.) VII. 1362.
 Bunter (B.) VII. 1358.
 Busch: (B.) VII. 1357.
 Greis: (B.) VI. 1363.
 Prunk: (B.) VII. 1373.
 Ried: (B.) VII. 1364.
 Spring: (B.) VII. 1373.
 Stein: (B.) VII. 1342.
 Bock, H., Nar. v. Preußen (B.) VI. 405.
 Natur- und Handlungs-geschichte d. Säugeth. (B.) VI. 407.
 Neues Kräuterbuch (B.) III. 2116.
 Bockersen (B.) III. 2057.
 Bockfisch (B.) VI. 216.
 Bockfäßer (B.) V. 1695, 1698, 1702, Vergl. Schröter.
 ächte (B.) V. 1702.
 Hfere: (B.) V. 1696.
 Bifam: (B.) V. 1702.
 runzeltiger (B.) V. 1703.
 Bocksbart (B.) III. 719.
- Bocksdorn, f. Traganth (B.) III. 1626.
 Bocksgewien (B.) III. 477.
 Bockshorn (B.) III. 1637.
 gemeines (B.) III. 1637.
 Bockshorn (B.) III. 1637.
 Bocksmüllen (B.) III. 1196.
 gemeine (B.) III. 1196.
 Bocksperelein (B.) III. 1836.
 Bocktragen (B.) III. 476.
 gemeine (B.) III. 476.
 Boddæert, Unterscheidung der Schlangen (B.) VI. 688.
 Boden (M.) I. 536, 588.
 Einrentungen u. Einkünfte des M.) I. 613, 891.
 Boden (B.) III. 712.
 Bodeneis (M.) I. 619.
 Bodensohrabi (B.) III. 1405.
 Bodenstein, A., De XII. herbis signis zodiaci dicatis (B.) III. 2131.
 Bodianus (B.) VI. 258.
 guttatus (B.) VI. 258.
 Boeuf (B.) VII. 1402, 1417.
 Bogenfliege (B.) V. 814.
 Boggo (B.) VII. 1789.
 Bogo (B.) VI. 228.
 Bohadsch, Animalia marina (B.) IV. 538.
 Böhmer, G. R., Bibliotheca script. Hist. (B.) III. 2115.
 Commutatio de plantarum semine (B.) II. 278.
 De foliis deciduis (B.) II. 274.
 De Nectariis (B.) II. 272.
 Dissert. de plantis monadelphis (B.) III. 1442.
 Lexicon rei herbariae etymol. et terminol. (B.) III. 2132.
 Pflanzliches Handbuch der Naturgeschichte (M.) I. 23.
 Plantae fabulosae (B.) II. 386. — III. 2131.
 Techn. Geschichte der Pflanzen (B.) II. 385. — II. 2129.
 Boehmeria (B.) III. 1551.
 rubescens (B.) III. 1551.
 Böhmerlein (B.) VII. 80.

Bohne (B.) II. 80. — III. 1659. E. Bohnen.
 ägyptische (B.) III. 460.
 Ignatius (B.) III. 1019.
 knollige (B.) III. 1659.
 des Pythagoras. f. Nelumbium (B.) III. 460.
 Bohnen (B.) III. 1652, 1650.
 Bergf. Bohne.
 — ägyptische (B.) III. 460.
 Buff: (B.) III. 1653.
 Busch: (B.) III. 1660.
 Cacao: (B.) III. 1203.
 Caffee: (B.) III. 853.
 Corallen: (B.) III. 1668.
 Feig: (B.) III. 1658.
 Feuer: (B.) III. 1659.
 Flügel: (B.) III. 1664.
 Gondel: (B.) III. 1205.
 Heils: (B.) III. 1662.
 Heyl: (B.) III. 1662.
 Ignatius: (B.) III. 1049.
 Ind: (B.) III. 1665.
 Kleber: u. Stärkegehalt der- (B.) II. 119.
 Krimp: (B.) III. 1665.
 Meer: (B.) III. 1661.
 Mond: (B.) III. 1671.
 Pichurin: (B.) III. 1526.
 Rüben: (B.) III. 1664.
 Saus: (B.) III. 1653.
 Schmink: (B.) III. 1659.
 Schnabel: (B.) III. 1660.
 Schneide: (B.) III. 1659.
 Schraubens: (B.) III. 1224.
 Schwert: (B.) III. 1659.
 Sojn: (B.) III. 1661.
 Stangen: (B.) III. 1659.
 Stinkbaum: (B.) III. 1208.
 Strahl: (B.) III. 1660.
 türkische (B.) III. 1659.
 Weits: (B.) III. 1659.
 Wäg: (B.) III. 1689.
 Wolf: (B.) III. 1667.
 Ziers: (B.) III. 1659.
 Bohnenapfel (B.) III. 2087.
 Bohnenbaum, f. Cytisus (B.) III. 1644.
 Bohnenblatt (B.) III. 1965.
 Bohnenbrand (B.) III. 51.
 Bohnenburre (B.) III. 1685.
 gemeine (B.) III. 1685.
 kleine (B.) III. 1686.
 Bohnenburren (B.) III. 1685.
 Bohnen-Cappern (B.) III. 1273.

Bohnenkraut, f. Satureja (B.) III. 1056.
 Bohnenfore (B.) III. 1525.
 gemeine (B.) III. 1526.
 kleine (B.) III. 1526.
 nägelnartige (B.) III. 1525.
 Bohnenforen (B.) III. 1525.
 Bohnenstankbaum (B.) III. 1208.
 Bohnenringeln (B.) III. 1273.
 gemeine (B.) III. 1273.
 Bohnerz (M.) I. 332, 671, 697.
 Cauderer (M.) I. 355.
 Bohnerzbildung (M.) I. 594, 697.
 Bohnerze, concentrisch-schalige (M.) I. 355, 697.
 Bohnerzgebilde, jurassisches (M.) I. 697.
 Bohraffen (Z.) V. 614.
 Bohrer (Z.) V. 456.
 glatte (Z.) V. 456.
 Bohrerhnecke (Z.) V. 469.
 dünne (Z.) V. 469.
 gefleckte (Z.) V. 469.
 gekerbte (Z.) V. 469.
 gemeine (Z.) V. 469.
 weißgefleckte (Z.) V. 469.
 Bohrerhnecken (Z.) V. 469.
 Bohrkäfer (Z.) V. 1682.
 buchtiger (Z.) V. 1684.
 gemeiner (Z.) V. 1683.
 Bohrmuscheln (Z.) V. 285.
 Bohrwürmer (Z.) V. 274.
 Sand: (Z.) V. 275, 282.
 Boicinga (Z.) VI. 578.
 Boie, Anordnung der Rep-
 titen (Z.) VI. 685.
 Generalübersicht der Vögel (Z.) VII. 669.
 Reise durch Norwegen (Z.) VII. 671.
 Boiga (Z.) VI. 556.
 Boigoacu (Z.) VI. 528.
 Boigue, f. Wintera (B.) III. 1237.
 Boiquira (Z.) VI. 578.
 Bois d'Acajou (B.) III. 1303.
 d'Acossois (B.) III. 1372.
 d'Aigle (B.) III. 1513.
 bombarde (B.) III. 2036.
 bracelet (B.) III. 1125.
 de buis (B.) III. 880.
 Çaça (B.) III. 1207.

Bois à Calumet (B.) III. 1895.
 Canon (B.) III. 1567.
 cassant (B.) III. 874.
 échoin (B.) III. 1765.
 de Chypre (B.) III. 1099.
 Colophane franc (B.) III. 1768.
 cotelet (B.) III. 1108.
 Crabil bâtard (B.) III. 1097.
 creux (B.) III. 1023.
 de dartre (B.) III. 1372.
 à dartres (B.) III. 863.
 de Demoiselles (B.) III. 1601.
 dentelle (B.) III. 1495.
 d'ébène vert (B.) III. 1008.
 d'Encens (B.) III. 1761.
 d'éponge (B.) III. 1861.
 de fer (B.) III. 856, 1338.
 à fleche (B.) III. 1687.
 de Gaulette (B.) III. 2041.
 gentil (B.) III. 1496.
 à grande feuille (B.) III. 1487.
 de Golette (B.) III. 1110.
 laiteux (B.) III. 1039.
 de losteau (B.) III. 875.
 mabouia (B.) III. 1409.
 macaque (B.) III. 1897.
 malabare (B.) III. 880.
 marguerite (B.) III. 1098.
 à mèche (B.) III. 1189.
 de merde (B.) III. 1207.
 musard (B.) III. 874.
 de Natte (B.) III. 947.
 de Nantes (B.) III. 945.
 de Nefle (B.) III. 1942.
 d'Olive rouge (B.) III. 1736.
 pagaie blanc (B.) III. 1687.
 perdrix (B.) III. 925.
 de Perpignan (B.) III. 1557.
 de Perroquets (B.) III. 925.
 de Pintade (B.) III. 1122.
 puant (B.) III. 1924, 1930.
 de rat (B.) III. 874.
 de rivière (B.) III. 861.
 de Ronde (B.) III. 880.
 rouge (B.) III. 1305.
 de ruche (B.) III. 2036.
 sain (B.) III. 1497.
 de St. Lucie (B.) III. 2049.
 de St. Lucie, faux (B.) III. 2048.
 de soie (B.) III. 1192.
 de source (B.) III. 1864.

Bois tabac (B.) III. 1110.
 tambour (B.) III. 2036.
 trompette (B.) III. 1567.
 yamas (B.) III. 1899.
 Boisduval et Leconte,
 Icones des Lépidoptères
 et des Chenilles d'Eu-
 rope (Z.) V. 1425.
 Lépidoptères de l'Améri-
 que sept. (Z.) V. 1425.
 Zygénides (Z.) V. 1426.
 Bojanus, Anatomie testudi-
 nis (Z.) VI. 690.
 Bojubi (Z.) VI. 532.
 Boki (B.) III. 487.
 Boffeite (M.) I. 213.
 Bol (M.) I. 214.
 Bolaccio (Z.) VI. 255.
 Bolax (B.) III. 1793.
 gilliesi (B.) III. 1793.
 glebaria (B.) III. 1793.
 gummifera (B.) III. 1793.
 Bolbochaete (B.) III. 205.
 Bolbos (B.) III. 563.
 Böld (Z.) VII. 567.
 Bolde (Z.) V. 1429. Bergf.
 Flöhenfliegen.
 kieferlöse (Z.) V. 1458.
 Litter. der (Z.) V. 1498.
 schifferrnde (Z.) V. 1488.
 schmetterlingsförmige (Z.)
 V. 473.
 Boldo (B.) III. 2033.
 Boldu (B.) III. 2033.
 Boldua (B.) III. 2032.
 Boldus (B.) III. 1522, 2033.
 Bole (Z.) VII. 865.
 Boletus (B.) III. 136, 170.
 annulatus (B.) III. 141.
 aereus (B.) III. 138.
 aurantius (B.) III. 137.
 bovinus (B.) III. 137, 140.
 bulbosus (B.) III. 137.
 calopus (B.) III. 140.
 castaneus (B.) III. 138.
 circinans (B.) III. 141.
 constrictus (B.) III. 136.
 coriaceus (B.) III. 135.
 cyanescens (B.) III. 134.
 edulis (B.) III. 136, 137.
 erythropus (B.) III. 139.
 felleus (B.) III. 136.
 granulatus (B.) III. 141.
 luridus (B.) III. 138.
 luteus (B.) III. 141.

Boletus moscho-caryanus (B.)
 III. 146.
 olivaceus (B.) III. 140.
 pachypus (B.) III. 140.
 piperatus (B.) III. 140.
 regius (B.) III. 141.
 rubeolarius (B.) III. 139.
 rufus (B.) III. 133.
 saguarius (B.) III. 146.
 sanguineus (B.) III. 138.
 satanas (B.) III. 139.
 scaber (B.) III. 137.
 suaveolus (B.) III. 133.
 subtomentosus (B.) III. 140.
 terreus (B.) III. 140.
 Bolinthus (Z.) VII. 1425.
 Bolita (Z.) VII. 866.
 Bolitaene (Z.) V. 534.
 Bolitophagus (Z.) V. 1787.
 agaricola (Z.) V. 1787.
 Bolitiferi (M.) I. 799.
 Böllen (B.) III. 1532.
 Bollenbeißer (Z.) VII. 264.
 Bollenlauch (B.) III. 556.
 Bollong (B.) III. 1939.
 Bollvilleriana (B.) III. 2074.
 Bollweiser (B.) III. 2074.
 Bologneser (Z.) VII. 1564.
 Bologneserpath (M.) I. 274.
 Bolton, History of Fungus-
 es etc., deutsch v. Wis-
 denow u. Rees (B.)
 III. 172.
 Bolus (M.) I. 214.
 Bombaceen (B.) III. 1142, 1224.
 Litter. der (B.) III. 1442.
 Bombardierkäfer (Z.) V. 1720.
 Bombax (B.) III. 1227.
 ceiba (B.) III. 1228.
 heptaphyllum (B.) III. 1228.
 malabaricum (B.) III. 1228.
 occidentale (B.) III. 1230.
 orientale (B.) III. 1229.
 pentandrum (B.) III. 1229,
 1320.
 Bombeena (B.) III. 1410.
 Bomben, vulcanische (M.) I.
 790.
 Bombina (Z.) VI. 480.
 ignea (Z.) VI. 480.
 Bombus (Z.) V. 1000.
 lapidarius (Z.) V. 1000.
 muscorum (Z.) V. 1000.
 terrestris (Z.) V. 1000.
 Bombycilla (Z.) VII. 80.

Bombylius (Z.) 777.
 major (Z.) 777.
 Bombyx (Z.) V. 1090, 1321.
 anastomosis (Z.) V. 1351.
 antiqua (Z.) V. 1095, 1119,
 1170, 1350.
 nesculi (Z.) V. 1170, 1322.
 atlas (Z.) V. 1368.
 auriflua (Z.) V. 1091, 1150,
 1355.
 brassicae (Z.) V. 1148, 1155.
 bucephala (Z.) V. 1340.
 caja (Z.) Z. 1121, 1170,
 1358.
 camolina (Z.) V. 1164, 1323.
 caeruleocephala (Z.) V.
 1091, 1170.
 castrensis (Z.) V. 1342.
 chrysoorhoea (Z.) V. 1091,
 1114, 1151, 1152, 1169,
 1355.
 cossus (Z.) V. 1178.
 crataegi (Z.) V. 1134, 1344.
 cynthia (Z.) V. 1335, 1367.
 dispar (Z.) V. 1098, 1114,
 1119, 1136, 1138, 1141,
 1151, 1169, 1354.
 dominula (Z.) V. 1361.
 fascellina (Z.) V. 1348.
 fuliginosa (Z.) V. 1362.
 furcula (Z.) V. 1322.
 graminis (Z.) V. 1170, 1293.
 hamula (Z.) V. 1320.
 hebe (Z.) 1359.
 hera (Z.) 1360.
 heracleana (Z.) V. 1253.
 lanestrus (Z.) Z. 1343.
 libatrix (Z.) Z. 1359.
 limacodes (Z.) V. 1325.
 lolii (Z.) V. 1295.
 lupricipeda (Z.) V. 1098,
 1133, 1146, 1352.
 — alba (Z.) Z. 1352.
 lutea (Z.) 1352.
 madroño (Z.) V. 1367.
 matronula (Z.) V. 1361.
 mendica (Z.) V. 1352.
 menthastri (Z.) V. 1352.
 monacha (Z.) V. 1170, 1355.
 mori (Z.) V. 1325.
 mylitta (Z.) V. 1335, 1367.
 neustria (Z.) V. 1178, 1148,
 1151, 1169.
 pavonia (Z.) V. 1164,
 1364.

Bombyx pavonia major (3.) V. 1140, 1366.
 - *media* (3.) V. 1364.
 - *minor* (3.) V. 364.
pini (3.) V. 1170, 1345.
pytyocampa (3.) V. 1156, 1170, 1344.
plantaginis (3.) V. 1359.
popularis (3.) V. 1295.
potatoria (3.) V. 1346.
processionea (3.) V. 1158, 1170, 1344.
pruni (3.) V. 1345.
purpurea (3.) V. 1362.
quercifolia (3.) V. 1169.
quercus (3.) 1115, 1122, 1170, 1347.
rubi (3.) V. 1347.
salicis (3.) V. 1118, 1170, 1157.
similis (3.) V. 1150, 1355.
spini (3.) V. 1364.
spinula (3.) V. 1320.
tau (3.) V. 1338.
testudo (3.) V. 1325.
trifolii (3.) V. 1347.
villica (3.) V. 1114.
vinula (3.) V. 1053, 1167.
ziczac (3.) V. 1165, 1323.
Bon (3.) III. 854.
Bona nox (3.) III. 1088.
Bonaparte. C. L., American Ornithol. (3.) VII. 667.
 Distribuzione metodica degli animali (3.) VI. 685.
Fauna italica (3.) VI. 405. — VII. 667.
 Saggio di una Distribuzione degli animali (3.) VII. 669.
 Specchio comparativo delle Ornithol. di Filadelfia e di Roma (3.) VII. 673.
 Sulla seconda edizione del regno animale di Cuvier (3.) VII. 669.
Bonaparte. (Tillandsia (3.) III. 631.
Bonasia (3.) VII. 588.
Bonasmus (3.) VII. 1420, 1425.
Bon Chrétien (3.) III. 2077.
Bonckos (3.) III. 981.
Bondelle (3.) VI. 352.
Boudrée (3.) VII. 138.

Bonduc (3.) III. 1725.
Bonducella (3.) III. 1725.
Bonelli, Catalogue des Oiseaux di Piemont (3.) VII. 671.
Bonellia (3.) V. 580.
Bonga Cananga (3.) III. 1254.
Bonicola (3.) VII. 291.
Bonit (3.) VI. 195.
 atlantischer (3.) VI. 195.
 mittelländischer (3.) VI. 195.
Bonnet, Abhandlungen aus der Insectologie, von G. J. (3.) V. 1050.
 Le bel azur des Champignons (3.) III. 263.
 Observations sur le puceron (3.) V. 1628.
 Traité d'Insectologie (3.) V. 1826.
 Usage des Feuilles; auch deutsch; (3.) II. 260, 265.
Bonnet chinois (3.) VII. 1803.
Bonosa (3.) VII. 589.
Bonpland. A., Mélastomes (3.) III. 2107.
 Plantes à la Malmaison (3.) III. 699, 2120.
Bonplandia (3.) III. 1268.
Bontia (3.) III. 1102.
 daphnoides (3.) III. 1102.
Bonus Henricus (3.) III. 1459.
Booby (3.) VII. 408.
Boops (3.) VI. 228.
Boops (3.) VII. 1039.
Bootschafen (3.) V. 492.
Bopyrus (3.) V. 612.
 crangorum (3.) V. 612.
Bor (M.) I. 113, 117.
Boracit (M.) I. 225.
Boracite (M., D. M. S.) S. XIII.
Borassien (3.) III. 583.
Borassus (3.) III. 695.
 flabelliformis (3.) III. 695.
Borassusjago (3.) III. 653.
Borax (M.) I. 117, 293.
Boraxsäure (M.) I. 117, 293.
 - (M., D. M. S.) I. S. X. - (3.) II. 100, 103, 112.
 der Butcanubstimate (M.) I. 791.
Borbori (3.) III. 1241.
Bordelière (3.) VI. 316.

Borelli. Hist. et obs. phys. (3.) II. 262.
Boerhaave, H., Index plantarum in horto Lugduno-batavo (3.) III. 2118.
Boerhaavia (3.) III. 1489.
 hirsuta (3.) III. 1489.
 mutabilis (3.) III. 1489.
 scandens (3.) III. 1489.
Bori (3.) III. 1591.
Borit = *Salsola kali* et *Annabasisaphylla* (3.) II. 379.
Borfenfäfer (3.) V. 1677.
 Gidten; (3.) V. 1682.
 gemeiner (3.) V. 1677.
Borkhausen, Eichhameritz, deutsche Druihtologie (3.) VII. 666.
Borlase, Nat. Hist. of Cornwall (3.) V. 252.
Borlasia (3.) V. 579.
Born, Testacea (3.) V. 538.
Börner (3.) V. 1810.
Bornholz, Della Coltivazione dei Tartufi (3.) III. 175.
Boroche (3.) VI. 307.
Boron = **Bor** (M.) I. (D. M. S.) S. XVII.
Borraginen (3.) III. 1089.
Borrage (3.) III. 1092.
 officinalis (3.) III. 1092.
Borretsch (3.) III. 1092.
 gemeiner (3.) III. 1092.
Borrettsche (3.) III. 1092.
Borrugato (3.) VI. 248.
Borsäure (M.) I. 293.
Borsch, LeComte de. Lettres sur les Truffes des Piemont (3.) III. 175.
Borste (3.) II. 87.
 braune, der Moose (3.) III. 261.
Borsten (3.) IV. 92, 331.
Borstendrapten (3.) III. 214.
 gemeine (3.) III. 215.
Borstenteppe (3.) III. 1890.
 gemeine (3.) III. 1890.
 schöne (3.) III. 1890.
 Sumpf; (3.) III. 1890.
Borstentepen (3.) III. 1890.
Borstenfarrert (3.) III. 342.
 gemeiner (3.) III. 342.
Borstenfäfen (3.) III. 191.

- Vorsteinfäden, gemeine** (B.) III. 191.
- Vorstengindel** (B.) III. 1895.
gemeine (B.) III. 1896.
wilde (B.) III. 1896.
zierliche (B.) III. 1896.
- Vorstengindelwurz** (B.) III. 1895.
- Vorstengräber** (B.) III. 385.
gemeines (B.) III. 386.
indisches (B.) III. 386.
- Vorstenhäutung** (Z.) VI. 381.
- Vorstenlachs** (Z.) VI. 330.
- Vorstenmaagen** (B.) III. 55.
- Vorstenmoose** (B.) III. 282.
gedrehtes (B.) III. 283.
fridenartiges (B.) III. 283.
- Vorstenraben** (Z.) VII. 333.
- Vorstenratte** (Z.) VII. 721.
alexandrinische (Z.) VII. 721.
kleinere (Z.) VII. 721.
- Vorstenröhren** (B.) III. 780.
gemeine (B.) III. 780.
- Vorstenstiepen** (B.) III. 194.
erdsteinförmige (B.) III. 194.
salarartige (B.) III. 194.
- Vorstenstrobelen** (B.) III. 1200.
gemeine (B.) III. 1200.
- Vorstensturzweid** (B.) III. 531.
dunkelblau (B.) III. 531.
- Vorstenthierehen** (Z.) V. 22.
kugelförmiges (Z.) V. 22.
ruhiges (Z.) V. 22.
- Vorstenwölfe** (B.) III. 71.
gemeiner (B.) III. 71.
- Vorstenwürmer** (Z.) V. 565.
fadentöse (Z.) V. 565.
mit Kiemen (Z.) V. 568.
mit Kranzvorsten (Z.) 569.
- Vorstorfer (Wpfe)** (B.) III. 2087.
Zwiebel (B.) III. 2085.
- Bory, Annales gén. Sc. phys.** (Z.) V. 1825.
Diction. class. d'hist. nat. (B.) III. 2132.
Expédition en Grèce (Z.) V. 1823.
- Bory de St. Vincent. Voyage aux quatres Iles** (B.) II. 279. — (Z.) V. 253.
- Borzoio, f. Colchicum** (B.) III. 550.
- Bos** (Z.) VII. 1402.
americanus (Z.) VII. 1415.
- Bos bison** (Z.) VII. 1415, 1420.
bonasus (Z.) VII. 1420.
bubalus (Z.) VII. 1408.
caffer (Z.) VII. 1405.
elaphus (Z.) VII. 1388.
frontalis (Z.) VII. 1412.
grunniens (Z.) VII. 1428.
indicus (Z.) VII. 1409.
moschatus (Z.) VII. 1403.
primigenius (Z.) VII. 1425.
— (M.) I. 632, 646.
priscus (M.) I. 590, 632.
sylhetanus (Z.) VII. 1414.
taurus (Z.) VII. 1409.
— indicus (Z.) VII. 1414.
urus (Z.) VII. 1425.
- Boschas** (Z.) VII. 464.
domestica (Z.) VII. 467.
- Boschmeester** (Z.) VI. 549.
- Boschraute** (Z.) VII. 923.
- Bosch-varken** (Z.) VII. 1140.
- Bose. De radicum directione** (B.) II. 261.
Wörterbuch der Fischelei (Z.) VI. 408.
- Bosea** (B.) III. 1476.
yervamera (B.) III. 1476.
- Boseck. De Antheris florum** (B.) II. 276.
- Bosega** (Z.) VI. 278.
- Boson** (Z.) V. 441.
- Bostrychus** (Z.) V. 1677.
piniperda (Z.) V. 1682.
typographus (Z.) V. 1677.
- Boswellia** (B.) III. 1762.
glabra (B.) III. 1762.
serrata (B.) III. 1762.
thurifera (B.) III. 1762.
- Botanischer Gang** (Z.) IV. 311.
- Botanik** (I. u. II. B.)
allgemeine (B.) II. 11.
angewandte (B.) II. 329, 384.
besondere (B.) II. 11, 285.
Forst (B.) II. 11, 385.
Geschichte der, Literatur der (B.) II. 96. — III. 2115.
historische (B.) II. 386.
Literatur über (B.) II. 94 ff., 259 ff., 288 ff., 383 ff. — III. 171 ff., 298 ff., 371 ff., 377, 688 ff., 703, 837, 1130 ff., 1440 ff., 2059 ff., 2114 ff.
- Botanik, Literatur über, als**
gemeine (B.) III. 2114.
— archäologische (B.) III. 2131.
medizinische (B.) II. 11, 355.
— Liter. der (B.) III. 2130.
öconometische (B.) II. 329, 384.
poetische, Liter. der (B.) III. 2131.
technologische (B.) II. 385.
Uebersicht der (B.) I. S. 1. ff.
Wörterbücher über (B.) III. 2132.
wunderbare Liter. der (B.) III. 2132.
Zeitschriften über (B.) III. 2132.
- Botanopharynx** (B.) III. 633, 1935.
- Botanopharynx** (B.) III. 1935.
- Botargo** (Z.) VI. 202, 248.
- Botargue** (Z.) VI. 277.
- Botaurus** (Z.) VII. 538.
- Bothrioccephalus** (Z.) V. 548.
- Bothrops** (Z.) VI. 547.
- Botnim = Pistacia vera** (B.) II. 379.
- Botrychium** (B.) III. 318.
lunaria (B.) III. 318.
- Botryllus** (Z.) V. 95.
- polycyclus** (Z.) V. 96.
- Botryogen** (M.) I. 303.
- Botryosith** (M.) I. 281.
- Botrys** (B.) III. 1460.
mexicana (B.) III. 1461.
- Botrytis** (B.) III. 66.
agaricina (B.) III. 66.
alloctroa (B.) III. 66.
ramulosa (B.) III. 66.
- Botte-head** (Z.) VII. 1088.
- Bottle-nose-whale** (Z.) VII. 1071.
- Bottolo** (Z.) VI. 278.
- Bouc** (Z.) VII. 1342.
de Junida (Z.) VII. 1356.
Bouange (B.) III. 1835.
- Boucestain** (Z.) VII. 1342.
- Bouché, der Zimmer- und Fenstergarten** (B.) II. 384.
- Naturgesch. der Insecten** (Z.) V. 1824.
- Bouchot** (Z.) V. 337.
- Boucliers f. Todtengräber** (Z.) V. 1768.
- Boué** (M.) I. 657.

- Boui (B.) III. 1232.
 Bouleau f. Betula (B.) III. 1537.
 Bouleurgau (Z.) VI. 169.
 Boulerot (Z.) VI. 170.
 Boulet de Canon (B.) III. 1922.
 Bouquet (Z.) V. 636.
 Bouquetin (Z.) VII. 1342.
 Bourdine (B.) III. 2064.
 Bourdon f. Hummel (Z.) V. 1000.
 Bourgène (B.) III. 1746.
 Bourneuil (M.) I. 438.
 Bourrichos (Z.) VII. 1232.
 Bourse (Z.) VI. 105.
 Bousier f. Dungfäfer (Z.) V. 1803.
 Bouffingault (M.) I. 802.
 Bouteflehen (M.) I. 203.
 Boves Lucae (Z.) VII. 1179.
 Bouvier (Z.) V. 301.
 Bouvreuil (Z.) VII. 264.
 Bovist (B.) III. 85.
 Bovista (B.) III. 85.
 Boviste (B.) III. 83.
 Box (Z.) VI. 228.
 Boyau (B.) II. 69.
 Boyle, R., Chimista scepticus (B.) 266.
 Brabeium (B.) III. 1511.
 stellatum (B.) III. 1511.
 Brachirost (Z.) VI. 475.
 Brachiella (Z.) V. 564.
 Brachiuns (Z.) V. 1720.
 crepitans (Z.) V. 1720.
 Brachionus (Z.) V. 44.
 calyciflorus (Z.) V. 44.
 capsuliflorus (Z.) V. 44.
 lagellaris (Z.) V. 41.
 ovalis (Z.) V. 40.
 patina (Z.) V. 45.
 squamula (Z.) V. 43.
 tubifex (Z.) V. 48.
 uncinatus (Z.) V. 40.
 urceolatus (Z.) V. 44.
 Brachfäfer (Z.) V. 1797.
 Brachtlinge (B.) III. 160.
 Brachpfeper (Z.) VII. 50.
 Brachpflz (B.) III. 160.
 weißer (B.) III. 161.
 Brachregenpfeifer (Z.) VII. 514.
 Brachschneppen (Z.) VII. 507.
 Hgl. Grüet.
 Brachfen (Z.) VI. 317.
 Brachfen, Dorn- (Z.) VII. 317.
 Stein- (Z.) VII. 317.
 Brachfen (Z.) VI. 318.
 Brachfenfräuter (B.) III. 311.
 gemeines (B.) III. 311.
 Brachfemen (Z.) VI. 317.
 Brachflein (Z.) VI. 344.
 Brachvogel (Z.) VII. 492.
 Zwerg- (Z.) VII. 492.
 Brachycephalus (Z.) VI. 490.
 ephippium (Z.) VI. 490.
 Brachyteles (Z.) VII. 1743.
 macroirsus (Z.) VII. 1747.
 Brachytrichum (B.) III. 288.
 Bractea (B.) II. 40. — III. 384.
 Bracteae (B.) III. 712.
 Bradford's-Ihon (M.) I. 700.
 Bradipus (Z.) VII. 872.
 didactylus (Z.) VII. 880.
 torquatus (Z.) VII. 879.
 tridactylus (Z.) VII. 873.
 ursinus, f. Ursus longirostris (Z.) VII. 1685.
 Bradley, R., Historia plantarum succulentarum (B.) 2118.
 History of Succulent Plants (B.) III. 2108.
 Philosoph. Account of the Works of nature (B.) II. 279.
 Treatise of Gardening (B.) II. 283.
 Brahui, Insectenfänger (Z.) V. 1426, 1826.
 Brahme (B.) III. 1643.
 gemeine (B.) III. 1643.
 Brahmen (B.) III. 1643.
 Brahu (B.) III. 1643.
 Brahnen (B.) III. 1640.
 Brainvillier (B.) III. 1024.
 Braten (B.) III. 364.
 Kirchen- (B.) III. 366.
 Schuppen- (B.) III. 365.
 Brama (Z.) VI. 219, 317.
 Bramble (B.) III. 2017.
 Brandling (Z.) VII. 273.
 Branne (Z.) VI. 219.
 gemeiner (Z.) VI. 219.
 Branneidchse (Z.) VI. 600.
 bunte (Z.) VI. 600.
 gemeine (Z.) VI. 600.
 Branca ursina (B.) III. 1002, 1812.
 Branchipus (Z.) V. 607.
 Branchipus stagnalis (Z.) V. 607.
 Brancein (Z.) VI. 264.
 Brandbrassen (Z.) VI. 228.
 Brandbrahen (B.) III. 214.
 befenförmige (B.) III. 214.
 federsförmige (B.) III. 214.
 Brande (B.) III. 48.
 Birnen- (B.) III. 52.
 Brafen- (B.) III. 53.
 Bohnen- (B.) III. 51.
 Faus- (B.) III. 49.
 Flug- (B.) III. 49.
 Gras- (B.) III. 51.
 Hülsen- (B.) III. 50.
 Kappen- (B.) III. 50.
 Ketch- (B.) III. 51.
 Knollen- (B.) III. 53.
 Körner- (B.) III. 54.
 Nagel- (B.) III. 49.
 Rosen- (B.) III. 51, 53.
 Rüß- (B.) III. 49.
 Salat- (B.) III. 51.
 Saurebren- (B.) III. 51.
 Scheim- (B.) III. 53.
 Schmier- (B.) III. 49.
 Staub- (B.) III. 48.
 Stiel- (B.) III. 52.
 Wolfsmilch- (B.) III. 52.
 Brandente (Z.) VII. 470.
 Brandfiefen (Z.) V. 466.
 Brandhuch (Z.) VII. 1551.
 Brandhorn (Z.) V. 483.
 Brandmaus (Z.) VII. 717.
 Brandpilz (B.) III. 47.
 Brandfchiefer (M.) I. 511, 739, 753, 754.
 Brandt, Pöbhus u. Rastenburg, Giftgewächse (B.) II. 385.
 Brandt u. Rastenburg, medicin. Zoologie (Z.) V. 707. — VI. 405.
 Pharmaceut. Zoologie (Z.) V. 1628.
 Brautweinpflanzen (B.) II. 351, 352, 553.
 Brant (Z.) VII. 473.
 Branta (Z.) V. 507.
 Branta (Z.) VII. 474.
 Braque (Z.) VII. 1565.
 Brafen (Z.) VI. 317.
 Bräfen (Z.) VI. 319.
 Brasenia (B.) III. 452.
 Brafitenholz (B.) III. 1726.

- Brasilienholz, gelbes (B.) III. 1566.
 rothes (B.) III. 1726.
 Brasilietta (B.) III. 1722.
 Brassia (B.) II. 129.
 Brassavolus, A. M. Examen medicamentorum simplicium (B.) III. 2116, 2130.
 Brassien (Z.) VI. 217, 227.
 Brand: (Z.) VI. 228.
 Brauner (Z.) VI. 219.
 Weis: (Z.) VI. 230.
 Gold: (Z.) VI. 230.
 Marmor: (Z.) VI. 237.
 Meers: (Z.) VI. 231.
 rosenrother (Z.) VI. 236.
 rother (Z.) VI. 236.
 röthlicher (Z.) VI. 235.
 Schnauzen: (Z.) VI. 226.
 Zahn: (Z.) VI. 229.
 Brassica (B.) III. 1402.
 campestris (B.) III. 1404.
 - aestiva (B.) III. 1405.
 - napo-brassica (B.) III. 1405.
 - oleifera hyberna (B.) III. 1404.
 - pabularia (B.) III. 1405.
 eruca (B.) III. 1402.
 napus (B.) III. 1406.
 oleracea (B.) III. 1403.
 - acephala (B.) III. 1403.
 - arborea (B.) III. 1404.
 - asparagoides (B.) III. 1404.
 - botrytis (B.) III. 1404.
 - bullata (B.) III. 1404.
 - capitata (B.) III. 1404.
 - caulorapa (B.) III. 1404.
 - crispa (B.) III. 1404.
 - gongyloides (B.) III. 1404.
 - laciniata (B.) III. 1403.
 - pinnata (B.) III. 1403.
 - quercifolia (B.) III. 1403.
 - rubra (B.) III. 1404.
 - sabanda (B.) III. 1404.
 - sabellica (B.) III. 1403.
 - selenisia (B.) III. 1403.
 - sylvestris (B.) III. 1403.
 - viridis (B.) III. 1403.
 rapa (B.) III. 1405, 1406.
 Brassica rapa depressa (B.) III. 1406.
 - esculenta (B.) III. 1406.
 - oblonga (B.) III. 1406.
 - oleifera (B.) III. 1405.
 - - hyberna (B.) III. 1405.
 - praecox (B.) III. 1405.
 sinapioides (B.) III. 1402.
 Bräster (Z.) VII. 280.
 Bratfisch (Z.) VII. 309, 364.
 Brätling, Brätlinge (B.) III. 154, 155, 156.
 Gold: (B.) III. 155.
 Brauencrocodill (Z.) VI. 678.
 Braun (M.) I. 96.
 Braun, A., (M.) I. 659.
 Flora v. Salzburg (B.) III. 2122.
 Braunkohle (M.) I. 376, 378.
 Braune (Z.) VII. 1853.
 Brauneisenstein (M.) I. 72, 331, 612, 726, 734, 737.
 schlackiger (M.) I. 359.
 Brauneisensteingänge, goldführende, des Epenits (M.) I. 830.
 Bräunwalmmeister (B.) III. 843.
 Braunsch (Z.) VII. 1072.
 Braunit (M.) I. 336.
 Braunkalk (Dolomit M.) I. 241.
 Braunkohlstein (Z.) VII. 44.
 Braunkohle (B.) III. 1403.
 Braunkohle (M.) I. 309, 534.
 erdige (M.) I. 310.
 gemeine (M.) I. 310.
 holzartige (M.) I. 310.
 im Bagshotland (M.) I. 667.
 im Wälderthon (M.) I. 688.
 in der Grobkalkformation (M.) I. 663, 664.
 in der Hauptrogenformation (M.) I. 701.
 in der Kreideformation (M.) I. 678.
 in der Molassformation (M.) I. 658.
 in der Tegelformation (M.) I. 657.
 trapezoidische (M.) I. 310.
 Braunkohlsteinentzündung (M.) I. 819.
 Braunkopff (Z.) VII. 448.
 Braunnanganerz (M.) I. 334, 336.
 Braunnaganerz (M.) I. 279.
 Braunsparth (M.) I. 241, 242, 243, 722.
 kugelförmiger (M.) I. 243.
 Braunstein (M.) I. 334, 336, 737, 744, 761, 826, 837.
 Braunsteinhalde, phosphorsäures (M., D. M. S.) I. S. XX.
 Braunsteinhydrate (M., D. M. S.) I. S. XIX.
 Braunsteinalkohol (M., D. M. S.) I. S. XVIII.
 Braunsteinfies (M.) I. 160.
 Braunsteinfiesel (M.) I. 160, 365. - (D. M. S.) S. XVIII.
 Braunsteinfieselocher (M., D. M. S.) S. XVIII.
 Braunstein, kohlenarmer (M., D. M. S.) I. S. XX.
 piemontesischer (M.) I. 361.
 Braunsteinroh (M.) I. 330.
 Braunstein, rother (M.) I. 361.
 Braunsteinschaum (M., D. M. S.) I. S. XIX.
 Braunsteinvitriol (M., D. M. S.) I. S. XVI.
 Braunwurz (B.) III. 967.
 gemeine (B.) III. 967.
 Hund's (B.) III. 967.
 Wasser: (B.) III. 967.
 Braunwurz (B.) III. 967.
 Braut (Z.) V. 1115, 1317.
 Brauteute (Z.) VII. 462.
 Brautjungfer (Z.) V. 1318.
 Brazilnuss, f. Bertholletia (B.) III. 1918.
 Bread-nut (B.) III. 1571.
 Bream (Z.) VI. 317.
 Brebis (Z.) VII. 1338.
 Brechstein (B.) III. 846.
 gemeine (B.) III. 846.
 Brechstein (B.) III. 1378.
 gemeine (B.) III. 1379.
 Brechgrauen (B.) III. 874.
 gemeine (B.) III. 874.
 Brechsteifen (B.) III. 1306.
 arabische (B.) III. 1307.
 Brechnos (B.) III. 1044.
 Brechnuß (B.) III. 1044, 1396.
 bittere (B.) III. 1048.
 schinartige (B.) III. 1046.

Brechmüß, gemeine (B.) III. 1045.
 giftige (B.) III. 1047.
 flürende (B.) III. 1046.
 rauhe (B.) III. 1046.
 Schlangen- (B.) III. 1045.
 schwarze (B.) III. 1596.
 Brechnüsse (B.) III. 1044.
 Brechpatmen (B.) III. 685.
 gemeine (B.) III. 685.
 Brechspieren (B.) III. 2024.
 gemeine (B.) III. 2024.
 Brechschpatme (B.) III. 1738.
 Brechungen (B.) III. 1032.
 gemeine (B.) III. 1032.
 Brechweilchen (B.) III. 1375.
 gemeines (B.) III. 1375.
 graues (B.) III. 1376.
 Brechweinstein (M.) I. 121. —
 (D. M. S.) S. XVI.
 Brechwurz (B.) III. 849.
 gemeine (B.) III. 849.
 schwarze (B.) III. 851.
 Brechwurzen (B.) III. 849.
 Breda, D. Don et Hamilton. Prodr. Florae nepalensis (B.) III. 2127.
 Breda, J. Genera et Spec. Orchidearum in Java (B.) III. 699.
 Breea (B.) III. 732.
 Bregen (B.) III. 327.
 Flügel- (B.) III. 329.
 Rippen- (B.) III. 328.
 Schuppen- (B.) III. 327.
 Strich- (B.) III. 328.
 Brehm, Beyträge zur Vogelkunde (Z.) VII. 669.
 Handb. der N. G. aller Vögel Deutschlands (Z.) VII. 671.
 Lehrb. der N. G. aller europ. Vögel (Z.) VII. 671.
 Breiapfel, f. Breypappel.
 Breidenstein, Naturgesch. des Sperlings (Z.) VII. 673.
 Breitele (Z.) VI. 318.
 Breitelein (Z.) VI. 316.
 Breitenzonen, Regionen der (B.) II. 305.
 Breitsügler (Z.) V. 1405.
 Breithaupt, Mineralog. (M.) I. 29.
 Breitting (B.) III. 2085.

Breitling (Z.) VI. 371.
 Breitlippe (Z.) V. 494.
 Breitmäntel (Z.) VI. 74.
 Breitnasen (Z.) VII. 1729.
 Breittrüffel (Z.) V. 1661.
 Breitschnabel (Z.) VII. 75, 471.
 Fetten- (Z.) VII. 76.
 gemeiner (Z.) VII. 76.
 Breitschnäbel (Z.) VII. 76.
 Breitschnäbler (Z.) VII. 554.
 Breitzehner (Z.) VI. 632.
 Breja-üba (B.) III. 659.
 Breine (Z.) V. 765.
 Brème (Z.) VI. 317.
 Bremontier (M.) I. 605.
 Bremse (Z.) V. 827.
 Regen- (Z.) V. 829.
 Rinds- (Z.) V. 828.
 Bremsen (Z.) V. 827.
 Bremsenastel (Z.) V. 613.
 kurze (Z.) V. 613.
 lange (Z.) V. 613.
 Bremser, Icones helminthium (Z.) V. 558.
 Würmer (Z.) V. 558.
 Brennadilla (M.) I. 781.
 Brennbare Körper (M.) I. 113.
 Brennbare Luft (M.) I. 113.
 Brennende Liebe (B.) III. 1362.
 Brennender Busch (B.) III. 2965.
 Breunholz (B.) II. 355. —
 III. 1532.
 Brennfrau (B.) III. 1153.
 Brennpatmen (B.) III. 669.
 gemeine (B.) III. 669.
 Brentoli, f. Erica (B.) III. 896.
 Brenzblenden (M., D. M. S.) I. S. XXI.
 Brenzbranze = Harze (M., D. M. S.) I. S. XVII.
 Brenze = Zusammenbissen (M., D. M. S.) I. S. IV.;
 XVI. 135, 136, 306. —
 (B.) II. 4, 109, 112, 174.
 Brenz- (M., D. M. S.) I. S. XVII. 306.
 Erds- (M., D. M. S.) I. S. XVI.
 Erz- (M., D. M. S.) I. S. XVII. 319.
 Ferts u. Dels- (M.) I. 317.
 Harz- (M.) I. 311.

Brenze, Klassifikation der (M., D. M. S.) I. S. IX.
 Entz- (M., D. M. S.) I. S. XVI.
 Brenzerden (D. M. S. XI.) =
 Tälte (M., D. M. S.) I. S. XI.
 Brenzerze = Bienen (M., D. M. S.) I. S. XX.
 Brenzfarben (M., D. M. S.) I. S. XVII.
 Brenzfette (M., D. M. S.) I. S. XVII.
 Brenzhälbe (M., D. M. S.) I. S. XX.
 Brenzharze (M., D. M. S.) I. S. XVII.
 Brenzkasse (D. M. S. XIII.) =
 Phosphorite (M.) I. 254.
 Brenzfiesel (D. M. S. X.) =
 Diamante (M.) I. 148.
 Brenzkohlen (M., D. M. S.) I. S. XVI.
 Brenzmaralle (M., D. M. S.) I. S. XXII.
 Brenzocher (M., D. M. S.) I. S. XIX.
 Brenzsatze (M.) I. 300 =
 Seifen (M., D. M. S.) I. S. XV.
 Brenzsäure (B.) II. 108.
 Brenzseifen (M., D. M. S.) I. S. XV.
 Brenzrolle (D. M. S. XI.) =
 Alstesse (M.) I. 268.
 Brenzthone (D. M. S., XI.) =
 Stauapathe (M.) I. 185.
 Breera, Eingeweidewürmer (Z.) V. 558.
 Bresillet (B.) III. 1774.
 Breslingea (B.) III. 2009.
 Bresling (B.) III. 2009.
 Breslinge (B.) III. 2009.
 Bretterbohrer (Z.) V. 1686.
 Brettermoder (B.) III. 68.
 grüner (B.) III. 68.
 Bretzpiet (Z.) V. 1412.
 Breunerit (M.) I. 224.
 Breviceps (Z.) VI. 490.
 gibbosus (Z.) VI. 490.
 Brewiter (M.) I. 100.
 Brewiterit (M.) I. 174.
 Breypappel (B.) III. 947.

- Breyapfel**, gemeiner (B.) III. 949.
 - mispelartiger (B.) III. 947.
 - ovaler (B.) III. 949.
 - runder (B.) III. 949.
Breyapfel (B.) III. 947.
Breyer, *Rana pipa* (Z.) VI. 690.
Breygüdeln (B.) III. 1902.
 - gemeine (B.) III. 1902.
Breyfürbse (B.) III. 819.
 - gemeine (B.) III. 819.
Breyfürbse (B.) III. 819.
Breyanus, J. De *Echinia* (Z.) V. 598.
 De *Polythalamis* (Z.) V. 538.
 De *radice Gin-Sem* (B.) III. 2105.
Exotic. Plantarum Centuria (B.) II. 261. — (B.) III. 2117.
Hist. nat. Cocci polonici (Z.) V. 1628.
Breystoff, vermeintliche Grundmasse des Organischen (B.) II. 13.
Brez, La Flore des Insectophiles (Z.) V. 1826.
Bricette (B.) III. 2057.
Bridel, *Bryologia universa* (B.) III. 302.
Muscolgia recentiorum (B.) III. 302.
Bridelia (B.) III. 1603.
 - *spinosa* (B.) III. 1603.
Briensting (Z.) VI. 366.
Brigigoin (Z.) V. 316.
Brignole (B.) III. 2057.
Brignoli, J., Fasc. rar. *Plant. forojulensium* (B.) III. 2124.
Brillenast (Z.) VII. 440.
Brillencrocodil (Z.) VI. 672.
Brilleneule (Z.) V. 1306.
Brillenschter (Brillenschlange) = *Hutschlange* (Z.) VI. 560.
Brillensenf (B.) III. 1390.
 - gemeiner (B.) III. 1390.
Brillensenf (B.) III. 1390.
Brindonia (B.) III. 1435.
Brisson, *Ornithologia* (Z.) VII. 666.
Regne animal (Z.) VII. 1859.
Brittanica (B.) III. 1482.
Briza (B.) III. 410.
 - *media* (B.) III. 411.
 - *minor* (B.) III. 411.
Brocchus (Z.) VII. 1436.
Broccetti (B.) III. 1404.
Broccoli (B.) III. 1404.
 - *pavonazzi* (B.) III. 1404.
Brochantia (M.) I. 390.
Brochet (Z.) VI. 393.
Brochet de terre (Z.) VI. 596.
Brochus, f. *Broccchus*.
Bröckeluff (M.) I. 525.
Bröckenrumpeln (B.) III. 93.
Brodbaum (B.) II. 343. — III. 1571.
 - australischer (B.) III. 1574.
 - flaumiger (B.) III. 1572.
 - indischer (B.) III. 1572.
Brodbäume (B.) III. 1571.
Brodbührer (Z.) V. 1686.
Brodtesser (Z.) VII. 561.
Brod, indisches (B.) III. 108.
Brodfäser (Z.) V. 1808.
 - blauer (Z.) V. 1810.
 - gemeiner (Z.) V. 1808.
Brodnug (B.) III. 1571.
Brodraußen (B.) III. 259.
 - gemeine (B.) III. 259.
Brodrüpe (Z.) VII. 277.
Brodwurzel (B.) III. 596.
 - Wasser: (B.) III. 596.
Brom (M.) I. 113, 116. — (B.) II. 100.
Brombeere (B.) III. 2016.
 - blaue (B.) III. 2016.
 - gemeine (B.) III. 2016.
Brombeeren (B.) III. 2014, 2016.
Brombeerfalter (Z.) V. 1391.
Brombeerfröte (Z.) VI. 485.
Brombeermotte (Z.) V. 1309.
Brombeerpanner (Z.) V. 1274.
Bromen (B.) III. 382, 410.
Bromelia (B.) III. 633.
 - *anasas* (B.) III. 633.
 - *caratas* (B.) III. 636.
 - *sagenaria* (B.) III. 635.
 - *variegata* (B.) III. 636.
Brometien (B.) III. 23, 578, 581, 582, 630.
Bromen (B.) III. 2001.
 - *lypset* (B.) III. 2017.
 - *secrens* (B.) III. 2014.
 - *fadon* (B.) III. 2014.
Bromen, *Gans* (B.) III. 2011.
 - *Spirich* (B.) III. 2007.
 - *Klee* (B.) III. 2004.
 - *Leder* (B.) III. 2005.
 - *Pertis* (B.) III. 2004.
 - *Jahn* (B.) III. 2005.
 - *Sorten* (B.) III. 2011.
Bromus (B.) III. 411.
 - *arvensis* (B.) III. 412.
 - *giganteus* (B.) III. 412.
 - *mollis* (B.) III. 411.
 - *secalinus* (B.) III. 411.
 - *sectorum* (B.) III. 412.
Bromjinf (M.) I. 386.
Brongiart, A. (M.) I. 661.
Classification naturelle des Reptiles (Z.) VI. 684.
Hist. de végétaux fossiles (B.) II. 383. — III. 372, 2128.
Hist. nat. des Trilobites (Z.) V. 708.
Recherches sur la structure et les fonctions des Feuilles (B.) III. 268.
Brongiartin (M.) I. 298.
Broun (M.) I. 649, 661.
 A., *Lethaen geognostica* (B.) III. 2128.
 H., *Dissert. de Leguminosis* (B.) III. 2103.
Bronze (M., D. M. S.) I. S. XXII.
Bronzit (M.) I. 261.
Broom Rape, f. *Orobauche* (B.) III. 991.
Brosch = *Cupressus sempervirens* (B.) II. 379.
Bröse (Z.) IV. 118, 134, 161.
Brosimum (B.) III. 1571.
 - *alicastrum* (B.) III. 1571.
 - *atile* (B.) III. 1571.
Brosme (Z.) VI. 149.
Bröt, f. *Brosch*.
Brotera (B.) III. 736.
Brotero, *Flora lusitanaica* (B.) III. 2125.
Phytographia lusitanaica (B.) III. 2125.
Brougmans et Coulon, *De mutata humorum indole* (B.) II. 271.
Brouh (Z.) VII. 1797.

Broussonet, Ichthyologia (3.) VI. 404.
Broussonetia (B.) III. 1566.
Brown, R. Asclepiadeae (B.) III. 1136.
 bot. Appendix (B.) III. 2127.
 Calycereae (B.) III. 1131.
 Flora n. Hollandiae (B.) III. 1130.
 Gesammelte Schriften (B.) III. 302.
 gener. Remarks (B.) III. 1131, 2127.
 on Impregnation in orchideae (B.) II. 267.
 on kingia (B.) II. 276.
 on Orchideae and Asclepiadeae (B.) II. 276.
 Orchides in Flora novae Holland. (B.) III. 699.
 Prodromus florae novae Hollandiae (B.) II. 262. — III. 2114, 2127.
Brown, R., et Horsfield, Plantae javanicae (B.) III. 2126.
Brown, R., et Schmith, in Tuckey's Congo (B.) III. 2127.
Brown, T., New illustrations of Zool. (3.) VII. 666.
Browne, P., Jamaica (3.) V. 253. — VI. 404.
Brownea (B.) III. 1685.
 coccinea (B.) III. 1685.
 rosa (B.) III. 1685.
Bruant (3.) VII. 278.
 fou (3.) VII. 281.
Bruce, J., Travels to the Sources of the Nil; auch deutsch (B.) III. 2126.
Brucea (B.) III. 1284.
 antidys enterica (B.) III. 1284.
Bruch der Mineralien (M.) I. 29, 87.
 ebener, erdiger, haffiger, muckiger, spitteriger, unebener (M.) I. 88.
 Bruchfläden (M.) I. 88.
 Bruchhauser Steine (M.) I. 830.
 Bruchholz (B.) III. 874.
 Bruchkraut (B.) III. 1456, 1794.

Bruchkraut, gemeines (B.) III. 1456.
 Bruchkräuter (B.) III. 1456.
 Bruchstücke (M.) I. 88.
 scharf- u. stumpfsantige (B.) III. 88.
 Bruch u. P. Schimper, Die Laubmoose Europas (B.) III. 302.
Bruchus (3.) V. 1661.
 cacao (3.) V. 1663.
 granarius (3.) V. 1663.
 theobromatis (3.) V. 1663.
 Bruchverhältnisse der Mineralien (M.) I. 87.
 Bruchweide (B.) III. 1533.
 Bruchwürg (B.) III. 2004.
 Brückling (B.) III. 155.
 Brugiera (B.) III. 918.
 Brugno (B.) III. 2063.
 musqué (B.) III. 2063.
 violet (B.) III. 2063.
 Brugo, f. Erica (B.) III. 896.
 Brüllaffe (3.) VII. 1730.
 rother (3.) VII. 1731.
 schwarzer (3.) VII. 1731.
 Brüllaffen (3.) VII. 1730.
Bruma (3.) V. 281.
Brunner (3.) VI. 77.
 grunzender (3.) VI. 77.
Brunelle (B.) III. 1066.
 gemeine (B.) III. 1066.
Brunelle (3.) VII. 52.
Brunellen (B.) III. 1066.
Brunet (3.) VII. 308.
Brunette (3.) VII. 498.
Brunfels, Dico, Contrajant Kräuterbuch (B.) III. 2116.
 Herbarum vivae Icones (B.) III. 2116.
Brunfelsia (B.) III. 1013.
 americana (B.) III. 1013.
Brunia (B.) III. 1983.
 nodiflora (B.) III. 1983.
 speciosa Hortulanorum (B.) III. 1983.
 superba (B.) III. 1983.
Bruniaceen (B.) III. 1959, 1960, 1982.
 Liter. der (B.) III. 2108.
Brunnen, artefische (M.) I. 683.
 Brunnenfäse (B.) III. 189.
Brunnenkresse (B.) III. 1397.
 Brunnenkressen (B.) III. 1397.

Brunnenpflanz (B.) III. 128.
Brunnenreisch (B.) III. 128.
Brännich, Ichthyol. massiliensis (3.) VI. 405.
 Lit. danica scient. nat. (B.) II. 96.
 Ornithologia borealis (3.) VII. 670.
 Brännische, Nat. Hist. des Eidervogels (3.) VII. 673.
Brunnicchia (B.) III. 1478.
 cirrosa (B.) III. 1478.
Brusch (B.) III. 619.
Bruseus (B.) III. 619.
Brusen (B.) III. 582, 616.
 Knollen (B.) III. 620.
Brustep (3.) VII. 1073.
Brustern (B.) III. 582, 616.
Brust (3.) IV. 327.
Brustader (3.) IV. 80.
 größere innere (3.) IV. 81.
 innere (3.) IV. 80.
Brustbeeren (B.) III. 1100, 1746.
 rothe (B.) III. 1100, 1746.
 schwarze (B.) III. 1100.
Brustbein (3.) IV. 23, 25, 121.
Brustbewegung (3.) IV. 231.
Brustdrüse, innwendige (3.) IV. 134, 161.
Brustfell (3.) IV. 66.
Brustfloßen (3.) IV. 349. — VI. 15.
Brustfloßer (3.) IV. 340. — VI. 16, 119, 169.
 elliptische (3.) VI. 184.
Brustgang (3.) IV. 85.
 linker (3.) IV. 85.
 rechter (3.) IV. 85.
Brustgänge (3.) IV. 85.
Brustglieder (3.) IV. 328.
Brustgranten (B.) III. 873.
 gemeine (B.) III. 873.
Brustgrundeln (3.) VI. 169.
Brustharnisch (3.) V. 465.
Brusthöhle (3.) IV. 25, 187, 188.
Brustkarpfen (3.) VI. 273.
 mit Deckelkerven (3.) VI. 273.
 ohne Deckelkerven (3.) VI. 275.
Brustknoten (3.) IV. 63.
Brustmuskeln (3.) IV. 37.

- Brustmüffel, drehediger (Z.) IV. 37.
 größer (Z.) IV. 37.
 kleiner (Z.) IV. 37.
 Brustnerven (Z.) IV. 55, 192.
 hinterer (Z.) IV. 55.
 vorderer (Z.) IV. 55.
 Brustrippen (Z.) IV. 23.
 Brustschlagader (Z.) IV. 74.
 innere (Z.) IV. 74.
 obere äußere (Z.) IV. 75.
 untere äußere (Z.) IV. 75.
 Bruststrauchrodol (B.) III. 1001.
 Brustwurzel (B.) III. 1842.
 Brüten (Z.) IV. 308, 466. — VII. 9.
 Brütmaschine (Z.) IV. 307.
 Bruchmoose (B.) III. 292.
 gemeines (B.) III. 292.
 Bruchmoosfäuler (Z.) VII. 494.
 Brya (B.) III. 1676.
 ebenus (B.) III. 1676.
 Bryant, Berichtnis der zur Nahrung dienenden Pflanzen (B.) II. 384. — III. 2129.
 Bryonia (B.) III. 819.
 alba (B.) III. 819.
 dioica (B.) III. 820.
 grandis (B.) III. 820.
 nigra (B.) III. 615.
 umbellata (B.) III. 821.
 Bryophyllum (B.) III. 1966.
 calycinum (B.) III. 1966.
 pinnatum (B.) III. 1966.
 Bryopsis (B.) III. 205.
 plumosa (B.) III. 206.
 Bupfem (Z.) VI. 317.
 Bryum (B.) III. 293.
 annotinum (B.) III. 294.
 argenteum (B.) III. 293.
 capillare (B.) III. 294.
 carneum (B.) III. 293.
 caespiticium (B.) III. 294.
 pyrifforme (B.) III. 294.
 Buansu (Z.) VII. 1567.
 Bubalina (Z.) VII. 1390.
 Bubalis (Z.) VII. 1388.
 Bubalus (Z.) VII. 1389, 1391, 1408.
 Bubbola (B.) III. 162.
 Bubo (Z.) VII. 122.
 Bubon (B.) III. 1814.
 Bubon galbanum (B.) III. 1814.
 Bubonium (B.) III. 774.
 Bubroma (B.) III. 1204.
 ulmifolia (B.) III. 1204.
 Bubulea (Z.) VI. 301.
 Buca neve, f. Galanthus (B.) III. 540.
 Bucarde, f. Cardium (Z.) V. 314.
 Buccanella (Z.) VI. 258.
 Buccinum (Z.) V. 436, 465, 471, 472.
 areolaria (Z.) V. 474.
 aureola (Z.) V. 481.
 australe (Z.) V. 435.
 baccatum (M.) I. 635.
 cornutum (Z.) V. 480.
 crenulatum (Z.) V. 469.
 dimidiatum (Z.) V. 469.
 dolium (Z.) V. 474.
 echinophorum (Z.) V. 482, 484.
 erinaveus (Z.) V. 482.
 fluviatile (Z.) V. 470.
 glabratum (Z.) V. 471.
 glaus (Z.) V. 473.
 glaucum (Z.) V. 481.
 haemistoma (Z.) V. 479, 488.
 harpa (Z.) V. 476.
 hippocastanum (Z.) V. 479.
 inflatum (Z.) V. 474.
 infillus (Z.) V. 480.
 laevissimum (Z.) V. 473.
 maculatum (Z.) V. 469.
 mutabile (Z.) V. 472.
 neriteum (Z.) V. 477.
 oculatum (Z.) V. 469.
 olcarium (Z.) V. 465.
 papillosum (Z.) V. 474.
 patulum (Z.) V. 479.
 perdix (Z.) 475.
 persicum (Z.) V. 479.
 pomum (Z.) V. 475.
 primaticum (M.) I. 651.
 reticulatum (Z.) V. 472, 483.
 rufum (Z.) V. 481.
 semistriatum (M.) I. 650, 651.
 spiratum (Z.) V. 471.
 suburatum (Z.) V. 469.
 testiculis (Z.) V. 482.
 tuberosum (Z.) V. 481.
 Buccinum tyrrhenum (Z.) V. 482.
 undulatum (Z.) V. 472.
 vibex (Z.) V. 482.
 vittatum (Z.) 469.
 Bucco (Z.) VII. 237.
 dubius (Z.) VII. 238.
 fuscus (Z.) VII. 237.
 tamatia (Z.) VII. 237.
 Buccoblätter (B.) II. 1270, 1271.
 Buccostrauch (B.) III. 1271.
 gemeiner (B.) III. 1271.
 gezähnter (B.) III. 1271.
 Buccosträucher (B.) III. 1271.
 Bucentes (Z.) V. 776.
 geniculata (Z.) V. 776.
 Buceras (B.) III. 916.
 Buceros (Z.) VII. 376.
 africanus (Z.) VII. 379.
 coronatus (Z.) VII. 377.
 erythrorhynchus (Z.) VII. 377.
 hydrocorax (Z.) VII. 378.
 javanicus (Z.) VII. 378.
 monoceros (Z.) VII. 378.
 plicatus (Z.) VII. 378.
 rhinoceros (Z.) VII. 379.
 undulatus (Z.) VII. 378.
 Buch, Leopold (M.) I. 563, 607, 633, 780, 792, 796, 828, 840.
 — — über den Jura in Deutschland (M.) I. 705, 804, 807, 811.
 Buchanan (B.) III. 1468.
 Buchanan, Hamilton, Fishes of the Ganges (Z.) VI. 404.
 Buche (B.) III. 1546.
 gemeine (B.) III. 1547.
 Säge (B.) III. 1541.
 Roth (B.) III. 1547.
 Weiß (B.) III. 1541.
 Buchen (B.) III. 1545.
 Buchenblattlaus (Z.) V. 1561.
 Buchenengelstöß (B.) III. 326.
 Buchennulle (B.) III. 97.
 Buchenob (B.) II. 127.
 Buchenpitz (B.) III. 132.
 Bücherbohrer (Z.) V. 1684.
 Bucherello (B.) III. 126.
 Bücherlaus (Z.) V. 1431.
 gemeine (Z.) V. 1432.
 klopfiende (Z.) V. 1432.

- Büchermilbe (Z.) V. 668.
 Bücherscorpion (Z.) V. 701.
 Büchfink (Z.) VII. 273.
 Buchmarder (Z.) VII. 1491.
 Buchner, J. A., Zubegriff
 der Pharmacie (B.) II.
 385.
 Toxicologie (B.) II. 385. —
 III. 2131.
 Buchnüsse (B.) III. 1547.
 Buchnusöl (B.) III. 1547.
 Buchholzwir (M.) I. 199.
 Buchs (B.) III. 1580.
 gemeiner (B.) III. 1580.
 Buchsblattsch (Z.) V. 1580.
 Buchse (B.) III. 1580.
 Büchse (B.) II. 73. 87.
 Büchsenmuschel (Z.) V. 312.
 runzelige (Z.) V. 312.
 ungleiche (Z.) V. 312.
 Büchsenmüchse (Z.) VI. 498.
 gemeine (Z.) VI. 498.
 Büchsentroppe (B.) III. 1919.
 gemeine (B.) III. 1909.
 großblumige (B.) III. 1920.
 Büchsentuppen (B.) III. 1919.
 Buchsgabel (B.) III. 879.
 gemeine (B.) III. 880.
 malabarische (B.) III. 880.
 Buchsgabeln (B.) III. 879.
 Buchsholz (B.) III. 880.
 Buchschwale (B.) III. 1313.
 gemeine (B.) III. 1313.
 Buchspride (B.) III. 1278.
 schmale (B.) III. 1281.
 flachelige (B.) III. 1280.
 wellige (B.) III. 1280.
 Buchspriden (B.) III. 1278.
 Buchstabenfisch (Z.) VI. 254.
 gemeiner (Z.) VI. 255.
 Buchstabenkegel (Z.) V. 451.
 Buchstabenmuschel (Z.) V. 305.
 Buchstabenporcellane (Z.) V.
 463.
 Buchstabenstachel (Z.) VI.
 503.
 Bucht (M.) I. 547.
 Buchtentierchen (Z.) V. 26.
 fappenförmiges (Z.) V. 26.
 Buchweizen (B.) II. 346. —
 III. 1480.
 Kleber- und Stärkegehalt
 des (B.) II. 120.
 tararischer (B.) III. 1480.
 Buchwinde (B.) III. 1480.
- Bucida (B.) III. 916.
 buceras (B.) III. 916.
 Buck (Z.) VII. 1342.
 Buchelbiene (Z.) V. 977.
 Buchelstege (Z.) V. 813.
 Buchelströte (Z.) V. 490.
 Buchelmage (B.) III. 55.
 Buchelwollen (B.) III. 95.
 Buchelochse (Z.) VII. 1413.
 Bucheltraupen (Z.) V. 1322.
 Buchen (B.) III. 756.
 Gold- (B.) III. 763.
 Narben- (B.) III. 769.
 Strauß- (B.) III. 765.
 Buchland (M.) I. 642, 667,
 760.
 Büchlinge (Z.) VI. 377.
 Buckthorn, f. Rhamnus (B.)
 III. 1744.
 Buco (B.) III. 1100.
 Bucune (Z.) VI. 390.
 Budd (Z.) VI. 292.
 Buddleia (B.) III. 974.
 americana (B.) III. 974.
 globosa (B.) III. 975.
 Buena (B.) III. 868.
 hexandra (B.) III. 868.
 ferruginea (B.) III. 868.
 Buffalo (Z.) VII. 1415.
 Buffbohnen (B.) III. 1653
 Busse (B.) III. 83.
 Balken- (B.) III. 84.
 Deckel- (B.) III. 84.
 Firnis- (B.) III. 88.
 Gist- (B.) III. 89.
 Gitter- (B.) III. 88.
 Hirsch- (B.) III. 88.
 Keulen- (B.) III. 87.
 Krach- (B.) III. 87.
 Kugel- (B.) III. 85.
 Stern- (B.) III. 86.
 Warzen- (B.) III. 84.
 Büffel (Z.) VII. 1408.
 amerikanischer (Z.) VII.
 1415.
 cepischer (Z.) VII. 1405
 gemeiner (Z.) VII. 1408.
 indischer (Z.) VII. 1409.
 Büffelgabeln (B.) III. 833.
 gemeine (B.) III. 883.
 Büffelhorn (B.) III. 883.
 Büffliste (B.) III. 83. 85.
 Buffle d'Italie (Z.) VII. 1408.
 Buffon, Histoire naturelle
 et Supplément (M.) I. 24.
- Buffon etc., Deutsch v. Zint
 u. Martini u. Otto
 (M.) I. 24. — (Z.) VII.
 1857.
 Buffon et Monbeillard,
 Hist. des Oiseaux (Z.)
 VII. 666.
 Buffotter (Z.) VI. 546.
 bunte (Z.) VI. 546.
 graue (Z.) VI. 546.
 Bufo (Z.) VI. 483.
 aqua (Z.) VI. 489.
 calamites (Z.) VI. 487.
 cinereus (Z.) VI. 483.
 fuscus (Z.) VI. 481.
 gigas (Z.) VI. 489.
 margaritifera (Z.) VI. 472.
 marinus (Z.) VI. 489.
 obstetricans (Z.) VI. 488.
 typhonicus (Z.) VI. 472.
 Bugga-Bug (Z.) V. 1433.
 Buglossum (B.) III. 1091.
 agreste (B.) III. 1094.
 litoreum (B.) III. 794.
 Bugo (Z.) VI. 228.
 Bugraue (B.) III. 1641.
 Bugula (B.) III. 1053.
 Buisson ardent (B.) III. 2066.
 Bulbero (Z.) VI. 326.
 Bulbilli (B.) II. 31.
 Bulbocapnos (B.) III. 1414.
 Bulboestannum (B.) III. 1834.
 Bulbocodium (B.) III. 550.
 vernum (B.) III. 550.
 Bulbus (B.) II. 31.
 Bulgaria (B.) III. 116.
 inguinans (B.) III. 116.
 sarcoides (B.) III. 116.
 Bulimacola (B.) III. 1641.
 Bulimus (Z.) V. 423.
 haemastomus (Z.) V. 424.
 Bulla (Z.) V. 404, 460.
 ampulla (Z.) V. 404.
 birostris (Z.) V. 461.
 canaliculata (Z.) V. 405.
 ficus (Z.) V. 489.
 gibbosa (Z.) V. 461.
 hydatis (Z.) V. 404.
 lignaria (Z.) V. 405.
 oblonga (Z.) V. 424.
 ovum (Z.) V. 460.
 rapa (Z.) V. 490.
 spelta (Z.) V. 461.
 terebellum (Z.) V. 456.
 verrulosa (Z.) V. 461.

- Bulla virginea (Z.) V. 425.
 volva (Z.) V. 461.
 zebra (Z.) V. 425.
 Bullaea (Z.) V. 405.
 aperta (Z.) V. 405.
 Bullaria (B.) III. 53.
 umbelliferarum (B.) III.
 53.
 Bullenbeiger (Z.) VII. 1564.
 Bulletin universel des sciences
 natur. p. Ferussac
 (B.) III. 2132.
 Bullfinch (Z.) VII. 264.
 Bulliard, Herbar de la
 France (B.) III. 2125.
 Hist. de Champignons de
 la France mit Letellier's
 Eupement (B.) III. 172.
 Bulliard (B.) III. 1963.
 Bullina Lajonkairiana (M.)
 I. 653.
 Bullinus (Z.) V. 429.
 Bullo maschio (Z.) V. 483.
 Bully-tree (B.) III. 948.
 Bullrush, f. Typha (B.) III.
 586.
 Bulby (Z.) VI. 223
 Bumelia (B.) III. 939.
 foetidissima (B.) III. 939.
 lycooides (B.) III. 939.
 Bunchosa (B.) III. 1328.
 armeniaca (B.) III. 1328.
 Bunch whale (Z.) VII. 1006.
 Bundarub (B.) III. 869.
 Bund, borstiger (Z.) V. 589.
 Bunganus (Z.) VI. 581.
 Bunge, A., Plantae mon-
 golico-chinenses (B.)
 III. 2127.
 Bunge (B.) III. 965.
 gemeine (B.) III. 965.
 Bungen (B.) III. 965.
 Bunias (B.) III. 1386.
 ernago (B.) III. 1386.
 Bunium (B.) III. 1835.
 denudatum (B.) III. 1835.
 ferulaefolium (B.) III. 1835.
 Bunius (B.) III. 1554.
 Buntbleyer (M.) I. 376.
 Bunter Bod (Z.) VII. 1358.
 Bunter Sandstein (M.) I. 722.
 Bonting (Z.) VII. 278.
 Buntspicerey (M.) I. 415.
 Buntzinge (Z.) V. 1401.
 Buntspiecht (Z.) VII. 212.
- Buntspiecht, kleiner (Z.) VII.
 212.
 mittlerer (Z.) VII. 212.
 Bupariti (B.) III. 655.
 Buphaga (Z.) VII. 234.
 africana (Z.) VII. 234.
 Buphthalmum (B.) III. 757.
 Buphthalmum (B.) III. 757,
 779.
 salicifolium (B.) III. 779.
 spinosum (B.) III. 779.
 Bupleurum (B.) III. 1797.
 falcatum (B.) III. 1798.
 fruticosum (B.) III. 1798.
 rotundifolium (B.) III.
 1797.
 Buprestis (Z.) V. 1693, 1753.
 chrysestigma (Z.) V. 1694.
 gigantea (Z.) V. 1694.
 minuta (Z.) V. 1694.
 nitidula (Z.) V. 1694.
 rustica (Z.) V. 1693.
 viridis (Z.) V. 1694.
 Buraco (Z.) VI. 243.
 de Velha (Z.) VI. 243.
 Burang (B.) III. 906.
 Burbaro (Z.) VI. 326.
 Burbot (Z.) VI. 150.
 Burchellia (B.) III. 883.
 capensis (B.) III. 883.
 Burekhard, I. H., Epistola
 de caractere plantarum
 naturali (B.) II. 279.
 Burdo (Z.) VII. 1232.
 Bürgermeister (Z.) VI. 402.
 Bürgergraf, der verwünschte (M.)
 I. 452.
 Burgsdorf, Festhandbuch
 (B.) II. 385.
 Naturgeschichte vorzüglich
 der
 Hofarten (B.) II. 273,
 278, 281, 385.
 Veruch einer vollständigen
 Geschichte vorzügl. Hofz-
 arten (B.) III. 2129.
 Burgunderose (B.) III.
 2019.
 Buriti (B.) III. 655.
 Burmann, I., Decades X.
 rar. plant. africanarum
 (B.) III. 2118.
 De Geraniis (B.) III. 1441.
 Flora amboinensis etc. (B.)
 III. 2118.
 Flora indica (B.) III. 2126.
- Burmann, I. Index in
 Rheedii Hortum mul-
 baricum (B.) III. 2118.
 Index in Rumphii Her-
 amboin. (B.) III. 2118.
 Rar. afric. Plant. Decades
 X. (B.) III. 2126.
 Thesaurus zeylanicus (B.)
 III. 2118.
 Burmannia (B.) III. 524.
 disticha (B.) III. 525.
 Burmanniacen (B.) III. 465,
 524.
 Burmannien (B.) III. 524.
 Burnet, f. Sanguisorba (B.)
 III. 2002.
 Bursal (M.) I. 459.
 Burren (B.) III. 1681.
 Böhnen (B.) III. 1685.
 Farben (B.) III. 1687.
 Furz (B.) III. 1686.
 Fris (B.) III. 1683.
 Frisament (B.) III. 1687.
 Fier (B.) III. 1685.
 Burrechos (Z.) VII. 1322.
 Bursa (B.) III. 211.
 pastoris (B.) III. 1391.
 Bursa (Z.) VI. 107.
 Bursae caneri (B.) III. 666.
 Bursaria (Z.) V. 22, 30.
 bullina (Z.) V. 30.
 hirundinella (Z.) V. 22.
 Bursera (B.) III. 1763.
 gummifera (B.) III. 1767.
 paniculata Lam (B.) III.
 1768.
 Bursaceen (B.) III. 1758.
 Liter. der (B.) III. 2105.
 Bürste (Z.) V. 1015.
 schwarze (Z.) V. 443.
 Bürstel (Z.) VI. 263.
 Bürstfangurub (Z.) VII. 903.
 Bürstenmotte (Z.) V. 1348.
 Bürstentaube (Z.) V. 1347.
 gelbe (Z.) V. 1349.
 graue (Z.) V. 1347.
 schwarze (Z.) V. 1349.
 Bürstentaupen (Z.) V. 1059,
 1119, 1347.
 Bürstentierchen (Z.) V. 39,
 45.
 lauges (Z.) V. 45.
 langschwänzige (Z.) V. 39.
 Bürzel (Z.) IV. 333.
 Burzeldorn (B.) III. 1272.

- Burjelbern, gemeiner (B.) III. 1272.
 großer (B.) III. 1272.
 Burjelborne (B.) III. 1272.
 Bürjeteidechse (Z.) VI. 611.
 gemeine (Z.) VI. 611.
 Bürjelfedern (Z.) IV. 315.
 Bürjelhoße (Z.) IV. 341.
 Burjelkraut (B.) III. 1349.
 Bürjelrauben (Z.) VII. 301.
 Busaar, Busaare (Z.) VII. 137.
 gemeiner (Z.) VII. 137.
 Busard (Z.) VII. 137, 139.
 du marais (Z.) VII. 139.
 Buschbock (Z.) VII. 1357.
 Buschböcklein (Z.) VII. 1360.
 Buschbohne (B.) III. 1660.
 Busch, brennender (B.) III. 2065.
 Büschel (B.) II. 43.
 Büschelcorall (Z.) V. 153.
 Büschelfarren (B.) III. 310.
 gemeiner (B.) III. 310.
 Büschelgindern (B.) III. 1897.
 gelbe (B.) III. 1897.
 Büschellilien (B.) III. 812.
 gemeine (B.) III. 813.
 Büschelnarfen (B.) III. 339.
 gemeine (B.) III. 339.
 Büschelstippeln (B.) III. 91.
 Büschelpolyp (Z.) V. 127.
 Büschelraupen (Z.) V. 1347, 1370.
 Büschelschubden (B.) III. 430.
 gemeine (B.) III. 431.
 Büschelweß (Z.) VI. 86.
 Büschgabeln (B.) III. 881.
 gemeiner (B.) III. 881.
 Buschmüllern (B.) III. 1102.
 gemeine (B.) III. 1102.
 Buschratte (Z.) VII. 926.
 Buschfänger (Z.) VII. 28.
 Buschweide (B.) III. 1534.
 Buschweurm (Z.) V. 572.
 Buse (Z.) VII. 137.
 Bush-dog (Z.) VII. 1721.
 Busfard (Z.) VII. 137.
 Räufe (Z.) VII. 137.
 Busse, Ch., Diss. de Rhoe toxicodendro et radi-cante (B.) III. 2105.
 Bustard (Z.) VII. 638.
 Butcher-bird (Z.) VII. 87.
 Butea (B.) III. 1670.
 frondosa (B.) III. 1670.
 superba (B.) III. 1671.
 Buteo (Z.) VII. 137.
 Butomeen (B.) III. 383, 444.
 Butomus (B.) III. 444.
 umbellatus (B.) III. 444.
 Butonica (B.) III. 1925, 1926.
 sylvestris alba (B.) III. 1927.
 terrestris (B.) III. 1928.
 Butor (Z.) VII. 541.
 Butt (Z.) VI. 164, 167.
 Bach (Z.) VI. 292.
 Binz (Z.) VI. 291.
 Dorn (Z.) VI. 165.
 Erb (Z.) VI. 165.
 Blatt (Z.) VI. 165.
 Heil (Z.) VI. 167.
 Stein (Z.) VI. 165.
 Strom (Z.) VI. 165.
 Butte (Z.) VI. 164.
 Büttel (Z.) V. 1104.
 Büttelkraupe (Z.) V. 1104, 1423.
 Butten (B.) III. 2065.
 Buttenäpfel (B.) III. 2083.
 Buttenbirnen (B.) III. 2076.
 Buttenquiriten (Z.) III. 2090.
 Butter (M., D. M. S.) I. S. XVII.
 Cacao (M., D. M. S.) I. S. XVII. — (B.) II. 128, III. 1203.
 Cacaonuß (B.) II. 128.
 Muscat (M., D. M. S.) I. S. XVII.
 Pflanzen (M., D. M. S.) I. S. XVII.
 Riesen (B.) III. 557.
 von Salam (B.) III. 660.
 Butterahorn (B.) III. 1324.
 Butterbaum (B.) III. 940, 942, 1432.
 gemeiner (B.) III. 941, 1432.
 ölhaltiger (B.) III. 940.
 Butterbäume (B.) III. 940, 1432.
 Butterbirne (B.) III. 2077.
 grane (B.) III. 2077.
 Winter (B.) III. 2077.
 Butterbirnen (B.) III. 2076.
 Butterblume (B.) III. 1144, 1146.
 Butterblume, Akers (B.) III. 1147.
 Alpen (B.) III. 1145.
 flügende (B.) III. 1148.
 Barrens (B.) III. 1146.
 gemeine (B.) III. 1145.
 giftige (B.) III. 1146.
 knollige (B.) III. 1146.
 kriechende (B.) III. 1147.
 scharfe (B.) III. 1147.
 Wassers (B.) III. 1147.
 Zungen (B.) III. 1143.
 Butterblumen (B.) III. 1144.
 Butterfisch (Z.) VI. 146.
 Butterflyweed, f. Ascepias tuberosa (B.) III. 1028.
 Butter-nut (B.) III. 1751.
 Butterpfl (B.) III. 141.
 Butter-tree (B.) III. 940, 1433.
 Butterweck (Z.) V. 452.
 Butterwecklein (Z.) V. 452.
 Büttner, Rudera diluvii testes (B.) II. 383.
 Büttneria (B.) III. 1199.
 cordata (B.) III. 1200.
 Büttneriacen (B.) III. 1142, 1199.
 Büttnerigen (B.) III. 1196, 1199.
 Biter, der (B.) III. 1442.
 Button-tree (B.) III. 912.
 Buttersopf (Z.) VII. 1088.
 Butyrinus (Z.) VI. 383.
 Butz (B.) II. 379.
 Butzopf (Z.) VII. 1079, 1074, 1088.
 Buxbaum, J. Ch., Centuriae Plantarum (B.) III. 298, 2118.
 Buxbaumia (B.) III. 274.
 aphylla (B.) III. 274.
 Buxineen (B.) III. 1580.
 Buxus (B.) III. 1580.
 sempervirens (B.) III. 1580.
 Bychorcho (Z.) V. 674.
 Byrchus (Z.) V. 1756.
 pilula (Z.) V. 1756.
 Byrsonima (B.) III. 1329.
 spicata (B.) III. 1329.
 verbascifolia (B.) III. 1329.
 Byssi (B.) III. 69.
 Byßlinien (B.) III. 69.

Byssocladium fenestrale (B.) III. 65.
 Byssus (B.) III. 70, 190.
 aurea (B.) III. 70.
 cryptarum (B.) III. 70.
 ebeneus (B.) III. 70.
 fodinarum (B.) III. 70.
 iolithus (B.) III. 70.
 niger (B.) III. 70.
 septica (B.) III. 72.
 velutina (B.) III. 70.
 Byssus (Z.) V. 351.
 Byturus (Z.) V. 1778.
 tomentosus (Z.) V. 1778.
 Byza (Z.) V. 485.
 B'zallim = Allium cepa (B.) II. 379.

C.

C album (Z.) V. 1105.
 C, weißes (Z.) V. 1105, 1142, 1424.
 Caama (Z.) VII. 1389.
 Caa Opia (B.) III. 1372.
 Caapeba (B.) III. 1244.
 Cabacello (Z.) VI. 391.
 Caballus (Z.) VII. 1234.
 Cabanis, Traité de la Greffe (B.) II. 274.
 Cabaret (Z.) VII. 262.
 Cabassou (Z.) VII. 868, 871.
 Cabassous (Z.) VI. 369.
 Cabasuda (Z.) VI. 368.
 Cabbage-tree (B.) III. 578, 674.
 Cabbagium (B.) III. 1684.
 Cabbiano (Z.) VI. 379.
 Cabiai (Z.) VII. 829.
 Cabinetfäßer (Z.) V. 1757.
 Cabion (B.) III. 1598.
 Cabomba (B.) III. 452.
 Cabomben (B.) III. 451.
 Cabree (Z.) VII. 1385.
 Cabrilla (Z.) VI. 255, 259.
 Cabrit (Z.) VII. 1384.
 Cabyai (Z.) VII. 829.
 Cacadu (Z.) VII. 366.
 gemeiner (Z.) VII. 367.
 schwarzer (Z.) VII. 367.
 Caca Henriette (B.) III. 1899.
 Cacialia (B.) III. 742, 769.
 anteuophorbium (B.) III. 769.

Cacaliakleinia (B.) III. 769.
 Caca mixtli (Z.) VII. 1511.
 Caca Mulla (B.) III. 1013.
 Cacao (B.) III. 1202.
 Cacaobaum (B.) III. 1201.
 gemeiner (B.) III. 1202.
 wilder (B.) III. 1201.
 Cacaobäume (B.) III. 1201.
 Cacaobohnen (B.) II. 352. — III. 1203.
 Cacaobutter (M., D., R., S.) I., S. XVII. — (B.) II. 128. — III. 1203.
 Cacao-plum-tree (B.) III. 2045.
 Cacao sauvage (B.) III. 1202, 1226.
 Cacaotier (B.) III. 1203.
 Cacao-tree (B.) III. 1203.
 Cacaoyer (B.) III. 1203.
 Cacara (B.) III. 1663, 1666.
 bulbosa (B.) III. 1664.
 puritus (B.) III. 1666.
 Caca real (Z.) VII. 825.
 Caca-Toddali (B.) III. 1285.
 Cachalot (Z.) VII. 1049.
 Cachiu (B.) III. 1699.
 Cachiba (B.) II. 513.
 Cachicame (Z.) VII. 867.
 Caehiman (B.) III. 1258, 1260.
 Cachivi (B.) III. 1598.
 Cacholong (M.) I. 141, 147.
 Cachonde (B.) III. 1696.
 Cachrys (B.) III. 1839.
 libanotis (B.) III. 1839.
 Caecilia (Z.) VI. 584.
 annulata (Z.) VI. 585.
 glutinosa (Z.) VI. 585.
 lumbricoidea (Z.) VI. 585.
 testaculosa (Z.) VI. 585.
 Cäciliénkraut, Str. (B.) III. 1371.
 Cacten (B.) 707, 1785, 1789, 1888, 1905, 1907.
 Fifer. der (B.) III. 2107.
 Cactier (B.) III. 1907.
 Cactus (B.) III. 1909, 1912, 1913.
 cochenillifer (B.) III. 1909.
 divaricatus (B.) III. 1916.
 fimbriatus (B.) III. 1916.
 flagelliformis (B.) III. 1913.
 grandiflorus (B.) III. 1914.
 hernandezii (B.) III. 1911.

Cactus hexagonus (B.) III. 1915.
 mammillaris (B.) III. 1912.
 melocactus (B.) III. 1912.
 monilliformis (B.) III. 1913.
 opuntia (B.) III. 1909.
 paniculatus (B.) III. 1915.
 peruvianus (B.) III. 1915.
 speciosus (B.) III. 1915.
 triangularis (B.) III. 1914.
 tuna (B.) III. 1909.
 Cacucia (B.) III. 909.
 Cadacay (B.) III. 916.
 Cadamba (B.) III. 861, 876.
 Cada-Pilava (B.) III. 873.
 Cade (B.) III. 361.
 Cadelari (B.) III. 1469.
 Cadel-avanacu (B.) III. 1591.
 Cadelium (B.) III. 1661.
 Cadelle (Z.) V. 1809.
 Cadivorall (Z.) V. 147.
 Cadju (B.) III. 1784.
 Cadmium (M.) I. 113, 122.
 Cadmus (B.) III. 199.
 Cadran, f. Solarium (Z.) V. 448.
 Café français (B.) III. 1654.
 marron (B.) III. 855.
 Coffee (B.) II. 351. — III. 853.
 brauner (B.) III. 855.
 gemeiner (B.) III. 853.
 Roßta. (B.) III. 854.
 schwedischer (B.) III. 1627.
 von Soudan (B.) III. 1652.
 Caffeebaum (B.) III. 853.
 Caffeebirne (B.) III. 2079.
 Caffebohnen (B.) II. 351, 352. — III. 853.
 Caffen (B.) III. 853.
 Caffeefäßen (B.) III. 1703.
 gemeine (B.) III. 1708.
 Caffeurogate (B.) II. 351.
 Cafur (B.) III. 1422.
 Caguana (Z.) VI. 510.
 Caguang' (Z.) VII. 931.
 Caguare (Z.) VII. 849.
 Cagui (Z.) VII. 1757.
 major (Z.) VII. 1757.
 Caguin (Z.) VII. 1771.
 Caiave (B.) III. 660.
 Caille (Z.) VII. 578.
 Cailieu-Tassart (Z.) VI. 382.
 Caiman (Z.) VI. 390.
 Caimite (B.) III. 943.
 batarde (B.) III. 943.