

- Guttiferen (B.) III. 24, 704, 706, 707, 347, 1420.
 Lifer. der (B.) III. 1448.
 Gwillimia (B.) III. 1239.
 Gyacumama (Z.) VI. 529.
 Gyll (Z.) VII. 1412.
 Gyllenhal, Insecta Suevica (Z.) V. 1822.
 Gylling (Z.) VII. 68.
 Gymnadenia (B.) III. 475, 476.
 Gymnena (B.) III. 1030.
 lactiferum (B.) III. 1030.
 tenacissimum (B.) III. 1030.
 Gymnetrus (Z.) VI. 141.
 cepedianus (Z.) VI. 142.
 Gymnocephalus (Z.) VI. 253, 275.
 Gymnocephalus (Z.) VII. 83.
 capucinus (Z.) VII. 83.
 Gymnocladus (B.) III. 1708.
 canadensis (B.) III. 1708.
 Gymnodaetylus (Z.) VI. 640.
 Gymnoderus (Z.) VII. 109.
 Gymnogramma (B.) III. 324.
 calomelanos (B.) III. 324.
 leptophyllum (B.) III. 324.
 Gymnops (Z.) VII. 69.
 Gymnosporangium (B.) III. 56.
 juniperinum (B.) III. 56.
 Gymnostomen (B.) III. 275.
 Gymnostomi (B.) III. 263, 275.
 Gymnostomum (B.) III. 275.
 pyriforme (B.) III. 276.
 truncatulum (B.) III. 276.
 Gymnotus (Z.) VI. 126.
 electricus (Z.) VI. 126.
 Gymnura (Z.) VII. 918.
 Gynaandria (B.) III. 6.
 Gynestum (B.) III. 669.
 Gynopleura (B.) III. 812.
 Gynostegium (B.) III. 102.
 Gyntel (Z.) VII. 256.
 Gypaëtos (Z.) VII. 145.
 Gypogoranus (Z.) VII. 152.
 Gyps (M.) I. 244, 516.
 Gyps (Z.) VII. 159.
 Gyps, blätteriger (M.) I. 246.
 Gypsboden (M.) I. 542.
 Pflanzen des (B.) II. 310.
 Gyps der Kreide (M.) I. 678.
 Gypsboden, der Lettenfohle (M.) I. 750.
 der Steinfohle (M.) I. 741.
 des bunten Sandsteins (M.) I. 723, 725.
 des Föhgebirges (M.) I. 671.
 des Grobkalks (M.) I. 663.
 des Lias (M.) I. 704.
 des Keupers (M.) I. 712.
 der Lettenfohle (M.) I. 714.
 des Muschelkalks (M.) I. 719.
 des tertiären Gebirges (M.) I. 653.
 des Wellenkalks (M.) I. 721.
 des Zechsteins (M.) I. 721.
 dichter (M.) I. 246.
 Gypse (M., D. M. S.) I. S. XIII.
 Gypse à ossements (M.) I. 664.
 Gypserde (M.) I. 247.
 Gyps, erdiger (M.) I. 247.
 Gyps, faseriger (M.) I. 246.
 Gypsgesteine (M.) I. 516.
 Gypshaloid, diatomés (M.) I. 250. — (M., D. M. S.) I. S. XIII.
 Gyps, Hölten (M.) I. 733.
 Gyps, körniger (M.) I. 246.
 Gypsfrant (B.) III. 1360.
 gemeines (B.) III. 1360.
 seifenartiges (B.) III. 1360.
 Gypsfräuter (B.) III. 1360.
 Gyps, Schaum (M.) I. 247.
 Schloten (M.) I. 733.
 schuppiger (M.) I. 247.
 Gypsophila (B.) III. 1360.
 muralis (B.) III. 1360.
 struthium (B.) III. 1360.
 Gyps, spähiger (M.) I. 246.
 Strin (M.) I. 247.
 Gyraria (B.) III. 113.
 Gyrfalco (Z.) VII. 132.
 Gyrius (Z.) V. 1727.
 natator (Z.) V. 1727.
 Gyrius (Z.) VI. 450, 451, 465.
 Gyrocarpus (B.) III. 1514.
 Lifer. der (B.) III. 2101.
 Gyrocarpus (B.) III. 1514.
 americanus (B.) III. 1514.
 Gyrogonites (B.) III. 220.
 Gyrole (B.) III. 138.
 Gyrolepsis tenuistriatus (M.) I. 715.
 Gyrophora (B.) III. 241.
 corrugata (B.) III. 253.
 mesenteriformis (B.) III. 243.
 proboscidea (B.) III. 243.
 pustulata (B.) III. 244.
 vellea (B.) III. 244.
 Gyropteriden (B.) III. 322.
 Gyropterides (B.) III. 322.

S.

- Haar, f. Haare.
 Haarananas (B.) III. 632.
 flaschentragende (B.) III. 632.
 gefleckte (B.) III. 632.
 gemeine (B.) III. 632.
 Haardrahten (B.) III. 215.
 gemeine (B.) III. 215.
 Haare (Z.) IV. 92, 328, 329.
 Bart (Z.) IV. 329.
 Flaum (Z.) IV. 329.
 krause (Z.) IV. 329.
 kurze (Z.) IV. 329.
 lange (Z.) IV. 329.
 Haaräste (B.) III. 80.
 bräunlicher (B.) III. 80.
 glänzender (B.) III. 80.
 grauer (B.) III. 80.
 Haarfutterale (Z.) V. 1220.
 Haargefäße (Z.) IV. 73.
 Haargefäßsystem (Z.) IV. 222.
 Haargeflecht (B.) III. 79.
 Haargewebe (Z.) IV. 108.
 Haargräser (B.) III. 387.
 gemeines (B.) III. 287.
 Haarinfusorien (Z.) V. 21.
 hülsenlose (Z.) V. 21.
 Haarkies (M.) I. 408.
 Haarkiste (B.) III. 76.
 grüner (B.) III. 76.
 Haarmoss (B.) III. 285.
 Haarnixen (B.) III. 452.
 gemeine (B.) III. 452.
 Haarqualle (Z.) V. 217.
 Haarquallen (Z.) V. 249.
 gemeine (Z.) V. 249.
 Haarraupen (Z.) V. 1341.
 Haarsatz (M.) I. 300.
 Haarschafe (Z.) VII. 1342.

Haarschnepfe (Z.) VII. 492, 506.
 Haarstrang (B.) III. 1815, 2025.
 gemeiner (B.) III. 1815.
 peterillenartiger (B.) III. 1816.
 Sumpf (B.) III. 1816.
 Haarstränge (B.) III. 1815.
 Haarthierchen (Z.) V. 28.
 gefelliges (Z.) V. 28.
 Haarthiere = Säugthiere (Z.) VII. 690.
 Augen (Z.) VII. 1435.
 fischartige (Z.) VII. 993.
 Geschichte der (Z.) VII. 701.
 Haut (Z.) VII. 1434.
 mittlere (Z.) VII. 992.
 Nasen (Z.) VII. 1434.
 obere (Z.) VII. 999, 1433 ohne Zahnlücken (Z.) VII. 1433.
 Ohren (Z.) VII. 1435.
 untrere (Z.) VII. 701.
 Zungen (Z.) VII. 1434.
 Haartrensen (B.) III. 737.
 krafftliche (B.) III. 737.
 Haartzwiebel (Z.) IV. 92.
 Haarzweien (B.) III. 1987.
 gemeine (B.) III. 1987.
 Habenaria (B.) III. 476.
 Haber (B.) III. 415.
 ägyptischer (B.) III. 416.
 gemeiner (B.) III. 416.
 Gold (B.) III. 416.
 hoher (B.) III. 415.
 Knollen (B.) III. 416.
 Kiebers und Stärkgehalt des (B.) II. 119.
 nackter (B.) III. 416.
 Sand (B.) III. 387.
 Schwindel (B.) III. 386.
 rauher (B.) III. 416.
 türkischer (B.) III. 416.
 ungarischer (B.) III. 416.
 Haberdistel (B.) III. 732.
 Habergrais (Z.) V. 673.
 Habergras (B.) III. 416.
 Haberreis (B.) III. 404.
 ost- und westindischer (B.) III. 404.
 Habersteche (B.) III. 2055.
 Habermurzel (B.) III. 719, 720.
 glatte (B.) III. 720.
 schwarze (B.) III. 721.

Habermurzel, wilde (B.) III. 719.
 zahne (B.) III. 720.
 Zier (B.) III. 720.
 Habermurzel (B.) III. 719.
 Habia (Z.) VII. 250.
 Habicht, Habichte (Z.) VII. 133, 134, 158.
 gemeiner (Z.) VII. 134.
 Fühner (Z.) VII. 134.
 Habichtseule (Z.) VII. 115.
 Habichtsfraut (B.) III. 718.
 behaartes (B.) III. 719.
 hochgelbes (B.) III. 719.
 Mauers (B.) III. 719.
 Habichtskräuter (B.) III. 718.
 Habichtspiß (B.) III. 130.
 Habronem-Malachit, dylomer (R.) I. 394.
 Habzelia (B.) III. 1252.
 aromatica (B.) III. 1253.
 aethiopia (B.) III. 1253.
 Hacchie (B.) III. 1696.
 Hacopher (B.) III. 1885.
 Hadas = Myrtus communis (B.) II. 380.
 Haden (B.) III. 1364.
 Gemis (B.) III. 1365.
 Gummi (B.) III. 1371.
 Nellen (B.) III. 1364.
 Schild (B.) III. 1367.
 Thees (B.) III. 1365.
 Wasser (B.) III. 1366.
 Häderich (B.) III. 1400.
 gemeiner (B.) III. 1400.
 Häderiche (B.) III. 1400.
 Hadhath (B.) III. 1696.
 Hadoek (Z.) VII. 154.
 Haeguo (Z.) VII. 1693.
 Häfen (R.) I. 547.
 Hafes (B.) III. 415.
 Hafenez (R.) I. 427.
 Haft (Z.) V. 1473.
 Haftdolde (B.) III. 1803.
 sperrige (B.) III. 1803.
 Haftdolden (B.) III. 1803.
 Haftrahlen (B.) III. 242.
 gelbrothe (B.) III. 242.
 sackförmige (B.) III. 242.
 Hagebutte (B.) III. 1541.
 gemeine (B.) III. 1541.
 Hagebutten (B.) III. 1541.
 Hagebutten (B.) III. 2021, 2065.

Hagebuttenbirnen (B.) III. 2074.
 Hagedorn (B.) III. 2065.
 Hagedornspinner (Z.) V. 1343.
 Hagegans (Z.) VII. 479.
 Hagelechnüre (Z.) IV. 307.
 Hagen, K., Hist. lichenam (B.) III. 300.
 Preußens Pflanzen (B.) III. 2122.
 Hagenbach, Flora basileensis (B.) III. 2122.
 Hageute (B.) III. 464.
 Häßling (Z.) VI. 366.
 Häßner (Z.) VI. 292.
 Hahn (Z.) VII. 604.
 Hahn, E. W., Die wanzartigen Insecten (Z.) V. 1628.
 Drüthol. Atlas (Z.) VII. 667.
 Vogel aus Asien etc. (Z.) VI. 667.
 Hahnenfuß (B.) III. 1144.
 Hahnenfußgras (B.) III. 398.
 Hahnenkamm (B.) III. 998, 1469.
 gemeiner (B.) III. 1469.
 hochrother (B.) III. 1470.
 Hahnenkamm (Z.) V. 381.
 Hahnenkämme (B.) III. 1469.
 Hahnenkopf, f. Hedysarum (B.) III. 1622.
 Hahnentritt (Z.) IV. 307.
 Haideboden, Haideen etc., f. Heideboden etc.
 Haidinger (R.) I. 250.
 Haidinger (R.) I. 439. — (D. R. S.) I. S. XIII. — Diatomee Gypsstrid (R.) I. 250.
 Haidstrunden (Z.) VII. 1340.
 Hainbische (B.) III. 438.
 haarige (B.) III. 438.
 Hainbuchenpanner (Z.) V. 1284.
 Haje (Z.) VI. 563.
 Hake (Z.) VI. 151.
 Hakea (B.) III. 1508.
 gibbosa (B.) III. 1508.
 Haken (Z.) IV. 399.
 Hakenbein (Z.) IV. 26.
 Hakenfutterate (Z.) V. 1217.
 Hafenglisen (B.) III. 542.
 americanische (B.) III. 544.

Hafenglühen, asiatische (B.) III. 543.
 Hafenkirschen (B.) III. 925.
 gemeine (B.) III. 925.
 Hafenkirschen (B.) III. 754.
 gemeine (B.) III. 754.
 Hafentille = Hafenglühe (B.) III. 542.
 Hafensack (B.) VI. 339.
 Hafennussel (B.) IV. 38.
 Hafenschäumer (M.) I. 39.
 Halbaffen (B.) VII. 1705.
 Halbbandschwärmer (B.) V. 1380.
 Halbcanninchen (B.) VII. 822.
 Halbdecken (B.) IV. 382.
 Halbdornraupen (B.) V. 1388, 1411, 1414.
 Halbdurchsichtig (M.) I. 98.
 Halbenten (B.) VII. 460.
 Winter (B.) VII. 461.
 Halberweed (B.) III. 745.
 Halbesel (B.) VII. 1232.
 Halbfisch (B.) V. 305.
 Halbfisch (B.) VI. 361.
 Halbgütel (B.) VII. 508.
 Halbkäfer (B.) V. 1696.
 größer (B.) V. 1696.
 Halbbügel (M.) I. 147.
 Halbreiche (B.) III. 150.
 Halbschnabel (B.) VI. 392.
 Halbschneise (B.) VII. 506.
 Halbschneise (B.) VII. 498.
 Halbspannraupen (B.) V. 1302.
 Halbraube (B.) II. 42.
 Halbrauer (B.) V. 1093, 1162.
 Halbvogel (B.) VII. 59.
 Halbe (das) (M., D. M. S.) I. S. XIX.
 arseniksaures
 boraksaures
 Brenz-
 bromsaures
 cyansaures
 Elementar-
 erzsaures
 feuerisaures
 flusspathsaures
 Zed-
 jodsaures
 Kalz-
 Kieselz-
 kochsalzsaures
 kohlenisaures
 lufsaures

(M., D. M. S.) I. S. XIX. und XX.

Halbe, phosphorsaures (M., D. M. S.) I. S. XIX. und XX.
 salpetersaures
 Salz-
 schwefelsaures
 Talk-
 Thon-
 wasserbleysaures
 wasserisaures
 wolframsaures
 Haleclidge (B.) III. 916.
 Halecula (B.) VI. 370.
 Hales, Vegetable Statick (B.) II. 266.
 Halesia (B.) III. 927.
 tetraptera (B.) III. 927.
 Halax (B.) VI. 378.
 Halfterfisch (B.) VI. 211.
 Häufschäumer (M.) I. 38.
 Haliastos (B.) VII. 147.
 Halicabum (B.) III. 982, 1334.
 Halicore (B.) VII. 1106.
 Halicurus (B.) V. 978.
 bicinctus (B.) V. 978.
 grandis (B.) V. 982.
 Halicurus, f. Schärbe (B.) VII. 411.
 Halimeda (B.) III. 210.
 Halimus (B.) III. 1458.
 Haliotis (B.) V. 416.
 asinina (B.) V. 416.
 marmorata (B.) V. 416.
 tubercula (B.) V. 416.
 Haliplus (B.) V. 1732.
 impressus (B.) V. 1732.
 Hall, Capitän (M.) I. 603.
 Epistolae ineditae Car. Sinaei (B.) III. 2120.
 Flora Belgii septentr. (B.) III. 2122.
 Specimen Graminum Belgii (B.) III. 699.
 Synopsis Graminum Belgii (B.) III. 2122.
 Halle und Hayne, Die Giftpflanzen (B.) III. 2131.
 Halle, A., Abhandlung über die Futterkräuter der Neuern (B.) III. 2029.
 Haller, A., Bibliotheca botanica (B.) II. 96. — III. 2114.

Haller, A., De Veronicis alpinis et de Pedicularibus (B.) III. 2135.
 Elementa Physiologiae (B.) IV. 824.
 Emendationes stirp. helvet. (B.) III. 2119.
 Enumeratio plant. Helvetiae (B.) III. 2118.
 Hist. Stirp. indigen. Helvetiae (B.) III. 299, 699 2118.
 Iter alpinum (B.) III. 2118.
 Obs. botan. in sylv. hercyn. (B.) III. 2118.
 Opuscula botanica (B.) III. 2118.
 Sur la formation du coeur dans le poulet (B.) VII. 674.
 Hallerde (M.) I. 720.
 Halleria (B.) III. 976.
 elliptica (B.) III. 976.
 Hallimasch (B.) III. 162.
 Haltomenus (B.) V. 1781.
 humeralis (B.) V. 1781.
 Hallosit (M.) I. 207.
 Halm (B.) II. 27.
 Halm (B.) III. 387.
 Halmaturus (B.) VII. 895, 896.
 fasciatus (B.) VII. 896.
 griseorufus (B.) VII. 903.
 labiatus (B.) VII. 903.
 minor (B.) VII. 896.
 murinus (B.) VII. 896.
 ruficollis (B.) VII. 903.
 Halmmücken (B.) V. 796.
 Halodroma, f. Procellaria (B.) VII. 383.
 Haloid, Eisen (M.) I. 305.
 Kupfer (M.) I. 306.
 Haloid (M.) I. 305.
 Haloragene (B.) III. 342.
 Halorageen (B.) III. 308, 342, 707, 1785, 1788, 1870.
 Uter. der (B.) III. 2106.
 Haloragis (B.) III. 1871.
 cercodia (B.) III. 1871.
 erecta (B.) III. 1871.
 Hals (B.) IV. 327.
 Halsbandraupen (B.) V. 1344.
 Halsbandregenpfeifer (B.) VII. 512.

- Halsbandzuckerfreier (Z.) VII. 191.
 Halsdornraupen (Z.) V. 1417.
 Halsidechse (Z.) VI. 631.
 Halshornkäfer (Z.) V. 1748.
 gemeiner (Z.) V. 1758.
 Halskrieger (Z.) VI. 16, 74, 119, 144.
 Halskrieger (Z.) V. 573.
 Halsknoten, unterer (Z.) IV. 63.
 Halskraut (B.) III. 796.
 gemeines (B.) III. 796.
 798.
 großes und kleines (B.) III. 798.
 Halskräuter (B.) III. 796.
 Halsmäntel (Z.) VI. 31, 73.
 Halsmuskeln (Z.) IV. 33.
 breiter (Z.) IV. 33, 37.
 lange (Z.) IV. 38.
 Halsnerven (Z.) IV. 54.
 Halsringel (Z.) V. 710.
 Halsrippen (Z.) IV. 24.
 Halsschnecken (Z.) V. 412.
 flachschalige (Z.) V. 416.
 gaulschalige (Z.) V. 412.
 spaltförmige (Z.) V. 414.
 Halsstierchen (Z.) V. 29.
 entenartiges (Z.) V. 29.
 Halswirbel (Z.) IV. 23, 169.
 Haliaea (Z.) V. 1664.
 hyoscyami (Z.) V. 1665.
 nemorum (Z.) V. 1665.
 oleracea (Z.) V. 1665.
 Halsklappen (Z.) IV. 457.
 Halsjunges (B.) III. 1034.
 gemeine (B.) III. 1034.
 Halszangen (Z.) IV. 345, 457.
 Halymenia (B.) III. 224.
 edulis (B.) III. 224.
 palmata (B.) III. 224.
 Hamadryas (Z.) VII. 1774.
 Hamameliden (B.) III. 1451, 1959, 1960, 1984.
 Eiter, der (B.) III. 2109.
 Hamamelis (B.) III. 1985.
 virginica (B.) III. 1985.
 Haemanthus (B.) III. 542.
 coccineus (B.) III. 542.
 puniceus (B.) III. 542.
 Hamatin (M., D., M., S.) I. S. XVII. — (B.) II. 129.
 Hamatit (M.) I. 932.
- Haematopus (Z.) VII. 509.
 ostralegus (Z.) VII. 509.
 palliatus (Z.) VII. 511.
 Haematoxylon (B.) III. 1720.
 campechianum (B.) III. 1720.
 Hamel, du, f. Du Hamel.
 Hamelia (B.) III. 878.
 patens (B.) III. 878.
 ventricosa (B.) III. 878.
 Hamelien (B.) III. 839, 840, 871, 877, 878.
 Hamilton, G., Prodr. Fl. Indiae occid. (B.) III. 2135.
 Hammel (Z.) VII. 1338.
 Hammelsbirne (B.) III. 2078.
 Hammer (Z.) IV. 98.
 Hommer (Z.) V. 369.
 polnischer (Z.) V. 369.
 Hammerfisch (Z.) VI. 54.
 gemeiner (Z.) VI. 54.
 Hämmerling (Z.) VII. 108.
 geschäcker (Z.) VII. 108.
 weißer (Z.) VII. 109.
 Zapfen (Z.) VII. 108.
 Hämmerlinge (Z.) VII. 108.
 Hammermuschel (Z.) V. 369.
 Hammerstrauch (B.) III. 985.
 schwarzer (B.) III. 986.
 weißer (B.) III. 985.
 Hammersträucher (B.) III. 985.
 Hammodraceen (B.) III. 465, 524, 526.
 Haemodorum (B.) III. 527.
 corymbosum (B.) III. 527.
 Hamster (Z.) VII. 711, 713, 726.
 gemeiner (Z.) VII. 726.
 Haemulon (Z.) VI. 243.
 elegans (Z.) VI. 243.
 quadrilineatum (Z.) VI. 243.
 Hanasca (Z.) VII. 1248.
 Hancornia (B.) III. 1050.
 speciosa (B.) III. 1050.
 Hand (Z.) IV. 25, 26.
 Mittel (Z.) IV. 26.
 Handbewegung (Z.) IV. 238.
 Handmuskeln (Z.) IV. 40, 41.
 kurzer (Z.) IV. 41.
 langer (Z.) IV. 40.
 Handthier (Z.) VII. 1098.
 Handwullen (B.) III. 1226.
 gemeine (B.) III. 1227.
- Handwurz (Z.) IV. 26.
 Handwurzgefäße (Z.) IV. 328.
 Hanf (B.) II. 368. — III. 1552.
 arracamischer (B.) III. 1187.
 gemeiner (B.) III. 1552.
 indischer (B.) III. 1034.
 indischer (B.) III. 1641.
 neuseeländischer (B.) II. 370. — III. 571.
 Somen (B.) III. 1553.
 Staub (B.) III. 1553.
 Hanfe (B.) III. 1552.
 Hanfblüte (B.) III. 1219.
 Hängling (Z.) VII. 256.
 Berg (Z.) VII. 261.
 feiner (Z.) VII. 262.
 Hanfnade (B.) III. 1299.
 Hanfnessel (Z.) III. 1060.
 gelbe (B.) III. 1061.
 gelbliche (B.) III. 1061.
 gemeine (B.) III. 1061.
 schmaltätterige (B.) III. 1061.
 Hanfnesselmotte (Z.) V. 1304.
 Hanfnessel (B.) III. 1061.
 Hanf (M., D., M., S.) I. S. XVII. — (B.) II. 127. — III. 1553.
 Hanfputzen (B.) III. 1198.
 gemeine (B.) III. 1198.
 Hanfrüchse (B.) III. 1555.
 Hanfsamen (B.) III. 1553.
 Hanfschroben (B.) III. 1203.
 gemeine (B.) III. 1203.
 Hanfsunge (Z.) III. 1034.
 Hanfwürger (B.) III. 992.
 Hängbirkenmotte (Z.) V. 1320.
 Hängendes (M.) I. 568, 836.
 Hängkraut (Z.) V. 504.
 Hannover (Z.) V. 1793.
 Hanfen, Herbarium von Schleswig, Holstein und Lauenburg (B.) III. 2123.
 Hantol (B.) III. 1310.
 Hanuman (Z.) VII. 1815.
 Hapale (Z.) VII. 1767.
 Happe, Botanica pharmaceutica (B.) III. 2139.
 Haraz (Z.) VII. 531.
 Harbai (Z.) VI. 616.
 Hardilla (Z.) VII. 769.
 Harduin (Z.) VII. 737, 782.
 Hardun (Z.) VI. 616.

Hare (Z.) VII. 816.
 Hareng (Z.) VI. 372.
 Harengus (Z.) VI. 372.
 Harfang (Z.) VII. 116.
 Harfe = Harfenschnecke (Z.) V. 476.
 edle (Z.) V. 476.
 Harfennuschel (Z.) V. 387.
 Harfenschnecke (Z.) V. 476.
 gemeine (Z.) V. 476.
 Haricot (B.) III. 1659.
 de Perou, grand (B.) III. 1596.
 Häring, Häringe (Z.) VI. 272, 367, 370, 372.
 Hart (Z.) VI. 387.
 bewaffnete (Z.) VI. 385.
 Borsten (Z.) VI. 381.
 dicke (Z.) VI. 382.
 dünne (Z.) VI. 367.
 eigentliche (Z.) VI. 370.
 fliegende (Z.) VI. 383.
 gemeiner (Z.) VI. 372.
 Hauers (Z.) VI. 385.
 Karpfen (Z.) VI. 382.
 Kauls (Z.) VI. 386.
 Panzer (Z.) VI. 386.
 Pfäster (Z.) VI. 383.
 Raupen (Z.) VI. 386.
 Schlamms (Z.) VI. 386.
 Stempel (Z.) VI. 382.
 Süßwasser (Z.) VI. 364.
 weiche (Z.) VI. 362.
 Zahn (Z.) VI. 385.
 Häringsjäger (Z.) VI. 142.
 Häringskönig (Z.) VI. 142, 273.
 Häringskönige (Z.) VI. 273.
 Häringsmöve (Z.) VII. 402.
 Häringsreiber (Z.) VII. 1085.
 Häringswal (Z.) VI. 1084.
 Harle (Z.) VII. 443.
 Harlekin (Z.) V. 1282.
 Harlekin (Z.) VII. 1565.
 Harmala (B.) III. 1265.
 Harmelfraut (B.) III. 1265.
 gemeines (B.) III. 1265.
 Harmelfräuter (B.) III. 1265.
 Harmotom (M.) I. 173.
 Horn (M., D. M. S.) I. S. XV. — (Z.) IV. 223.
 Hornlose (Z.) IV. 104, 303.
 Hornblasenzipfel (Z.) IV. 310.
 Horngetz (M., D. M. S.) I. S. XVIII.
 Hornhaut (Z.) IV. 163, 303.

Univerſal-Regiſter

Hornschwels (Z.) VI. 82.
 gemeiner (Z.) VI. 82.
 Hornleiter (Z.) IV. 104, 303.
 Hornorgane (Z.) IV. 103, 297, 300.
 Hornsatz (M., D. M. S.) I. S. XIV.
 Hornsäure (Z.) IV. 206.
 Hornschaur (Z.) IV. 303.
 Hornstoff (M., D. M. S.) I. S. XV. — (Z.) IV. 206.
 Harpa (Z.) V. 476.
 Harpalus (Z.) V. 1720.
 aeneus (Z.) V. 1721.
 vulgaris (Z.) V. 720.
 Harpalyce (B.) III. 717.
 Harpaye (Z.) VII. 139.
 Harpyia (Z.) VII. 151, 991.
 Harpyien (Z.) VII. 983.
 Harris, The Aurelian (Z.) V. 1425.
 Hartapfel, rother (B.) III. 2084.
 Harte beest (Z.) VII. 1389.
 Härte der Mineralien (M.) I. 104.
 Härtegrad der Mineralien (M.) I. 104.
 Härtern (B.) III. 1848.
 Härtescala der Mineralien, nach Mohs (M.) I. 104.
 Hartgras (B.) III. 414.
 Hartheu, f. Hypericum (B.) III. 1370.
 Hartig (B.) III. 2083.
 Forellen (B.) III. 2084.
 Grün (B.) III. 2084.
 Winters (B.) III. 2084.
 Hartige (B.) III. 2083.
 Hartkäufer (Z.) VII. 1140.
 Hartling (B.) III. 2063.
 Muscateller (B.) III. 2063.
 violetter (B.) III. 2063.
 Hartlinge (B.) III. 2063.
 rauhe (B.) III. 2063.
 Hartman, C., Genera Graminum in Scandinavia (B.) III. 698.
 Hartmangauerz (M.) I. 338, 726.
 Hartmann, Handbok i Scandinaviens Flora (B.) III. 2123.

Hartmann, G. L., Beschreibung des Bodensees (Z.) VI. 406.
 Helvet. Jährhyologie (Z.) VI. 406.
 Hartmann, W., De discrimine Betulae et Alni (B.) III. 2102.
 Hartriegel (B.) III. 1119, 1847.
 gemeiner (B.) III. 1848.
 krautartiger (B.) III. 1847.
 weißer (B.) III. 1848.
 Hartshnabel (Z.) VII. 509.
 Hartung, Diss. de Cichonae Speciebus (B.) III. 1133.
 Hartvugt Boom (B.) III. 1294.
 Harz (B.) III. 313, 347.
 Aloe (B.) III. 566.
 Ammoniak (B.) II. 115. — III. 1822.
 Amra (B.) III. 1778.
 Botanybay (B.) III. 633, 1935.
 Campher (B.) III. 1527.
 Chibus (B.) III. 1764.
 Dammar (M., D. M. S.) I. S. XVII. — (B.) III. 353, 1423, 1753.
 Elemi (B.) III. 1757, 1762.
 Erd (M.) I. 313.
 Euphorbien (B.) III. 1584.
 Feder (M., D. M. S.) I. S. XVII. — (B.) II. 114. — III. 1588.
 Fichten (M., D. M. S.) I. S. XVII. — III. 347.
 Galbaum (B.) III. 1804.
 Geigen (B.) III. 347 ff.
 Gommart (B.) III. 1764.
 Guaiak (B.) III. 1274.
 Gummi (B.) III. 1083.
 Jalappen (B.) III. 1085.
 Kirich (B.) III. 2052.
 Mastix (B.) III. 1756.
 Mutter (B.) III. 1808.
 Opopanax (B.) III. 1818.
 Soudarak (B.) III. 364.
 Scammonium (B.) III. 1083.
 Tacamahaca (B.) III. 1425, 1761.
 Tannen, gemeines (B.) II. 114. — III. 347 ff.
 Wachholder (B.) III. 360.

- Harz, weißes (B.) II. 114. — III. 349, 530.
 Zwetschen (B.) III. 2057.
 Harzananas (B.) III. 632.
 baumartige (B.) III. 633.
 Benzoe (B.) III. 1423.
 Harzbrenze (M.) I. 311.
 Harzburre (B.) III. 1686.
 brennende (B.) III. 1687.
 flüchtige (B.) III. 1686.
 Harzburren (B.) III. 1686.
 Harzdruten (B.) III. 1430.
 gemeine (B.) III. 1431.
 Harze (M., D. M. S.) I. S. XVII. — (B.) II. 111, 112, 113, 134.
 Brenz (M., D. M. S.) I. S. XVII.
 eigentliche (B.) II. 113.
 Erd- (M., D. M. S.) I. S. XVII.
 Erz- (M., D. M. S.) I. S. XVII.
 Feuers (M., D. M. S.) I. S. XVII.
 Gummi (M., D. M. S.) I. S. XVII. — (B.) II. 114. — III. 1083.
 Luft- (M., D. M. S.) I. S. XVII.
 Salz- (M., D. M. S.) I. S. XVII.
 Schteins (B.) II. 113.
 Stink- (M., D. M. S.) I. S. XVII.
 Wasser- (M., D. M. S.) I. S. XVII.
 Harzgrüchen (B.) III. 1634.
 gemeine (B.) III. 1634.
 Harzhüllen (B.) III. 1025.
 gemeine (B.) III. 1025.
 Harzirgel (B.) III. 1935.
 gemeine (B.) III. 1935.
 schiefe (B.) III. 1936.
 starke (B.) III. 1936.
 Harzirgeln (B.) III. 1935.
 Harzflamme (B.) III. 1996.
 gemeine (B.) III. 1997.
 pulverige (B.) III. 1997.
 sperrige (B.) III. 1996.
 Harzflammen (B.) III. 1996.
 Harzflüssen (B.) III. 753.
 gemeine (B.) III. 753.
 Harzfosse (B.) III. 793.
- Harzfrucht, f. Cressa (B.) III. 1081.
 Harznaden (B.) III. 1298.
 sinkende (B.) III. 1298.
 Harzpatteln (B.) III. 1302.
 gemeine (B.) III. 1302.
 Harzsäuren (B.) II. 121.
 Harzschmack (B.) III. 1771.
 Harzwinde (B.) III. 1083.
 Harzjauche (B.) III. 629.
 Hase, Hasen (Z.) VII. 810.
 ächte (Z.) VII. 812.
 ägyptischer (Z.) VII. 822.
 Alpen- (Z.) VII. 819.
 Best- (Z.) VII. 811.
 Berg- (Z.) VII. 818.
 capischer (Z.) VII. 822.
 eigentliche (Z.) VII. 816.
 Eis- (Z.) VII. 821.
 Feld- (Z.) VII. 818.
 gemeiner (Z.) VII. 816.
 grönländischer (Z.) VII. 821.
 Heu- (Z.) VII. 812.
 kleinsten (Z.) VII. 811.
 Kuhls (Z.) VII. 812.
 nordischer (Z.) VII. 820.
 Pflanz- (Z.) VII. 811.
 Sand- (Z.) VII. 812.
 Seidens (Z.) VII. 814.
 sibirischer (Z.) VII. 821.
 Springs (Z.) VII. 796.
 Stein- (Z.) VII. 812.
 Sumpfs (Z.) VII. 818.
 veränderlicher (Z.) VII. 819.
 Wasser- (Z.) VII. 826.
 Woll- (Z.) VII. 797.
 Zwerg- (Z.) VII. 811.
 Hasel (B.) III. 1545.
 byzantinische (B.) III. 1546.
 gemeine (B.) III. 1546.
 Hasel (Z.) VI. 300.
 Haselalben (B.) III. 1511.
 gemeine (B.) III. 1511.
 Haselhuhn (Z.) VII. 588.
 Haselkorn (B.) III. 118.
 Haselmaus (Z.) VII. 767.
 große (Z.) VII. 767.
 kleine (Z.) VII. 768.
 Haseln (B.) III. 1545.
 Haselnolle (B.) III. 99.
 Haselnüsse (B.) III. 1546.
 Haselnußkäser (Z.) V. 1642.
 Haselnußöl (B.) III. 1546.
 Haselnußschrüder (Z.) V. 1700.
 Haselschöß (Z.) VI. 300.
- Haselhaude (B.) III. 1545.
 Haselwurze (B.) III. 803.
 canadische (B.) III. 803.
 gemeine (B.) III. 803.
 virginische (B.) III. 803.
 Haselwurzeln (B.) III. 803.
 Haselnsattnager (Z.) V. 1649.
 Haselnschrot (B.) III. 411, 438.
 Haselnssee (B.) III. 1635.
 Haselnssohl (B.) III. 724.
 cretischer (B.) III. 724.
 sicilischer (B.) III. 724.
 Haselnssohle (B.) III. 724.
 Haselnssohltraupe (Z.) V. 1290.
 Haselnsöhrelein (B.) III. 1797.
 Haselnsraupen (Z.) V. 1133, 1351.
 Haselnschnecke (Z.) V. 402.
 Hashish, f. Cannabis (B.) III. 1552.
 Haß (Z.) IV. 320.
 Hassar (Z.) VI. 83.
 plattköpfiger (Z.) VI. 83.
 Hasselquist, Her palae-
 stinum; auchdeutsch (B.) III. 2126. — (Z.) VI. 405.
 Hasselt, J. C. van, De Me-
 tamorphosi Ranae tem-
 porariae (Z.) VI. 692.
 Haslingsand (M.) I. 687.
 Haslingschichten (M.) I. 687.
 Hatchetin (M.) I. 317.
 Hattel (Z.) VII. 1342.
 Hau (Z.) VII. 875.
 Haube (Z.) IV. 335.
 Haube (Z.) VII. 1242.
 Haubenadler (Z.) VII. 151.
 Haubenbestenlar (Z.) VII. 323.
 Haubencolibri (Z.) VII. 187.
 Haubenguckguck (Z.) VII. 228.
 Haubenhäring (Z.) VI. 385.
 gemeiner (Z.) VI. 385.
 Haubenheher (Z.) VII. 344.
 Haubenhuhn (Z.) VII. 607.
 Haubenlerche (Z.) VII. 291.
 Haubenmeise (Z.) VII. 245.
 Haubenwitz (B.) III. 151.
 Haubenspecht (Z.) VII. 214.
 Haubentraucher (Z.) VII. 427.
 Häutchen (B.) III. 314.
 Haufen (B.) II. 86.
 Haufschel (B.) III. 1640.
 gemeine (B.) III. 1640.

Hauthechelbläuling (Z.) V. 1392.
 Hauthechel (B.) III. 1640.
 Hautenblatt (B.) III. 627.
 gemeins (B.) III. 627.
 Hautenblätter (B.) III. 627.
 Hauptaxe der Crystallformen
 (M.) I. 40.
 Hauptfarben, acht, Werner's
 (M.) I. 96.
 Hauptfette (M.) I. 546.
 Haupttrogenstein (M.) I. 698,
 700.
 Abtheilungen des (M.) I.
 699.
 Hauptsteinkohlenformation
 (M.) I. 308.
 Hauptsteinkohlengebirge (M.)
 I. 738, 767.
 Hauptthal (M.) I. 553.
 Hauptwerke über Naturges-
 schichte (M.) I. 23.
 Hausameisen (Z.) V. 910.
 Hausen (Z.) VI. 69.
 Hausenblase (M., D. M. S.)
 I. S. XV. — (Z.) VI. 71.
 Hausente (Z.) VII. 467.
 Hausfrau (Z.) V. 1359.
 Hausgans (Z.) VII. 476.
 Hausgrylle (Z.) V. 1523.
 Haushaltungkäpfe (B.) III.
 2083.
 Haushuhn, Haushühner (Z.)
 VII. 604.
 Haushunde (Z.) VII. 1564.
 Hauslaub (B.) III. 1966.
 Hausmann (M.) I. 834.
 De Animalium exsanguium
 respiratione (Z.) V.
 1826.
 Hausmannit (M.) I. 337.
 Hausmaus (Z.) VII. 716.
 Hausmutter (Z.) V. 1088,
 1089, 1130, 1300.
 Hauspitz (B.) III. 128, 134.
 Hausratte (Z.) VII. 719.
 Hausreich (B.) III. 134.
 Hausrothschwanz (Z.) VII. 40.
 Hausrschaf (Z.) VII. 1337.
 Hausrschwabe (Z.) VII. 106.
 javanische (Z.) VII. 106.
 Hausrschwamm (B.) III. 134.
 Hausrsorpion (Z.) V. 703.
 Hausrspinne (Z.) V. 694.
 Hausrswurzel (B.) III. 1965.
 gemeins (B.) III. 1966.

Hausrsurzeln (B.) III. 1965.
 Haut (Z.) IV. 89, 90, 131,
 141, 153, 217, 225, 393,
 570. — (B.) II. 20.
 Athem: (Z.) IV. 163, 570.
 Augen, harte (Z.) IV. 101.
 Bein: (Z.) IV. 120.
 Darm: (Z.) IV. 153.
 Gäser: (Z.) IV. 110.
 Fleisch: (Z.) IV. 90, 91.
 Gefäß: (Z.) IV. 49, 54, 90,
 91, 301.
 gefäßlose (Z.) IV. 301.
 grüne, der Pflanzenrinde
 (B.) II. 20.
 Harn: (Z.) IV. 163.
 harte (Z.) IV. 49.
 Horn: (Z.) IV. 101.
 Leder: (Z.) IV. 90, 91.
 Luft: (Z.) IV. 153.
 Muskel: (Z.) IV. 69.
 Netz: (Z.) IV. 100.
 Ober: (Z.) IV. 90.
 Regenbogen: (Z.) IV. 101.
 Riech: (Z.) IV. 95.
 Schleim: (Z.) IV. 68, 95.
 Spinnweben: (Z.) IV. 49.
 von Ruych (Z.) IV. 101.
 Wachs: (Z.) IV. 333. —
 VII. 6.
 Wasser: (Z.) IV. 153.
 weiche (Z.) IV. 49.
 Zell: (Z.) IV. 67, 90, 92.
 Zotten: (Z.) IV. 68.
 Hautaffe (Z.) VII. 1707.
 gemeiner (Z.) VII. 1707.
 Hautaffen (Z.) VII. 1707, 1730.
 Hautausdünstung (Z.) IV.
 222.
 Hautbären (Z.) VII. 1660.
 Hautblase (Z.) IV. 155.
 Hautblutader (Z.) IV. 83.
 äußere (Z.) IV. 83.
 innere (Z.) IV. 83.
 Hautdrüsen (Z.) IV. 92.
 Häute (Z.) IV. 65, 155.
 Arterien: (Z.) IV. 111.
 Darm: (Z.) IV. 116.
 Ey: (Z.) IV. 306.
 Lufttröhren: (Z.) IV. 117.
 Saugader: (Z.) IV. 110.
 Schleim: (Z.) IV. 223.
 seröse (Z.) IV. 109, 223.
 Synovial: (Z.) IV. 109.
 Venen: (Z.) IV. 110.

Häute, Wasser: (Z.) IV. 223.
 Hautfarren (B.) III. 323.
 gemeiner (B.) III. 323.
 Hautffäden (B.) III. 190.
 braune (B.) III. 191.
 Hautflappe (B.) III. 208.
 blasiger (B.) III. 208.
 breiter (B.) III. 208.
 kranker (B.) III. 208.
 Hautfedermaus (Z.) VII. 960.
 ägyptische (Z.) VII. 961.
 senegalische (Z.) VII. 961.
 Hautfedermäuse (Z.) VII. 960.
 Hautflossen (Z.) IV. 340.
 Hautflößer (Z.) (Z.) VI. 30.
 Hautflügler (Z.) V. 831.
 Hautgrenzel (B.) III. 1350.
 gemeine (B.) III. 1350.
 Hauthaarthiere (Z.) VII. 1434.
 Hautli (Z.) VII. 875.
 Hautläfer (Z.) V. 1759.
 mausgrauer (Z.) V. 1760.
 Hautläume (Z.) IV. 334.
 Hautliementhiere (Z.) IV. 579.
 Hautleib (Z.) IV. 225.
 Hautmünde (B.) III. 274.
 Hautmuskel (Z.) IV. 33.
 Hautnerve (Z.) IV. 56.
 äußerer (Z.) IV. 56.
 innerer (Z.) IV. 56.
 oberflächlicher (Z.) IV. 57.
 Hautpflanzen (B.) III. 1614.
 Hautpizze (B.) III. 46, 47.
 Hautpolypen (Z.) V. 60, 61.
 Hautschüldkröte (Z.) VI. 505.
 ägyptische (Z.) VI. 505.
 bissige (Z.) VI. 505.
 Hautsfetel (Z.) IV. 122.
 Hautshstem (Z.) IV. 88.
 Entwicklung des (Z.) IV.
 108.
 Gefäßorgane des (Z.) IV.
 159.
 Hautthiere (Z.) IV. 570, 574,
 578. — V. 541.
 Häutung (Z.) IV. 477. — V.
 1071.
 Hautwürzchen (Z.) IV. 91.
 Hautwirbel (Z.) IV. 168, 169.
 Haut, Mineralog (M.) I.
 30, 74, 110.
 seine crystallograph. Me-
 thode (M.) I. 89.
 Hautu (M.) I. 180.
 der Lava (M.) I. 787.

- Haupa, deutscher (M.) I. 181.
 italischer (M.) I. 181.
 Kalk: (M.) I. 181.
 Narren: (M.) I. 181.
 Havadde (Z.) VI. 109.
 Havenaffel (Z.) V. 615.
 Hawk-owl (Z.) VII. 115.
 Haworth, Lepidoptera britan-
 nica (Z.) V. 1425.
 Narcissearum monogr.
 (B.) III. 699.
 Obs. on Mesembryanthemum
 (B.) III. 2108.
 Synopsis Plantarum succu-
 lentarum (B.) III. 699, 2108.
 Hay (Z.) VI. 52. S. Hayen.
 Hay (Z.) VII. 875.
 Hayen (Z.) VI. 52.
 Bein: (Z.) VI. 63.
 blauer (Z.) VI. 55.
 Dorn: (Z.) VI. 61.
 eigentliche (Z.) VI. 55.
 Engel: (Z.) VI. 62.
 Blatt: (Z.) VI. 63.
 hayenartige (Z.) VI. 53, 55.
 Hund: (Z.) VI. 58.
 Katzen: (Z.) VI. 53.
 knorpelstichartige (Z.) VI.
 53.
 kröpferartige (Z.) VI. 53,
 63.
 Menschen: (Z.) VI. 55.
 Panther: (Z.) VI. 54.
 pflanzenartige (Z.) VI. 53.
 Riesen: (Z.) VI. 55.
 rochenartige (Z.) VI. 53,
 54.
 Stachel: (Z.) VI. 61.
 störrartige (Z.) VI. 53, 60.
 wetsartige (Z.) VI. 53, 62.
 Hayne, Arzneygewächse (B.)
 II. 385.
 Botan. Kunstsprache (Ter-
 mini botanici) (B.) II.
 95. — III. 2120.
 Getreue Darstellung der in
 der Arzneykunde ge-
 bräucht. Gewächse (B.)
 II. 251. — III. 2130.
 Haynea (B.) III. 779.
 edulis (B.) III. 779.
 Haynschnede (Z.) V. 422.
 Hazel-grouse (Z.) VII. 588.
 Heathen-Hen (Z.) VII. 590.
 Heaume, f. Cassis (Z.) V.
 480.
 Heaumes (B.) III. 2053.
 Heavtreconglomerat (M.) I.
 738.
 Hebensreititia (B.) III. 1101.
 dentata (B.) III. 1101.
 Heberwurm (Z.) V. 579.
 Heberin (M., D. M. S.) I.
 S. XVIII.
 Hebradendron (B.) III. 1432.
 morella (B.) III. 1432.
 Hebung der Alpen (M.) I. 707.
 Hebung des Bodens (M.) I.
 613.
 Hechtstierchen (Z.) V. 27.
 hühnerförmiges (Z.) V. 27.
 Hecht, Rechte (Z.) VI. 272, 387,
 393.
 eigentliche (Z.) VI. 393.
 Fißfets: (Z.) VI. 387.
 gemeiner (Z.) 393.
 Horn: (Z.) VI. 391.
 Knochen: (Z.) VI. 390.
 Meer: (Z.) VI. 268.
 Pöfel: (Z.) VI. 390.
 Satz: (Z.) VI. 396.
 Spieß: (Z.) VI. 389.
 Stug: (Z.) VI. 393.
 Hechtrocodill (Z.) VI. 675.
 Heckenmännchen (B.) III. 984.
 Heckenrose (B.) III. 2021.
 Heckfirsche (B.) III. 1853.
 Heckfirschen (B.) III. 1852.
 Hecksamen (B.) III. 1642.
 Hectocotylus (Z.) V. 552.
 Hector (Z.) V. 487, 1409.
 Hedenbergit (M.) I. 260.
 Hedera (B.) III. 1861.
 chrysoearpa (B.) III.
 1862.
 helix (B.) III. 1861.
 poetica (B.) III. 1862.
 terrestris (B.) III. 1059.
 Hedraceen (B.) III. 707.
 Hedge-Hog (Z.) VII. 954.
 Hedwig, Joh., De fibrae
 vegetab. et animalis
 ortu (B.) II. 94.
 Filicum gen. et species
 (B.) III. 371.
 Fundamentum Historiae
 nat. museorum frondoso-
 rum (B.) II. 94. —
 III. 302.
 Hedwig, Joh. Kleine Schrif-
 ten (B.) II. 265.
 Sammlung zerstreuter Ab-
 handlungen (B.) II. 259.
 Species musc. frondosorum
 (B.) III. 302.
 Stirpes cryptogam. (B.) III.
 302.
 Supplem. ad Species etc. a
 Sewägerichen (B.)
 III. 320.
 Theoria generat. et fruc-
 tificationis plantarum
 cryptogam. (B.) II. 277.
 — III. 302.
 Vorläuf. Anzeige von den
 Gesichtsarten der
 Moose (B.) III. 302.
 Hedwigia (B.) III. 1764.
 Hedychium (B.) III. 493, 501:
 coronarium (B.) III. 501.
 Hedycrea (B.) III. 2041.
 incana (B.) III. 2041.
 Hedyoten (Hedypotiden) (B.)
 III. 838, 840, 857.
 Hedyotis (B.) III. 857.
 auricularia (B.) III. 857.
 Hedypphan (M.) I. 377.
 Hedyppnois (B.) III. 722.
 cretica (B.) III. 722.
 monspeliensis (B.) III.
 722.
 Hedyfareen (B.) III. 1614,
 1619, 1620.
 Hedyarum (B.) III. 1662,
 1629.
 alhagi (B.) III. 1624.
 coronarium (B.) III. 1622.
 gyrans (B.) III. 1623.
 pseudo-alhagi (B.) III.
 1624.
 umbellatum (B.) III. 1623.
 vespertilionis (B.) III. 1624.
 Heerschnepfe (Z.) VII. 506.
 Heerwurm (Z.) IV. 740.
 Hefenbranntwein (B.) III.
 1869.
 Hegetschweiser u. Heer,
 Flora der Schweiz (B.)
 III. 2123.
 Heher (Z.) VII. 341.
 Birt: (Z.) VII. 334.
 blauer (Z.) VII. 344.
 canadischer (Z.) VII. 343.
 Eichel: (Z.) VII. 341.

- Heber, Hanben (Z.) VII. 344.
 Holz (Z.) VII. 341.
 Röß (Z.) VII. 341.
 Zannen (Z.) VII. 341.
 Heide (B.) III. 896.
 baumartige (B.) III. 897.
 gemeine (B.) III. 897.
 jüdenfirſchenartige (B.) III. 898.
 frautarige (B.) III. 898.
 Roßmarin (B.) III. 899.
 Stumpf (B.) III. 897.
 vielſtülthige (B.) III. 898.
 Heideboden (M.) I. 541.
 Heidekräuter (M.) I. 559. — (B.) III. 705, 896.
 Heidelbeere (B.) III. 891.
 gemeine (B.) III. 891.
 laubige (B.) III. 893.
 Strauß (B.) III. 892.
 Heidelbeeren (B.) III. 891.
 Heideleſche (Z.) VII. 291.
 Heideſchwalen (B.) III. 1312.
 gemeine (B.) III. 1312.
 Heideſtu = Heiden (B.) III. 894, 896.
 Laub (B.) III. 900.
 Thees (B.) III. 899.
 Heiden (M.) I. 559. — (B.) III. 24, 839, 889, 894, 896.
 eigentliche (B.) III. 889.
 Laub (B.) III. 900.
 Lirer. der (B.) III. 1133.
 Thees (B.) III. 899.
 Heidenartige Pflanzen (B.) III. 837, 889.
 Heidenboralline (Z.) V. 79.
 Heidenelſen (B.) III. 1740.
 gemeine (B.) III. 1740.
 Heidenfarren (B.) III. 333.
 Heidenhuhn (Z.) VII. 590.
 Heidenjäck (B.) III. 1270.
 rauhe (B.) III. 1270.
 Heidenjäcken (B.) III. 1270.
 Heidenſtaumen (B.) III. 1997.
 gemeine (B.) III. 1997.
 Heidenmüſſen (B.) III. 1102.
 gemeine (B.) III. 1102.
 Heidenſchnede (Z.) V. 422.
 Heidniſch Wandfraut (B.) III. 1640.
 Heitalben (B.) III. 1506.
 gemeine (B.) III. 1506.
 Heilaller Schäden (B.) III. 1794.
 Heißbirnen (B.) III. 915.
 Heißbohne (B.) III. 1662.
 ägyptiſche (B.) III. 1662.
 chineſiſche (B.) III. 1662.
 holzige (B.) III. 1662.
 knollige (B.) III. 1663.
 ſchmale (B.) III. 1662.
 ſchwarze (B.) III. 1664.
 Heißbohnen (B.) III. 1662.
 Heißburre (B.) III. 1683.
 bröſtliche (B.) III. 1683.
 dornige (B.) III. 1683.
 guyanische (B.) III. 1684.
 jamaicanische (B.) III. 1684.
 javaniſche (B.) III. 1684.
 ſurinamiſche (B.) III. 1684.
 Heißburren (B.) III. 1683.
 Heißbutt (Z.) VI. 167.
 Heißcaruppe (B.) III. 915.
 Heißerbrauch (B.) III. 1414.
 Heißighen, f. Onobrychis (B.) III. 1622.
 Heißigholz (B.) III. 1274.
 Heißnucken (B.) III. 1794.
 gemeine (B.) III. 1794.
 Heißoſſe (B.) III. 792.
 gemeine (B.) III. 792.
 Heißkräuter, myſthologiſche (B.) II. 376.
 Heilmittel, ſpecifiche, Andeutung über ihre einſige Begründung (B.) III. 225.
 Heißpimpel (B.) III. 1736.
 herzförmige (B.) III. 1737.
 ovale (B.) III. 1737.
 Heißpimpeln (B.) III. 1736.
 Heißreſche (B.) III. 1289.
 gemeine (B.) III. 1289.
 weißindische (B.) III. 1290.
 Heißreſchen (B.) III. 1289.
 Heißsprägen (B.) III. 1248.
 gemeine (B.) III. 1248.
 Heißſpicken (B.) III. 1283.
 gemeine (B.) III. 1284.
 Heilwortel (B.) III. 1284.
 Groot (B.) III. 1284.
 Heimchen (Z.) V. 1523.
 Heißrich, Pl. Die Phoeſphoreſcenß der Körper (B.) II. 264.
 Heißhunger (Z.) IV. 215.
 Heisteria (B.) III. 925.
 coccinea (B.) III. 925.
 Helamys (Z.) VII. 796.
 Helena (Z.) V. 1410.
 Helena (Z.) VI. 123.
 Helenien (B.) III. 744.
 Helonium (B.) III. 745, 778.
 autumnale (B.) III. 745.
 Helenus (Z.) V. 1409.
 Heliantheen (B.) III. 747.
 Helianthemum (B.) III. 1377.
 Helianthen (B.) III. 710, 744, 747.
 Helianthus (B.) III. 749.
 annuus (B.) III. 749.
 giganteus (B.) III. 750.
 tuberosus (B.) III. 750.
 Helichrysum (B.) III. 766.
 Heliconyces (B.) III. 69.
 roseus (B.) III. 69.
 Heliconia (B.) III. 515.
 bihai (B.) III. 515.
 caribaea (B.) III. 515.
 humilis (B.) III. 515.
 Heliconier (Z.) V. 1403.
 Heliconii (Z.) V. 1403.
 Helicteres (B.) III. 1224.
 isora (B.) III. 1225.
 Heliopsis (B.) III. 751.
 oleifera (B.) III. 751.
 Heliornis (Z.) VII. 423.
 Heliotrop (M.) I. 142.
 Heliotropium (B.) III. 1096.
 europaeum (B.) III. 1096.
 minus (B.) III. 1590.
 peruvianum (B.) III. 1096.
 Helix (B.) III. 1533, 1861.
 Helix (Z.) V. 420.
 amarula (Z.) V. 433.
 ambulacea (Z.) V. 433.
 arbustorum (Z.) V. 422. — (M.) I. 634.
 aspersa (Z.) V. 421.
 carocolla (Z.) V. 423.
 cellaria (Z.) V. 422.
 cornumilitare (Z.) V. 420.
 decollata (Z.) V. 423.
 detrita (Z.) V. 423.
 ericetorum (Z.) V. 423.
 halliotidea (Z.) V. 417.
 hispida (M.) I. 634, 647.
 hortensis (Z.) V. 422.
 janthina (Z.) V. 435.
 incarnata (Z.) V. 422.
 labyrinthus (Z.) V. 423.
 lapivida (Z.) V. 423.
 nemoralis (Z.) V. 422.
 personata (Z.) V. 422.

Helix pomatia (Z.) V. 421.
ringens (Z.) V. 423.
scarabaeus (Z.) 426.
stagnalis (Z.) V. 429.
vitra (Z.) V. 426.
Hellbender (Z.) VI. 448.
gemeiner (Z.) VI. 448.
Helleboraceen (B.) III. 1141,
 1143, 1154.
Liter. der (B.) III. 1441.
Helleborus (B.) III. 1155.
albus (B.) III. 548.
foetidus (B.) III. 1156.
niger (B.) III. 1155.
viridis (B.) III. 1155.
trifolius (B.) III. 1157.
Helle-Flunder (Z.) VI. 167.
Hellenia (B.) III. 505.
allughas (B.) III. 505.
Hellerkraut (B.) III. 1391.
Hellmann, Tastrum der
Schlangen (Z.) VI. 692.
Helmbaumhuhn (Z.) VII. 600.
Helmbröhlinge (B.) III. 468.
heryförmiger (B.) III. 469.
ovaler (B.) III. 469.
Helminthia (B.) III. 721.
echioides (B.) III. 721.
Helminthochorton (B.) III.
 225.
Helmintholith (M.) I. 233.
Helminthosporium (B.) III.
 71.
velutinum (B.) III. 71.
Helminthostachys (B.) III.
 319.
ceylanica (B.) III. 319.
dulcis (B.) III. 319.
Helmisporium (B.) III. 71.
Helmkraut (B.) III. 1066.
gemeines (B.) III. 1066.
Helmkräuter (B.) III. 1066.
Helmont, Ortus Medicinæ
(B.) II. 266.
Heloderma (Z.) VI. 623.
horridum (Z.) VI. 624.
Helonias (B.) III. 549.
dioica (B.) III. 549.
tenax (B.) III. 549.
Helops (Z.) V. 1782.
ater (Z.) V. 1782.
Helops (Z.) VI. 71.
Helosciadium (B.) III. 1831.
ammi (B.) III. 1831.
laterifolium (B.) III. 1831.

Helosis (B.) III. 585.
guyanaensis (B.) III. 585.
jamaicensis (B.) III. 585.
Helotium (B.) III. 115.
aciculare (B.) III. 115.
Helsing (Z.) VII. 473.
Helvella (B.) III. 124.
crispa (B.) III. 125.
esculenta (B.) III. 125.
infula (B.) III. 125.
Helvin (M.) I. 441.
Helwig, Ch., De ligno bra-
siliense (B.) III. 2104.
Helxine (B.) III. 1549.
Hemerobius (Z.) V. 1449,
 1475.
chrysoptis (Z.) V. 1450.
perla (Z.) V. 1449.
phalaeuoides (Z.) V. 1449.
Hemerocalliden (B.) III. 564.
Hemerocallis (B.) III. 569,
 576.
flava (B.) III. 569.
fulva (B.) III. 570.
Hemerocoeta (Z.) VI. 80.
Hemidactylus (Z.) VI. 638, 642.
marginatus (Z.) VI. 642.
Hemidodecaeder (M.) I. 51.
Hemiedrische Crystallformen
(M.) I. 38, 47, 51.
Hemimeris (B.) III. 973.
coccinea (B.) III. 973.
Hemioctæder (M.) I. 39, 47.
Hemionitis (B.) III. 331.
Hemionium (B.) III. 325.
Hemionus (Z.) VII. 1233.
Hemiphraetus (Z.) VI. 479.
scutatus (Z.) VI. 479.
Hemiptera (Z.) V. 1532.
Hemiramphus (Z.) VI. 392.
brasiliensis (Z.) VI. 392.
Hemitelia (B.) III. 336.
Hemitropie = Zwillingstrop-
stalle (M.) I. 65.
Hemloc (B.) III. 352.
Hemloftanne (B.) III. 352.
Hemp, indian (B.) III. 1034.
Henbane, f. Hyocyamus (B.)
 III. 976.
Hengs (B.) III. 413.
Hengst (Z.) VII. 1243.
Hen-Harrier (Z.) VII. 139.
Heniochus (Z.) VI. 211.
microlepidotus (Z.) VI.
 211.

Herzfel, Mineralog (M.) I.
 27.
Herne (B.) III. 1884.
Herne (Z.) VII. 604.
Hennir (Z.) VII. 1232.
Henricea (B.) III. 1020.
pharmacearcha (B.) III.
 1020.
Henriette (B.) III. 1899.
Henriettea (B.) III. 1899.
succosa (B.) III. 1899.
Henry, Weyhe r., Handb.
der medic. pharmaceut.
Botanik (B.) II. 385.
Herzfel, Ueber die Sernatis
tät der Pflanzen (B.) II.
 279.
Héorotaire (Z.) VII. 193.
Hepar phosphoris calcareum
(M., D. M. S.) I. S.
 XV.
Hepar sulphuris (M., D. M.
 S.) I. S. XV.
Hepar sulphuris calcareum
(M., D. M. S.) I. S.
 XV.
Hepatica (B.) III. 1149.
alba (B.) III. 1369.
nobilis (B.) III. 1149.
stellata (B.) III. 843.
Hepaticæ (B.) III. 264.
Hepatitis (M.) I. 273.
Hepatus (Z.) VI. 102, 255.
Hepiolus (Z.) V. 1320.
aesculi (Z.) V. 1322.
Hepoona-Roo (Z.) VII. 904.
Hepp, Ph., Sächsenflora v.
Würzburg (B.) III. 301.
Heppen (B.) III. 1958, 1961.
Färber (B.) III. 1962.
Wasser (B.) III. 1962.
Hepsetus (Z.) VI. 368.
Heptandria (B.) III. 5.
Heracleum (B.) III. 1002,
 1811.
sphondylium (B.) III. 1811.
Herba (B.) II. 27.
abrotani montani (B.) III.
 759.
absinthii (B.) III. 763.
acaciae (B.) III. 259.
acetosellae (B.) III. 1175.
acmellae (B.) III. 747.
aconiti (B.) III. 1162.
 - *lutei* (B.) III. 1162.

Herba adiantii albi (B.) III. 330.
 - aurei (B.) III. 287.
 - nigri (B.) III. 330.
 - rubri (B.) III. 330.
 agerati (B.) III. 758.
 agrimoniae (B.) III. 2004.
 alsines tryphyllae (B.) III. 995.
 amoris (B.) III. 1177.
 anagallidis aquaticae (B.) III. 995.
 - foeminae (B.) III. 964.
 - luteae (B.) III. 964.
 - monelli (B.) III. 964.
 androsacmi (B.) III. 1371.
 anthos (B.) III. 1072.
 antirrhini (B.) III. 970.
 apocyni, folio subrotundo (B.) III. 1031.
 aquilinae (B.) III. 1159.
 artemisiae rubrae (B.) III. 762.
 asperulae aureae (B.) III. 842.
 asplenii (B.) III. 325.
 atriplicis sylvestris (B.) III. 1459.
 auriculae leporis (B.) III. 1798.
 balsami palustris (B.) III. 1055.
 balsamitae maris (B.) III. 765.
 barbae caprae (B.) III. 2026.
 bardanae minoris (B.) III. 754.
 barbareae (B.) III. 1400.
 bellidis majoris (B.) III. 760.
 - minoris (B.) III. 775.
 betonicae (B.) III. 1062.
 - aquaticae (B.) III. 967.
 bifolii (B.) III. 469.
 bis linguae (B.) III. 620.
 bis tortae (B.) III. 1481.
 bliti (B.) III. 1468.
 boni Henrici (B.) III. 1459.
 borraginis (B.) III. 1092.
 botryos (B.) III. 1460.
 - mexicanae (B.) III. 1461.
 brancae ursinae (B.) III. 1007, 1812.

Herba britannica (B.) III. 1482.
 buglossi (B.) III. 1091.
 - agrestis (B.) III. 1091.
 lungulae (B.) III. 1053.
 buphthalmi (B.) III. 757.
 bupleuri (B.) III. 1798.
 calendulae (B.) III. 771.
 calthae palustris (B.) III. 1154.
 camphoratae (B.) III. 1463.
 cancri (B.) III. 1096.
 cannabinae aquaticae (B.) III. 741.
 cannabis aquaticae (B.) III. 749.
 - sylvestris (B.) III. 1061.
 capillares (B.) III. 328.
 capitis vituli (B.) III. 970.
 cardiaca (B.) III. 1064.
 cardui haemorrhoidalis (B.) III. 732.
 - mariae (B.) III. 731.
 - stellati (B.) III. 730.
 - tomentosi (B.) III. 733.
 centaurii lutei (B.) III. 1018.
 - minoris (B.) III. 1022.
 centumnodiae (B.) III. 1480.
 centumorbicae (B.) III. 964.
 cerefolii hispanici (B.) III. 1799.
 ceterach (B.) III. 325.
 chamaecisti vulgaris (B.) III. 1377.
 chamaedreos (B.) III. 1053.
 chamaedris spuriae foeminae (B.) III. 996.
 - maris (B.) III. 996.
 chamaedryos alpinae (B.) III. 2008.
 chamaepityos (B.) III. 1053.
 chelidonii majoris (B.) III. 1417.
 - minoris (B.) III. 1145.
 cicutae aquaticae (B.) III. 1829.
 - terrestris (B.) III. 1841.
 cicutariae (B.) III. 1801.
 - odoratae (B.) III. 1799.
 cimicifugae (B.) III. 1165.
 - serpentariae (B.) III. 1165.

Herba clematidis sylvestris (B.) III. 1153.
 cochleariae (B.) III. 1396.
 colubrinae (B.) III. 1481.
 consolidae majoris (B.) III. 1092.
 - mediae (B.) III. 1053.
 - minoris (B.) III. 1067.
 - sarracenicae (B.) III. 775.
 conyzae ceruleae (B.) III. 775.
 costi (B.) III. 724.
 cotyledonis aquaticae (B.) III. 1793.
 crassulae majoris (B.) III. 1965.
 cruciatae (B.) III. 843.
 cucubali (B.) III. 1362.
 Cunigundae (B.) III. 741.
 cymbalariae (B.) III. 968.
 cynocrambes (B.) III. 1577.
 dracunculi hortensis (B.) III. 762.
 epithymi cretici (B.) III. 1081.
 erucaginis (B.) III. 1386.
 erysimi (B.) III. 1400.
 eupatorii (B.) III. 741.
 - Mesues (B.) III. 758.
 fabariae (B.) III. 1965.
 falcariae (B.) III. 1832.
 filipendulae aquaticae (B.) III. 1827.
 flammulae (B.) III. 1144.
 - Jovis (B.) III. 1153.
 foeniculi marini (B.) III. 1823.
 galii albi (B.) III. 842.
 gentianae minoris (B.) III. 1020.
 gentianellae (B.) III. 1020.
 geranii batriochidis (B.) III. 1170.
 glasti (B.) III. 1393.
 graminis floridi (B.) III. 1358.
 grantiolarum (B.) III. 959.
 hederæ terrestris (B.) III. 1059.
 helxines (B.) III. 1549.
 hepaticae albae (B.) III. 1369.
 - nobilis (B.) III. 1149.
 - stellatae (B.) III. 843.

Herba herniariae (B.) III. 1456.
 holostri (B.) III. 1357.
 hornini pratensis (B.) III. 1073.
 hyoseyami (B.) III. 977.
 iberidis (B.) III. 1393.
 ivae arthriticae (B.) III. 1053.
 ivae moschatae (B.) III. 759.
 junci odorati (B.) III. 399.
 lagopodis (B.) III. 1635.
 lamii lutei (B.) III. 1061.
 - Plinii (B.) III. 1060.
 lappulae hepaticae (B.) III. 2004.
 lavandulae (B.) III. 1058.
 lenticulariae (B.) III. 958.
 linariae aureae (B.) III. 776.
 - scopariae (B.) III. 1461.
 linguae cervinae (B.) III. 330.
 lonchitis majoris (B.) III. 333.
 - minoris (B.) III. 328.
 loti odorati (B.) III. 1637.
 lysimachiae chamaenerion (B.) III. 1875.
 - luteae (B.) III. 965.
 - purpureae (B.) III. 1882.
 mari veri (B.) III. 1054.
 marubii acuti (B.) III. 1063.
 - agrestis (B.) III. 1063.
 - albi (B.) III. 1064.
 - aquatici (B.) III. 1054, 1063.
 - nigri (B.) III. 1064.
 - prasii (B.) III. 1064.
 matricariae (B.) III. 760.
 matrisylvae (B.) III. 843.
 melissae tragi (B.) III. 1071.
 - turcicae (B.) III. 1071.
 mentastri (B.) III. 1055.
 menthae (B.) III. 1055.
 - balsaminae (B.) III. 1056.
 - romanae, sarracenicae (B.) III. 765.
 mercurialis (B.) III. 1577.
 - montanae (B.) III. 1577.

Herba millegrani (B.) III. 1456.
 mlizadella (B.) III. 1060.
 moeroris (B.) III. 1601.
 morsus diaboli (B.) III. 448.
 - ranae (B.) III. 448.
 moschatae (B.) III. 1171.
 musci aborei (B.) III. 258, 259.
 - cinerei (B.) III. 257.
 - cumatilis (B.) III. 257.
 - pyxidati (B.) III. 251.
 - terrestris (B.) III. 257.
 - vulgaris (B.) III. 297.
 myrrhidis majoris (B.) III. 1799.
 nasturtii hortensis (B.) III. 1392.
 - majoris (B.) III. 1397.
 - pratensis (B.) III. 1398.
 - petraei (B.) III. 1988.
 nigella (B.) III. 1363.
 nummulariae (B.) III. 964.
 olivellae (B.) III. 1283.
 oenanthes aquaticae (B.) III. 1827.
 oreoselini (B.) III. 1816.
 orontii (B.) III. 969.
 - majoris (B.) III. 970.
 paeoniae (B.) III. 1163.
 papaveris corniculati (B.) III. 1417.
 paridis (B.) III. 621.
 parietariae (B.) III. 1549.
 parthenii (B.) III. 760.
 pedis anserini (B.) III. 1460.
 - avis (B.) III. 1621.
 pentaphylli (B.) III. 2012.
 - aquatici (B.) III. 2010.
 perfoliatae (B.) III. 1798.
 persicariae acidae (B.) III. 1478.
 - mitis (B.) III. 1479.
 - urentis (B.) III. 1479.
 pimpinellae albae, nostratis et nigrae (B.) III. 1836.
 - minoris (B.) III. 2003.
 plantaginis aquaticae (B.) III. 443.
 podagraria (B.) III. 1834.
 poetica (B.) III. 1862.

Herba polygalae amarae (B.) III. 1293.
 polygoni polonici (B.) III. 1455.
 prunellae (B.) III. 1067.
 pulegii (B.) III. 1056.
 pulmonariae arboreae (B.) III. 256.
 - maculosae (B.) III. 1094.
 pyrolae majoris (B.) III. 896.
 ranunculi albi (B.) III. 1150.
 - dulcis (B.) III. 1147.
 - flammei majoris (B.) III. 1145.
 - palustris (B.) III. 1146.
 reginae prati (B.) III. 2026.
 rhabarbari pauperum (B.) III. 1151.
 rosae benedictae s. regiae (B.) III. 1163.
 rutae (B.) III. 1265.
 - murariae (B.) III. 330.
 sabinae (B.) III. 361.
 salicariae (B.) III. 1882.
 samoli (B.) III. 965.
 Sancti Petri (B.) III. 1823.
 sanguinariae (B.) III. 1169, 1480.
 santolinae (B.) III. 759.
 saxifragae anglicae (B.) III. 1824.
 - aureae (B.) III. 1988.
 scabiosae (B.) III. 785.
 scolopendrii (B.) III. 330.
 scordii (B.) III. 1053.
 scrofulariae aquaticae (B.) III. 967.
 - foetidae (B.) III. 967.
 sedi majoris (B.) III. 1966.
 - minoris (B.) III. 1964.
 sentiens (B.) III. 1177.
 sesami vulgaris (B.) III. 1396.
 sideritidis (B.) III. 1059.
 sii palustris (B.) III. 1837.
 silai (B.) III. 1824.
 sophiae chirurgorum (B.) III. 1400.
 spigeliae (B.) III. 1024.
 stramonii (B.) III. 978.
 syriaci (B.) III. 1054.
 taraxaci (B.) III. 715.

- Herba telephii (B.) III. 1965.
 tertianariae (B.) III. 1066.
 thalictri (B.) III. 1151.
 trichomanes (B.) III. 313.
 trifolii bituminosi (B.) III. 1634.
 - fibrini (B.) III. 1017.
 - purpurei (B.) III. 1636.
 trixaginis (B.) III. 1053.
 ulmariae (B.) III. 2026.
 urticae majoris (B.) III. 1550.
 - mortuae (B.) III. 1060.
 usnea (B.) III. 255.
 uvulariae (B.) III. 620.
 valerianellae (B.) III. 787.
 verbenae (B.) III. 1103.
 verbesinae (B.) III. 749.
 verecunda (B.) III. 1177.
 veronicae (B.) III. 996.
 verrucariae (B.) III. 1096.
 viperini (B.) III. 1094.
 vscaginis (B.) III. 1361.
 viva (B.) III. 1177.
 vulvariae (B.) III. 1461.
- Herbe à Charpentier (B.) III. 1004.
 aux care-dents (B.) III. 1833.
 aux guez (B.) III. 1153.
 maure (B.) III. 1373.
 du Paragay (B.) III. 1739.
 à pigue (B.) III. 745.
- Herbert, A., Treatise on
 boubous roots (B.) II. 282.
- Herbich, F. Addidamenta
 ad Floram Galiciae (B.)
 III. 2123.
 Selectio Plant. rar. Galic-
 aiae (B.) III. 2123.
- Herbling (B.) III. 154.
- Herbst, Naturgeschichte der
 Krebse (Z.) V. 708.
 Schmetterlinge (Z.) V. 1425.
 Insektengestalt Insecten (Z.)
 V. 707.
- Herbstaugenniete (B.) III. 1149
- Herbstergamotte (B.) III.
 2081.
- Herbstbirnen (B.) III. 2078,
 2080, 2081.
- Herbstatvill (B.) III. 2086.
- Herbstherbirne (B.) III. 2080.
- Herbstklee (Z.) V. 779.
- Herbstklee (B.) III. 753.
 canadische (B.) III. 753.
 virginische (B.) III. 753.
- Herbstweizen (B.) III. 716.
- Herbstweizen (B.) III. 2081.
- Herbstweizen (B.) III. 2086.
- Herbstweizen (B.) III. 2078.
 grüne (B.) III. 2078.
- Herculesfaser (Z.) V. 1816.
- Herculesfaser (B.) III. 1281.
- Herberit (M., D. M. S.) I.
 S. XIII.
- Heresbach, C., Rei rusti-
 cae L. IV. (Z.) VII.
 668.
- Hericum (B.) III. 129.
 auriscalpium (B.) III. 129.
 cervinum (B.) III. 130.
 compactum (B.) III. 130.
 coralloides (B.) III. 129.
 erinaceus (B.) III. 129.
 iambicatum (B.) III. 130.
 mucidum (B.) III. 129.
 repandum (B.) III. 130.
- Hérine (Z.) VII. 787.
- Hérisson (Z.) VII. 954.
- Hérisson de mer, f. Echinus
 (Z.) V. 586.
- Héritier, L., Certum ang-
 licum (B.) III. 2121.
 Descript. et Ic. specierum
 Corni (B.) III. 2106.
 Geraniologia (B.) III. 1441.
 Stirpes novae Iconibus il-
 lustratae (B.) III. 2121.
- Heritiera (B.) III. 527, 1205.
- Herlifen (B.) III. 848.
- Herrmann, P., Mémoire
 apterologique (Z.) V.
 708.
 Observations zoologicae
 (Z.) VII. 1859.
 Paradisus batavus (B.) III.
 2117.
 Tabula affictuatum anima-
 lium (Z.) VII. 1859.
- Hermannia (B.) III. 1196.
 althaeifolia (B.) III. 1196.
- Hermanniaceae (Hermannien)
 (B.) III. 1142, 1196.
- Herrit (M., D. M. S.) I.
 S. XX.
- Herrschucht (Z.) IV. 329.
- Herse (B.) III. 1272.
- Herz (Z.) IV. 72, 124, 228.
- Herz (Z.) IV. 73.
- Herz (Z.) IV. 73.
- Hermes, brennende (B.) III.
 756.
 Feld (B.) III. 756.
 römische (B.) III. 756.
- Hermelin (Z.) V. 451.
- Hermelin (Z.) VII. 1498.
- Hermelinmotte (Z.) V. 1332.
- Hermelin (B.) III. 756.
- Hermesia (B.) III. 1579.
- Hermine (Z.) VII. 1498.
- Herminium (B.) III. 479.
- Hermite, f. Pagurus (Z.) V.
 643.
- Hermodactylus (B.) III. 551.
- Hermobactrin (B.) III. 551.
- Hernandez, Francisco,
 Arboles, Plantas y Ani-
 males de la nueva
 España. — Latine: No-
 va Plantarum regni Mex-
 icani Hist. (Z.) III.
 2117.
- Thesaurus rer. nov. Hi-
 span. (Z.) VII. 668.
- Hernandia (B.) III. 1514.
 sonora (B.) III. 1515.
- Hernandien (B.) III. 1453,
 1504, 1514.
- Heter. der (B.) III. 2101.
- Herniaria (B.) III. 1456.
 glabra (B.) III. 1456.
- Herodotus, Besch. der
 Pasten (B.) II. 278.
- Herold, Bildungsgeich. der
 Epinnen (Z.) V. 708.
 Entwicklungsgeich. der
 Schmetterlinge (Z.) V.
 1426.
- Héron (Z.) VII. 534.
- Herpestes (Z.) VII. 1531.
 leucurus (Z.) VII. 1534.
- Herpeton (Z.) VI. 525.
 tentaculatus (Z.) VI. 525.
- Herrenapfel (B.) III. 2085.
- Herrenapfel (B.) III. 138, 161.
- Herrenvögel (Z.) VII. 59.
- Herreria (B.) III. 620.
 stellata (B.) III. 620.
- Herrit (M., D. M. S.) I.
 S. XX.
- Herrschucht (Z.) IV. 329.
- Herse (B.) III. 1272.
- Herz (Z.) IV. 72, 124, 228.
- Herz (Z.) IV. 73.
- Herz (Z.) IV. 73.

- Herzbeutel (Z.) IV. 73.
 Herzbeutelader (Z.) IV. 80.
 vordere (Z.) IV. 80.
 Herzhier (Z.) V. 495.
 Herzgesticht (Z.) IV. 62.
 Herzgespann (B.) III. 1064.
 gemeines (B.) III. 1064.
 Herzgespanne (B.) III. 1064.
 Herz, halbes (Z.) V. 316.
 Herzhöhlen (Z.) IV. 73.
 Herzkammern (Z.) IV. 73.
 Herzkirsche (B.) III. 2053.
 gelbe (B.) III. 2053.
 goldgelbe (B.) III. 2053.
 Kron- (B.) III. 2053.
 schwarze (B.) III. 2053.
 weiße (B.) III. 2053.
 Herzkirschen (B.) III. 2053.
 Herzklappen (Z.) IV. 126.
 Herzkost (B.) III. 1404.
 Herzmuschel (Z.) V. 314.
 dünnrippige (Z.) V. 316.
 eßbare (Z.) V. 314.
 gelbe (Z.) V. 316.
 runzelige (Z.) V. 316.
 Herznase (Z.) VII. 970.
 Herzkornkirsche (B.) III. 2051.
 Herzkorn (Z.) IV. 73.
 Herzpappel (B.) III. 1212.
 gemeine (B.) III. 1212.
 Herzkornfisch (B.) III. 1293.
 gemeine (B.) III. 1294.
 Herzkorn (B.) III. 1334.
 gemeiner (B.) III. 1334.
 Herzkornkammer (Z.) IV. 73.
 Herzkorn (Z.) IV. 73.
 Herzkornfisch (B.) III. 2051.
 Hesperia (Z.) V. 1389.
 baeticus (Z.) V. 1390.
 pruni (Z.) V. 1108.
 quercus (Z.) V. 1109, 1202,
 1390.
 Hesperis (B.) III. 1400.
 matronalis (B.) III. 1401.
 tristis (B.) III. 1401.
 Heß (M.) I. 205.
 Heßen (B.) III. 1193.
 Heß (B.) III. 1193.
 Heßenfliege (Z.) V. 751.
 Hessler, De Timmia (B.)
 III. 303.
 Heteropogon (M.) I. 362.
 Heterobranchus (Z.) VI. 86.
 anguillaris (Z.) VI. 86.
 Heterodaetylus (Z.) VI. 591.
 Heterodaetylus imbricatus
 (Z.) VI. 555.
 Heterodon (Z.) VI. 555.
 Heteromorphe Körper (M.) I.
 133.
 Heterotrichum (B.) III. 1898.
 angustifolium (B.) III. 1898.
 Hêtre (B.) III. 1547.
 Heu, griechisches (B.) III. 1637.
 thibetisches (B.) III. 1839.
 Heuchera (B.) III. 1987.
 americana (B.) III. 1987.
 Heucherus, J., De Plantar.
 hist. fabulari (B.) III.
 2131.
 Heuerling (Z.) VI. 263, 361.
 Heuffel et Wierzbicki,
 Plantae Hungariae et
 Transsylvanicae (B.) III.
 2133.
 Heuhafen (Z.) VII. 812.
 Heulaffen, f. Brüllaffen (Z.)
 VII. 1730.
 Heulandit (M.) I. 170.
 Heulferd (Z.) V. 1499, 1521.
 Heuschrecke (Z.) V. 1519.
 Baum- (Z.) V. 1522.
 Fang- (Z.) V. 1508.
 Gras- (Z.) V. 1521.
 Säbel- (Z.) V. 1521.
 Schnur- (Z.) V. 1513.
 Strich- (Z.) V. 1514.
 Heuschrecken (Z.) V. 1428, 1499,
 1519.
 Eiter. der (Z.) IV. 1531.
 Heuschreckenohr (Z.) VII. 66.
 Heuschreckenbaum (B.) III.
 1705.
 = Erbsebaum (B.) III.
 1750.
 gemeiner (B.) III. 1705.
 Heuschreckenbäume (B.) III.
 1705.
 Heuschreckencade (Z.) V. 1592.
 Heuschreckenkrebs (Z.) V. 641,
 1499.
 gemeiner (Z.) V. 641.
 indischer (Z.) V. 642.
 Heuschreckenvogel (Z.) VII. 67.
 Neuthierchen (Z.) V. 26.
 Heuvogel (Z.) V. 1401.
 gelber (Z.) V. 1401.
 Hevea (B.) III. 1587.
 Hewson, Lymphatic System
 of Birds (Z.) VII. 674.
 Hexaeder (M.) I. 44.
 Hexagonobocaedrer (M.) I.
 39, 51.
 Hexaöctaedrer (M.) I. 46.
 Hexandria (B.) III. 5.
 Hexastoma (Z.) V. 551.
 Hexe (Z.) V. 447.
 Hexenfliege (B.) III. 83.
 Hexenkraut (B.) III. 318, 1876.
 gemeines (B.) III. 1876.
 Hexenkrauter (B.) III. 1876.
 Hexenkreise (B.) III. 83.
 Hexenmehl (B.) III. 317.
 Hexenschwamm (Z.) III. 138.
 Heylboen (B.) III. 1662.
 Heymassoli (B.) III. 925.
 Heyne, J., Gemeinnütziger
 Unterricht über die schäd-
 lichen u. nützl. Schwämme
 (B.) III. 175.
 Heynthee (B.) III. 1182.
 Hiaticula (Z.) VII. 512.
 Hiaticula (Z.) VI. 255.
 Hibiscus (Z.) III. 1217.
 abelmoschus (B.) III. 1220.
 acetosa (B.) III. 1221.
 cannabinus (B.) III. 1219.
 crinalium (B.) III. 1219.
 esculentus (B.) III. 1220.
 macrophyllus (B.) III. 1223.
 mutabilis (B.) III. 1217,
 1220.
 populneos (B.) III. 1223.
 rosa sinensis (B.) III. 1217,
 1217.
 sabdariffa (B.) III. 1221.
 surattensis (B.) III. 1219.
 syriacus (B.) III. 1216.
 tiliaceus (B.) III. 1222.
 trionum (B.) III. 1221.
 vesicaria (B.) III. 1221.
 Hibiscus (B.) III. 1142, 1208,
 1213.
 Eiter. der (B.) III. 1442.
 Hiboa (Z.) VII. 124.
 Hickory (B.) III. 1751, 1752.
 Hiefen (B.) III. 1304, 2021.
 Balsam. (B.) III. 1304.
 Bisam. (B.) III. 1307.
 Brech. (B.) III. 1306.
 Granat. (B.) III. 1307.
 Gassen. (B.) III. 1305.
 Quitt. (B.) III. 1310.
 Quitten. (B.) III. 1309.
 Wirbel. (B.) III. 1310.
 Hieracium (B.) III. 718.

- Hieracium aurantiacum* (B.) III. 719.
murorum (B.) III. 719.
pilosella (B.) III. 719.
Higuera (B.) III. 1015.
Hilaire, A. de St. Flora Brasiliae meridion. (B.) III. 1440, 2134.
 Hist. des Plantes les plus remarquables de Brésil etc. (B.) III. 1440, 2134.
 Plantes usuelles des Brasiiliens (B.) III. 1440, 2131.
 Resédacées (B.) III. 1447.
 Sur le Gynobase (B.) III. 1444.
Hilaire, Geoffroy St., Anatomie philos. (Z.) VI. 404.
 Descr. de l'Égypte (Z.) VI. 404.
 Etudes d'un Naturaliste (Z.) VII. 1859.
 Mammifères (Z.) VII. 1858.
Hilaire, Jaume St., Familles des plantes (B.) III. 1443.
 Plantes de la France (B.) III. 2125.
 Hiff, Der Schlaf der Pflanzen (B.) II. 261.
 Hill, The Construction of Timber (B.) II. 94, 269.
 Hippen (B.) III. 908.
 Horn (B.) III. 916.
 Kamm (B.) III. 909.
 Kletter (B.) III. 909.
 Wier (B.) III. 910.
 Hitzmusde (M.) I. 691.
 Hitéthion (M.) I. 685.
Himantalla (B.) III. 233.
loreia (B.) III. 233.
Himantia (B.) III. 128.
Himantopus (Z.) VII. 487.
mexicanus (Z.) VII. 489.
nigricollis (Z.) VII. 489.
Himberapfel (B.) III. 2086.
Himberblatt (Z.) V. 1347.
Himbere (B.) III. 2014.
 gemeine (B.) III. 2015.
 nordische (B.) III. 2015.
 wohlriechende (B.) III. 2016.
Himbeeren (B.) III. 2014.
Himbeerenblätter (Z.) V. 1046.
Himbeereifig (B.) III. 2016.
Himbeergetee (B.) III. 2016.
Himbeermost (B.) III. 2016.
Himbeerripfel (B.) III. 92.
Himbeer syrup (B.) III. 2016.
Himbeerwein (B.) III. 2016.
Himmelsgerste (B.) III. 388.
Himmelskerche (Z.) VII. 290.
Himmelschwaden (B.) III. 396.
 gemeiner (B.) III. 396.
Himmelschau (B.) III. 397.
Himmelsiege, f. Scolopax galinago (Z.) VII. 506.
Hindin (Z.) VII. 1289.
 Hingisch (B.) III. 1819.
Hinfelstuben (Z.) VII. 301.
 Hinfert, Handbuch der Zoologie (B.) III. 2130.
Hinnre (Z.) VII. 1234.
Hinnus (Z.) VII. 1232.
Hinterglieder (Z.) IV. 26.
Hinterhauptsbrein (Z.) IV. 25, 121.
Hinterhauptsförpser (Z.) IV. 28.
Hinterhauptsmuskeln (Z.) IV. 33.
Hinterhauptsnerv (Z.) IV. 54.
Hinterhauptschlagader (Z.) IV. 77.
Hinterhauptswirbel (Z.) IV. 166.
Hinterhuber, G., Centurien (B.) III. 2133.
Hinterkopf (Z.) IV. 326.
Hioberstränen (B.) III. 399.
Hippelaphus (Z.) VII. 1387.
Hippeus (Z.) V. 654.
Hippia (B.) III. 765.
frutescens (B.) III. 765.
Hippobosca (Z.) V. 762.
equina (Z.) V. 762.
hirundinis (Z.) V. 764.
ovina (Z.) V. 765.
Hippocampus (Z.) VI. 96.
Hippocastaneen (B.) III. 1320, 1322.
 Eiter. der (B.) III. 1445.
Hippocastanum (B.) III. 1323.
Hippocratea (B.) III. 1331.
 comosa (B.) III. 1331.
 obovata (B.) III. 1331.
 scandens (B.) III. 1331.
Hippocrateaceen (B.) III. 1263, 1520, 1331.
Hippocrateaceen, Eiter. der (B.) III. 1445.
Hippocrates (M.) I. 26.
Hippocrepis (B.) III. 1621.
 comosa (B.) III. 1621.
Hippoglossus (Z.) VII. 167, 169.
Hippomane (B.) III. 1607, 1608.
 mancinella (B.) III. 1608.
Hippomanen (B.) III. 1576, 1604.
Hipponoe (Z.) V. 572.
Hippophaë (B.) III. 1497.
 rhamnoides (B.) III. 1498.
Hippopotamus (Z.) VII. 1117.
 — (M.) I. 650.
 amphibius (Z.) VII. 1118.
 dissimilis (M.) I. 633.
 intermedius (M.) I. 632.
 major (M.) I. 632.
 minutus (M.) I. 632.
 Sival (M.) I. 653.
Hippos (Z.) VII. 1234.
Hippotherium (M.) I. 654.
Hippotiger (Z.) VII. 1221.
Hippuriden (B.) III. 308, 343.
Hippuris (B.) III. 343.
 vulgaris (B.) III. 343.
Hippuriten (Z.) V. 502.
 in der Kreide (M.) I. 673.
 im Kalk (M.) I. 682.
Hippuritenkalk (M.) I. 682.
Hippurus (Z.) VI. 217.
Hiptage (B.) III. 1327.
 madaglotia (B.) III. 1328.
 racemosa (B.) III. 1328.
Hirculus (B.) III. 1991.
Hircus (Z.) VII. 1354.
 angorensis (Z.) VII. 1356.
 depressus (Z.) VII. 1356.
 ecoris (Z.) VII. 1356.
 laevig (Z.) VII. 1356.
 mambrius (Z.) VII. 1356.
 reversus (Z.) VII. 1350.
 thibetanus (Z.) VII. 1357.
Hire, de la, f. De la Hire.
Hirex (Z.) VII. 158.
Hirn (Z.) IV. 48, 49, 127, 141, 186, 253.
 großes (Z.) IV. 49, 51.
 kleines (Z.) IV. 49, 50.
 — das Hirn des Dohres (Z.) IV. 99.

Hirn, Periodicität des (3.) IV. 262.
 Hiru (der Palmen) (B.) III. 677.
 Hirnbalken (3.) IV. 51.
 Hirnboden (3.) IV. 51.
 Hirnbrücke (3.) IV. 50, 51.
 Hirncorall (3.) V. 150.
 ausgebreitetes (3.) V. 150.
 gemeines (3.) V. 151.
 verwirretes (3.) V. 151.
 Hirncorallen (3.) V. 150.
 Hirngrüße (3.) VII. 159.
 Hirnhaut (3.) IV. 54.
 harte (3.) IV. 54.
 Hirnhöhle (3.) IV. 50.
 erste (3.) IV. 52.
 dritte (3.) IV. 52.
 fünfte (3.) IV. 52.
 vierte (3.) IV. 50.
 zweyte (3.) IV. 52.
 Hirnsammern (3.) IV. 52.
 Hirnkopf (3.) IV. 562.
 Hirnskraut (B.) III. 1067.
 gemeines (B.) III. 1067.
 kleines (B.) III. 1067.
 Hirnskräuter (B.) III. 2067.
 Hirnsnetze (3.) IV. 52.
 Hirnsappen (3.) IV. 52.
 hintere (3.) IV. 52.
 mittlere (3.) IV. 52.
 vordere (3.) IV. 52.
 Hirnnerven (3.) IV. 53, 54, 58.
 animale (3.) IV. 58.
 vegetative (3.) IV. 61.
 Hirnpolarität (3.) IV. 256.
 Hirnsand (3.) IV. 53.
 Hirnschale (3.) IV. 28, 29, 167, 326.
 Hirnschalenmuskeln (3.) IV. 46.
 Hirnscheidewand (3.) IV. 52.
 Hirnschenkel (3.) V. 50, 51.
 Hirnspat, großer (3.) IV. 54.
 Hirnschal (3.) IV. 52, 54.
 Hirnwände (3.) IV. 51.
 mittlere (3.) IV. 51.
 vordere (3.) IV. 51.
 Hirnwindungen (3.) IV. 51.
 Hirondele (3.) VI. 180, 385.
 de mer (3.) VI. 180, 385.
 Hirondele (3.) VII. 91.
 de cheminées (3.) VII. 93.
 de fenêtre (3.) VII. 95.

Hirondele de mer, f. Sterna (3.) VII. 395.
 de rivage (3.) VII. 95.
 Hirsch, Hirsche (3.) VII. 1281, 1289, 1389.
 Dams (3.) VII. 1293, 1295.
 Edels (3.) VII. 1289.
 eigentliche (3.) VII. 1289.
 giraffenartige (3.) VII. 1289.
 großer (3.) VII. 1292.
 jagdbarer (3.) VII. 1291.
 kleiner (3.) VII. 1286.
 Kolben (3.) VII. 1290.
 riesenhafter (M.) I. 620, 634.
 rinderartige (3.) VII. 1295.
 Roth (3.) VII. 1289.
 rother (3.) VII. 1283.
 russischer (3.) VII. 1292.
 Schaufel (3.) VII. 1294.
 Sumpf (3.) VII. 1292.
 virginischer (3.) VII. 1293.
 Wald (3.) VII. 1283.
 weißer (3.) VII. 1286.
 Ziegen (3.) VI. 1353.
 Zinken (3.) VII. 1252.
 Hirschbromen (B.) III. 2007.
 gemeine (B.) III. 208.
 Hirschbrunn (B.) III. 88.
 Hirschbusse (B.) III. 88.
 gemeiner (B.) III. 88.
 Hirschdorn (B.) III. 1745.
 Hirschfeld, Theorie der Gartenkunst (B.) III. 2130.
 Hirschgeweih (3.) IV. 93.
 Hirschheber (3.) VII. 1134.
 Hirschheilwurz (B.) III. 1826.
 Hirschhornbaum (B.) III. 1770.
 Hirschhorngallert (M., D. M. S.) I. S. XV.
 Hirschhornst (M., D. M. S.) I. S. XVII.
 Hirschhornsalz (M., D. M. S.) I. S. XIV.
 Hirschschläfer, f. Hirschschreiber.
 Hirschsalz (3.) VII. 1291.
 Hirschling (B.) III. 156, 157.
 Hirschochse (3.) VII. 1388.
 Hirschschreiber (3.) V. 1810.
 gemeiner (3.) V. 1810.
 kleiner (3.) V. 1813.
 Hirschstier (3.) VII. 1389.
 Hirschwurz (B.) III. 1816, 2008.
 weiße (B.) III. 1805.
 Hirschjunge (B.) III. 130, 330.

Hirschjunge, braune (B.) III. 130.
 Hirschjungen (B.) III. 330.
 gemeine (B.) III. 330.
 italienische (B.) III. 331.
 Hirs (B.) II. 345. — III. 382, 405.
 Blut (B.) III. 379.
 gemeine (B.) III. 405.
 Neger (B.) III. 406.
 Stein (B.) III. 1094.
 Wald (B.) III. 402.
 Zucker (B.) III. 407.
 Hirs (B.) III. 405.
 Kolben (B.) III. 406.
 Roth (B.) III. 406.
 Hirsensäge (B.) III. 426.
 Hirtella (B.) III. 2041.
 racemosa (B.) III. 2041.
 Hirtenvogel, f. Palamedea charivaria (3.) VII. 573.
 Hirudo (3.) V. 560.
 gulo (3.) V. 562.
 intestinalis (3.) V. 27.
 medicinalis (3.) V. 561.
 muricata (3.) V. 563.
 octoculatus (3.) V. 562.
 piscium (3.) V. 562.
 vulgaris (3.) V. 562.
 Hirunda esculenta (B.) III. 225.
 Hirundinaria (B.) III. 1031.
 Hirundo (3.) VI. 179, 180, 385.
 Hirundo (3.) VII. 91.
 apus (3.) VII. 106.
 esculenta (3.) VII. 96.
 fuciphaga (3.) VII. 106.
 javanica (3.) VII. 106.
 marina (3.) VII. 571.
 riparia (3.) VII. 95, 572.
 rustica (3.) VII. 93.
 urtica (3.) VII. 91.
 Hisinger, G., Esquisse de Pétrifications de la Suède (B.) III. 2128.
 Hisingerit (M.) I. 355.
 Hispa (3.) V. 1671.
 atra (3.) V. 1671.
 Hister (3.) V. 1711, 1799.
 quadrimaculatus (3.) V. 1799.
 unicolor (3.) VI. 1799.
 Histurus (3.) VI. 611.
 pustulosus (3.) VI. 612.

- Histoire de l'Acad. des Sciences (B.) II. 265.
- Historia et Iconographia Horti ticinensis (B.) III. 2120.
- Historische Pflanzen (B.) II. 374.
- Histrio (B.) VI. 77.
- Hierpe (B.) VII. 558.
- Hniša (B.) VII. 1085.
- Hoatzin (B.) VII. 599.
- Hoba (B.) VII. 1777.
- Hobby (B.) VII. 129.
- Hobe (B.) VII. 1775.
- Hobnim (B.) II. 380. — III. 934.
- Hobo (B.) III. 1777.
- Hobreau (B.) VII. 129.
- Hobrian (B.) VII. 129.
- Hocco (B.) VII. 600.
- Hochebenen (M.) I. 552, 558.
- Hoche-queue (B.) VII. 47.
- Hocheur (B.) VII. 1810.
- Hochgebirge (M.) I. 547.
- Hochgucker (B.) VI. 287. gemeiner (B.) VI. 287.
- Hochländer (M.) I. 552.
- Hochrüden (B.) VI. 101. gemeiner (B.) VI. 102.
- Hochschilbraunen (B.) V. 1391.
- Hochschwabler (B.) VII. 83.
- Hockenblatt (B.) III. 619.
- Hocker (B.) VII. 17, 24.
- Höcker (B.) III. 90.
- Höckeralken (B.) III. 1508. gemeine (B.) III. 1508.
- Höckerorall (B.) V. 143.
- Höckerfünze (B.) III. 115. wurjelnde (B.) III. 116.
- Höckerpöte (B.) III. 57.
- Höckertauben (B.) VII. 301.
- Hoef-Blaad (B.) III. 1673.
- Hoeven, van der, de see-
leto piscium (B.) VI. 407.
- Hoffahrt, stinkende (B.) III. 764.
- Hoffmann, Fr. (Minera-
log), (M.) I. 29, 565, 689.
- Uebersicht der orographi-
schen und geognostischen
Verhältnisse v. nordwest-
lichen Deutschland (M.)
I. 765.
- Hoffmann, G., Deser. et
adumbratio lich. (B.)
III. 301.
- Deutschlands Flora cryptog-
gam. (B.) III. 299.
- De vario lichenum usu (B.)
III. 300.
- Enumeratio lichenum (B.)
III. 300.
- Flora german. (B.) III. 2122.
- Genera umbelliferarum
(B.) III. 2105.
- Historia Salicum (B.) III.
2102.
- Lichenographia universa-
lis (B.) III. 301.
- Synopsis meth. lich. (B.)
III. 301.
- Methodus lichenum (B.)
III. 301.
- Plantae lichenosae (B.) III.
300.
- Vegetabilia cryptogamica
(B.) III. 173, 300.
- Vegetabilia Hercyniae sub-
terraneae (B.) III. 2128.
- Hoffmann, G., Verzeichniß
der Schwämme (B.) III.
174.
- Hoffmann, S., Naturalien-
sammler zu Maestricht
(M.) I. 674.
- J. J., Physiologisch-botan.
Abhandlungen (B.) II.
276.
- Hoffmann, Koch, Ein-
ic. Entomolog. Hefte (B.)
V. 1824.
- Hoffmannsegg et H.
Link, Flore portugaise
(B.) III. 1138, 2125.
- Hofhühner (B.) VII. 602.
- Hofhunde (B.) VII. 1564.
- Hofstauben (B.) VII. 300.
- Hog-nose (B.) VI. 556.
- Hog-Plumb-tree (B.) III.
1777.
- Höhe, absolute (M.) I. 543.
der Berge (M.) I. 543.
der Hügel (M.) I. 546.
des Pflanzenvorkommens
(B.) II. 300.
relative (M.) I. 543.
- Höhenmessen, barometrisches
(M.) I. 545.
- Höhenmessen, trigonometrisches
(M.) I. 545.
- Höhenzüge (M.) I. 552.
- Hohflader (B.) IV. 80.
linker und rechter Stamm-
der (B.) IV. 80.
obere (B.) IV. 80.
untere (B.) IV. 80, 82.
- Hohkapseln (B.) III. 705, 707.
- Höhlen (M.) I. 640.
des Kohleukaltes (M.) I. 746.
des Muschelkaltes (M.) I.
719.
des Felssteins (M.) I. 733.
Knochen- (M.) I. 640.
Höhlenbär (M.) I. 641.
- Höhlenente (B.) VII. 470.
Höhlenente (B.) VII. 119.
- Höhlengyps (M.) I. 733.
- Höhlenhyäne (M.) I. 641.
- Höhlenkalk (M.) I. 733.
- Höhlen, knochenführende (M.)
I. 693.
- Höhlenkröte (B.) VI. 488.
- Höhlenstünde, mit Thier-
resten (M.) I. 629.
- Höhlenwespen (B.) V. 895.
- Hohlerstein bei Ribbenbeck (M.)
I. 643.
- Hohlsamige Pflanzen (B.) III.
1791.
- Hohlschnabel (B.) VII. 554.
gemeiner (B.) VII. 554.
- Hohlspath (M.) I. 184.
- Hohlsahn (B.) III. 1061.
- Hohlsiegelmuscheln (B.) V. 330.
- Hoitz Tlacuatzin (B.) VII.
777.
- Holacanthus (B.) VI. 213.
imperator (B.) VI. 214.
tricolor (B.) VI. 213.
- Holandre, Faune de la
Moselle (B.) VII. 671.
- Holcus (B.) III. 406, 416.
lanatus (B.) III. 417.
mollis (B.) III. 417.
sorghum (B.) III. 406.
- Holzer (B.) III. 1849.
Altich (B.) III. 1854.
Fiebers (B.) III. 1851.
Kantens (B.) III. 1851.
Kraut (B.) III. 1850.
persischer (B.) III. 1116.
Schnees (B.) III. 1851.
spanischer (B.) III. 1116.

Holzer, Trauben (B.) III. 1855.
 Wasser (B.) III. 1855, 1857.
 weißer (B.) III. 1999.
 Holzerblattlaus (Z.) V. 1455.
 schwarze (Z.) V. 1455.
 Holzerkammern (B.) III. 1998.
 gemeine (B.) III. 1998.
 Holzerlagen (B.) III. 475.
 Holzerkanten (B.) III. 1097.
 saftige (B.) III. 1097.
 Holzerchwamm (B.) III. 114.
 Holzerichwerdet (B.) III. 536.
 Holibut (Z.) VII. 167.
 Holigarna (B.) III. 1776.
 caustica (B.) III. 1776.
 longifolia (B.) III. 1776.
 Hoff, Fr., Handbuch d. Petre-
 factenfunde (B.) III. 2128.
 Hoff, Schmidt u. Kunze,
 Deutschlands Schwämme
 in getrockn. Exemplaren
 (B.) III. 176.
 Holländerholz (B.) III. 1545.
 Höllestein (M., D. M. S.)
 I. S. XVI.
 Höllewasser (B.) III. 676.
 Holunder, f. Holunder.
 Holundernösse (B.) III. 95.
 Holly, f. Ilex (B.) III. 1738.
 Holmit (M., D. M. S.) I.
 S. XI.
 Holmskjöld, Th., Beata
 ruris otia Fungis dan-
 icis impensa (B.) III.
 172.
 Holocentrum (Z.) VI. 260.
 longipinne (Z.) VI. 260.
 sogho (Z.) VI. 260.
 Holocentrus (Z.) VI. 241.
 fasciatus (Z.) VI. 255.
 striatus (Z.) VI. 255.
 virescens (Z.) VI. 255.
 Holosteum (B.) III. 1357.
 umbellatum (B.) III. 1357.
 Holothuria (Z.) V. 581.
 edulis (Z.) V. 583.
 elegans (Z.) V. 581.
 frondosa (Z.) V. 581.
 maculata (Z.) V. 583.
 pentacta (Z.) V. 581.
 phantapus (Z.) V. 582.
 squamata (Z.) V. 583.
 tremula (Z.) V. 582.
 tubulosa (Z.) V. 582.

Holotyp (M., D. M. S. XIII.)
 = Diatomes Gyphealoid
 (M.) I. 250.
 Hölische (B.) III. 1138.
 Hölste, der (B.) III. 1465.
 Knoten (B.) III. 1467.
 Silber (B.) III. 1468.
 Holunder (B.) III. 1583.
 Utrich (B.) III. 1854.
 schwarzer (B.) III. 1854.
 Trauben (B.) III. 1855.
 Holunderküchlein (B.) III. 1855.
 Holunderfügelchen (B.) III.
 1855.
 Holunderspanner (Z.) V. 1276.
 Holz (M., D. M. S.) I. S.
 XVI. — (B.) II. 22, 112,
 140. — III. 14.
 Holzaderer (B.) III. 210.
 Holzameise (Z.) V. 900.
 Holzäpfel (B.) III. 2071.
 Holzäpfel (B.) III. 1959, 1984.
 Holzasbest (M.) I. 270.
 Holzbast (B.) III. 483.
 Holzbeerer (B.) III. 1788, 1857.
 Holzbiene (Z.) V. 991.
 Holzbrünn (B.) III. 2075.
 Holz, bituminöses (M.) I. 310.
 Holzblätter (B.) II. 36.
 Holzblumenpflanzen (B.) III.
 1346, 1377.
 Holzbohrer (Z.) V. 1192, 1682.
 Holzcorallen (Z.) V. 109.
 Holzdrofster (B.) III. 320.
 Holzger = Holzpflanzen (B.)
 III. 578.
 Alder (B.) III. 586.
 Apfel (B.) III. 684.
 Bast (B.) III. 602.
 Beeren (B.) III. 667.
 Blumen (B.) III. 630.
 Blüthen (B.) III. 622.
 Drossel (B.) III. 588.
 Frücht (B.) III. 641.
 Gröps (B.) III. 645.
 Holz (B.) III. 607.
 Laub (B.) III. 607.
 Mark (B.) III. 583.
 Ruff (B.) III. 643.
 Pfäumen (B.) III. 655.
 Rinden (B.) III. 600.
 Samen (B.) III. 623.
 Schaft (B.) III. 600.
 Stamm (B.) III. 612.
 Stengel (B.) III. 616.

Holzer — Holzpflanzen, Wur-
 zeln (B.) III. 612.
 Zellen (B.) III. 584.
 Hölzer, australische (B.) II.
 361.
 in Nordamerika (B.) II. 358.
 in Südamerika (B.) II. 358.
 Holzfarben, aufstüchtige (M.,
 D. M. S.) I. S. XVII.
 harzartige (M., D. M.
 S.) I. S. XVII.
 Holzfarren (B.) III. 320.
 Holzfaser (B.) II. 218.
 Holzfasern (B.) III. 14.
 Holzgräser (B.) III. 410.
 Holzgröpspflanzen (B.) III.
 1262, 1288.
 Holzheher (Z.) VII. 341.
 Holzholzer (B.) III. 607.
 Holzläser (Z.) V. 1633, 1677.
 Holzknospen (B.) II. 31.
 Holzkröte, mineralische (M.) I.
 308.
 Holzkröte (M., D. M. S.)
 I. S. XVI.
 Holzlaubpflanzen (B.) III. 953,
 1005.
 Holzlaus (Z.) V. 1432.
 Baum (Z.) V. 1444.
 bissige (Z.) V. 1444.
 gemeine (Z.) V. 1433.
 graufame (Z.) V. 1444.
 wandernde (Z.) V. 1445.
 Holzläuse (Z.) V. 1432.
 Holzlitien (B.) III. 464, 483.
 Holzforschen (B.) III. 1580.
 Holzmoose (B.) III. 210.
 Holzöl (B.) III. 1423.
 Holzopal (M.) I. 147.
 Holzspinnpflanzen (B.) III. 1453,
 1477.
 Holzpalmen (B.) III. 582, 607.
 Holz, papuanisches (B.) III.
 140.
 Holzpflanzen = Palmen (B.)
 III. 18, 23, 380, 578.
 S. Holzger.
 Biter, der (B.) III. 2129.
 Holzpfäumenpflanzen (B.) III.
 1615, 1645.
 Holzpitze (B.) III. 69.
 Holzraupen (Z.) V. 1322.
 Holzraupentöbder (Z.) V.
 950.
 Holzrinder (B.) III. 410.

- Holzamenpflanzen (B.) III. 1142, 1193.
 Holzschneider (Ameisen) (Z.) V. 921.
 gelbe (B.) III. 922.
 ruffarbene (Z.) V. 921.
 schwarze (Z.) V. 922.
 Holzstein (M.) I. 143.
 Holzstengel (B.) II. 27.
 Holzstengelpflanzen (B.) III. 838, 861.
 Holzstoff (B.) II. 118.
 Holztaube (Z.) VII. 301.
 Holzverderber (Z.) V. 1234, 1459.
 Holzwespe (Z.) V. 892.
 große (Z.) V. 892.
 Holzwinden (B.) III. 1088.
 gemeine (B.) III. 1089.
 Holzwurzel (B.) II. 25.
 Holzwurzelpflanzen (B.) III. 710, 752.
 Holzzeiler (B.) III. 69.
 Holzzin (M.) I. 341.
 Holz zu allerlei Geräthschaften (B.) II. 355.
 Homalinen (B.) III. 711, 807, 809.
 Litter. der (B.) III. 1132.
 Homalium (B.) III. 809.
 guianense (B.) III. 810.
 racemosum (B.) III. 810.
 racoubea (B.) III. 810.
 Homalium (Z.) V. 1713.
 rivulare (Z.) V. 1713.
 Homalopsis (Z.) VI. 526.
 Homann, Flora v. Pommern (B.) III. 2122.
 Homarus (Z.) VI. 642.
 Hornberg, Mém. acad. (B.) II. 277.
 Hommars (Z.) V. 642.
 Homo (Z.) VII. 1849.
 sylvestris (Z.) VII. 1828.
 Homöodrische Crystallformen (M.) I. 39.
 Homöomorphe Körper (M.) I. 131.
 Homophron (B.) III. 1718.
 limbatus (Z.) V. 1718.
 Homothalmi (B.) III. 239.
 Honde-Pinten (B.) III. 1277.
 Honey-Sucker (Z.) VII. 328.
 Hongre (Z.) VII. 1234.
- Honig (M., D. M. S.) I. S. XV. — (Z.) V. 1014.
 Einsammeln von (Z.) V. 1014.
 Walds (Z.) V. 1048.
 Honigalbe (B.) III. 1507.
 gezähnte (B.) III. 1507.
 seidenartige (B.) III. 1507.
 welke (B.) III. 1507.
 Honigalben (B.) III. 1507.
 Honigbär (Z.) VII. 1703.
 Honigbienen (Z.) V. 1006.
 Honigbirne (B.) III. 2077.
 große (B.) III. 2080.
 Winter (B.) III. 2080.
 Honigblume (B.) III. 1274.
 gemeine (B.) III. 1275.
 Honigblumen (B.) III. 1274.
 Honigdom, f. Gleditschia (B.) III. 1726.
 Honigdrüsen (B.) II. 117, 215.
 Honiggras (B.) III. 417.
 Honigkuckuck (Z.) VII. 230.
 großer (Z.) VII. 232.
 kleiner (Z.) VII. 232.
 Honigimmen (Z.) V. 974.
 Honigkäfen (B.) III. 1726.
 gemeine (B.) III. 1727.
 Honigkäfer (Z.) V. 1789.
 Honig liefernde Forstpflanzen (B.) II. 357.
 Honigorgane (B.) II. 70.
 Litter. der (B.) II. 272.
 Honigsäfte (B.) II. 117, 136.
 Honigstein (M.) I. 300.
 Honigtäubling (B.) III. 153.
 Honigthau (Z.) V. 1553.
 Honigvogel, Honigvögel (Z.) VII. 180.
 Honigwaben (Z.) VI. 1022.
- Hooker, W., Companion to the Botanical Magazine (B.) II. 281. — III. 2132.
 Cryptogamen (B.) III. 299.
 Exot. Flora (B.) II. 262. — III. 1446, 2133.
 Flora boreali-american (B.) III. 2135.
 Jungermanniarum Icones (B.) III. 301.
 Musci exotici (B.) III. 302 et Greville, Icones filicum (B.) III. 372.
 et Taylor, Muscologia britann. (B.) III. 302.
- Hooker, W., et Walker-Arnott, the Botany of Beecheys Voyage (B.) III. 2127.
 Hooper, (Z.) VII. 482.
 Hoopa (B.) III. 928.
 Hopfen (B.) III. 1553.
 gemeiner (B.) III. 1553.
 Hopfenkeime (B.) III. 1554.
 Hopfenkeie (B.) III. 1635.
 gemeiner (B.) III. 1635.
 kleiner (B.) III. 1635.
 Hopfenlucerne (B.) III. 1638.
 Hopfenmehl (B.) III. 1554.
 Hopfenmehlthau (B.) III. 104.
 Hopfenmotte (Z.) V. 1320.
 Hopfenöl, spanisches (B.) III. 1069.
 Hopfenstraße (Z.) V. 1259.
 Hoplia (Z.) V. 1791.
 argentea (Z.) V. 1792.
 caerulea (Z.) V. 1792.
 farinosa (Z.) V. 1791, 1792.
 graminicola (Z.) V. 1791.
 pulverulenta (Z.) V. 1792.
 squamosa (Z.) V. 1792.
 Hoplurus (Z.) VI. 612.
 Hoppe, Filices (B.) III. 372.
 Getrocknete Gräser (B.) III. 2133.
 Herbarium vivum Plantarum alpinarum (B.) III. 699, 2133.
 Hortus ratibonnensis (B.) III. 2120.
 Neues botan. Taschenbuch (B.) II. 264. — III. 2132.
 Hoppe, H., Insecta elytrata circa Erlangam indigena (Z.) V. 1822.
 et Hornschuh, Plantae cryptog. (B.) III. 303.
 - - Plantae exsiccatæ (B.) III. 2122.
 Hopfer (Z.) VII. 240.
 Hordeaceen (B.) III. 382, 385.
 Hordeum (B.) III. 387.
 coeleste (B.) III. 388.
 distichon (B.) III. 388.
 hexastichon (B.) III. 388.
 murinum (B.) III. 388.
 polystichon (B.) III. 388.
 vulgare (B.) III. 387.
 zeocriton (B.) III. 388.

- Horizont, geognostischer (M.) I. 573.
- Horminum (B.) III. 1073.
pratense (B.) III. 1073.
- Horn (Z.) IV. 92, 93, 332. — VII. 1242.
des Nashornes (Z.) IV. 92, 332.
- Hornaffe (Z.) VII. 1756.
- Hornbiene (Z.) V. 993.
- Hornbill (Z.) VII. 358.
- Hornblatt (B.) III. 343.
- Hornblende (M.) I. 256, 263, 265, 488, 493, 497, 498, 499, 770, 820, 822.
basaltische (M.) I. 265.
der Lava (M.) I. 785.
der Vulcane (M.) I. 776.
des Grünsteins (M.) I. 833.
des massigen Gebirges (M.) I. 776.
des Thonporphyrs (M.) I. 832.
gemeine (M.) I. 265.
- Hornblendegesteine (M.) I. 266, 497, 769.
- Hornblendegranit (M.) I. 488.
- Hornblende, labradorische (M.) I. 262.
- Hornblendens (M., D. M. S.) I. S. XII.
- Hornblendeschiefer (M.) I. 497.
mit Grünstein (M.) I. 832.
- Hornbleyerz (M.) I. 382.
- Hornicade (Z.) V. 1602.
- Horncorall (Z.) V. 108.
schwarzes (Z.) V. 110.
warziges (Z.) V. 111.
- Horncorallen (Z.) V. 108.
eigentliche (Z.) V. 109.
- Hornemann, J. De Indole Plantarum guineensium (B.) III. 2131.
- Hortus havniensis (B.) III. (B.) III. 2120.
- Hörner (Z.) IV. 92, 93.
- Hörner der Gebirge (M.) I. 549.
- Hörnerv (Z.) IV. 61, 99.
harter (Z.) IV. 60.
- Hörnerraupe (Z.) V. 1413.
- Hörnerz (M.) I. 384.
- Hornieule (Z.) VII. 124.
- Hornfächer (Z.) V. 117.
- Hornfels (M.) I. 484, 489, 765, 822.
- Hornfisch (Z.) VI. 103.
lunter (Z.) VI. 103.
gestrecker (Z.) VI. 107.
gestreifter (Z.) VI. 103.
schwarzer (Z.) VI. 104.
flacheliger (Z.) VI. 104.
- Hornfische (Z.) VI. 103.
- Hornfrosch (Z.) VI. 478.
gemeiner (Z.) VI. 478.
- Horn-Gädda (Z.) VI. 391.
- Horngewebe (Z.) IV. 108.
- Horngumpel (B.) III. 1120.
große (B.) III. 1120.
harte (B.) III. 1121.
- Horngumpeln (B.) III. 1121.
- Hornhaut (Z.) IV. 101.
- Hornhecht (Z.) VI. 391.
- Hornhülsen (B.) III. 916.
gemeine (B.) III. 916.
- Hornisse (Z.) V. 970, 971.
kleine (Z.) V. 970.
- Hornismücke (Z.) V. 813.
- Hornkäfer (Z.) V. 1813.
- Hornke (B.) III. 1639.
esbarer (B.) III. 1639.
gemeiner (B.) III. 1639.
schwarzer (B.) III. 1639.
- Hornkleppeln (B.) III. 782.
gemeine (B.) III. 782.
- Hornklissen (B.) III. 753.
tappige (B.) III. 753.
verwachsene (B.) III. 753.
- Hornkrapp (B.) III. 841.
gemeiner (B.) III. 841.
- Hornkrappe (B.) III. 841.
- Hornkraut (B.) III. 1358.
Feld- (B.) III. 1358.
filziges (B.) III. 1358.
- Hornkräuter (B.) III. 1358.
- Hornlinge (B.) III. 1012.
esbare (B.) III. 1012.
gemeine (B.) III. 1012.
- Hornlingen (B.) III. 1012.
- Hornmangan (M.) I. 366.
- Hornmohn (B.) III. 1417.
gemeiner (B.) III. 1417.
- Hornmohne (B.) III. 1417.
- Hornmutter (Z.) VI. 543.
- Horn-owl (Z.) VII. 124.
- Hornpilsang (B.) III. 521.
- Hornpöte (B.) III. 57.
gemeiner (B.) III. 57.
- Hornpotypen (Z.) V. 61, 99.
- Hornqued Silber (M.) I. 385.
- Hornraupen (B.) III. 257.
flachelige (B.) III. 257.
- Hornrochen (Z.) VI. 49.
- Hornschubel (Z.) VII. 376.
einhörniger (Z.) VII. 378.
großer (Z.) VII. 379.
javanischer (Z.) VII. 378.
- Hornschuh (Z.) VII. 377.
- Hornschubel (Z.) VII. 376.
- Hornschnecke (Z.) V. 428.
- Hornschuh. De Voitia et Systilio (B.) III. 302.
Entsch. und Metam. der niedern Pflanzen (B.) III. 302.
- Hornschwalm (Z.) VII. 112.
- Hornstiber (M.) I. 384.
- Hornstedia (B.) III. 506.
- Hornstein (M.) I. 143, 483.
- Hornsteinporphyr (M.) I. 483, 490.
- Horntauher (Z.) VII. 425.
- Hornthierchen (Z.) V. 22.
schwalbenförmiges (Z.) V. 22.
- Horntrüffel (B.) III. 105.
flache (B.) III. 106.
gemeine (B.) III. 105.
harte (B.) III. 105.
veränderliche (B.) III. 105.
- Hornvieh (Z.) VII. 1329.
bisamthierartiges (Z.) VII. 1332, 1359.
camelartiges (Z.) VII. 1332, 1333.
eigentliches (Z.) VII. 1332, 1402.
giraffenartiges (Z.) VII. 1332, 1356.
hirschartiges (Z.) VII. 1332, 1381.
kurzschwänziges (Z.) VII. 1332.
- lamaartiges (Z.) VII. 1332, 1333.
- langschwänziges (Z.) VII. 1332.
- Hornwedel (Z.) V. 117.
- Hörorgan (Z.) IV. 437.
- Horse (Z.) VII. 1234.
- Horse-tail, f. Equisetum (B.) III. 312.
- Horsewaelum (Z.) VII. 1438.

- Horsfield, Birds of Java (3.) VII. 672.
 Zoolog. Researches in Java (3.) VII. 672.
 Horsfield u. Biger, Austral. Vögel (3.) VII. 672.
 Hortensia (3.) III. 1995.
 mutabilis (3.) III. 1996.
 Hortulana (3.) VII. 283.
 Hortus Kewensis (3.) III. 1448.
 Höschen (3.) II. 77.
 Host, Icones et Descr. Graminum austriac. (3.) III. 698.
 Hosta (3.) III. 569.
 Hottentottenfeige (3.) III. 1974.
 Hottonia (3.) III. 965.
 palustris (3.) III. 965.
 Houbara (3.) VII. 640.
 Houhou (3.) VII. 228.
 Houmri (3.) III. 1305.
 balsamifera (3.) III. 1305.
 Houstonia (3.) III. 1024.
 caerulea (3.) III. 1024.
 Houtin (3.) VI. 360.
 Houting (3.) V. 360.
 Houttuynia (3.) III. 601.
 cordata (3.) III. 602.
 Houx (3.) III. 1738.
 Hoeven, van der, Mutationes coloris in Chamaeleonte (3.) VI. 692.
 Hovenia (3.) III. 1743.
 dulcis (3.) III. 1744.
 Howard (M.) I. 455.
 Hoya (3.) III. 1030.
 carnosa (3.) III. 1030.
 Huancachina (3.) III. 867.
 Hübner, J., Beschreib. der deutschen Laubmoose (3.) III. 302.
 Beschreib. der deutschen Lebermoose (3.) III. 301.
 Huber, F., Nouvelles Observations sur les Abeilles (3.) V. 1050.
 Huber, P. (fils), Moeurs des Fourmis indigènes (3.) V. 1050.
 Sur le vol des oiseaux de proie (3.) VII. 673.
 Universal-Register.
 Hübner, Organa mot. Boae (3.) VI. 690.
 Schmetterlinge; fortges. v. Geyer (3.) V. 1425.
 Verzeichn. der bekannten Schmetterlinge (3.) V. 1426.
 Huch (3.) VI. 340.
 Huchen (3.) VI. 339.
 Hucho (3.) VI. 339.
 Huchblatt (3.) III. 798.
 Huexolotl (3.) VII. 621.
 Huf (3.) IV. 28, 405.
 Hufeisenflee (3.) III. 1621.
 Hufeisennaße (3.) VII. 970.
 große (3.) VII. 972.
 kleine (3.) VII. 970.
 Hufeisennasen (3.) VII. 970.
 Hufstille (3.) III. 76.
 gemeiner (3.) III. 76.
 Huftruppe (3.) III. 1672.
 breitblättrige (3.) III. 1673.
 gemeine (3.) III. 1673.
 Huftruppen (3.) III. 1672.
 Hufstättich (3.) III. 725.
 gemeiner (3.) III. 725.
 Hufstättiche (3.) III. 725.
 Hufstader (3.) IV. 83.
 äußere (3.) IV. 83.
 innere (3.) IV. 83.
 Hüftbein (3.) IV. 27, 121, 171.
 unteres (3.) IV. 27.
 vorderes (3.) IV. 27.
 Hüftbeinmuskeln (3.) IV. 43.
 halbhäutiger (3.) IV. 43.
 halbsehniger (3.) IV. 43.
 Hüftblatt (3.) IV. 27, 171.
 Hüfte (3.) IV. 27, 171, 327, 409.
 Hüften (3.) IV. 327.
 Hüftgabel (3.) IV. 79.
 Hüftglieder (3.) IV. 328, 329.
 Hüfttiere (3.) VII. 992.
 Hüftschmuskeln (3.) IV. 42.
 äußerer (3.) IV. 42.
 innerer (3.) IV. 42.
 Hüftschmerzen (3.) IV. 57.
 Hüftmuskeln (3.) V. 269, 329.
 einbüchrig (3.) V. 335.
 ohne Athemlöcher (3.) V. 359.
 zweibüchrig (3.) V. 330.
 Hüftmuskeln (3.) IV. 42.
 innerer (3.) IV. 42.
 Hüftnerve (3.) IV. 57.
 Hüftschlagader (3.) IV. 74.
 Hügel (M.) I. 543, 546.
 Hügel, C., Enumer. Plantarum novae Hollandiae (3.) III. 2127.
 Hügeland (M.) I. 552.
 Hügelrücken (M.) I. 546.
 Hügel, subapenninische (M.) I. 650.
 Hügel, Verbindung der (M.) I. 552.
 Hügi, Alpenreisen (M.) I. 772.
 Huhn, Hühner (3.) VII. 561, 604.
 von Bantam (3.) VII. 106.
 Baumz. (3.) VII. 595.
 Birz. (3.) VII. 591.
 Bläß. (3.) VII. 566.
 calecutische (3.) VII. 616.
 englische (3.) VII. 606.
 Feibz. (3.) VII. 577, 578, 582.
 Felsen. (3.) VII. 583.
 Graß. (3.) VII. 575.
 Gries. (3.) VII. 570.
 Grügels. (3.) VII. 593.
 hamburgische (3.) VII. 606.
 Haisel. (3.) VII. 588.
 Häuben. (3.) VII. 606.
 Haus. (3.) VII. 604.
 Heiden. (3.) VII. 590.
 Hofz. (3.) VII. 602.
 indische (3.) VII. 616.
 Kamms. (3.) VII. 603.
 Raub. (3.) VII. 606.
 Klut. (3.) VII. 606.
 Kobel. (3.) VII. 605.
 Krull. (3.) VII. 607.
 Krupp. (3.) VII. 606.
 kurzbeimige (3.) VII. 575.
 Land. (3.) VII. 575.
 langbeimige (3.) VII. 562.
 Möhren. (3.) VII. 607.
 pedanisches (3.) VII. 608.
 Perl. (3.) VII. 602.
 Rauch. (3.) VII. 607.
 Rohr. (3.) VII. 563.
 Rothz. (3.) VII. 564.
 Sammet. (3.) VII. 606.
 Sand. (3.) VII. 570.
 Schnee. (3.) VII. 586.
 Stein. (3.) VII. 583.
 Strauß. (3.) VII. 573.
 Strupp. (3.) VII. 607.

- Huhn, Hühner Sumpf: (Z.) VII. 570.
 Zeich: (Z.) VII. 562.
 Trut: (Z.) VII. 616.
 türkisches (Z.) VII. 608.
 Itr: (Z.) VII. 593.
 Wald: (Z.) VII. 585, 589.
 Wasser: (Z.) VII. 562.
 wetsche (Z.) VII. 616.
 Wild: (Z.) VII. 575.
 wildes (Z.) VII. 604.
 - erythraeum (Z.) VII. 607.
 - von Gates (Z.) VII. 607.
 - schwarzes (Z.) VII. 607.
 Wolf: (Z.) VII. 607.
 Zwerg: (Z.) VII. 606.
 Hühnerdarm (B.) III. 1357.
 Hühnerdieb (Z.) VII. 135.
 Hühnercy (Z.) V. 460.
 Hühnerhabicht (Z.) VII. 134.
 Hühnerhund (Z.) VII. 1565.
 Hühnermilch (Z.) V. 669.
 Huhu (Z.) VII. 122, 194.
 Huigan (Z.) III. 1773.
 Huile de bois (B.) III. 1599.
 de cade (B.) III. 361.
 de carapa (B.) III. 1309.
 de graine (B.) III. 1745.
 de marmotte (B.) III. 2058.
 Huitre, f. Ostrea (Z.) V. 372.
 Huitrier (Z.) VII. 509.
 Hüten (B.) III. 107.
 Hüften (B.) III. 953, 1016.
 Drüsen (B.) III. 1019.
 Glanz (B.) III. 1022.
 Gold (B.) III. 1018.
 Harz (B.) III. 1025.
 Kletter (B.) III. 1024.
 Knollen (B.) III. 1022.
 Rad (B.) III. 1018.
 Rosen (B.) III. 1923.
 Sumpf (B.) III. 1024.
 Wurm (B.) III. 1023.
 Hüftchen (B.) III. 1790.
 Hüfte (B.) II. 41. — III. 712.
 Hüften (B.) III. 1790.
 schmalblättrige (B.) III. 1790.
 vielblättrige (B.) III. 1790.
 Hüften (Z.) IV. 301, 302, 457.
 Verrichtungen der (Z.) IV. 304.
 Hüftendrüsen (B.) III. 215.
 Hüftendrüsen, durchsichtige (B.) III. 216.
 rothe (B.) III. 216.
 Hüftensfüßen (B.) III. 222.
 federartige (B.) III. 222.
 Holman (Z.) VII. 1814.
 Hulotte (Z.) VII. 121.
 Hüfte (B.) II. 74.
 Hüften (B.) III. 1614, 1738.
 Hüftenbeeren (B.) II. 93.
 Hüftenbienen (Z.) V. 984.
 Hüftenbrand (B.) III. 50.
 Hüftencapsel (B.) II. 75, 94.
 Hüftendrüsen (B.) III. 218.
 gefiederte (B.) III. 219.
 gegliederte (B.) III. 218.
 Hüftensfarren (B.) III. 320.
 knortiger (B.) III. 320.
 Hüftennuß (B.) II. 91.
 Hüftenpflanzen (B.) III. 1451, 1613, 1614, 1617.
 ungleiche (B.) III. 1615, 1680.
 Hüftenspflanzen (B.) II. 92.
 Hüftenswurm (Z.) V. 546.
 Hüftenswürmer (Z.) V. 546, 1459.
 Hüftst (B.) III. 1738.
 Humantin (Z.) VI. 61.
 Humbertia (B.) III. 1088.
 madagascariensis (B.) III. 1089.
 Humboldt, A. ab, De distributione geogr. (B.) 2121.
 Flora fribergens. (B.) II. 261, 266. — III. 273.
 A. de, Essay sur la Géographie de Plantes (B.) II. 288.
 Obs. de Zoologie (Z.) VI. 404, 690. — VII. 1858.
 Plantes équinoxiales (B.) II. 273. — III. 700, 1440.
 Humboldt, H. v., (M.) I. 289, 452, 472, 558, 628, 777, 779, 783, 791, 798, 801, 823.
 Aphorismen (B.) II. 262, 266, 277.
 Ideen zu einer Geographie der Pflanzen (B.) II. 288. — III. 2121.
 Ueber die electrischen Fische (Z.) VI. 407.
 Humboldt, Heber unterird. Grasarten (B.) II. 263.
 Humboldt et Bonpland, Monographie des Mélastomes et Rhexies (B.) III. 2133.
 - - Plantes équinoxiales (B.) III. 2133.
 Humboldt et Kunth, Mimoses (B.) III. 2134.
 Nova gen. et spec. plant. (B.) III. 700, 2134.
 Humboldtian (M., D. M. S.) I. S. XII.
 Humboldtian (M.) I. 301.
 Humen (B.) III. 1488.
 Kletten (B.) III. 1490.
 Kletten (B.) III. 1489.
 Huming-Bird (Z.) VII. 155.
 Humiriaceen (Humirien) (B.) III. 1304.
 Uiter. der (B.) III. 1444.
 Humirium (B.) III. 1304.
 Hummel (Z.) V. 1000.
 Erds: (Z.) V. 1000.
 Moos: (Z.) V. 1000.
 Stein: (Z.) V. 1000.
 Hummel, Essais entomologiques (Z.) V. 1532.
 Hummelfalter (Z.) V. 1133.
 Hummelmuße (Z.) V. 814.
 Hummeln (Z.) V. 1000.
 Hummelfanger (Z.) V. 1750.
 schwarzer (Z.) V. 1750.
 Hummelschwärmer (Z.) V. 1372.
 Summer (Z.) V. 640.
 Summerlaus (Z.) V. 626.
 Humming-bird (Z.) VII. 185.
 Humphack-whale (Z.) VII. 1006.
 Humulus (B.) III. 1553.
 lupulus (B.) III. 1553.
 Humus (M.) I. 541, 589. — (B.) II. 118, 140.
 Humusboden (M.) I. 541.
 kohligharziger (M.) I. 541.
 milder (M.) I. 541.
 saurer (M.) I. 542.
 Humusfichte (M.) I. 534, 541.
 Humusfäure (M.) I. 534. — (B.) II. 118.
 Hun (B.) III. 981.
 Hund, Hunde (Z.) VII. 1529, 1541, 1562.

- Hund, Hunde Curd.** (Z.) VII. 1565.
 Dachs. (Z.) VII. 1565.
 erdwoisartige (Z.) VII. 1553.
 fliegender (Z.) VII. 964.
 fossile (M.) I. 632.
 gemeiner (Z.) VII. 1552.
 geschäcker (Z.) VII. 1569.
 Haus. (Z.) VII. 1564.
 Hof. (Z.) VII. 1564.
 Hühner (Z.) VII. 1565.
 hyänenartige (Z.) VII. 1559.
 Jagd. (Z.) VII. 1565.
 fahnenartige (Z.) VII. 1562.
 kurzbeinige (Z.) VII. 1530.
 kurzschwänzige (Z.) VII. 1542.
 langbeinige (Z.) VII. 1541.
 langschwänzige (Z.) VII. 1542.
 Leit. (Z.) VII. 1565.
 Löwen. (Z.) VII. 1564.
 Maus. (Z.) VII. 1505, 1535.
 Metzger. (Z.) VII. 1564.
 Nachr. (Z.) VII. 1542.
 nackter (Z.) VII. 1565.
 neufundländer (Z.) VII. 1566.
 Parforce. (Z.) VII. 1565.
 Rüsch. (Z.) VII. 1565.
 Schäfer. (Z.) VII. 1564.
 Schopf. (Z.) VII. 1564.
 Schweiß. (Z.) VII. 1565.
 Seiden. (Z.) VII. 1564.
 Spür. (Z.) VII. 1565.
 Stamm. (Z.) VII. 1564.
 Stuben. (Z.) VII. 1564.
 sumatranischer (Z.) VII. 1566.
 Tag. (Z.) VII. 1553.
 tüftlicher (Z.) VII. 1565.
 Vorleh. (Z.) VII. 1565.
 Wasser. (Z.) VII. 1557.
 wilde (Z.) VII. 1555, 1561.
 zibethartige (Z.) VII. 1542.
Hunderfuß (Z.) V. 621.
Hundeshausen, die Anatomie, der Chemismus u. die Physiologie der Pflanzen (B.) II. 260.
 Encyclopädie der Forstwirtschaft (B.) II. 385.
Hundigel (Z.) VII. 956.
Hundesandwurm (Z.) V. 547.
Hundsbraunwurz (B.) III. 967.
- Hundeschamille** (B.) III. 757.
Hundesdachs (Z.) VII. 1527.
Hundesaufstier (Z.) VII. 877.
Hundesfichte (B.) III. 256, 257.
 grüne (B.) III. 257.
Hundesfechten (B.) III. 256.
Hundshay (Z.) VI. 58.
Hundskohl (B.) III. 1551.
 gemeiner (B.) III. 1551.
Hundskohle (B.) III. 1551.
Hundskopf (Z.) V. 908.
Hundskrabbe (Z.) V. 654.
Hundsmotte (B.) III. 1459, 1461.
Hundsmocke (B.) III. 584.
 gemeiner (B.) III. 584.
Hundsmoos (B.) III. 257.
Hundsmuch (B.) III. 62.
Hundsohren (Z.) V. 361.
Hundspeterstie (B.) III. 1827.
Hundsraupen (B.) III. 256.
 graue (B.) III. 257.
 grüne (B.) III. 257.
Hundrose (B.) III. 2021.
Hundsveitschen (B.) III. 1375.
Hundswurzel (B.) III. 614.
Hundszahn (B.) III. 572.
Hundzerte (Z.) V. 662.
Hundzunge (B.) III. 1092.
 gemeine (B.) III. 1092.
Hundzungen (B.) III. 1092.
Hunger (Z.) IV. 215.
 Heiß. (Z.) IV. 215.
Hungerblümchen (B.) III. 1395.
 gemeines (B.) III. 1395.
Hungerkraut (B.) III. 1483.
Hungertod (Z.) IV. 215.
Hunter, A., Geographical Essays (B.) II. 271.
Huperz, De filicum propagatione (B.) III. 371.
Hüpfen (Z.) VI. 392.
Hüpfen (Z.) VII. 17, 24, 193.
Hüpfelring (Z.) V. 628.
Hüpfkäfer (Z.) V. 1781.
 rößlicher (Z.) V. 1781.
Huppe (Upupa) (Z.) VII. 204.
Hüpfsch, Naturgesch. (Z.) V. 538.
Hura (B.) III. 1607.
 crepitans (B.) III. 1608.
Hurbel (Z.) VII. 567.
Hürcault (M.) I. 362.
- Hurgil** (Z.) VII. 545.
Hurleur (Z.) VII. 1730.
Huron (Z.) VII. 1515.
 großer (Z.) VII. 1516.
Hursinghar, f. Nyctanthes arbor tristis (B.) III. 1112.
Husarentasche (Z.) VI. 368.
Huschke, Beitr. zur Physik. u. Naturgesch. (Z.) VI. 407.
Huso (Z.) VI. 69.
Hut (B.) III. 45.
Hutaffe (Z.) VII. 1803.
Hutbirne (B.) III. 2076.
Hutchinsia (B.) III. 217.
 elongata (B.) III. 217.
 fastigiata (B.) III. 218.
 filamentosa (B.) III. 217.
 urceolata (B.) III. 217.
 violacea (B.) III. 218.
Hutia (Z.) VII. 756.
 carabali (Z.) VII. 758.
 congo (Z.) VII. 756.
Hutpitze (B.) III. 126.
Hutspitzkäfer (Z.) V. 1777.
 geflecker (Z.) V. 1777.
Hutquallen (Z.) V. 184, 187, 215.
Huttschlange (Z.) VI. 560.
 ägyptische (Z.) VI. 563.
 gemeine (Z.) VI. 560.
Huttschlangen (Z.) VI. 560.
Hutwerfer (B.) III. 83.
 gemeiner (B.) III. 83.
Hußeln (B.) III. 2075.
Hußeltorten (B.) III. 659.
 gemeine (B.) III. 659.
Huyghens (M.) I. 74.
Hyacinth (M.) I. 151.
Hyacinthe (B.) III. 562.
 englische (B.) III. 561.
 Feder. (B.) III. 563.
 gemeine (B.) III. 562.
 Kugels. (B.) III. 563.
Muscats (B.) III. 563.
 niederländische (B.) III. 561.
Schopf (B.) III. 563.
Stern (B.) III. 561.
Trauben (B.) III. 563.
Hyacinthen (B.) III. 562.
 Nacht. (B.) III. 570.
Hyacinthentmüllen (B.) III. 1101.

- Hyacinthenußsen, gemeine (B.) III. 1101.
 Hyacinthus (B.) III. 562.
 botryoidea (B.) III. 563.
 comosus (B.) III. 563.
 monstrosus (B.) III. 563.
 muscari (B.) III. 563.
 orientalis (B.) III. 562.
 racemosus (B.) III. 563.
 Hya-Hya (B.) III. 1039.
 Hyalaea (Z.) V. 521.
 Hyalith (M.) I. 146.
 Hyalofiderith (M.) I. 218.
 Hyaena (Z.) VII. 1570. —
 (M.) I. 650.
 brunnea (Z.) VII. 1574.
 crocuta (Z.) VII. 1575.
 picta (Z.) VII. 1562.
 spelaea (M.) I. 641.
 striata (Z.) VII. 1570.
 villosa (Z.) VII. 1574.
 Hjäne, Hjänen (Z.) VII. 1570.
 fossile (M.) I. 632.
 gestecke (Z.) VII. 1575.
 gemeine (Z.) VII. 1570.
 geschädte (Z.) VII. 1562.
 Jagd: (Z.) VII. 1561.
 wohlriechende (Z.) VII. 1541.
 Hjänenfnochen (M.) I. 641.
 Hjänth (M.) I. 151.
 Hjänth, f. Hyacinthe.
 Hybanthus (B.) III. 1375.
 calceolaria (B.) III. 1376.
 ipecacuanha (B.) III. 1375.
 Hybodius sublaevis (M.) I. 715.
 Hybrida (B.) II. 254.
 Hydatiden (Z.) IV. 109.
 Hydatiden (Z.) V. 544.
 Hydatina (Z.) V. 36.
 Hydnocarpus (B.) III. 1380.
 inebrians (B.) III. 1380.
 pentandra (B.) III. 1381.
 Hydnou (B.) III. 110.
 Hydnora (B.) III. 801.
 Hydnum (B.) III. 129.
 auriscalpium (B.) III. 129.
 cervinum (B.) III. 130.
 compactum (B.) III. 130.
 coralloides (B.) III. 129.
 erinaceus (B.) III. 129.
 imbriatum (B.) III. 130.
 mucidum (B.) III. 129.
 repandum (B.) III. 130.
 Hydra (Z.) V. 62.
 fusca (Z.) V. 63, 71.
 grisea (Z.) V. 63, 71.
 oligactis (Z.) V. 63, 71.
 pallens (Z.) V. 71.
 viridis (Z.) V. 63, 71.
 vulgaris (Z.) V. 71.
 Hydrachna (Z.) V. 671.
 abstergens (Z.) V. 672.
 aquadica (Z.) V. 671.
 impressa (Z.) V. 671.
 Hydrangea (B.) III. 1995.
 arborescens (B.) III. 1996.
 hortensis (B.) III. 1995.
 Hydrangeen (Hydrangien) (B.)
 III. 1959, 1986, 1995.
 Eiter. der (B.) III. 2109.
 Hydrargilit, blättriger (M.) I. 185.
 Hydrargyrum = Quecksilber
 (M.) I. 124.
 Hydrate (M., D. M. S.) I.
 S. X.
 Hydrilla (B.) III. 445.
 occidentalis (B.) III. 445.
 verticillata (B.) III. 445.
 Hydroboracit (M.) I. 226.
 Hydrocantari, f. Wasserfäßer
 (Z.) V. 1726.
 Hydrocereen (B.) III. 1166.
 Hydrocererit (M., D. M. S.)
 I. S. XX.
 Hydrochalcidon (M.) I. 141.
 Hydrochariden (B.) III. 380,
 383, 444.
 Hydrocharis (B.) III. 23, 448.
 morsum ranae (B.) III. 448.
 Hydrochloa (B.) III. 412.
 Hydrochoerus (Z.) VII. 829.
 capybara (Z.) VII. 829.
 Hydrocorax (Z.) VII. 378.
 Hydrocotyle (B.) III. 1792.
 asiatica (B.) III. 1793.
 vulgaris (B.) III. 1792.
 Hydrocotylseem (B.) III. 1787,
 1792.
 Hydrocyon (Z.) VI. 330.
 dentex (Z.) VI. 330.
 Hydrodictyon (B.) III. 202.
 utriculatum (B.) III. 202.
 Hydrogen (M.) I. 114.
 Hydrolapathum (B.) III. 1482.
 Hydrolea (B.) III. 1076.
 spinosa (B.) III. 1076.
 Hydroseem (B.) III. 951, 954,
 1051, 1052, 1075, 1076.
 Hydroseem, Eiter. der (B.) III.
 1137.
 Hydromagnetit (M.) I. 224.
 Hydrometra (Z.) V. 1621.
 lacustris (Z.) V. 1621.
 Hydromis (Z.) VII. 734.
 chrysogaster (Z.) VII. 734.
 leucogaster (Z.) VII. 735.
 Hydropetitiden (B.) III. 383,
 450, 451.
 Hydropeltis (B.) III. 452.
 peltata (B.) III. 452.
 Hydrophan (M.) I. 147.
 Hydrophilus (Z.) V. 1733.
 piceus (Z.) V. 1734.
 Hydrophis (Z.) VI. 524.
 fasciatus (Z.) VI. 524.
 Hydrophyllen (Hydrophyllen)
 (B.) III. 951, 954, 1051,
 1052, 1075.
 Eiter. der (B.) III. 1136.
 Hydrophyllit (D. M. S., XIII.)
 = Falgerdehydrat (M.)
 I. 219.
 Hydrophyllum (B.) III. 1075.
 canadense (B.) III. 1076.
 virginicum (B.) III. 1076.
 Hydropter (B.) III. 1356,
 1479.
 Hydroptit (M.) I. 366.
 Hydropteriden = Markfarren
 (B.) III. 369, 310.
 Hydropterides (B.) III. 309,
 310.
 Hydrosaurus (Z.) VI. 624.
 Hydrostatische Wage (M.) I.
 107.
 Hydrurus (B.) III. 193.
 crystallophorus (B.) III.
 194.
 myosurus (B.) III. 194.
 Hydrus colubrinus (Z.) VI.
 566.
 Hygrocrocis (B.) III. 193.
 atramenti (B.) III. 193.
 cerevisiae (B.) III. 193.
 vini (B.) III. 193.
 Hyla (Z.) VI. 467.
 arborea (Z.) VI. 468.
 bicolor (Z.) VI. 470.
 crepitans (Z.) VI. 471.
 maxima (Z.) VI. 470.
 micans (Z.) VI. 471.
 palmata (Z.) VI. 470.
 pardalis (Z.) VI. 471.

- Hyla tibialtrix (Z.) VI. 470.
 tinctoria (Z.) VI. 470.
 Hylobates (Z.) VII. 1818.
 Hymber (Z.) VII. 429.
 Hymenaea (B.) III. 1705.
 courbaril (B.) III. 1705.
 Hymenium (B.) III. 144.
 Hymenodietyon (B.) III. 869.
 excelsum (B.) III. 869.
 Hymenomyceten (B.) III. 102.
 Hymenomycetes (B.) III. 47,
 102.
 Hymenophyllum (B.) III. 323.
 tunbridgensis (B.) III. 323.
 Hymenoptera (Z.) V. 831.
 Hymenostomen (B.) III. 274.
 Hymenostomi (B.) III. 274.
 Hymenostomum (B.) III. 275.
 microstomum (B.) III. 275.
 Hymenula (B.) III. 112.
 vulgaris (B.) III. 113.
 Hyoecyamus (B.) III. 976.
 albus (B.) III. 977.
 niger (B.) III. 976.
 Hyoseris (B.) III. 722.
 cretica (B.) III. 722.
 lucida (B.) III. 722.
 monspeliensis (B.) III. 722.
 virginica (B.) III. 722.
 Hypargyrit (M., D. M. S.)
 I. S. XXI.
 Hypocoum (B.) III. 1415.
 procumbens (B.) III. 1416.
 Hypera (Z.) V. 1638.
 nigrirostris (Z.) V. 1638.
 roeselii (Z.) V. 1638.
 Hyperanthera (B.) III. 1727.
 pterygosperma (B.) III.
 1727.
 Hypericinen (B.) III. 1140,
 1346, 1364, 1369.
 Eiter. der (B.) III. 1447.
 Hypericum (B.) III. 1370.
 androsæmum (B.) III.
 1370.
 ascyron (B.) III. 1371.
 balearicum (B.) III. 1371.
 chinense (B.) III. 1371.
 monogynum (B.) III. 1371.
 perforatum (B.) III. 1370.
 pulchrum (B.) III. 1370.
 Hyperifen (B.) III. 1346, 1364,
 1369.
 Hyperoodon (Z.) VII. 1088.
 Hypertihen (M.) I. 261, 499.
 Hypersthenfels (M.) I. 499,
 835.
 Hyphaena (B.) III. 690.
 crinita (B.) III. 690.
 Hyphelia (B.) III. 77.
 Hyphomyceten (B.) III. 59.
 Hyphomycetes (B.) III. 46,
 59.
 aspari (B.) III. 69.
 sporidiosi (B.) III. 63.
 vesiculosi (B.) III. 59.
 Hyphydra (B.) III. 435.
 amplexicaulis (B.) III. 436.
 Hypnum (B.) III. 294.
 abietinum (B.) III. 296.
 cupressiforme (B.) III.
 298.
 cuspidatum (B.) III. 295.
 fluitans (B.) III. 190.
 murale (B.) III. 297.
 myurum (B.) III. 296.
 parietinum (B.) III. 296.
 praelongum (B.) III. 295.
 proliferum (B.) III. 296.
 riparium (B.) III. 295.
 rutabulum (B.) III. 297.
 serpens (B.) III. 298.
 splendens (B.) III. 296.
 squarrosus (B.) III. 297.
 sylvaticum (B.) III. 295.
 triquetrum (B.) III. 297.
 velutinum (B.) III. 297.
 Hypochlorit (M., D. M. S.)
 I. S. XVIII.
 Hypochoeris (B.) III. 723.
 maculata (B.) III. 724.
 Hypocist (B.) III. 800.
 gemeiner (B.) III. 800.
 Hypociste (B.) III. 800.
 Hypocistis (B.) III. 801.
 Hypocrococten (B.) III. 9.
 Hypogaea (Z.) V. 312.
 Hypogei (Z.) VI. 285.
 Hypoglossum (B.) III. 619.
 Hypogynae (B.) III. 706.
 Hypogynen (B.) III. 19, 704,
 706, 951.
 Eiter. der (B.) III. 1134, ff.
 Hypopetalen (B.) III. 10.
 Hypophloeus (Z.) V. 1783.
 castaneus (Z.) V. 1784.
 Hypophyllum (B.) III. 619.
 Hypopitys (B.) III. 895.
 Hyporrhodius (B.) II. 136.
 Hypostamineen (B.) III. 8.
 Hypoziden (B.) III. 465, 525.
 Hypoxis (B.) III. 526.
 erecta (B.) III. 526.
 stellata (B.) III. 526.
 Hypoxylon (B.) III. 101.
 ciliare (B.) III. 72.
 Hypsibatus (Z.) VI. 600.
 Hypsilophus (Z.) V. 1093,
 1256.
 Hypsilophus (Z.) VI. 600.
 Hypudaeus (Z.) VII. 722.
 Hypsipyrmnus (Z.) VII. 896.
 Hypudaeus (Z.) VII. 722.
 Hyrax (Z.) VII. 885.
 arboreus (Z.) VII. 889.
 capensis (Z.) VII. 886.
 habessinicus (Z.) VII. 893.
 ruficeps (Z.) VII. 893.
 syriacus (Z.) VII. 889.
 Hyssopus (B.) III. 1057.
 officinalis (B.) III. 1057.
 Hysterium (B.) III. 92.
 culmigenum (B.) III. 93.
 nigrum (B.) III. 94.
 Hysterolithen (M.) I. 757. —
 (Z.) V. 504.
 Hystrix (Z.) VI. 116.
 Hystrix (Z.) VII. 776.
 chrysuroides (Z.) V. 730.
 cristata (Z.) VII. 780.
 dorsata (Z.) VII. 780.
 fasciculata (Z.) VII. 780.
 insidiosa (Z.) VII. 778.
 macroura (Z.) VII. 780.
 prehensilis (Z.) VII. 776.
 I.
 Iahnen (Z.) VII. 1231.
 Ibaiariba (B.) III. 1684.
 Iberis (B.) III. 1390, 1392.
 nudicaulis (B.) III. 1391.
 semperflorens (B.) III.
 umbellata (B.) II. 1391.
 Ibox (Z.) VII. 1342.
 Ibyara (Z.) VI. 586.
 Ibijau (Z.) VII. 112.
 Ibira (B.) III. 1252.
 Ibis (Z.) VII. 158, 525, 527,
 532.
 religiosa (Z.) VII. 527.
 Ibis (Z.) VII. 527.
 gemeiner (Z.) VII. 531.
 großer (Z.) VII. 532.
 schwarzer (Z.) VII. 530.