

- Hyla tibiatrix (Z.) VI. 470.  
 tinctoria (Z.) VI. 470.  
 Hylobates (Z.) VII. 1818.  
 Hymber (Z.) VII. 429.  
 Hymenaea (B.) III. 1705.  
   courbaril (B.) III. 1705.  
 Hymenium (B.) III. 144.  
 Hymenodietyon (B.) III. 869.  
   excelsum (B.) III. 869.  
 Hymenomyceten (B.) III. 102.  
 Hymenomycetes (B.) III. 47,  
   102.  
 Hymenophyllum (B.) III. 323.  
   tunbridgensis (B.) III. 323.  
 Hymenoptera (Z.) V. 831.  
 Hymenostomen (B.) III. 274.  
 Hymenostomi (B.) III. 274.  
 Hymenostomum (B.) III. 275.  
   microstomum (B.) III. 275.  
 Hymenula (B.) III. 112.  
   vulgaris (B.) III. 113.  
 Hysesamus (B.) III. 976.  
   albus (B.) III. 977.  
   niger (B.) III. 976.  
 Hyseseris (B.) III. 722.  
   cretica (B.) III. 722.  
   lucida (B.) III. 722.  
   monspeliensis (B.) III. 722.  
   virginica (B.) III. 722.  
 Hypargyrit (M., D. M. S.)  
   I. S. XXI.  
 Hypocoum (B.) III. 1415.  
   procumbens (B.) III. 1416.  
 Hypera (Z.) V. 1638.  
   nigrirostris (Z.) V. 1638.  
   roeselii (Z.) V. 1638.  
 Hyperanthera (B.) III. 1727.  
   pterygosperma (B.) III.  
   1727.  
 Hypericinen (B.) III. 1140,  
   1346, 1364, 1369.  
   Eiter. der (B.) III. 1447.  
 Hypericum (B.) III. 1370.  
   androsæmum (B.) III.  
   1370.  
   ascyron (B.) III. 1371.  
   balearicum (B.) III. 1371.  
   chinense (B.) III. 1371.  
   monogynum (B.) III. 1371.  
   perforatum (B.) III. 1370.  
   pulchrum (B.) III. 1370.  
 Hyperifen (B.) III. 1346, 1364,  
   1369.  
 Hyperoodon (Z.) VII. 1088.  
 Hypertihen (M.) I. 261, 499.  
 Hypersthenfels (M.) I. 499,  
   835.  
 Hyphaena (B.) III. 690.  
   crinita (B.) III. 690.  
 Hyphelia (B.) III. 77.  
 Hyphomyceten (B.) III. 59.  
 Hyphomycetes (B.) III. 46,  
   59.  
   aspari (B.) III. 69.  
   sporidiosi (B.) III. 63.  
   vesiculosi (B.) III. 59.  
 Hyphydra (B.) III. 435.  
   amplexicaulis (B.) III. 436.  
 Hypnum (B.) III. 294.  
   abietinum (B.) III. 296.  
   cupressiforme (B.) III.  
   298.  
   cuspidatum (B.) III. 295.  
   fluitans (B.) III. 190.  
   murale (B.) III. 297.  
   myurum (B.) III. 296.  
   parietinum (B.) III. 296.  
   praelongum (B.) III. 295.  
   proliferum (B.) III. 296.  
   riparium (B.) III. 295.  
   rutabulum (B.) III. 297.  
   serpens (B.) III. 298.  
   splendens (B.) III. 296.  
   squarrosus (B.) III. 297.  
   sylvaticum (B.) III. 295.  
   triquetrum (B.) III. 297.  
   velutinum (B.) III. 297.  
 Hypochlorit (M., D. M. S.)  
   I. S. XVIII.  
 Hypochoeris (B.) III. 723.  
   maculata (B.) III. 724.  
 Hypocist (B.) III. 800.  
   gemeiner (B.) III. 800.  
 Hypociste (B.) III. 800.  
 Hypocistis (B.) III. 801.  
 Hypocrococten (B.) III. 9.  
 Hypogaea (Z.) V. 312.  
 Hypogei (Z.) VI. 285.  
 Hypoglossum (B.) III. 619.  
 Hypogynae (B.) III. 706.  
 Hypogynen (B.) III. 19, 704,  
   706, 951.  
   Eiter. der (B.) III. 1134, ff.  
 Hypopetalen (B.) III. 10.  
 Hypophloeus (Z.) V. 1783.  
   castaneus (Z.) V. 1784.  
 Hypophyllum (B.) III. 619.  
 Hypopitys (B.) III. 895.  
 Hyporrhodius (B.) II. 136.  
 Hypostamineen (B.) III. 8.  
 Hypoziden (B.) III. 465, 525.  
 Hypoxis (B.) III. 526.  
   erecta (B.) III. 526.  
   stellata (B.) III. 526.  
 Hypoxylon (B.) III. 101.  
   ciliare (B.) III. 72.  
 Hypsibatus (Z.) VI. 600.  
 Hysilophus (Z.) V. 1093,  
   1256.  
 Hysilophus (Z.) VI. 600.  
 Hypudaeus (Z.) VII. 722.  
 Hypsipyrmnus (Z.) VII. 896.  
 Hypudaeus (Z.) VII. 722.  
 Hyrax (Z.) VII. 885.  
   arboreus (Z.) VII. 889.  
   capensis (Z.) VII. 886.  
   habessinicus (Z.) VII. 893.  
   ruficeps (Z.) VII. 893.  
   syriacus (Z.) VII. 889.  
 Hyssopus (B.) III. 1057.  
   officinalis (B.) III. 1057.  
 Hysterium (B.) III. 92.  
   culmigenum (B.) III. 93.  
   nigrum (B.) III. 94.  
 Hysterolithen (M.) I. 757. —  
   (Z.) V. 504.  
 Hystrix (Z.) VI. 116.  
 Hystrix (Z.) VII. 776.  
   chrysuroides (Z.) V. 730.  
   cristata (Z.) VII. 780.  
   dorsata (Z.) VII. 780.  
   fasciculata (Z.) VII. 780.  
   insidiosa (Z.) VII. 778.  
   macroura (Z.) VII. 780.  
   prehensilis (Z.) VII. 776.  
 I.  
 Iahnen (Z.) VII. 1231.  
 Ibaiariba (B.) III. 1684.  
 Iberis (B.) III. 1390, 1392.  
   nudicaulis (B.) III. 1391.  
   semperflorens (B.) III.  
   umbellata (B.) II. 1391.  
 Ibox (Z.) VII. 1342.  
 Ibyara (Z.) VI. 586.  
 Ibijau (Z.) VII. 112.  
 Ibira (B.) III. 1252.  
 Ibis (Z.) VII. 158, 525, 527,  
   532.  
   religiosa (Z.) VII. 527.  
 Ibis (Z.) VII. 527.  
   gemeiner (Z.) VII. 531.  
   großer (Z.) VII. 532.  
   schwarzer (Z.) VII. 530.

- Ibis**, weißer (Z.) VII. 528, 530.  
**Ieaco** (B.) III. 2045.  
**Icacopflaume** (B.) III. 2046.  
**Icacorea** (B.) III. 1122.  
**Ichneumon** (Z.) V. 839.  
   apum (Z.) V. 848.  
   cinctipes (Z.) V. 841.  
   comitator (Z.) V. 840.  
   nigrocandatus (Z.) V. 841.  
   pugillator (Z.) V. 842.  
   saturatorius (Z.) V. 841.  
   teuthredinum (Z.) V. 851.  
**Ichneumon** (Z.) VII. 1531.  
   cafer (Z.) VII. 1535.  
   griseus (Z.) VII. 1535.  
   indien (Z.) VII. 1534, 1535.  
   javanicus (Z.) VII. 1534.  
   malaccensis (Z.) VII. 1534.  
**Ichneumonäbienen** (Z.) V. 977.  
**Ichthydium** (Z.) V. 45.  
**Ichthyodorulithen** (M.) I. 748.  
**Ichthyologia enodata etc.** (Z.) VI. 408.  
**Ichthyophthalm** (M.) I. 270.  
**Ichthyosaurus** (Z.) VI. 630. — (M.) I. 685.  
**Ieica** (B.) III. 1761, 1762.  
   ambrosiaca (B.) III. 1762.  
   guyanensis (B.) III. 1761.  
   heterophylla (B.) III. 1761.  
**Iecariba** (B.) III. 1762.  
**Ieosandria** (B.) III. 5.  
**Icoffetraeder** (M.) I. 45.  
**Icterus** (Z.) VII. 322.  
   acripennis (Z.) VII. 312.  
   pecoris (Z.) VII. 308.  
   unicolor (Z.) VII. 321.  
**Ictides** (Z.) VII. 1698.  
   albifrons (Z.) VII. 1699.  
**Ictinos** (Z.) VII. 137.  
**Ictis** (Z.) VII. 1503.  
**Ic** (Z.) VI. 302.  
**Idaens** (B.) III. 2015.  
**Ideler**, Der Gartenfreund (B.) III. 2130.  
**Idiothalmi** (B.) III. 239.  
**Idma** (Z.) VII. 1372.  
**Idocras** (M.) I. 161.  
**Idolum** (Z.) VI. 544.  
**Idomenens** (Z.) V. 1408.  
**Idothea** (Z.) V. 614.  
   enthomon (Z.) V. 614.  
**Idrialin** (M.) I. 449.  
**Idus** (Z.) VI. 302.  
**Idya** (Z.) V. 209.  
   islandica (Z.) V. 210.  
   mecrostoma (Z.) V. 210.  
**Igasure** (B.) III. 1049.  
**Igel** (Z.) V. 1120, 1763.  
   weiß (Z.) V. 1763.  
**Igel** (Z.) VII. 954.  
   gemeiner (Z.) VII. 955.  
   Hund: (Z.) VII. 956.  
   langohriger (Z.) VII. 957.  
   Schwein: (Z.) VII. 956.  
**Igelkäfer** (B.) III. 187.  
   strahlige (B.) III. 187.  
**Igelsch** (Z.) VI. 115.  
   gemeiner (Z.) VI. 116.  
**Igeltäfer** (Z.) V. 1671.  
   schwarzer (Z.) V. 1671.  
**Igeltwecken** (B.) III. 1797.  
   gemeine (B.) III. 1797.  
**Igeltöbteingras** (B.) III. 426.  
**Igellinden** (B.) III. 1188.  
   gemeine (B.) III. 1188.  
**Igelmücken** (Z.) V. 779.  
**Igelwig** (B.) III. 129.  
**Igelschnecke** (Z.) V. 480.  
**Igelschnipe** (M.) I. 589.  
**Igelskolben** (B.) III. 587.  
   gemeiner (B.) III. 587.  
**Igeltierchen** (Z.) V. 25.  
**Iggling** (Z.) VI. 292.  
**Ignose** (B.) III. 612.  
**Ignosewurzeln** (B.) II. 342.  
**Ignatia** (B.) III. 1048.  
   amara (B.) III. 1048.  
**Ignatiusböhen** (B.) III. 1049.  
**Iguana** (Z.) VI. 600.  
   chamaeleontina (Z.) VI. 603.  
   clamosa (Z.) VI. 603.  
   delicatissima (Z.) VI. 602.  
   tuberculata (Z.) VI. 600.  
**Iguanodon** (Z.) VI. 628.  
**Iiya** (B.) III. 1489.  
**Ilea** (B.) III. 207.  
**Ilex** (B.) III. 1542, 1738.  
   aquifolium (B.) III. 1738.  
   cassine (B.) III. 1738.  
   paraguariensis (B.) III. 1739.  
   vomitoria (B.) III. 1738.  
**Ilicimen** (B.) III. 1737.  
**Iiter**, der (B.) III. 2104.  
**Illada** (Z.) VII. 59.  
**Ill-Anfen** (Z.) VI. 342.  
**Illecebrum** (B.) III. 1455.  
   verticillare (B.) III. 1456.  
**Illicium** (B.) III. 1236.  
   anisatum (B.) III. 1236.  
**Illiger**, Magazin für Insectenkunde (Z.) V. 1825.  
**Prodromus systematis avium** (Z.) VII. 669.  
**Illimani** (M.) I. 550.  
**Illinois-Nut** (B.) III. 1751.  
**Illipé** (B.) III. 940.  
**Illosporium** (B.) III. 54.  
   roseum (B.) III. 54.  
**Ilmenit** (M.) I. 323.  
**Iltris** (Z.) VII. 1501.  
   kleiner (Z.) VII. 1515.  
**Ilvait** (M.) I. 354.  
**Ily** (B.) III. 420.  
**Ilysia** (Z.) VI. 588.  
**Imbricaria**, f. Minusops (B.) III. 944.  
**Immar** (Z.) VII. 1338.  
**Immen** (Z.) V. 720, 721, 831.  
   Fönig: (Z.) V. 974.  
**Immenblatt** (B.) III. 1071.  
   gemeines (B.) III. 1071.  
**Immenblätter** (B.) III. 1071.  
**Immenkäfer** (Z.) V. 1746.  
   schwarzer (Z.) V. 1747.  
   schwarzgefleckt (Z.) V. 1747.  
   violetter (Z.) V. 1747.  
**Immenvogel** (Z.) VII. 216.  
   gemeiner (Z.) VII. 216.  
**Immer** (Z.) VI. 430.  
**Immerschön** (B.) III. 766.  
**Immertelle** (B.) III. 1466.  
   rotze (B.) III. 1466.  
**Immortelle**, f. Helichrysum (B.) III. 766.  
**Guaphalium** (B.) III. 762.  
**Gomphrena** (B.) III. 1466.  
**Xeranthemum** (B.) III. 727.  
**Impatiens** (B.) III. 1166.  
   balsamina (B.) III. 1166.  
   noli tangere (B.) III. 1167.  
**Imperator** (Z.) VI. 214.  
**Imperatoria** (B.) III. 1817.  
   ostruthium (B.) III. 1817.  
**Imprägnationsproceß** (M.) I. 630.  
**Incarvillea** (B.) III. 1006.  
   chinensis (B.) III. 1006.  
   grandiflora (B.) III. 1006.  
   tomentosa (B.) III. 1006, 1771.

Incense (B.) III. 1763.  
 Incheda (Z.) VI. 212.  
 Inceruationen (M.) I. 609.  
 Incumbens (B.) III. 1384.  
 Indian cucumbers (B.) III. 621.  
 Indian-fish (Z.) VI. 214.  
 Indian hemp (B.) III. 1034.  
 Indicator (Z.) VI. 230.  
 major (Z.) VII. 232.  
 minor (Z.) VII. 230.  
 Indig. f. Indigap.  
 Indigo (M., D. S.) I. S.  
 XVIII. — (B.) II. 128,  
 372. — III. 253, 1631,  
 1634.  
 Indigofarbe (B.) III. 1631.  
 Indigofera (B.) III. 1631.  
 anil (B.) III. 1631.  
 argentea (B.) III. 1634.  
 tinctoria (B.) III. 1631.  
 Indigopflanze = Färbegriffche  
 1631.  
 witze (B.) III. 1631.  
 zahme (B.) III. 1631.  
 Indigopfl. (B.) III. 136.  
 Indigo, rother (B.) III. 254,  
 255.  
 Indigosäure (B.) II. 125.  
 Indigo, wild (B.) III. 1677.  
 Individuen (M.) I. 4.  
 Zahl der (Z.) IV. 607.  
 Indri (Z.) VII. 1712.  
 Indusium (B.) II. 86, 314.  
 Inferior Oolite (M.) I. 701.  
 Inflammabilien (M.) I. 135.  
 = Brenze (M.) I. 306.  
 — (B.) II. 4, 109.  
 Inflorescentia (B.) II. 40.  
 scorpioides (B.) II. 42.  
 Infundibulum (B.) II. 44.  
 Infusionsthierehen (Z.) IV.  
 106. S. Infusorien.  
 Infusoria (Z.) V. 12.  
 Infusorien (Z.) IV. 314, 570.  
 — V. 6, 7, 11, 12.  
 bauchmündige (Z.) V. 26.  
 eigentliche (Z.) V. 17.  
 einrädige (Z.) V. 45.  
 endmündige (Z.) V. 28.  
 Entstehung der (Z.) V. 14.  
 Fofers (Z.) V. 20.  
 Fortfabr. (Z.) V. 23.  
 Gestalt der (Z.) V. 15.  
 Paar. (Z.) V. 21.

Infusorien, haarlose (Z.) V.  
 18.  
 im Alluvium eingeschlossen  
 (M.) I. 624.  
 Kreisarm: (Z.) V. 30.  
 Kugels: (Z.) V. 18.  
 Lebensdauer der (Z.) V.  
 15.  
 Liter. über die (Z.) V. 56.  
 nackte einrädige (Z.) V.  
 45.  
 polyppenartige (Z.) V. 25.  
 quallenartige (Z.) V. 35.  
 umhüllte einrädige (Z.)  
 V. 47.  
 — vierrädige (Z.) V. 40.  
 — zweirädige (Z.) V. 43.  
 ursprüngliche Entstehung  
 der (Z.) IV. 314. — V.  
 14.  
 Verbreitung der (Z.) V. 16.  
 versteinerte (M.) I. 575.  
 vierrädige (Z.) V. 36.  
 zweirädige (Z.) V. 41.  
 Inga (B.) III. 1700.  
 duleis (B.) III. 1701.  
 feuillee (B.) III. 1701.  
 pacai (B.) III. 1701.  
 saponaria (B.) III. 1701.  
 sassa (B.) III. 1702.  
 vera (B.) III. 1700.  
 Ingambe (Z.) VII. 363.  
 Inghenhouß, Ueber die Er-  
 nährung der Pflanzen  
 (B.) II. 267, 269, 271.  
 Vermischte Schriften (B.)  
 II. 271.  
 Versuche mit Pflanzen (B.)  
 II. 264, 268, 271.  
 Inger (Z.) VI. 33.  
 gemeiner (Z.) VI. 33.  
 Ingluvies (Z.) IV. 360.  
 Ingwer (B.) III. 498.  
 ächter (B.) III. 499.  
 gemeiner (B.) III. 498.  
 rother (B.) III. 500.  
 wüder (B.) III. 500.  
 Inhame (B.) III. 1086.  
 Inocarpus (B.) III. 1515.  
 edulis (B.) III. 1516.  
 Inoceramen (M.) I. 681.  
 Inoceramus concentricus (M.)  
 I. 676.  
 Inophyllum (B.) III. 1425.  
 Inshi-Kua (B.) III. 500.

Insecten (Z.) IV. 573. — V.  
 10, 541, 599, 709.  
 Eintheilung der (Z.) V.  
 716.  
 flügellose (Z.) V. 599, 707.  
 Gall: (Z.) V. 1534.  
 geflügelte (Z.) V. 709.  
 heuschreckenartige (Z.) V.  
 1499.  
 im Alluvium eingeschlossen  
 (M.) I. 626.  
 Lebensart der (Z.) V. 715.  
 leuchtstängelartige (Z.) V.  
 1736.  
 Literatur über die (Z.) V.  
 1820 ff.  
 Mischel: (Z.) V. 623.  
 Nutzen u. Schaden der (Z.)  
 V. 716.  
 spinnenartige (Z.) V. 599,  
 660.  
 wangenartige (Z.) V. 1532.  
 — Liter. der (Z.) V. 1628.  
 Insectendieb (Z.) V. 1683.  
 Insectenfresser (Z.) VII. 17,  
 26.  
 Insectenmilbe (Z.) V. 662.  
 Inset (M.) I. 597.  
 Insetbildung in den Flußbet-  
 ten (M.) I. 597.  
 Insetn, Ervallen. (M.) I. 608.  
 Erhebungs. (M.) I. 793.  
 Inseparables (Z.) VII. 364.  
 Insidiator (Z.) VI. 222.  
 Instinet (Z.) IV. 321.  
 Intercellulargänge der Pflan-  
 zen (B.) II. 16.  
 Intercoftalnerv (Z.) IV. 59.  
 großer (Z.) IV. 59.  
 Intercoftalnerven (Z.) IV. 63.  
 Internodium (B.) II. 28.  
 Iatsia (B.) III. 1712, 1934.  
 amboinensis (B.) III. 1712.  
 Inybus (B.) III. 723.  
 Inula (B.) III. 738, 778.  
 dysenterica (B.) III. 778.  
 helenium (B.) III. 778.  
 pulicaria (B.) III. 778.  
 Inulien (B.) III. 778.  
 Inulin (B.) III. 778.  
 Inuus (Z.) VII. 1792.  
 Involucellum (B.) III. 1790.  
 Involucrum (B.) II. 41. —  
 III. 712, 1790.  
 Involulus (Z.) V. 1649.

- Ipecacuanha (B.) III. 849, 1028, 1375.  
 alba (B.) III. 847.  
 amyloacea (B.) III. 847.  
 undulata (B.) III. 847.  
 Ipecacuanha (B.) III. 849.  
 unächte (B.) III. 1851.
- Ipo (B.) III. 1570.
- Ipomoea (B.) III. 1087.  
 bona nox (B.) III. 1088.  
 coccinea (B.) III. 1088.  
 mutabilis (B.) III. 1087.  
 nil (B.) III. 1087.  
 purpurea (B.) III. 1087.  
 quamoclit (B.) III. 1087.
- Ips (Z.) V. 1778.  
 quadrupustulata (Z.) V. 1778.
- Iraia (Z.) VII. 1516.
- Irbis (Z.) VII. 1636.
- Ird = Erdeselement (M., D. M. S.) I. S. IV.
- Irdtsenden (M., D. M. S.) I. S. XX.
- Irden = Mineralien (M., D. M. S.) I. S. IV.  
 Feuer (M., D. M. S.) I. S. IV.  
 Luft (M., D. M. S.) I. S. IV.  
 reine (M., D. M. S.) I. S. IV.  
 Wasser (M., D. M. S.) I. S. IV.
- Irdhalde (M., D. M. S.) I. S. XVIII.
- Ird-Irden = Erden (M.) I. 135; (D. M. S.) I. S. IX.
- Irdkaffe (M., D. M. S.) I. S. XII.
- Irdkiesel (M., D. M. S.) I. S. IX.
- Irdmetalle (M., D. M. S.) I. S. XXII.
- Irdmineralien (M., D. M. S.) I. S. IV. = Erden (M.) I. S. 135.  
 Classen der (M., D. M. S.) I. S. IV.
- Irdocher (M., D. M. S.) I. S. XVIII.
- Irdseifen (M., D. M. S.) I. S. XV.
- Irdstafte (M., D. M. S.) I. S. XI.
- Irdthone (M., D. M. S.) I. S. X.
- Irena (Z.) VII. 88.
- Iresine (B.) III. 1467.  
 celosioides (B.) III. 1467.
- Irgeln (B.) III. 1789, 1930.  
 Befens (B.) III. 1932.  
 Ginster (B.) III. 1937.  
 Harz (B.) III. 1935.  
 Myrten (B.) III. 1939.  
 Nadel (B.) III. 1931.  
 Pfeffer (B.) III. 1931.  
 Silber (B.) III. 1936.  
 Stinch (B.) III. 1931.  
 Weiden (B.) III. 1936.
- Iriarteia (B.) III. 667.  
 exorrhiza (B.) III. 667.  
 ventricosa (B.) III. 668.
- Iribu (Z.) VII. 165.
- Irideen (B.) III. 462, 465, 524, 528.
- Iridium (M.) I. 114, 125.  
 gediegenes (M.) I. 473.
- Iris (B.) III. 532.  
 florentina (B.) III. 537.  
 foetidissima (B.) III. 536.  
 germanica (B.) III. 537.  
 graminea (B.) III. 535.  
 nostras (B.) III. 537.  
 palustris (B.) III. 536.  
 pseudacorus (B.) III. 535.  
 pumila (B.) III. 536.  
 sambucina (B.) III. 536.  
 sibirica (B.) III. 535.  
 squalens (B.) III. 536.  
 suecica (B.) III. 548.  
 susiana (B.) III. 537.
- Irisieren (M.) I. 97.
- Iron-wood (B.) III. 1280.
- Irdtsäcke (M.) I. 637.
- Isabelita (Z.) VI. 213.
- Isabella (Z.) V. 467.
- Isaria (B.) III. 58.  
 agaricina (B.) III. 58.  
 crassa (B.) III. 58.  
 eleutheratorum (B.) III. 58.  
 velutipes (B.) III. 58.
- Isatis (B.) III. 1393.  
 tinctoria (B.) III. 1393.
- Isatis (Z.) VII. 1545.
- Isbor (B.) III. 1941.
- Ischaemum (B.) III. 398.
- Iser (Z.) VI. 358.
- Iserin (M.) I. 325.
- Isertia (B.) III. 877.  
 coccinea (B.) III. 877.
- Isterien (B.) III. 871, 877.
- Isidium (B.) III. 249.  
 phymatodes (B.) III. 250.
- Isis (Z.) V. 100.  
 asteria (M.) I. 626. — (Z.) V. 596.  
 dichotoma (Z.) V. 101.  
 hippurus (Z.) V. 101, 158.  
 nobilis (Z.) V. 101.  
 ochracea (Z.) V. 101, 159.
- Isté (Zeitdr.) (M.) I. 23. — (Z.) V. 1825.
- Iule, Rome de l', Mineralog (M.) I. 30, 74.
- Istling (Z.) VII. 292.
- Isnardia (B.) III. 1873.  
 alternifolia (B.) III. 1874.  
 diffusa (B.) III. 1874.  
 palustris (B.) III. 1873.
- Isocardia (Glossus) (Z.) V. 314. — (M.) I. 685.
- Isodon (Z.) VII. 756.  
 piloridis (Z.) VII. 756.
- Istomerische Körper (M.) I. 133.
- Isotés (B.) III. 311.  
 lacustris (B.) III. 311.
- Istos (Z.) VI. 292.
- Istomorphe Stoffe (M.) I. 131.
- Istomorphismus (M.) I. 31.
- Istopyon (Z.) V. 612.
- Isopyrum (B.) III. 1156.  
 fumaroides (B.) III. 1156.  
 thalictroides (B.) III. 1156.
- Isora (B.) III. 1225.
- Isthermalstein (B.) II. 290.
- Ispida (Z.) VII. 220.
- Isternschaf (Z.) VII. 891.
- Istferling, s. Accentor modularis (Z.) VII. 52.
- Issolon (Z.) V. 308.
- Istrice (Z.) V. 409.
- Istabit (M.) I. 518.
- Istacolumit (M.) I. 497, 518, 770.
- Itea (B.) III. 1997.  
 virginica (B.) III. 1997.
- Itoubou (B.) III. 1376.
- Ittiologia veronese (Z.) VI. 405.
- Itty-Alou (B.) III. 1563.
- Itzqui-epatl (Z.) VII. 1511.
- Iva (B.) III. 755, 759, 1053.

- Iva arthritica (B.) III. 1053.  
 Catinga (B.) III. 1925.  
 frutescens (B.) III. 755.  
 moschata (B.) III. 759.  
 rancusa, f. Andropogon  
 schoenanthus (B.) III.  
 399.  
 Ivrale, f. Lollim temulentum  
 (B.) III. 386.  
 Ixia (B.) III. 530.  
 aristata (B.) III. 521.  
 bulbifera (B.) III. 531.  
 bulbocodium (B.) III. 530.  
 maculata (B.) III. 531.  
 Ixina (B.) III. 1295.  
 Ixodes (Z.) V. 662.  
 caninus (Z.) V. 662.  
 ricinus (Z.) V. 662.  
 Ixora (B.) III. 856.  
 bandluca (B.) III. 856.  
 coccinea (B.) III. 856.

## J.

- Jaana (Strauß) (Z.) VII. 661.  
 Jabiru (Z.) VII. 543, 547.  
 Jabiru-guacu (Z.) VII. 533.  
 Jablonsky, Natursystem  
 aller bekannten Insecten  
 (Z.) V. 1821.  
 Jaborandi (B.) III. 1268.  
 Jabotapitu (B.) III. 1287.  
 Jaca (B.) III. 1572.  
 Jacamar (Z.) VII. 219.  
 Jacana (Z.) VII. 568.  
 Jacapa (Z.) VII. 252.  
 Jaca pucala (B.) III. 1920.  
 Jacaranda (B.) III. 1009, 1010.  
 Jacaré (Z.) VI. 672, 678.  
 Jacchus (Z.) VII. 1770.  
 albicollis (Z.) VII. 1770.  
 Jacea (B.) III. 729, 1375.  
 Jachmur (Z.) VII. 1389.  
 Jack (Z.) VII. 1428.  
 Jack, W., Malayan Plants  
 (B.) III. 2127.  
 Jäck (Z.) VII. 341.  
 Jackasi (Z.) VII. 1491.  
 Jack-daw (Z.) VII. 346.  
 Jäcken (B.) III. 1266.  
 Bitter (B.) III. 1269.  
 Fieber (B.) III. 1269.  
 Heiden (B.) III. 1270.  
 Ruthen (B.) III. 1270.

- Jäcken, Thee (B.) III. 1269.  
 Jotten (B.) III. 1267.  
 Jackhals (Z.) VII. 1557.  
 Jaco (Z.) VII. 364.  
 Jacobaea (B.) III. 770.  
 Jacobaeus (B.) III. 1639.  
 Jacobaeus, O., De Ranis  
 et Lacertis (Z.) VI. 687.  
 Jacob Evertsen (Z.) VI. 258.  
 Jacobsapfel (B.) III. 2085.  
 Jacobskraut (B.) III. 770.  
 Jacobsleiter (B.) III. 1077.  
 Jacobsstie (B.) III. 545.  
 Jacobsstüchel (Z.) V. 384.  
 Jacobsstab, Sr. (B.) III. 553,  
 1211.  
 Jacobus I., Rex Angliae,  
 Misocapnos, de usu Ta-  
 baci lusius regius (B.)  
 III. 2131.  
 Jacquier (B.) III. 1571.  
 Jacquin, J. Fr., Beiträge  
 zur Geschichte der Vögel  
 (Z.) VII. 666.  
 Eclogae Plantarum (B.)  
 III. 2121.  
 Jacquin, N. J., Asclepiad.  
 genit. Controversia (B.)  
 III. 1136.  
 Collectanea ad botanicam  
 (B.) III. 2121.  
 Enumeratio Plantarum in  
 Insulis caribaeis (B.)  
 III. 2134.  
 Flora austriaca (B.) III.  
 2122.  
 Florae Austriae Icones (B.)  
 III. 700.  
 Fragmenta botan. (B.) III.  
 699, 2121.  
 Genitalia Asclepiदारum  
 (B.) III. 1136.  
 Hortus schoenbrunnensis  
 (B.) III. 2120.  
 Hortus vindobon. (B.) III.  
 2120.  
 Icones Plantarum rar. (B.)  
 III. 2121.  
 Miscellanea austriaca (B.)  
 III. 2122.  
 Observ. botanicae (B.) III.  
 2121.  
 Oxalis Monographia (B.)  
 III. 1441.  
 Phytographia s. Descr.

- Plant. minus cognit.  
 (B.) III. 2121.  
 Jacquin, J. Fr., Selecta-  
 rum Stirpium amer. Hist.  
 (B.) III. 699, 2134.  
 Stapellarum Descriptio (B.)  
 III. 1136.  
 Jacquinia (B.) III. 1124.  
 armillaris (B.) III. 1124.  
 Jaen (Z.) VII. 597.  
 Jaenacaguare (Z.) VI. 241.  
 Jaculator (Z.) VI. 226.  
 Jaclatrix (Z.) VI. 227.  
 Jaclus (Z.) VII. 793.  
 Jacupema (Z.) VII. 597.  
 Jacutinga (Z.) VII. 597.  
 Jaenchina (B.) III. 866.  
 dunkle (B.) III. 866.  
 gelbe (B.) III. 866.  
 Jagare (B.) III. 409.  
 Jagbirne (B.) III. 2078.  
 Jagdelephanten (Z.) VII. 1164.  
 Jagdhund, Jagdhunde (Z.)  
 VII. 1565.  
 französischer (Z.) VII. 1565.  
 gemeiner (Z.) VII. 1565.  
 gewöhnliche (Z.) VII. 1565.  
 Jagdhäne (Z.) VII. 1561.  
 Jagdeopard (Z.) VII. 1594.  
 Jagdpantier (Z.) VII. 1594.  
 Jagdspinne (Z.) V. 691.  
 Jaeger, F., De Effectibus  
 arsenici (B.) II. 266.  
 Jaeger, G., De Ichthyo-  
 sauro (Z.) VI. 689.  
 Fossile Reptilien Württem-  
 bergs (Z.) VI. 689.  
 Ueber die Pflanzenversteiner-  
 bei Stuttgart (B.) III.  
 2128.  
 Jäger, G. Fr., Mißbildungen  
 der Gewächse (B.) II.  
 281, 283.  
 Jaeger, W. J., De Holo-  
 thuriis (Z.) V. 598.  
 Jagerbaum (B.) III. 698.  
 Jager-boom (B.) III. 698.  
 Jagra (B.) III. 664.  
 Jaguar (Z.) VII. 1595, 1598,  
 1615.  
 Jaguara (Z.) VII. 1616.  
 Jaguaraca (Z.) VI. 261.  
 Jaguare (Z.) VII. 1512, 1615.  
 Jaguar-ete (Z.) VII. 1591,  
 1616.