

Nux maldivica (B.) III. 695.
 medica (B.) III. 956.
 moluccana (B.) III. 1599.
 moschata (B.) III. 1518.
 pinea (B.) III. 348.
 vesicaria (B.) III. 1733.
 vomica (B.) III. 1045.
 zeylanica (B.) III. 1207.
 Nyalel (B.) III. 1310.
 Nyctagineen (B.) III. 1452,
 1453, 1487, 1488.
 Niter, der (B.) III. 2100.
 Nyctanthes (B.) III. 1112.
 arbor tristis (B.) III. 1112.
 Nycteria (B.) VII. 960.
 thebaica (B.) VII. 961.
 Nycthemerus (B.) VII. 615.
 Nycticebus (B.) VII. 713.
 Nycticorax (B.) VII. 539.
 Nyctinomus (B.) VII. 981.
 Nyctipitheus (B.) VII. 1762.
 Nyngau (B.) VII. 1386.
 Nymphaea (B.) III. 456.
 alba (B.) III. 456.
 caerulea (B.) III. 459.
 ferox (B.) III. 460.
 lotus (B.) III. 457.
 lutea (B.) III. 456.
 pubescens (B.) III. 459.
 pumila (B.) III. 456.
 thermalis (B.) III. 452.
 Nymphaeaceen (B.) III. 383,
 453, 455.
 Nymphen (B.) V. 714.
 Nymphon (B.) V. 605.
 grossipes (B.) V. 605.
 Nysaa (B.) III. 1503.
 villosa (B.) III. 1503.

D.

D, goldenes (B.) V. 1401.
 Oberadmiral (B.) V. 451.
 Oberarm (B.) IV. 26.
 Bewegung des (B.) IV. 238.
 Oberarmmuskeln (B.) IV. 38.
 Bergrüpfend (M.) I. 676.
 Oberhaut (B.) IV. 90.
 Oberhaut der Pflanzenrinde
 (B.) III. 20.
 Oberkiefer (B.) IV. 30, 171.
 Oberkieferstein (B.) IV. 30.

Oberkiefernerve (B.) IV. 59.
 Oberkötchen (B.) VI. 307.
 Oberlauf (M.) I. 556.
 Oberleib (B.) IV. 327.
 Oberlippe (B.) IV. 327.
 Obisium (B.) V. 701.
 caneroides (B.) V. 701.
 Obia (B.) VI. 297.
 Oblade (B.) VI. 228.
 Obsidian (M.) I. 203, 493,
 494.
 crySTALLIFERER (M.) I. 218.
 der Vulcane (M.) I. 787.
 Obsidiane (M., D. M. S.)
 I. S. X.
 Obsidian im Trachytegebiete
 (M.) I. 813.
 Obsidianmasse (M.) I. 494.
 Obs (B.) II. 330. — III. 2029,
 2046.
 Blatt (B.) II. 330.
 Blumen (B.) II. 331.
 Frucht (B.) II. 331.
 Gröps (B.) II. 331.
 indisches (B.) II. 339.
 Kern (B.) II. 2071, 2072.
 Samen (B.) II. 330.
 Stein (B.) III. 2046.
 Stengel (B.) II. 330.
 Wurzel (B.) II. 330.
 Obsidianeen (B.) III. 517.
 Obsidbau, Liter. über den (B.)
 III. 2130.
 Obsidbäume (B.) III. 2046.
 Obsidrefser (B.) VII. 353.
 Obsidadeln (B.) III. 885.
 gemeine (B.) III. 886.
 Obsidglume (B.) III. 1381.
 baumartige (B.) III. 1382.
 madagascarishe (B.) III.
 1382.
 schwachhafte (B.) III. 1382.
 strauhartige (B.) III.
 1382.
 Obsidglumen (B.) III. 1381.
 Obsidgrante (B.) III. 876.
 hornige (B.) III. 876.
 gemeine (B.) III. 876.
 Obsidgranaten (B.) III. 876.
 Obsidgras (B.) III. 430.
 Obsidhiefen (B.) III. 1310.
 gemeine (B.) III. 1310.
 Obsidknippe (B.) III. 1341.
 gemeine (B.) III. 1342.
 hnarige (B.) III. 1342.

Obsidknippe, kleine (B.) III.
 1343.
 Obsidknippen (B.) III. 1341.
 Obsidloren (B.) III. 1530.
 gemeine (B.) III. 1530.
 Obsidnaden (B.) III. 1299.
 gemeine (B.) III. 1299.
 Obsidpfannen (B.) II. 330. —
 III. 2029.
 Obsidstrahlen (B.) III. 1295.
 gemeine (B.) III. 1295.
 Obsidstrefen (B.) III. 878.
 gemeine (B.) III. 879.
 Obsidstrulle (B.) III. 1089.
 geschädte (B.) III. 1099.
 rothe (B.) III. 1098.
 schwarze (B.) III. 1099.
 stinkende (B.) III. 1098.
 weiße (B.) III. 1098.
 westindische (B.) III. 1098,
 1099.
 Obsidstrahlen (B.) III. 1098.
 Obsidstralle (B.) III. 1409.
 brassische (B.) III. 1410.
 ostindische (B.) III. 1410.
 westindische (B.) III. 1409.
 Obsidstrahlen (B.) III. 1409.
 Obsidsteech (B.) V. 1654.
 Kupferrother (B.) V. 1656.
 purpurrother (B.) V. 1655.
 Obsidstuppen (B.) III. 1515.
 gemeine (B.) III. 1516.
 Obsidstullen (B.) III. 1233.
 gemeine (B.) III. 1233.
 Oca paglietana (B.) VII.
 476.
 salvatica (B.) VII. 479.
 Ocawurzel (B.) II. 342.
 Ocea (B.) VI. 247.
 Oechiada (B.) VII. 229.
 Oechio di Santa Lucia (B.)
 V. 440.
 Occiput (B.) IV. 326.
 Oceania (B.) V. 227.
 funeraria (B.) V. 227.
 marsupialis (B.) V. 228.
 Ocelli (B.) V. 711.
 Ocelot (B.) VII. 1596.
 Och (B.) VII. 1775.
 Ochardjucker (B.) VII. 1030.
 Ocheln (B.) III. 1285.
 Oels (B.) III. 1287.
 Zimmet (B.) III. 1288.
 Ocher (M., D. M. S.) I.
 S. XVIII.

Dcher, Brenz: }
 Classen: }
 Elementen: }
 Erd: }
 Erz: }
 Gener: } (M., D. M.)
 Ird: } (S.) I. C.
 Kalf: } XVIII. und
 Kiesel: } XIX.
 Luft: }
 Salz: }
 Talf: }
 Thon: }
 Wasser: }
 Ochna (B.) III. 1286.
 obtusata (B.) III. 1286.
 squarrosa (B.) III. 1286,
 1934.
 Ochnaceen (B.) III. 707, 1140,
 1262, 1275, 1285.
 Oiter. der (B.) III. 1444.
 Ochropus (Z.) VII. 493.
 Ochroxylum (B.) III. 1278.
 Ochse (Z.) VII. 1409.
 Oßian (Z.) VII. 1403.
 elephantenartiger (Z.) VII.
 1409.
 fleischfressender (Z.) VII. 1409.
 gemeiner (Z.) VII. 1409.
 großer (M.) I. 590, 632.
 grunzender (Z.) VII. 1428.
 Hirsch (Z.) VII. 1388.
 indischer (Z.) VII. 1412.
 lle (Z.) VII. 1425.
 wilder (Z.) VII. 1388.
 Ochsenauge (B.) III. 757.
 Ochsenfisch (Z.) VI. 1103.
 Ochsenfleisch (Z.) VI. 478.
 Ochsenhader (Z.) VII. 234.
 gemeiner (Z.) VII. 234.
 Ochsenheimer und
 Treitschke, Eu-
 rop. Schmetterlinge
 (Z.) V. 1426.
 Ochsenvogel (Z.) VII. 530.
 Ochsenzunge (B.) III. 1091.
 Färber (B.) III. 1091.
 gemeine (B.) III. 1091.
 Ochsenzungen (B.) III. 1091.
 Dcher (M.) I. 348.
 (M., D. M. S.) I. C.
 = Dchr XVIII.
 Antimon (M.) I. 349.
 Chrom (M.) I. 349.
 Kobalt (M.) I. 350.

Dcher, Kolybdän (M.) I.
 348.
 Epießganz (M.) I. 349.
 Wisnuth (M.) I. 350.
 Woffcam (M.) I. 348.
 Iran (M.) I. 349.
 Dcker gelb (M.) I. 215.
 Deconomie der Pflanzen (B.)
 II. 256.
 Deconomische Botanik (B.) II.
 329.
 Pflanzen (B.) II. 329 ff.
 Decotea (B.) III. 1525.
 caryophyllacea (B.) III.
 1525.
 puchury major (B.) III.
 1526.
 - minor (B.) III. 1526.
 Decoäber (M.) I. 59, 90.
 der ersten Ordnung (M.) I.
 49.
 ein- u. eingsiederiges (M.)
 I. 63.
 Decoäberflächen der Crystalle
 (M.) I. 35.
 Decoäber, quadratisches (M.)
 I. 448.
 reguläres (M.) I. 44.
 zweyter Ordnung (M.) I.
 49.
 zwey- u. eingsiederige (M.)
 I. 59.
 Decoädris (M.) I. 344.
 Octandria (B.) III. 5.
 Oculata (Z.) VI. 229.
 Oculi asinini (B.) III.
 1666.
 Oculina (Z.) V. 146.
 Ocyum (B.) III. 1067.
 basilicum (B.) III. 1067.
 minimum (B.) III. 1067.
 Ocyode (B.) III. 654.
 cursor (Z.) V. 654.
 Ocyptera (Z.) V. 796.
 brassicaria (Z.) V. 796.
 Ocypterus (Z.) VII. 88.
 leucorhynchus (Z.) VII.
 88.
 Ocyrhoë (Z.) V. 214.
 maculata (Z.) V. 214.
 Oedemera (Z.) V. 1675.
 caerulea (Z.) V. 1676.
 Deder, Berzeichn. f. Flora
 dan. crypt. (B.) III.
 799.

Oeder, O. Müller, Vahl,
 Hornemann, Flora
 danica (B.) III. 2123.
 Odermennig (B.) III. 2003.
 gemeiner (B.) III. 2004.
 Odermennige (B.) III. 2003.
 Oedienemus (Z.) VII. 520.
 Oedipus (Z.) VII. 1767.
 Oedogonium (B.) III. 202.
 Odonthalia (B.) III. 223.
 dentata (B.) III. 223.
 Odontitis Plinii (B.) III. 1362.
 Odrin (M., D. M. S.) I.
 C. XV.
 Oeillet (B.) III. 1358.
 Ofen, glühender (Z.) V. 443.
 Offia infernis (Z.) V. 403.
 Othothier (Z.) VII. 1186. —
 (M.) I. 621.
 Othoblatt (B.) III. 1484.
 Othkraut (B.) III. 2001.
 Othblatt (B.) III. 995.
 gemeines (B.) III. 895.
 Othblatte (B.) III. 895.
 Othkoffer (Z.) IV. 340. —
 VI. 16, 119.
 Othuhaupt (Z.) VI. 308.
 Othmund (B.) III. 273.
 Othmünde (B.) III. 262, 273.
 Oth (Z.) IV. 96, 145, 167,
 192, 232.
 äußeres (Z.) IV. 96.
 inneres (Z.) IV. 96, 97.
 mittleres (Z.) IV. 96, 97.
 Othraffel (Z.) V. 614.
 Othrbock (Z.) IV. 97.
 Othdrüse (Z.) IV. 85.
 Othren (Z.) IV. 96.
 Fisch (Z.) IV. 339.
 Othrenaffe, Othrenaffen (Z.)
 VII. 1722.
 indischer (Z.) VII. 1724.
 mit Kamnzähnen (Z.) VII.
 1722.
 mit Nagzähnen (Z.) VII.
 1723.
 fenegalischer (Z.) VII. 1723.
 Othrenbär (Z.) VII. 1698.
 schwarzer (Z.) VII. 1698.
 Othrenfledermäuse (Z.) VII.
 972.
 Othrenhaarthiere (Z.) VII. 1435.
 Othrenmuskeln (Z.) IV. 47.
 Othrenquelle (Z.) V. 232.
 gemeine (Z.) V. 232.

Ohrenraupe (Z.) V. 1119, 1136, 1151, 1353.
 Ohrentaucher (Z.) VII. 426.
 nördlicher (Z.) VII. 426.
 südlicher (Z.) VII. 427.
 Ohrensiere (Z.) IV. 561, 569, 578. — VII. 5.
 Ohrenwels (Z.) VI. 90.
 Ohrente (Z.) VI. 113, 120.
 Ohrfedern (Z.) IV. 335.
 Ohrfinger (Z.) IV. 26.
 Ohr, haariges (Z.) V. 487.
 Ohrkappe (Z.) IV. 97.
 Ohrknochen (Z.) IV. 96.
 Ohrläute (Z.) IV. 97.
 Ohrling (Z.) V. 1501.
 gemeiner (Z.) V. 1502.
 Ohrlöffelfront (B.) III. 1361.
 Ohrenschel (Z.) IV. 96, 192.
 Ohrröhren (Z.) IV. 96.
 Ohrschnecke (Z.) IV. 96, 199.
 Ohrschnecke (Z.) V. 427.
 gemeine (Z.) V. 427.
 Ohrspeicheldrüse (Z.) IV. 94.
 Ohretrompete (Z.) V. 97, 146.
 Ohrwirbel (Z.) IV. 167, 168, 169.
 Ohruurm (Z.) V. 274, 1501.
 Ohrzehe (Z.) IV. 27.
 Oie (Z.) VII. 476.
 à cravate (Z.) VII. 480.
 Oignon = Ceba (B.) III. 558.
 Oil-nut (B.) III. 1502, 1751.
 Oil-tree (B.) III. 941.
 Oiseau de riz (Z.) VII. 326.
 mon père (Z.) VII. 83.
 mouche (Z.) VII. 184.
 royal (Z.) VII. 553.
 du soleil (Z.) VII. 423.
 St. Martin (Z.) VII. 139.
 trompette (Z.) VII. 522.
 Oiseaux mouches (Z.) VII. 180.
 Oistercatcher (Z.) VII. 509.
 Okara (Z.) VI. 258.
 Ofen, Das natürliche System der Erze (M., D. M. S.) I. S. III.
 Ofen (B.) II. 260. — (Z.) IV. 196.
 Lehrbuch der Botanik (B.) III. 30.

Ofen, Lehrbuch der Naturgeschichte (M.) I. 24. — (B.) III. 2114. — (Z.) IV. 196.
 Naturgeschichte der Pflanzen (B.) III. 178.
 — für Schulen (B.) III. 2114.
 Naturphilosophie (M., D. M. S.) I. S. III. — (B.) II. 96. — III. 2114. — (Z.) IV. 196.
 Ueber die Bedeutung der Schädelknochen (Z.) IV. 196.
 Ueber die Zeugung (B.) II. 13.
 Ofenit (M.) I. 174, 271.
 Ofen's Mineralsystem (M., D. M. S.) I. S. III. ff.
 Pflanzensystem (B.) III. 12.
 Okra (B.) III. 1220.
 Ofel (M.) I. 318. — (B.) II. 112. — (Z.) III. 1116.
 Olacinen (B.) III. 839, 908, 923.
 Olavin (M., D. M. S.) I. S. XV.
 Ofel, Anis (M., D. M. S.) I. S. XVII. — (B.) II. 113. — 1837.
 Olax (B.) III. 923.
 scandens (B.) III. 924.
 zeylanica (B.) III. 924.
 Ofelbaum (B.) II. 350. — III. 1116.
 breitblättriger (B.) III. 1118.
 gemeiner (B.) III. 1116.
 wider (B.) III. 1499.
 Ofelbäume (B.) III. 1116.
 Ofel, Baum (M., D. M. S.) I. S. XVII. — (B.) II. 127. — III. 1117.
 Bergamott (B.) III. 1318.
 Bernsteins (M., D. M. S.) I. S. XVII.
 Ofelers (M.) I. 454.
 Ofel, Befens (B.) III. 1112.
 Birfens (B.) III. 1537.
 Bittermandel (B.) II. 122.
 Ofelbrenze (M.) I. 317.
 Ofel, Buchens (B.) II. 127. — III. 1547.
 Buchens (B.) III. 1547.

Ofel, Caspuit (M., D. M. S.) I. S. XVII. — (B.) III. 1939.
 Campher (M., D. M. S.) I. S. XVII.
 Carapa (B.) III. 1309.
 Carapat (B.) III. 1303.
 Castor (B.) III. 1593.
 Ceder (B.) III. 350.
 Citronen (B.) II. 113. — III. 1316.
 Cocos (B.) III. 665.
 Croton (B.) III. 1591.
 Oldenburgia (B.) III. 739.
 arbuscula (B.) III. 739.
 Oldenlandia (B.) III. 858, 1723.
 umbellata (B.) III. 858.
 Ofel, Dippels (M., D. M. S.) I. S. XVII.
 Drachensopf (B.) III. 1071.
 Old red Sandstone (M.) I. 739, 747.
 Olea (B.) III. 1116.
 europaea (B.) III. 1116.
 latifolia (B.) III. 1118.
 malabarica (B.) III. 1306.
 oleaster (B.) III. 1116.
 Oleander (B.) III. 1035.
 Oleanderfchwärmer (Z.) V. 1379.
 Oleaster (B.) III. 1116, 1499.
 Ofel, ätherische (M., D. M. S.) I. S. XVII. — (B.) II. 111, 112, 134.
 Ofelen (B.) III. 1116.
 Ofelen (Z.) VII. 1307.
 Ofel, fette (B.) II. 127, 134.
 Ofelen (M., D. M. S.) I. S. XVII.
 Ofelen (B.) III. 1113.
 Eiter der (B.) III. 1138.
 Oleo di Marmota (B.) III. 965.
 Ofelaceen = Markfußpflanzen 1454.
 Ofel, Erds (M.) I. 318.
 Ofel, schmierige (M., D. M. S.) I. S. XVII. — (B.) II. 127.
 trocknende (M., D. M. S.) I. S. XVII. — (B.) II. 127.
 Oleum anthos (B.) III. 1072.
 bergamottiae (B.) III. 1318.

- Oleum betulinum** (B.) III. 1537.
castoris (B.) III. 1593.
cicerae (B.) III. 1071.
eicium (B.) III. 1594.
crotonis (B.) III. 1591.
cyprinum (B.) III. 1885.
lavandulae (B.) III. 1058.
melissae turcicae (B.) III. 1071.
neroli (B.) III. 1318.
ricini (B.) III. 1593.
ruscii (B.) III. 1537.
sirgelim (B.) III. 1010.
Syro (B.) III. 399.
templinum (B.) III. 348.
Deifelbein (B.) III. 1502.
gemeine (B.) III. 1502.
Del, *Feuchts*: (M., D. M. S.) I. S. XVII. — (B.) III. 1814.
Bufts: (M., D. M. S.) I. S. XVII.
Delgewächse, *deutsche* (B.) II. 349.
südeuropäische (B.) II. 350.
Delhäfen von Schöllensbach, *Abbild. der wild. Bäume* (B.) III. 2101, 2129.
Naturgesch. der Erdbeer- pflanzen (B.) III. 2110.
Del, *Hanf*: (M., D. M. S.) I. S. XVII. — (B.) II. 127. — III. 1553.
Haselnuß: (B.) III. 1546.
Delhefe (B.) III. 1117.
Delheffe (B.) III. 1193.
malabarischer (B.) III. 1194.
moludischer (B.) III. 1194.
Delheffen (B.) III. 1193.
Del, *Hirschhorn*: (M., D. M. S.) I. S. XVII.
Holz: (B.) III. 1423.
Hopfen, *spanisches* (B.) III. 1069.
Delhorn (Z.) V. 474.
Olibanum (B.) III. 351, 1763.
syvestre (B.) III. 351.
Dligottas (M.) I. 195.
Oliua, *Ucelliera* (Z.) VII. 660.
Oliva (Z.) V. 455.
hiatula (M.) I. 653.
Olive (B.) III. 1117.
Olive (Z.) V. 455.
- Olive**, *gemeine* (Z.) V. 455.
jaspisartige (Z.) V. 456.
Olivebark-tree (B.) III. 917.
Olivella (B.) III. 1283.
Olivella = Daphne alpina (B.) III. 1595.
Olivello (B.) III. 1498.
Oliven (B.) III. 1117.
witde (B.) III. 1494, 1499.
Oliven (Z.) V. 455.
Olivenapfel (B.) III. 944.
tappiger (B.) III. 945.
manifischer (B.) III. 946.
vrächtriger (B.) III. 945.
Olivenäpfel (B.) III. 944.
Olivenerz (M.) I. 392.
Olivenohre (B.) III. 2032.
gemeine (B.) III. 2033.
rotthe (B.) III. 2033.
warzige (B.) III. 2033.
wohrtreichende (B.) III. 2033.
weiße (B.) III. 2033.
Olivenohren (B.) III. 2032.
Olivenit (M.) I. 392.
Olivenkern (Z.) V. 478.
rothbrauner (Z.) V. 479.
Olivenkerne (Z.) V. 478.
Oliventoren (B.) III. 1522.
gemeine (B.) III. 1522.
Olivenmalachit (M.) I. 391.
Olivenöl (B.) III. 1117.
Olivenpimpern (B.) III. 1736.
gemeine (B.) III. 1736.
Olivetier (B.) III. 940.
de maroc (B.) III. 940.
Olivenzeibeln (B.) III. 1498.
gemeine (B.) III. 1498.
Olivetta = Ligustrum (B.) III. 1119.
Oliivi, *Zoologia adriatica* (Z.) V. 390, 538.
Olivier, *Entomologie* (Z.) V. 1821.
Olivier de Bohème (B.) III. 1499.
Oliwin (M.) I. 217, 218.
der Lava (M.) I. 187.
Del, *Jasmin*: (B.) III. 1111, 1112.
Johannis: (B.) III. 1370.
Delkäfen (B.) III. 1727.
gemeine (B.) III. 1727.
Delkfäfer (Z.) V. 1753.
gemeiner (Z.) V. 1753
Delkirschen (B.) III. 926.
- Delkirschen**, *gemeine* (B.) III. 926.
Delknippen (B.) III. 1310.
gemeine (B.) III. 1341.
säuerliche (B.) III. 1340.
Delkohl (B.) III. 1404.
Delkrug (Z.) V. 440, 443.
Del, *Krummholz*: (B.) III. 347, 348.
Kümmel: (B.) II. 113. — III. 1834.
Olla angustifolia (B.) III. 859.
Del, *Lavendel*: (B.) III. 1058.
Lein: (M., D. M. S.) I. S. XVII. — (B.) II. 127. — III. 1174.
Dellinge (B.) III. 1010.
schwarze (B.) III. 1010.
weiße (B.) III. 1010.
Dellingen (B.) III. 1010.
Del, *Porbeer*: (M., D. M. S.) I. S. XVII. — (B.) III. 1523.
Delrosche (B.) III. 1598.
brotsitische (B.) III. 1600.
gemeine (B.) III. 1598.
herzförmige (B.) III. 1599.
Delroschen (B.) III. 1598.
Dtm (Z.) VI. 438.
gemeiner (Z.) VI. 438.
Del, *Mandel*: (M., D. M. S.) I. S. XVII. — (B.) II. 127. — III. 2060, 2061.
Olmo (B.) III. 1555.
Del, *Mohn*: (M., D. M. S.) I. S. XVII. — (B.) II. 127.
Muscatsuß: (B.) II. 113. — III. 1519.
Nägetein: (M., D. M. S.) I. S. XVII. — II. 113. — 1943, 1947.
Ruß: (M., D. M. S.) I. XVII. — (B.) II. 127. — III. 1780.
Deluß (B.) III. 1502.
Delocheln (B.) III. 1287.
westindische (B.) III. 1287.
Del, *Oliven*: (B.) II. 1117.
Olor (Z.) VII. 483.
Olorinus, *J.*, *Hundert Wunderbäume* (B.) III. 2132.

- Dlorinus, J., Hundert Wun-
 derkräuter (B.) III. 2132.
 Delpalme (B.) III. 659
 americanische (B.) III.
 660.
 guineische (B.) III. 659.
 Delpalmen (B.) III. 659.
 Del. Palm. (M., D. M. S.)
 I. S. XVII.
 Pfeffermünz. (B.) II. 131.
 — III. 1055.
 Pingoens (B.) III. 1595.
 Pomeranzenblüthen. (B.)
 III. 1318.
 Pomeranzen. (B.) II. 113.
 — III. 1318.
 Provencer. (B.) III. 1117.
 Räpß. (B.) II. 127. — III.
 1405.
 Deltrengen (B.) III. 939.
 gemeine (B.) III. 939.
 Del, Ricinus (B.) II. 127. —
 III. 1593.
 Rosen. (B.) II. 113. —
 III. 2019, 2020.
 Rosmarin. (M., D. M.
 S.) I. S. XVII. — (B.)
 II. 113. — III. 1072.
 Deltrüben (B.) III. 1405.
 Del, Rüß. (M., D. M. S.)
 I. S. XVII. — (B.) III.
 1405.
 Salbey. (B.) III. 1073.
 Saffran. (B.) II. 113. —
 III. 1525.
 Delsäure (B.) II. 112, 125.
 Delschuben (B.) III. 1924.
 gemeine (B.) III. 1924.
 Del, Senf. (M., D. M. S.)
 I. S. XVII.
 Delsench (B.) III. 1810, 1817.
 Del, Sesam. (B.) II. 349. —
 III. 1010.
 Spiz. (B.) II. 113. — III.
 1058.
 Stein. (M.) I. 318.
 Delschuppen (B.) III. 744,
 751.
 gemeine (B.) III. 744, 751.
 Del, Serpentin. (M., D. M.
 S.) I. S. XVII. — (B.)
 II. 113.
 Olus atrum (B.) III. 1842.
 crudum (B.) III. 1035.
 sanguinis (B.) III. 614.
- Del, Wachholder. (B.) III.
 360.
 Wicenz. (B.) III. 1810.
 Zachuns. (B.) III. 926.
 Zinnets. (M., D. M. S.)
 I. S. XVII. — (B.) II.
 113. — III. 1527.
 Delzucker. (M., D. M. S.) I.
 S. XV.
 Ombra (Z.) VI. 245.
 Ombre (Z.) VI. 354, 358.
 Ombrella (Z.) VI. 245.
 Ombrette (Z.) VII. 533.
 Ombria (Z.) VI. 245.
 Ombrina (Z.) VI. 247.
 Ombrine (Z.) VI. 247.
 Omphazit (M.) I. 266.
 Omphalea (B.) III. 1604.
 diandra (B.) III. 1604.
 triandra (B.) III. 1605.
 Omphalobium (B.) III. 1277.
 pinnatum (B.) III. 1277.
 Omphalocarpon (B.) III. 942.
 procerum (B.) III. 942.
 Omphalodes (B.) III. 1093.
 Onager (Z.) VII. 1227, 1312.
 Onagra (B.) III. 1875.
 Onagriem (B.) III. 25, 1870.
 Oenanthe (B.) III. 1827.
 aquatica (B.) III. 1827.
 fistulosa (B.) III. 1827.
 incubrians (B.) III. 1788.
 pyrethrifolia (B.) III. 1828.
 Oenas (Z.) VII. 301.
 Onça (Z.) VII. 1592, 1598,
 1615,
 cucarana (Z.) VII. 1592.
 Once (Z.) VII. 1608, 1610.
 Onchidium (Z.) V. 402.
 Oncophorus (B.) III. 280.
 Ondatra (Z.) VII. 731.
 Onguent pian (B.) III. 1009.
 Oniscus (Z.) V. 615.
 armadillo (Z.) V. 616.
 asellus (Z.) V. 615.
 caeruleatus (Z.) V. 607.
 linearis (Z.) V. 606.
 oceanicus (Z.) V. 615.
 scolopendroides (Z.) V. 606.
 voluntator (Z.) V. 610.
 Onobrychis (B.) III. 1622.
 sativa (B.) III. 1622.
 Oenocarpus (B.) III. 672.
 bacaba (B.) III. 672.
 bataua (B.) III. 672.
- Onocarpus disticha (B.) III.
 672.
 Onoclea (B.) III. 332.
 sensibilis (B.) III. 332.
 Onocrotalus (Z.) VII. 420.
 Oenone (Z.) V. 572.
 Ononis (B.) III. 1640.
 spinosa (B.) III. 1640.
 Oenopia (B.) III. 1748.
 Onopordon (B.) III. 1733.
 acanthium (B.) III. 733.
 Onos (Z.) VI. 148.
 Onoseris (B.) III. 738.
 purpurata (B.) III. 738.
 Onosma (B.) III. 1095.
 echioides (B.) III. 1095.
 Onotliera (B.) III. 1876.
 biennis (B.) III. 1876.
 Onthophagus (Z.) V. 1803.
 nuchicornis (Z.) V. 1803.
 Onychotenthis (Z.) V. 536.
 Onygena (B.) III. 76.
 equina (B.) III. 77.
 Onyx (M.) I. 141.
 Onyx (Z.) V. 295, 485.
 marina (Z.) V. 485.
 moschata (Z.) V. 489.
 Onza (Z.) VII. 1615.
 Oolite de Mortagne = Esc
 rallenkalk (M.) I. 691.
 ferrugineux (M.) I. 698,
 701.
 great (M.) I. 698, 700.
 grosse. de Lisieux (M.) I.
 692.
 inferieur (M.) I. 701.
 inferior (M.) I. 701.
 lower = Dogger (M.) I.
 701.
 under = Dogger (M.) I.
 701.
 Oolite (M.) I. 235, 684.
 Oolithgebirge (M.) I. 684.
 Oolitic group or series (M.)
 I. 684.
 Opal (M.) I. 146, 808, 835.
 Opate (M., D. M. S.) I.
 S. X.
 Opal, edler (M.) I. 146.
 Eisen. (M.) I. 146.
 Feuer. (M.) I. 146.
 gemeiner (M.) I. 146.
 Glas. (M.) I. 146.
 Hals. (M.) I. 147.
 Spotz. (M.) I. 147.

- Dpaliferen (M.) I. 97.
 Dpaljajpis = Zaspopal (M.) I. 147.
 Dpalmutter (M.) I. 147.
 Dpal, Fench: (M.) I. 147.
 Wachs: (M.) I. 147.
 Opatowski, De familia Fungorum beloideorum (B.) III. 174.
 Opatrum (Z.) V. 1786.
 sabulosum (B.) III. 1786.
 Opegapha (B.) III. 243.
 atra (B.) III. 243.
 herpetica (B.) III. 243.
 macularis (B.) III. 243.
 Operculareen (B.) III. 841.
 Operculum (B.) III. 262.
 Operment (M.) I. 449.
 Opetiorhynchus (Z.) VII. 200.
 Ophicephalus (Z.) VI. 275.
 striatus (Z.) VI. 275.
 Ophidion (Z.) VI. 95.
 Ophidium (Z.) VI. 139.
 barbatum (Z.) VI. 140.
 imberbe (Z.) VI. 140.
 Ophioglossum (B.) III. 318.
 vulgatum (B.) III. 318.
 Ophiognatus (Z.) VI. 126.
 ampullaceus (Z.) VI. 126.
 Ophion (Z.) V. 841.
 luteus (Z.) V. 841.
 Ophion (Z.) VII. 1334.
 Ophiopogon (B.) III. 627.
 japonicus (B.) III. 627.
 Ophiorrhiza (B.) III. 887.
 mungos (B.) III. 887.
 Ophioscorodon (B.) III. 556.
 Ophiostoma (Z.) V. 556.
 cystidicola (Z.) V. 556.
 Ophioxylon (B.) III. 1041.
 serpentium (B.) III. 888, 1041.
 Ophisaurus (Z.) VI. 589.
 Ophiscorodon (B.) III. 556.
 Ophit (M.) I. 221, 508.
 Ophites der Alten (M.) I. 508.
 Ophiura (Z.) V. 593.
 ciliaris (Z.) VI. 593.
 lacertosa (Z.) V. 593.
 Ophrys (Z.) VI. 579.
 Ophrydeen (B.) III. 464, 472.
 Ophrydium (Z.) V. 33.
 Ophryocera (Z.) V. 30.
 ovum (Z.) V. 30.
 Ophryoessa (Z.) VI. 609.
 Ophrys (B.) III. 469, 477, 480.
 alpina (B.) III. 478.
 anthropophora (B.) III. 478.
 apifera (B.) III. 478.
 arachnites (B.) III. 477.
 aranifera (B.) III. 478.
 corallorhiza (B.) III. 481.
 fusca (B.) III. 478.
 monorchis (B.) III. 479.
 myodes (B.) III. 477.
 Ophiostocomus (Z.) VII. 599.
 cristatus (Z.) VII. 599.
 Opium (B.) II. 349. — III. 1419.
 indisches (B.) III. 1419.
 levantisches (B.) III. 1419.
 thebaisches (B.) III. 1419.
 unächtes (B.) III. 1315.
 Opij, Egypt. Gewächse (B.) III. 302.
 Pflanzentauschlaß (B.) III. 2133.
 Opobalsamum (B.) III. 1758.
 Opocalpasum (B.) III. 1702.
 Opopanax (B.) III. 1817.
 chironium (B.) III. 1818.
 Opossum (Z.) VII. 910, 922, 926, 929.
 black flying (Z.) VII. 904.
 spotted (Z.) VII. 915.
 vulpin (Z.) VII. 905.
 Zebra: (Z.) VII. 918.
 Oppet, Die Ordnungen ic. der Reptilien (Z.) VI. 684.
 Oppianus, Halienticon s. de piscatu etc. (Z.) VI. 403.
 Venatio (Z.) VII. 1858.
 Oppio (B.) III. 1321.
 Opulus (B.) III. 1856.
 Opuntia (B.) III. 1908.
 Orada (Z.) VI. 234.
 Orange (B.) III. 1318.
 Drangenapricose (B.) III. 2059.
 Drangenmelone (B.) III. 828.
 steine (B.) III. 828.
 Drangerie (B.) III. 1316.
 Drang ltrang (Z.) VII. 1827.
 africanischer (Z.) VII. 1845.
 großer (Z.) VII. 1841.
 Draniensadmiral (Z.) V. 453.
 Dranienslagge (Z.) V. 458.
 lappländische (Z.) V. 458.
 Dranicursische (B.) III. 2052.
 Orasius (Z.) VII. 1323.
 Orbicula (Z.) V. 503.
 Orbis (Z.) VI. 114, 117.
 Oren (Z.) VII. 998, 1050, 1070, 1074.
 Orecanetin (B.) II. 129.
 Orecanette (B.) III. 1091.
 Orchestes (Z.) V. 1635.
 viminalis (Z.) V. 1635.
 Orchestia (Z.) V. 610.
 littorea (Z.) V. 610.
 Orchetta (Z.) V. 643.
 Orchiden (B.) III. 23, 377, 380, 462, 463, 464, 466.
 Körner: (B.) III. 464, 479.
 Staub: (B.) III. 464, 468.
 Orchidium (B.) III. 481.
 boreale (B.) III. 481.
 Orchidocarpum (B.) III. 1255.
 Orchis (B.) III. 472.
 albida (B.) III. 476.
 bifolia (B.) III. 472.
 conopsea (B.) III. 475.
 coriophora (B.) III. 474.
 fusca (B.) III. 474.
 latifolia (B.) III. 474.
 maculata (B.) III. 475.
 mascula (B.) III. 473.
 militaris (B.) III. 474.
 morio (B.) III. 473.
 nigra (B.) III. 476.
 odoratissima (B.) III. 475.
 pallens (B.) III. 453.
 pyramidalis (B.) III. 474.
 sambucina (B.) III. 475.
 ustulata (B.) III. 474.
 viridis (B.) III. 476.
 Orcin (B.) II. 130.
 Oreyms (Z.) VI. 193.
 Ordensband (Z.) V. 454.
 staues (Z.) V. 1317.
 Ordnungen der Naturreiche (M.) I. 17.
 der Pflanzen (B.) III. 29.
 Ordnungstrieb (Z.) IV. 321.
 Ornela de Gato = Hypericum counatum (B.) III. 1370.
 de Onça = Cissampelos ovalifolia (B.) III. 1243.
 Oreas (Z.) VII. 1398.
 Oreillard (Z.) VII. 977.

- Oren = *Flacourtia sepiaria* (B.) II. 384.
- Oreocallis* (B.) III. 1506.
- Oreocallis grandiflora* (B.) III. 1506.
- Oreodoxa* (B.) III. 667.
- Oreodoxa regia* (B.) III. 667.
- Oreodoxa saucosa* (B.) III. 667.
- Oreopteris* (B.) III. 333.
- Oreoselinum* (B.) III. 1816.
- Oreotragus* (B.) VII. 1363.
- Oreus* (B.) VII. 1232.
- Ori* (B.) VI. 303.
- Ori* = *Leçons de médecine légale* (B.) III. 176.
- Toxicologie, deutsch von Kühn (B.) III. 176.
- Ori* (B.) VI. 309.
- Ori* (B.) VII. 147.
- Ori* (B.) VI. 303.
- Organ (B.) IV. 89. Bergl. Organe.
- Einwickelungs (B.) IV. 297.
- Erweich (B.) IV. 224.
- Faserstoff (B.) IV. 224.
- Gallert (B.) IV. 224.
- Gefäß (B.) IV. 96.
- Gehör (B.) IV. 96.
- Geruch (B.) IV. 95.
- Geschmack (B.) IV. 93.
- Gesicht (B.) V. 100.
- Kalterde (B.) IV. 224.
- Nach (B.) IV. 143.
- Zast (B.) IV. 144.
- Verdauungs (B.) IV. 297.
- Zerfetzungs (B.) IV. 297.
- Organa (B.) III. 14.
- Organariae (B.) III. 24.
- Organe (B.) IV. 21, 88, 199, 398. Bergl. Organ.
- animale (B.) IV. 163.
- Athem (B.) IV. 135, 162.
- Bedeutung der (B.) IV. 156.
- Darm (B.) IV. 134, 157.
- der Naturkörper (B.) I. 17.
- Pflanzen (B.) II. 23. - III. 13, 14.
- Thiere (B.) IV. 21.
- einfache (B.) IV. 89.
- Entwickelung der (B.) IV. 134.
- Entwickelungs (B.) IV. 303.
- Gefäß (B.) IV. 134, 159.
- Grund (B.) IV. 556.
- Satz (B.) IV. 103, 297.
- Organe, Knochen (B.) IV. 136, 163.
- Lungen (B.) IV. 162.
- Müchler (B.) IV. 297.
- Muskel (B.) IV. 140, 173.
- Nerven (B.) IV. 141, 186.
- Räder (B.) V. 36.
- Reproduction (B.) IV. 89, 103, 147.
- Roegner (B.) IV. 297.
- Sinn (B.) IV. 89, 167, 168, 266.
- Zast (B.) IV. 168.
- vegetative (B.) IV. 157.
- Berichtungen der (B.) IV. 266.
- zusammengesetzte (B.) IV. 89.
- Organische Körper (B.) I. 8.
- Kugeln (B.) IV. 314.
- Prozesse (B.) IV. 208.
- Reste, Bestandtheil der Ackererde (B.) I. 536.
- in den gegenwärtigen Verbindungen (B.) I. 620.
- im Alluvium (B.) I. 623.
- des Aymestry limestone (B.) I. 758.
- der Basalte (B.) I. 806.
- der Bohrerze (B.) I. 698.
- Organisches, Unterschied vom Unorganischen (B.) I. 9, 25.
- Organische Theile, f. Leibes-theile.
- Organische Ueberreste (B.) I. 620.
- des bunten Sandsteins (B.) I. 723, 724.
- Caradoc-sandstone (B.) I. 760.
- Corallenkalk (B.) I. 691.
- Coral-rag (B.) I. 691.
- Crag (B.) I. 650.
- Diluviales (B.) I. 646.
- Diluvialtorfes (B.) I. 646.
- Diluvialtuff (B.) I. 647.
- Diluvium (B.) I. 631.
- des Degger (B.) I. 702.
- Organische Ueberreste des Fißhgebirges (B.) I. 671.
- flüßeren Sandsteins (B.) I. 745.
- Gault (B.) I. 676.
- Grobkalk (B.) I. 661.
- Gyps (B.) I. 664.
- Hauptrogenstein (B.) I. 699.
- Hils (B.) I. 686.
- Sippuritenkalk (B.) I. 682.
- der jurassischen Formation (B.) I. 685.
- des Kalkschiefers u. Mergels (B.) I. 681.
- Keupers (B.) I. 711 u. f.
- Kimmeridgthons (B.) I. 690, 691.
- der Knochenhöhlen (B.) I. 640.
- des Kohlenkalks (B.) I. 745.
- Kreidegebirges (B.) I. 673 u. f.
- Kreidetuff (B.) I. 674.
- Lehm (B.) I. 633.
- der Vertenkohle (B.) I. 714.
- des Vias (B.) I. 702 u. f.
- der Llandeilo flags (B.) I. 760.
- Ludlow-rocks (B.) I. 758.
- des Mergels (B.) I. 681.
- Mergelsandstein (B.) I. 702.
- der Melasse (B.) I. 650, 653, 658.
- des Muschelkalks (B.) I. 716 u. f.
- Nummulitenkalks (B.) I. 680.
- Obergrünands (B.) I. 676.
- Old red sandstone (B.) I. 748.
- Oxfordthons (B.) I. 698.
- plastischen Thons (B.) I. 664, 665.
- Portlandkalks (B.) I. 690, 691.

- Organische Ueberreste des rothen Lothliegenden (M.) I. 736
- Sandsteins von Fontainebleau (M.) I. 662.
- schwarzen Kaltes (M.) I. 681.
- secundären Gebirges (M.) I. 671.
- sibirischen Gebirges (M.) I. 753.
- Sohlenförmerschiefers (M.) I. 694.
- Spatangenkalks (M.) I. 681.
- Steinkohlengebirgs (M.) I. 741 u. f., 752.
- Stinkkalkes von Deningen (M.) I. 659.
- des Stonesfield-schiefers (M.) I. 695, 696.
- der Subappenninenformation (M.) I. 650.
- Tegetformation (M.) I. 653.
- des Tertiargebirgs, oberen (M.) I. 649, 650.
- Tertiargebirgs, unteren (M.) I. 662.
- der Tülgatschichten (M.) I. 695.
- des Triasgebirgs (M.) I. 710.
- Tuffs (M.) I. 789.
- des Uebergangsgebirgs (M.) I. 731.
- des Uebergangsschiefergebirgs, älteren (M.) I. 764.
- — jüngeren (M.) I. 753 u. f.
- Wälderthons (M.) I. 687.
- der weißen Kreide (M.) I. 675.
- des Westenkalks (M.) I. 722.
- — Wentschkalkes (M.) I. 759.
- — Sedsteines (M.) I. 733 u. f.
- Organische Urmasse, Bildung der (M.) IV. 313.
- Organismus (M.) IV. 199.
- Organo (M.) VI. 179.
- Organspflanzen (M.) III. 15.
- = Dicotyledonen (M.) III. 16, 24, 31.
- Orge = Hordeum (M.) III. 387.
- Orgel (M.) III. 151.
- Orgelcorost (M.) V. 131.
- Orgelstern (M.) V. 153.
- Orgelwerk (M.) V. 131.
- gemeines (M.) VII. 131.
- Origanum (M.) III. 1068.
- creticum (M.) III. 1069.
- dictamnus (M.) III. 1069.
- majorana (M.) III. 1069.
- vulgare (M.) III. 1068.
- Original (M.) VII. 1319.
- Origourap (M.) III. 159.
- Orinoconusse (M.) III. 1324.
- Oriolus (M.) VII. 68, 315, 316.
- baltimore (M.) VII. 320.
- banana (M.) VII. 319.
- cayennensis (M.) VII. 319.
- cristatus (M.) VII. 323.
- galbula (M.) VII. 68.
- haemorrhous (M.) VII. 323.
- icterus (M.) VII. 316.
- jamaicai (M.) VII. 316.
- niger (M.) VII. 326.
- oryzivorus (M.) VII. 326.
- persicus (M.) VII. 322.
- phoeniceus (M.) VII. 317.
- picus (M.) VII. 199.
- spurius (M.) VII. 320.
- textor (M.) VII. 315.
- Oripa (M.) V. 1745.
- Orlean (M.) III. 1379. — (M., D. M. S.) I. S. XVII.
- Orleanbaum (M.) III. 1379.
- gemeiner (M.) III. 1379.
- Orleanbäume (M.) III. 1379.
- Orme (M.) III. 1555.
- Ormier = Haliotis (M.) V. 416.
- Orni (M.) V. 870.
- Ornio = Convallaria bifolia (M.) III. 625.
- Ornithocephalus (M.) VI. 653.
- Ornithogalum (M.) III. 559.
- arvense (M.) III. 560.
- luteum (M.) III. 560.
- pratense (M.) III. 560.
- umbellatum (M.) III. 559.
- Ornithopus (M.) III. 1620.
- perpusillus (M.) III. 1620.
- Ornithorhynchus (M.) VII. 834.
- hystrix (M.) VII. 843.
- paradoxus (M.) VII. 834.
- Orno (M.) III. 1115.
- Ornos (M.) V. 870.
- Ornus (M.) III. 1114.
- Orobanche (M.) III. 991.
- cruenta (M.) III. 991.
- epithymum (M.) III. 991.
- gali (M.) III. 991.
- major (M.) III. 991.
- ramosa (M.) III. 991.
- rubens (M.) III. 991.
- Orobanchen (M.) III. 706, 951, 953, 990, 991.
- Liter. der (M.) III. 1135.
- Orobis (M.) III. 1654.
- niger (M.) III. 1655.
- tuberosus (M.) III. 1654.
- vernus (M.) III. 1654.
- Orographie (M.) I. 476, 543.
- Oronge (M.) III. 165, 168, 170.
- ciguë blanche (M.) III. 165.
- jaunatre (M.) III. 165.
- verte (M.) III. 168.
- vraie (M.) III. 170.
- Orontium (M.) III. 588, 969.
- aquaticum (M.) III. 588.
- majus (M.) III. 970.
- Orophias (M.) VI. 579.
- brownii (M.) VI. 579.
- cerastinus (M.) VI. 579.
- Orpheat, Bögel zum Risten in der Stube zu gewöhnen (M.) VII. 673.
- Orpie (M.) VI. 391.
- Orphus (M.) VI. 236.
- Orce (M.) VII. 591.
- Orris-root = Iris florentina (M.) III. 537.
- Orseille (M.) II. 130. — III. 249, 254. — (M., D. M. S.) I. S. XVII.
- Orseille, Erds (M.) III. 954.
- Kraut (M.) III. 249.
- Orseillesfarbe (M.) III. 249.
- eigentliche (M.) III. 249.
- Orstedit (M., D. M. S.) I. S. IX.
- Ort (M.) VI. 302.
- Ortalida (M.) VII. 598.
- motmot (M.) VII. 598.
- parrnqua (M.) VII. 598.

- Ortega. Gomez de. Continuatio (B.) III. 2125.
 Drthit (M.) I. 200.
 im Granit (M.) I. 824.
 Orthoceratites (B.) V. 502, 531. — (M.) I. 731.
 Orthofias (M.) I. 187.
 Orthoptera (B.) V. 1499.
 Orthorhynchus (B.) VII. 183.
 Orthose (M.) I. 187.
 Orthospermae (B.) III. 1791.
 Orthotrichum (B.) III. 288.
 anomalum (B.) III. 288.
 saxatile (B.) III. 288.
 striatum (B.) III. 288.
 Orthogriscus (B.) VI. 117.
 mola (B.) VI. 117.
 Ortie de mer = Medusa (B.) V. 204.
 Orto, Garcia ab. Aromaticum etc. Historiae (B.) II. 261. — III. 2116.
 Ortolan = Emberiza hortulana (B.) VII. 283.
 Drtsbewegung (B.) IV. 230.
 mit Stiedern (B.) IV. 231.
 ohne Stieder (B.) IV. 231.
 Ortyx (B.) VII. 578.
 Orvet (B.) VI. 588.
 Orycteropus (B.) VII. 855.
 Orycterus = Bathyergus (B.) VII. 713.
 Oryctes (B.) V. 1813.
 actaeon (B.) V. 1815.
 aloeus (B.) V. 1815.
 gideon (B.) V. 1816.
 hercules (B.) V. 1816.
 nasicornis (B.) V. 1813.
 Orycti (B.) VI. 285.
 Dryctognoste (M.) I. 32.
 Oryx (B., B.) VII. 278.
 Oryx (B., S., T.) VII. 1060, 1390, 1391, 1393, 1394.
 Oryza (B.) III. 403.
 sativa (B.) III. 403.
 Dryzen (B.) III. 382, 401, 403.
 Orzo = Hordeum (B.) III. 387.
 Osa-palmera (B.) VII. 851.
 Osbeck, P., Ostindisk Resa (B.) III. 2126.
 Osbeckia (B.) III. 1891.
 chinensis (B.) III. 1891.
 Osbeckien (B.) III. 1889, 1890.
 Osbeckien mit Berren (B.) III. 1893.
 Oscabrien = Chiton (B.) V. 409.
 Oscillationen des Zellgewebes (B.) IV. 263.
 Oscillatoria (B.) III. 188.
 auctumnalis (B.) III. 189.
 flexuosa (B.) III. 189.
 flos aquae (B.) III. 190.
 fontinalis (B.) III. 189.
 labyrinthiformis (B.) III. 189.
 limosa (B.) III. 189.
 mirabilis (B.) III. 190.
 muralis (B.) III. 190.
 tacioides (B.) III. 190.
 terrestris (B.) III. 190.
 termalis (B.) III. 189.
 Oscillatoriae (B.) III. 188.
 Oscillatorien (B.) III. 179, 188.
 Oscinis (B.) V. 796.
 frit (B.) V. 796.
 oleae (B.) V. 796.
 punilionis (B.) V. 796.
 Oseille (B.) III. 1175.
 de Guinée (B.) III. 1222.
 petit (B.) III. 1175.
 Ofen (B.) III. 319.
 Os illi (B.) IV. 27.
 Osilin (B.) V. 445.
 Os ischii (B.) IV. 27.
 Osmajom (B.) IV. 206.
 Osmerus (B.) VI. 356.
 Osmium (M.) I. 113, 122.
 Ostor (M., D. M. S.) I. S. XVI.
 Osmium-Jridium (M.) I. 473.
 Osmium, fochsatsfaures (M., D. M. S.) I. S. XVI.
 Osmiumsaure (M., D. M. S.) I. S. XVI.
 Osmunda (B.) III. 319.
 arlorescens (B.) III. 369.
 regalis (B.) III. 319.
 spicantia (B.) III. 328.
 Oso melero (B.) VII. 1703.
 Osphromenus (B.) VI. 238.
 olfax (B.) VI. 239.
 Os pubis (B.) IV. 27.
 Ossaea (B.) III. 1897.
 flavescens (B.) III. 1897.
 Os sepiae (B.) V. 534.
 Osteocella (M.) I. 234.
 Osteoglossum (B.) VI. 386.
 vandellii (B.) VI. 387.
 Osteolepsis (M.) I. 731.
 Osteospermum (B.) III. 771.
 moniliferum (B.) III. 771.
 Osterlucy (B.) III. 804.
 betäubende (B.) III. 805.
 gemeine (B.) III. 804.
 großblättrige (B.) III. 805.
 großblumige (B.) III. 806.
 großfrüchtige (B.) III. 806.
 lange (B.) III. 805.
 runde (B.) III. 804.
 Osterlucyen (B.) III. 804.
 Osterlucyfolter (B.) V. 1404.
 Ostracion (B.) VI. 109.
 cornutus (B.) VI. 110.
 cubicus (B.) VI. 111.
 nili (B.) VI. 111.
 quadricornis (B.) VI. 110.
 triquetter (B.) VI. 110.
 Ostralegus (B.) VII. 509.
 Ostrea (M.) I. 685. — (B.) V. 472.
 cratium (B.) V. 281.
 deltoidea (M.) I. 691.
 edulis (B.) V. 372.
 ehippium (B.) V. 368.
 folium (B.) V. 381.
 isognomum (B.) V. 368.
 jacobaea (B.) V. 384.
 lima (B.) V. 312.
 malleus (B.) V. 369.
 maxima (B.) V. 385.
 parasitica (B.) V. 386.
 pleuronectes (B.) V. 386.
 radula (B.) V. 382.
 sanguinea (B.) V. 386.
 varia (B.) V. 385.
 Ostregghetta del duro (B.) V. 313.
 Ostreum (B.) V. 380.
 cratium (B.) V. 381.
 folium (B.) V. 381.
 lignorum (B.) V. 380.
 plicatum minus (B.) V. 381.
 radicum (B.) V. 380.
 Ostrieh (B.) VII. 652.
 Oestros (B.) V. 768.
 Oestrus (B.) V. 765, 829.
 bovis (B.) V. 765.
 cervi (B.) V. 773.
 equi (B.) V. 770.
 ovis (B.) V. 770.
 tarandi (B.) V. 768.

- Ostruthium (B.) III. 1817.
 Ost- und Westmuschel (Z.) V. 316.
 Öttingerthee (B.) III. 1075.
 Osyris (B.) III. 1502.
 alba (B.) III. 1503.
 Oleanthera (B.) III. 1895.
 Olanthus (B.) III. 762.
 Orion (Z.) V. 507.
 Otis (Z.) VII. 638.
 houbara (Z.) VII. 640.
 tarda (Z.) VII. 638.
 tetraz (Z.) VII. 640.
 Otoliemus (Z.) VII. 1722.
 senegalensis (Z.) VII. 1722.
 Otolithus (Z.) VI. 246.
 guatucupa (Z.) VI. 246.
 Otte = Alnus (B.) III. 1538.
 Otzel Ambel (B.) III. 449.
 Ottelia (B.) II. 448.
 alismoides (B.) III. 449.
 indica (B.) III. 449.
 Otten (B.) III. 583, 655.
 Dattel (B.) III. 662.
 Puffel (B.) III. 659.
 Schein (B.) III. 656.
 Stein (B.) III. 657.
 Sten (B.) III. 658.
 Strauch (B.) III. 656.
 Otter (Z.) VI. 538.
 Bristen (Z.) VI. 560.
 Puff (Z.) VI. 546.
 Corallen (Z.) VI. 558.
 Fisch (Z.) VII. 1479.
 gelbe (Z.) VI. 547.
 gemeine (Z.) VI. 538.
 Höfen (Z.) VI. 544.
 Horn (Z.) VI. 543.
 Kreuz (Z.) VI. 538.
 Raub (Z.) VI. 567.
 Sand (Z.) VI. 542.
 schwarze (Z.) VI. 541.
 Sumpfs (Z.) VII. 1489.
 Ottern (Z.) VI. 538.
 Otterwurz (B.) III. 1481.
 Otto, J., Versuch einer Anordnung der Agaricorum (B.) III. 174.
 Otus (Z.) VII. 123, 124.
 Ouai (B.) III. 669.
 petit (B.) III. 669.
 Ouanderon (Z.) VII. 1799.
 Ouarine (Z.) VII. 1731.
 Oublie = Bulla lignaria (Z.) V. 405.
 Oudre (Z.) VII. 1071.
 Ouette (Z.) VII. 82.
 Ouistiti (Z.) VII. 1770.
 Oule de Gavarnie (M.) I. 554.
 Ourax (Z.) VII. 599.
 Ouriço Cacheiro (Z.) VII. 777.
 Ouro poudre (M.) I. 469.
 Ours (Z.) VII. 1668.
 jongleur (Z.) VII. 1685.
 Oursin = Echinus (Z.) V. 586.
 Ouruparia (B.) III. 862.
 Outarde (Z.) VII. 638.
 Oualthierden (Z.) V. 26.
 Overflowing wells (M.) I. 683.
 Ovi (B.) III. 655.
 Ovidius, Halieuticon (Z.) VI. 403.
 Oviedo, Hernandez de, Historia general y natural de las Indias (B.) III. 2115. — (Z.) VII. 668.
 Ovis (Z.) VII. 1333.
 ammon (Z.) VII. 1335.
 brachyura (Z.) VII. 1340.
 dolichura (Z.) VII. 1341.
 guinensis (Z.) VII. 1342.
 hispanica (Z.) VII. 1340.
 laticauda (Z.) VII. 1341.
 macrocera (Z.) VII. 1341.
 montana (Z.) VII. 1337, 1349.
 musmon (Z.) VII. 1333.
 ornata (Z.) VII. 1349.
 platyura (Z.) VII. 1341.
 polycerata (Z.) VII. 1340.
 rustica (Z.) VII. 1340.
 steatopyga (Z.) VII. 1341.
 strepsiceros (Z.) VII. 1341.
 tragelaphus (Z.) VII. 1349.
 Ovula (Z.) V. 469.
 Owen, Ch., Nat. Hist. of Serpens (Z.) VI. 688.
 Owen, R., Memoir on Nautilus pompilius (Z.) V. 526.
 Owl (Z.) VII. 123.
 Barn- (Z.) VII. 125.
 Horn- (Z.) VII. 124.
 white (Z.) VII. 125.
 Oratiden (B.) III. 704, 707, 1174.
 Liter. der (B.) III. 1441.
 Oxalis (B.) III. 1175.
 acetosella (B.) III. 1175.
 corniculata (B.) III. 1175.
 esculenta (B.) III. 1176.
 sensitiva (B.) III. 1176.
 tetraphylla (B.) III. 1176.
 Oratit (M.) I. 301.
 Oxford-clay (M.) I. 698.
 Oxford oolite (M.) I. 698.
 Orfordthyon (M.) I. 698.
 Oxyacantha (B.) III. 2066.
 Veterum (B.) III. 2066.
 Oxycarpus (B.) III. 1434.
 Oxycedrus (B.) III. 360.
 Oxycoecos (B.) III. 893.
 Drydation (Z.) IV. 153, 216.
 Drydationsproceß (Z.) IV. 208.
 Oxydendrum (B.) III. 899.
 Drygen (M.) I. 114.
 Oxyporus (Z.) V. 1714.
 rufus (Z.) V. 1714.
 Oxyrhinchi (Z.) VI. 360.
 Oxyrhynchus (Z.) VI. 101, 360.
 Oxychoenus (B.) III. 438.
 Oxytelus (Z.) V. 1714.
 carinatus (Z.) V. 1714.
 Oxytricha (Z.) V. 27.
 Oxyuris (Z.) V. 553.
 curvula (Z.) V. 553.
 vermicularis (Z.) V. 553.
 Oye de mer (Z.) VII. 1070.
 Oysterit (M.) I. 317.
 Ozonium (B.) III. 73.
 auricomum (B.) III. 73.
 Ozo-lua (Z.) VII. 1511, 1515.
 Paalem-boom (B.) III. 1358.
 Paeanides (Z.) V. 529.
 Pabbio = Airae (B.) III. 415.
 Pabst (Z.) VII. 276.
 Pabsttrone (Z.) V. 457.
 Paca (Z.) VII. 825.
 Pacai (B.) III. 1701.
 Pacapae (Z.) VII. 82.
 Pachira (B.) III. 1226.
 aquatica (B.) III. 1226.
 Pachydermata (Z.) VII. 1116.
 Pachyma (B.) III. 106.
 cocos (B.) III. 107.
 regium (B.) III. 106.