

- Pyrus bollvilleriana* (B.) III. 2074.
chinensis (B.) III. 2088.
communis (B.) III. 2074.
cydonia (B.) III. 2089.
 — *maliformis* (B.) III. 2090.
 — *oblonga* (B.) III. 2090.
indica (B.) III. 2089.
japonica (B.) III. 2088.
lusitanica (B.) III. 2090.
malus (B.) III. 2081.
 — *paradisica* (B.) III. 2083.
polveria (B.) III. 2074.
tomentosa (B.) III. 2089.
Pytho (Z.) V. 1783.
caeruleus (Z.) V. 1783.
depressus (Z.) V. 1783.
Pytho (Z.) VI. 532.
bivittatus (Z.) VI. 534, 535.
hieroglyphicus (Z.) VI. 536.
ordinatus (Z.) VI. 535.
tigris (Z.) VI. 534, 535.
Pyxidium (B.) II. 73, 87.
Pyxis (Z.) VI. 498.
arachnoides (Z.) VI. 498.

Q.

- Quader* (Z.) V. 308.
Quader (Z.) VII. 273.
Quaderstein (M.) I. 677.
Quadratstein (Z.) IV. 413.
Quadrardodecaeder, *spitze* und *stumpfe* (M.) I. 51.
Quadrantisches Octaeder (M.) I. 48.
Quadria (B.) III. 1511.
Quadrinella = *Numularia* (B.) III. 964.
Quadrumanen, *fossile* (M.) I. 644.
Quagga (Z.) VII. 1224.
Quaglia (Z.) VII. 578.
Quail (Z.) VII. 578.
Quaken (Z.) VI. 473.
Quäker (Z.) VII. 273.
Quale (B.) III. 1297.
Qualea (B.) III. 1297.
caerulea (B.) III. 1297.
rosea (B.) III. 1297.
Quelle (Z.) V. 182. Bgl. *Quallen*.

- Quelle*, *Baden* (Z.) V. 213.
Balken (Z.) V. 149.
Bands (Z.) V. 211.
Brutels (Z.) V. 227.
Erubels (Z.) V. 226.
Flügel (Z.) V. 211.
Franzen (Z.) V. 229.
Furchen (Z.) V. 210.
Glocken (Z.) V. 226.
Gruben (Z.) V. 226.
Haar (Z.) V. 217.
Kamm (Z.) V. 298.
Kappen (Z.) V. 195.
Kiel (Z.) V. 205.
Knollen (Z.) V. 240.
Kreuz (Z.) V. 225.
Metonen (Z.) V. 209.
Mond (Z.) V. 224.
Nachen (Z.) V. 194.
Nhren (Z.) V. 232.
Pyramiden (Z.) V. 193.
Ruder (Z.) V. 214.
Rüssel (Z.) V. 217.
Schaum (Z.) V. 211.
Schaufels (Z.) V. 231.
Schellen (Z.) V. 209.
Schlangen (Z.) V. 230.
Schopf (Z.) V. 249.
Schuppen (Z.) V. 197.
Seegel (Z.) V. 205, 206.
Spals (Z.) V. 210.
Strahlen (Z.) V. 232.
Zeller (Z.) V. 230.
Zhaler (Z.) V. 217.
Zrauer (Z.) V. 227.
Zrottel (Z.) V. 214.
Warzen (Z.) V. 224.
Winkels (Z.) V. 248.
Wirtels (Z.) V. 192.
Wurzels (Z.) V. 218.
Zapfen (Z.) V. 208.
Zipfels (Z.) V. 231.
Quallen (Z.) IV. 570. — V. 6, 7, 11, 182. Bgl. *Quelle*.
Bau der (Z.) V. 184.
Binsen (Z.) V. 195.
breite (Z.) V. 210.
Doppel (Z.) V. 187.
Drüsen (Z.) V. 231.
drüsentöse (Z.) V. 245.
eigentliche (Z.) V. 215.
Fortpflanzung der (Z.) V. 185.
Haar (Z.) V. 249.

- Quallen*, *Hut* (Z.) V. 184, 187, 215.
infusorienartige (Z.) V. 187.
Kappen (Z.) V. 195.
Lappen (Z.) V. 213.
Liter. der (Z.) V. 252.
mundlose (Z.) V. 217.
Nahrung der (Z.) V. 185.
Nutzen der (Z.) V. 186.
polyphenartige (Z.) V. 207.
Pyramiden (Z.) V. 187.
Rippen (Z.) V. 187, 207.
Röhren (Z.) V. 187.
Scheiben (Z.) V. 203.
stiellose (Z.) V. 217.
Strahlen (Z.) V. 232.
Walzen (Z.) V. 208.
Quallenaffel (Z.) V. 611.
gemeine (Z.) V. 612.
Quallenboot (Z.) V. 435.
gemeines (Z.) V. 435.
Quastler (Z.) V. 1532.
Quastler (B.) III. 552.
Quamoclit (B.) III. 1087.
Quandetsbeeren (B.) III. 2070.
gemeine (B.) III. 2070.
Quanderou (Z.) VII. 1799.
Quappe, *Quappen* (Z.) VII. 119, 144, 151.
kegelförmige (Z.) VI. 162.
Scheim (Z.) VI. 145.
Schuppen (Z.) VI. 148.
tafelörmige (Z.) VI. 163.
walzig (Z.) VI. 145.
Quappensurm (Z.) V. 569.
Quarantain (B.) III. 1399.
Quartzgäcker (Z.) VI. 473.
Quartzose conglomerate overlying thick bedded sandstone (M.) I. 747.
Quarz (M.) I. 136, 477, 485, 489, 491, 497, 517, 776, 820, 826, 837.
Quartzcrystalle (M.) I. 137.
Quarz, Fasers (M.) I. 141.
Quartzfels (M.) I. 482, 484, 491, 753, 769.
dichter (M.) I. 482.
förmiger (M.) I. 482.
porphyrtiger (M.) I. 482.
schieferiger (M.) I. 482.
Quarz, Fels (M.) I. 140.
Steinf (M.) I. 770.
Quarzführender Thonporphyr (M.) I. 831.

- Quarz, gemeiner (M.) I. 139.
 Quarzgesteine (M.) I. 482.
 Quarz, Härtegrad des (M.) I. 104.
 Quarzknochen u. Nieren (M.) I. 692.
 Quarzbrüner (M.) I. 490, 518, 519, 533.
 Quarz, löcheriger (M.) I. 662, Milch (M.) I. 140.
 Rosen (M.) I. 140.
 Quarzsand (M.) I. 533.
 Quarzsandstein (M.) I. 519.
 Quarz, Stink (M.) I. 140 untheilbarer (M.) I. 146.
 wasserhaltiger (M.) I. 146.
 Quassia (B.) III. 1290.
 amara (B.) III. 1290.
 Quastien (B.) III. 1290.
 Lirer, der (B.) III. 1444.
 Quastienholz (B.) III. 1290.
 Jähres (B.) III. 1290.
 jamaicanisches (B.) III. 1290.
 Quasten (B.) IV. 335.
 Quastenscheiden (B.) III. 1925.
 rothe (B.) III. 1927.
 Quastensphynen (B.) V. 133.
 Quastenswurm (B.) V. 572.
 Quatelé (B.) III. 1919.
 Quaterly Journ. of Science (B.) II. 262.
 Quaternäre Formation (M.) I. 648.
 Quato (B.) VII. 1740.
 Quatre-oeil (B.) VII. 929.
 Quatto (B.) VII. 1740.
 Quau-peçotli (B.) VII. 1700.
 tenzo (B.) VII. 1700.
 Quautotomomi (B.) VII. 214.
 Quebrantha huesos (B.) VII. 388.
 Quecke (B.) III. 390, 426.
 Queckenfalter (B.) V. 1105, 1412.
 Queckengras (B.) III. 390.
 Queckenwurzel (B.) III. 391, 396.
 rothe (B.) III. 426.
 Quecksilber (M.) I. 114, 124, 744, 761.
 blausaures (M., D. M. S.) I. S. XVI.
 Quecksilberblende (M., D. M. S.) I. S. XXII.
- Quecksilber, Cyan (M., D. M. S.) I. S. XVI.
 gediegenes (M.) I. 463.
 Quecksilberhörnerz (M.) I. 385.
 Quecksilber, Knall (M., D. M. S.) I. S. XVI.
 knallsaures (M., D. M. S.) I. S. XVI.
 kochsalzsaures (M., D. M. S.) I. S. XVI, XX.
 Quecksilberlebererz (M.) I. 449.
 Quecksilber, salpeterminerzsaures (M., D. M. S.) I. S. XVI.
 Seten (M., D. M. S.) I. S. XXII.
 Queckstein (M.) I. 153.
 Queise (B.) VI. 80.
 ächte (B.) VI. 81.
 gemeine (B.) VI. 80.
 größere (B.) VI. 81.
 größte (B.) VI. 81.
 kleinere (B.) VI. 80.
 Queisen (B.) VI. 80.
 Questen (M.) I. 555.
 Questenabfälle (M.) I. 609.
 Questenbezirk (M.) I. 555.
 Questen des Grundgebirges (M.) I. 774.
 des Muschelkalks (M.) I. 719.
 des Uebergangsschiefergebirges (M.) I. 762.
 Questenhorenpreis (B.) III. 995.
 Questen, Entstehung der (M.) I. 555.
 Questenrennet (B.) III. 1350.
 gemeine (B.) III. 1350.
 Questen, heiße, bei Vulcanen (M.) I. 791.
 Kohlenäure (M.) I. 762.
 Questenfugenmoos (B.) III. 291.
 Questenmoose (B.) III. 289.
 gemeines (B.) III. 290.
 Questen, Raphtha (M.) I. 319, 801.
 Salz, der Lettentohle (M.) I. 715.
 - des Muschelkalks (M.) I. 720.
 - des Uebergangsschiefergebirges (M.) I. 762.
 - im Felsstein (M.) I. 733.
- Quellen u. Sauer, des Todts liegenden (M.) I. 737.
 Sauer, des Bunten Sandsteins (M.) I. 726.
 - des Muschelkalks (M.) I. 719.
 - des Uebergangsschiefergebirges (M.) I. 762.
 Schwefel, des Bias (M.) I. 704.
 Soots, des Bunten Sandsteins (M.) I. 726.
 von brennbarer Luft (M.) I. 800.
 von Kohlenäure (M.) I. 784, 817.
 warme (M.) I. 762.
 Quendel (B.) III. 1067.
 Feld (B.) III. 1068.
 Garten (B.) III. 1068.
 römischer (B.) III. 1068.
 Steins (B.) III. 1068.
 Quer, J. J. Flora española (B.) III. 2125.
 Querband der Staubbentel (B.) II. 68.
 Querce = Quercus (B.) III. 1541.
 Quercitron (B.) II. 129.
 Quercitron (B.) III. 1543.
 (M., D. M. S.) I. S. XVIII.
 Quercitronreihe (B.) III. 1543.
 Quercitronholz (B.) III. 1543.
 Quercus (B.) III. 1541.
 aegilops (B.) III. 1543.
 cerris (B.) III. 1544.
 coccoifera (B.) III. 1542.
 esculus (B.) III. 1544.
 ilex (B.) III. 1542.
 infectoria (B.) III. 1543.
 pedunculata (B.) III. 1545.
 robur (B.) III. 1544.
 suber (B.) III. 1542.
 tinctoria (B.) III. 1543.
 Querder (B.) VI. 35.
 Quereme (B.) III. 894.
 Quersfortsätze (B.) IV. 24.
 Quermuskel (B.) IV. 35.
 Querquedula (B.) VII. 461.
 Querschäler (M.) I. 553, 707.
 Queise (B.) V. 545.
 Queisen (B.) III. 1620.
 Futter (B.) III. 1622.
 Klauen (B.) III. 1620.

Querten, Rofs. (B.) III. 1620.
 Schwamm. (B.) III. 1625.
 Schwarz. (B.) III. 1622.
 Zuckens. (B.) III. 1621.
 Quetele (Z.) VII. 603.
 Quetz-paleo (Z.) VI. 616.
 Quittenbeeren (B.) III. 2073.
 Quickhatchel (Z.) VII. 1524.
 Quidd (Z.) VI. 292.
 Quil (Z.) VII. 1535.
 Quillaja (B.) III. 2028.
 Quimpesé (Z.) VII. 1845.
 Quimpézé (Z.) VII. 1845,
 1846.
 Quina (B.) III. 866, 1268.
 callaya (B.) III. 867.
 de la nueva Guayana (B.)
 III. 1268.
 do Campo (B.) III. 1047.
 do mato (B.) III. 870.
 de Remijo (B.) III. 868.
 roxa (B.) III. 866.
 de Serra (B.) III. 868.
 Quinaquina (B.) III. 1680.
 Quinaria (B.) III. 1314.
 lansium (B.) III. 1314.
 Quinaté (B.) III. 1672.
 Quince (B.) III. 2990.
 Quinchamalium (B.) III. 1500.
 chilense (B.) III. 1500.
 Quinoa (B.) II. 346. — III.
 1460.
 Quinquina (B.) III. 864.
 blanc (B.) III. 867.
 orangé (B.) III. 865.
 Quiquoio (B.) III. 660.
 Quirt (B.) III. 28.
 Quirtblumen (B.) II. 57.
 Quirtböden (B.) II. 43.
 Quirtkleeblüth (B.) III. 786.
 gemeine (B.) III. 787.
 Quirttöge (B.) II. 59.
 Quirpele (Z.) VII. 1535.
 Quirquincho (Z.) VII. 867.
 negro (Z.) VII. 867.
 Quiscula (Z.) VII. 324, 578.
 Quisqualis (B.) III. 910.
 indica (B.) III. 910.
 pubescens (B.) III. 910.
 Quireve (B.) III. 655.
 Quitschenbeeren, f. Sorbus (B.)
 III. 2072.
 Quitte (B.) III. 2088. Bgl.
 Quitten.
 Äpfel. (B.) III. 2090.

Quitten, Birn. (B.) III. 2090.
 chinesische (B.) III. 2088.
 silige (B.) III. 2089.
 gemeine (B.) III. 2089.
 indische (B.) III. 2089.
 japanische (B.) III. 2088.
 portugiesische (B.) III. 2090.
 Quitten (B.) III. 2088, 2090.
 Bgl. Quitte.
 Äpfel. (B.) III. 2090.
 Birn. (B.) III. 2090.
 Bullens (B.) III. 2090.
 Eßens (B.) III. 2090.
 Rißel. (B.) III. 2090.
 reine (B.) III. 2090.
 Spier. (B.) III. 2090.
 Quittenäpfel (B.) III. 2088.
 Quittenbirnen (B.) III. 2080.
 Quittenconserve (B.) III. 2090.
 Quittenkiesen (B.) III. 1309.
 gemeine (B.) III. 1309.
 Quittenkerne (M., D., N., S.)
 I. S. XV. — III. 2090.
 Quittenliqueur (B.) III. 2090.
 Quittenmispeln (B.) III. 2068.
 gemeine (B.) III. 2068.
 Quittenroos (B.) III. 2090.
 Quitten syrup (B.) III. 2090.
 Quittenstäbchen (B.) III. 2090.
 Quittir (Z.) VII. 2061.
 Quoggelo (Z.) VII. 858.
 Quojas-Morron (Z.) VII. 1847.
 Quoy (M.) I. 608.
 Quoy et Gaimard. Voyage,
 Uranie (Z.) V. 182.
 Quiya (Z.) VII. 735.

R.

Raasch (Z.) VI. 85.
 Rabau (B.) III. 2084.
 Rabbit (Z.) VII. 812.
 Rabe (Z.) VI. 179, 223.
 Rabe, Raben (Z.) VII. 327,
 335, 346.
 ägyptischer (Z.) VII. 339.
 Alpen. (Z.) VII. 335, 337.
 Sorten. (Z.) VII. 333.
 eigentliche (Z.) VII. 336.
 Faden. (Z.) VII. 340.
 fischender (Z.) VII. 350.
 gemeiner (Z.) VII. 351.
 Geyer. (Z.) VII. 352.
 indischer (Z.) VII. 378.

Rabe, Raben, rothfüßige (Z.)
 VII. 339.
 Sammet. (Z.) VII. 327.
 Wald. (Z.) VII. 335.
 Rabenfüß (Z.) VI. 223.
 schwarzer (Z.) VI. 223.
 weißer (Z.) VI. 223.
 Rabenträge (Z.) VII. 349.
 Rabenschabelfortsatz (Z.) IV.
 26, 171.
 Rabenzüfer (Z.) VII. 83.
 fahler (Z.) VII. 83.
 Racon (Z.) VII. 1687.
 Racemus (B.) III. 45.
 Rachaeme (Z.) VII. 159.
 Radenblumen (B.) III. 24.
 Radenschwerdet (B.) III. 533.
 gelbrother (B.) III. 533.
 Radichs (B.) III. 383.
 Rack (B.) III. 918.
 Rade (Z.) VII. 334.
 blane (Z.) VII. 334.
 Radetzähne (Z.) VII. 593.
 Radenguckhut (Z.) VII. 229.
 gemeiner (Z.) VII. 229.
 Radenwürger (Z.) VII. 87.
 Racodium (B.) III. 72.
 cellare (B.) III. 72.
 vulgare (B.) III. 72.
 Racomitrium (B.) III. 282.
 ericoides (B.) III. 283.
 Racoon (Z.) VII. 759.
 Racoubea (B.) III. 810.
 Racunda (Z.) VII. 736.
 Raddi. G., Novae species
 cryptogamicæ (B.) III.
 2124.
 J., Nova genera et spes-
 cies Plantarum brasili-
 ensium (B.) III. 2134.
 J., Plante nuove brasil.
 (B.) III. 1447.
 J., et A. Bertoloni, Pi-
 aute del Brasile (B.) III.
 2134.
 Rademacher, Nämlyst der
 Planten op Java (B.) III.
 2127.
 Raden (B.) III. 1362, 1363.
 Feuer. (B.) III. 1362.
 Frauen. (B.) III. 1363.
 Gaud. (B.) III. 1362.
 Klee. (B.) III. 1363.
 Korn. (B.) III. 1363.
 Sammet. (B.) III. 1363.