

- Querten, Koll: (B.) III. 1620.
 Schwamm: (B.) III. 1625.
 Schwarz: (B.) III. 1622.
 Zuckens: (B.) III. 1621.
 Quetele (Z.) VII. 603.
 Quetz-paleo (Z.) VI. 616.
 Quittenbeeren (B.) III. 2073.
 Quickhatchel (Z.) VII. 1524.
 Quidd (Z.) VI. 292.
 Quil (Z.) VII. 1535.
 Quillaja (B.) III. 2028.
 Quimpesé (Z.) VII. 1845.
 Quimpézé (Z.) VII. 1845, 1846.
 Quina (B.) III. 866, 1268.
 callaya (B.) III. 867.
 de la nueva Guayana (B.) III. 1268.
 do Campo (B.) III. 1047.
 do mato (B.) III. 870.
 de Remijo (B.) III. 868.
 roxa (B.) III. 866.
 de Serra (B.) III. 868.
 Quinaquina (B.) III. 1680.
 Quinaria (B.) III. 1314.
 lansium (B.) III. 1314.
 Quinaté (B.) III. 1672.
 Quince (B.) III. 2990.
 Quinchamalium (B.) III. 1500.
 chilense (B.) III. 1500.
 Quinoa (B.) II. 346. — III. 1460.
 Quinquina (B.) III. 864.
 blanc (B.) III. 867.
 orangé (B.) III. 865.
 Quiquoio (B.) III. 660.
 Quirt (B.) III. 28.
 Quirtblumen (B.) II. 57.
 Quirtbalden (B.) II. 43.
 Quirtkleeblu (B.) III. 786.
 gemeine (B.) III. 787.
 Quirttoge (B.) II. 59.
 Quirpele (Z.) VII. 1535.
 Quirquincho (Z.) VII. 867.
 negro (Z.) VII. 867.
 Quiscula (Z.) VII. 324, 578.
 Quisqualis (B.) III. 910.
 indica (B.) III. 910.
 pubescens (B.) III. 910.
 Quireve (B.) III. 655.
 Quitschenbeeren, f. Sorbus (B.) III. 2072.
 Quitte (B.) III. 2088. Bgl. Quitten.
 Apfel: (B.) III. 2090.
 Quitten, Birn: (B.) III. 2090.
 chinesische (B.) III. 2088.
 silige (B.) III. 2089.
 gemeine (B.) III. 2089.
 indische (B.) III. 2089.
 japanische (B.) III. 2088.
 portugiesische (B.) III. 2090.
 Quitten (B.) III. 2088, 2090.
 Bgl. Quitte.
 Apfel: (B.) III. 2090.
 Birn: (B.) III. 2090.
 Bullens (B.) III. 2090.
 Efkens (B.) III. 2090.
 Rispel: (B.) III. 2090.
 reine (B.) III. 2090.
 Spier: (B.) III. 2090.
 Quittenäpfel (B.) III. 2088.
 Quittenbirnen (B.) III. 2080.
 Quittenconserve (B.) III. 2090.
 Quittenkiefern (B.) III. 1309.
 gemeine (B.) III. 1309.
 Quittenkerne (M., D., N., S.) I. S. XV. — III. 2090.
 Quittenliqueur (B.) III. 2090.
 Quittenmispeln (B.) III. 2068.
 gemeine (B.) III. 2068.
 Quittenroos (B.) III. 2090.
 Quitten syrup (B.) III. 2090.
 Quittenstacheln (B.) III. 2090.
 Quittler (Z.) VII. 2061.
 Quoggelo (Z.) VII. 858.
 Quojas-Morron (Z.) VII. 1847.
 Quoy (M.) I. 608.
 Quoy et Gaimard, Voyage, Uranie (Z.) V. 182.
 Quuiya (Z.) VII. 735.
- Q.**
- Raasch (Z.) VI. 85.
 Rabau (B.) III. 2084.
 Rabbit (Z.) VII. 812.
 Rabe (Z.) VI. 179, 223.
 Rabe, Raben (Z.) VII. 327, 335, 346.
 ägyptischer (Z.) VII. 339.
 Alpen: (Z.) VII. 335, 337.
 Sorten: (Z.) VII. 333.
 eigentliche (Z.) VII. 336.
 Faden: (Z.) VII. 340.
 fischender (Z.) VII. 350.
 gemeiner (Z.) VII. 351.
 Geyer: (Z.) VII. 352.
 indischer (Z.) VII. 378.
 Rabe, Raben, rothfüßige (Z.) VII. 339.
 Sammet: (Z.) VII. 327.
 Wald: (Z.) VII. 335.
 Rabenfüß (Z.) VI. 223.
 schwarzer (Z.) VI. 223.
 weißer (Z.) VI. 223.
 Rabenträge (Z.) VII. 349.
 Rabenschabelfortsatz (Z.) IV. 26, 171.
 Rabenzüfer (Z.) VII. 83.
 fahler (Z.) VII. 83.
 Racon (Z.) VII. 1687.
 Racemus (B.) III. 45.
 Rachaeme (Z.) VII. 159.
 Radenblumen (B.) III. 24.
 Radenschwerdet (B.) III. 533.
 gelbrother (B.) III. 533.
 Radichs (B.) III. 383.
 Rack (B.) III. 918.
 Rade (Z.) VII. 334.
 blane (Z.) VII. 334.
 Radetzähne (Z.) VII. 593.
 Radenguckhut (Z.) VII. 229.
 gemeiner (Z.) VII. 229.
 Radenwürger (Z.) VII. 87.
 Racodium (B.) III. 72.
 cellare (B.) III. 72.
 vulgare (B.) III. 72.
 Racomitrium (B.) III. 282.
 ericoides (B.) III. 283.
 Racoon (Z.) VII. 759.
 Racoubea (B.) III. 810.
 Racunda (Z.) VII. 736.
 Raddl. G., Novae species cryptogamicæ (B.) III. 2124.
 J., Nova genera et species Plantarum brasiliensium (B.) III. 2134.
 J., Plante nuove brasil. (B.) III. 1447.
 J., et A. Bertoloni, Piante del Brasile (B.) III. 2134.
 Rademacher, Nämlyst der Planten op Java (B.) III. 2127.
 Raden (B.) III. 1362, 1363.
 Feuer: (B.) III. 1362.
 Frauen: (B.) III. 1363.
 Gaud: (B.) III. 1362.
 Klee: (B.) III. 1363.
 Korn: (B.) III. 1363.
 Sammet: (B.) III. 1363.

- Raden, Strauß. (B.) III. 1362.
 Räderorgane (B.) V. 36.
 Räderleine (B.) V. 596.
 Räderthier (B.) V. 41.
 gemeines (B.) V. 52.
 freuztragendes (B.) V. 52.
 viertlappiges (B.) V. 51.
 Räderthiere (B.) V. 17, 35.
 Radhuffen (B.) III. 1018.
 gemeine (B.) III. 1018.
 Radicariae (B.) III. 24, 706, 709.
 alburnales (B.) III. 742.
 baceales (B.) III. 811.
 cauliales (B.) III. 771.
 cellulales (B.) III. 715.
 corollales (B.) III. 795.
 corticales (B.) III. 740.
 drupales (B.) III. 807.
 floreales (B.) III. 781.
 foliales (B.) III. 779.
 fructuales (B.) III. 799.
 ligneales (B.) III. 752.
 nucuales (B.) III. 800.
 parenchymales (B.) III. 714.
 pistillales (B.) III. 790.
 pomales (B.) III. 818.
 radicales (B.) III. 756.
 scapales (B.) III. 740.
 seminales (B.) III. 782.
 tracheales (B.) III. 737.
 truncates (B.) III. 756.
 vasales (B.) III. 725.
 Radicula (B.) II. 81. — III. 1389.
 Radii (B.) VI. 15.
 branchiostegi (B.) VI. 20.
 Radis (B.) III. 1389.
 Radieschen (B.) III. 1389.
 Radius (B.) III. 712.
 Radius, Diss. de Pyrola et Chimophila (B.) III. 1133.
 Radix (B.) II. 24. — III. 14.
 aconiti lutei (B.) III. 1162.
 — racemosi (B.) III. 1165.
 acori palustris sive vulgaris (B.) III. 534.
 — sive calami aromatici (B.) III. 587.
 alcannae spuriae (B.) III. 1091.
 — verae (B.) III. 1886.
 Radix anserinae (B.) III. 2014.
 aquilinae (B.) III. 1159.
 argentiniae (B.) III. 2014.
 ari aethiopici (B.) III. 598.
 ari sive aronis (B.) III. 591.
 arisari (B.) III. 596.
 aristolochiae caveae (B.) III. 1415.
 — fabaceae (B.) III. 1415.
 artemisiae rubrae (B.) III. 763.
 arthanitae (B.) III. 963.
 asari (B.) III. 803.
 asphodeli (B.) III. 577.
 asteris attici (B.) III. 774.
 awae (B.) III. 606.
 barbae caprae (B.) III. 2626.
 bardanae (B.) III. 730.
 behen albi (B.) III. 729.
 — rubri (B.) III. 1474.
 betonicae (B.) III. 1062.
 — aquaticae (B.) III. 967.
 brancae ursinae (B.) III. 1602.
 britannicae (B.) III. 1482.
 brunci (B.) III. 619.
 bryoniae (B.) III. 820.
 — nigrae (B.) III. 615.
 bubonil (B.) III. 774.
 buglossi agrestis (B.) III. 1094.
 cannabinae aquaticae (B.) III. 741.
 cardopatiuae (B.) III. 734.
 cardui Mariae (B.) III. 731.
 — Veneris (B.) III. 786.
 Carolinae (B.) III. 734.
 caryophyllatae (B.) III. 2006.
 Cassumunar (B.) III. 501.
 centaurei majoris (B.) III. 728.
 cervariae nigrae (B.) III. 1816.
 chamaeleontis albi (B.) III. 734.
 chelidonii majoris (B.) III. 1417.
 — minoris (B.) III. 1145.
 chinae (B.) III. 617.
 christophoriana (B.) III. 1165.
 Radix cimicifugae serpentariae (B.) III. 1165.
 colubri majoris (B.) III. 596.
 consolidae majoris (B.) III. 1092.
 costi arabici (B.) III. 502.
 crassulae majoris (B.) III. 1965.
 Cunigundae (B.) III. 741.
 curcumae americanae (B.) III. 512.
 — rotundae (B.) III. 495.
 cyclaminis (B.) III. 963.
 cyperi rotundi (B.) III. 432.
 — antiquorum (B.) III. 1886.
 dentariae majoris (B.) III. 992.
 dentellariae (B.) III. 1475.
 dictamni albi (B.) III. 1267.
 draconii (B.) III. 590.
 dracunculi (B.) III. 594.
 — aquatici (B.) III. 597.
 esulae (B.) III. 1581.
 — majoris (B.) III. 1583.
 eupatorii (B.) III. 741.
 fabariae (B.) III. 1965.
 filicis maris (B.) III. 332.
 foeniculi vulgaris (B.) III. 1814.
 — porcini (B.) III. 1815.
 fraxinellae (B.) III. 1267.
 galangae (B.) III. 503.
 gentianae majoris (B.) III. 1021.
 — minoris (B.) III. 1020.
 — nigrae (B.) III. 1816.
 gladioli lutei (B.) III. 534.
 graminis (B.) III. 391.
 — majoris (B.) III. 426.
 gratiolae (B.) III. 959.
 hellebori albi (B.) III. 548.
 helleborines latifoliae (B.) III. 479.
 hermodactyli (B.) III. 551.
 hicundinariae (B.) III. 1031.
 imperatoriae (B.) III. 1817.
 inulae helenii (B.) III. 778.
 ireos (B.) III. 535.
 — nostratis (B.) III. 537.
 Iridis palustris (B.) III. 535.

- Radix jalappae** (B.) III. 1084.
junci floridi (B.) III. 444.
 - **maximi** (B.) III. 430.
labathi acuti (B.) III. 1483, 1484.
lilio narcissi (B.) III. 541.
lobelliae (B.) III. 792.
martagon (B.) III. 577.
moschatellinae (B.) III. 1858.
mudarii (B.) III. 1030.
mungos (B.) III. 888.
mustelae (B.) III. 1042.
mutellinae (B.) III. 1824.
Olsnitzii (B.) III. 1817.
paeoniae (B.) III. 1163.
pareirae brauae (B.) III. 1244.
paridis (B.) III. 621.
pentaphylli (B.) III. 2012.
 - **aquatici** (B.) III. 2010.
phu minoris (B.) III. 788.
pimpinellae albae, nostratis et nigrae (B.) III. 1836.
 - **italicae** (B.) III. 2002.
plantaginis aquaticae (B.) III. 443.
pneumonanthes (B.) III. 1021.
polygalae vulgaris (B.) III. 1292.
polypodii (B.) III. 326.
pulmonariae maculosae (B.) III. 1094.
pyrethri (B.) III. 758.
 - **veri** (B.) III. 757.
ranunculi albi (B.) III. 1150.
 - **bulbosi** (B.) III. 1146.
 - **flammae majoris** (B.) III. 1145.
ratanhiae Antillarum (B.) III. 1295.
restae bovis (B.) III. 1641.
rhabbarbari monachorum (B.) III. 1482.
 - **pauperum** (B.) III. 1152.
rhapontii (B.) III. 1485.
rhodiae (B.) III. 1965.
rosae benedictae s. reginae (B.) III. 1163.
rusci (B.) III. 619.
sanguinariae (B.) III. 1169.
sassaparillae germanicae (B.) III. 426.
- Radix satyrii** (B.) III. 473.
scillae minoris (B.) III. 540.
scrotulariae aquaticae (B.) III. 967.
 - **foetidae** (B.) III. 967.
serpentariae majoris (B.) III. 591.
sili palustris (B.) III. 1837.
spatulae foetidae (B.) III. 536.
spigelliae (B.) III. 1024.
spiniae solstitialis (B.) III. 730.
squamariae (B.) III. 992.
taraxaci (B.) III. 715.
telephii (B.) III. 1965.
testiculi hircini (B.) III. 477.
thalictri (B.) III. 1151.
Thysselini (B.) III. 1817.
toxicaria (B.) III. 543.
tragorchidis hircini (B.) III. 477.
trichorchidis albae (B.) III. 469.
valerianae (B.) III. 789.
victoralis longae (B.) III. 557.
 - **rotundae** (B.) III. 532.
vincetoxici (B.) III. 1031.
viperini (B.) III. 1094.
xiridis (B.) III. 536.
zedoariae luteae (B.) III. 501.
zerumbet (B.) III. 500.
- Radkauichen** (B.) III. 799.
gemeine (B.) III. 799.
- Rafano della China** (B.) III. 1389.
- Raff** (Z.) VI. 168.
- Rafflesia** (B.) III. 801.
arnoldi (B.) III. 802.
patma (B.) III. 801.
- Rafflesien** (B.) III. 800, 801.
Liter. der (B.) III. 1132.
- Rafinesque - Schmaltz,**
Caratteri di novi animali
 (Z.) VI. 406.
Medical Flora of the United States (B.) III. 2131.
Pamphysis sicula (B.) III. 2124.
Roses of North-America (B.) III. 2134.
- Rafinesque - Schmaltz,**
Tavole 120 del Panphyton siculum di Cupani (B.) III. 2124.
- Raf-Bo** (Z.) VII. 1586.
- Rafu, Pflanzen: Phytologie**
 (B.) II. 259.
- Ragen** (B.) III. 472.
Alpenflügel: (B.) III. 478.
Bock: (B.) III. 476.
Flügel: (B.) III. 477.
Gold: (B.) III. 475.
Sporn: (B.) III. 472.
Zungen: (B.) III. 479.
- Ragno** (Z.) VI. 80.
- Raguabil** (Z.) VII. 1260.
- Rahnen** (B.) III. 241.
Ausschlages: (B.) III. 246.
Gefrös: (B.) III. 243.
Hast: (B.) III. 242.
Kern: (B.) III. 246.
Raats: (B.) III. 241.
Scheiben: (B.) III. 244.
Schrift: (B.) III. 243.
Spund: (B.) III. 245.
Staub: (B.) III. 241.
Strich: (B.) III. 246.
Strahl: (B.) III. 242.
Warzen: (B.) III. 245.
Wasser: (B.) III. 246.
Zeichen: (B.) III. 243.
- Rahm** (M., D. M. S.) I. S. XVII.
- Rahmöpfel** (B.) III. 1260.
Rahmöpfel (B.) III. 1259.
- Rahmen** (B.) III. 1462.
- Raie** (Z.) VI. 39.
- Raife liefernde Forstpflanzen**
 (B.) II. 356.
- Raifort** (B.) III. 1389.
- Raii** (Z.) VI. 329.
- Raii, Synopsis meth. piscium**
 (Z.) VI. 405.
- Rail** (Z.) VII. 563.
- Raina** (Z.) VII. 326.
- Rain-bird** (Z.) VII. 87.
- Rainfarren** (B.) III. 765.
gemeiner (B.) III. 765.
- Rainfarrenblattfaser** (Z.) V. 1666.
- Rainfoht** (B.) III. 721.
ephorer (B.) III. 721.
gemeiner (B.) III. 721.
warziger (B.) III. 722.
- Rainfohte** (B.) III. 721.

- Rainweiden (B.) III. 1119.
gemeine (B.) III. 1119.
- Rainweidenschwärmer (Z.) V. 1054, 1383.
- Raisiner = Coccoloba (B.) III. 1486.
de coude (B.) III. 1487.
- Raisins de mer (B.) III. 355.
- Raisins (B.) III. 1870.
- Raiz de Tihu (B.) III. 1595.
- Raja (Z.) VI. 39.
aquila (Z.) VI. 48.
batis (Z.) VI. 44.
cephaloptera (Z.) VI. 40.
clavata (Z.) VI. 45.
cornuta (Z.) VI. 49.
manaria (Z.) VI. 50.
massena (Z.) VI. 51.
mobular (Z.) VI. 51.
pastinaca (Z.) VI. 46.
rsinobatos (Z.) VI. 46.
rubus (Z.) VI. 45.
scplien (Z.) VI. 48.
Squatino- (Z.) VI. 46.
torpedo (Z.) VI. 40 43.
- narke (Z.) VI. 43.
- ocellata (Z.) VI. 43.
- Rajus, Historia Insectorum (Z.) V. 1823.
Historia plantarum gen. (B.) II. 270, 279. — III. 1448, 2117.
Methodus plantarum (B.) III. 2117.
Synopsis meth. avium (Z.) VII. 669.
Synopsis meth. Stirp. brit. aucta Ed. Dillenio (B.) III. 2117.
Synopsis Quadrupedum (Z.) VII. 1859.
- Rak (B.) III. 1121.
- Raka (Z.) VII. 348.
- Ral = Shorea robusta (B.) III. 1422.
- Rale (Z.) VII. 563.
d'eau (Z.) VII. 563.
de genés (Z.) VII. 564.
- Ralle (Z.) VII. 563.
Wasser- (Z.) VII. 563.
- Rallen (Z.) VII. 563.
- Rallus (Z.) VII. 563.
aquaticus (Z.) VII. 563.
- Rallus crex (Z.) VII. 564.
porzana (Z.) VII. 565.
pusillus (Z.) VII. 565.
- Ramalina (B.) III. 258.
calycaris (B.) III. 258.
farinacea (B.) III. 258.
fastigiata (B.) III. 258.
fraxinea (B.) III. 258.
- Rambave (Z.) VII. 908.
- Rambour (B.) III. 2084.
- Ramboutan (B.) III. 1343.
- Ramburger (Nepfel) (B.) III. 2084.
- Ramdehr, Abbildung zur Anatomie der Insecten (Z.) V. 1825.
Micrographische Beiträge (Z.) V. 708.
Verdauungswerkzeuge der Insecten (Z.) V. 1825.
Zergliederung der Spinnweben (Z.) V. 1050.
- Ramerino = Rosmarinus (B.) III. 1072.
- Rametul (B.) III. 888.
- Rami (B.) II. 27.
- Ramier (Z.) VII. 302.
petit (Z.) VII. 301.
- Ramitura = Hibiscus longifolius (B.) III. 1217.
- Ramolaccio (B.) III. 1389.
- Ramon de la Sagra, Anales de Ciencias etc. (B.) II. 263. — III. 2133.
- Ramontchi (B.) III. 1382.
- Rampen (B.) III. 1400, 1455.
- Rampostan (B.) III. 1314, 1343.
- Ramphastos (Z.) VII. 373.
aracari (Z.) VII. 376.
dicolorus (Z.) VII. 375.
momota (Z.) VII. 372.
pectoralis (Z.) VII. 375.
toco (Z.) VII. 375.
- Ramsel (B.) III. 1292.
bittere (B.) III. 1292.
buschartige (B.) III. 1293.
gemeine (B.) III. 1292.
herbe (B.) III. 1293.
mörtelartige (B.) III. 1293.
- Ramseln (B.) III. 1291, 1292, 1643.
Herz- (B.) III. 1293.
Doh- (B.) III. 1295.
Nuh- (B.) III. 1294.
Seifen- (B.) III. 1294.
- Ran-Till (B.) III. 751.
- Rana (B.) III. 2039.
- Rana (Z., F.) VI. 75.
piscatrix (Z.) VI. 76.
- Rana (Z., Y.) VI. 472.
cornuta (Z.) VI. 478.
dorsata (Z.) VI. 478.
dorsigera (Z.) VI. 491.
esculenta (Z.) VI. 473.
mugiens (Z.) VI. 478.
paradoxa (Z.) VI. 477.
rubeia (Z.) VI. 485.
temporaria (Z.) VII. 475.
- Ranatra (Z.) V. 1627.
linearis (Z.) V. 1627.
- Randia (B.) III. 881.
dametorum (B.) III. 881.
- Randpunkt (Z.) V. 1391.
- Randschwanz (Z.) VI. 641.
gemeiner (Z.) VI. 642.
- Ranella (Z.) V. 488.
laevigata (R.) I. 650.
- Rang, Manuel de Mollusques (Z.) V. 538.
- Rangäpfel (B.) III. 814.
apfelsörmiger (B.) III. 815.
blauer (B.) III. 817.
buschförmiger (B.) III. 816.
fleischfarbiger (B.) III. 817.
gejähnter (B.) III. 815.
lorbeerblättriger (B.) III. 816.
stintender (B.) III. 816.
vierzähliger (B.) III. 815.
- Rangäpfel (B.) III. 814.
- Ränge (B.) III. 1080.
- Rangifer (Z.) VII. 1299.
- Ranglier (Z.) VII. 1298.
- Rangree (B.) III. 487.
- Ranina (Z.) V. 647.
dorsipes (Z.) V. 647.
raniformis (Z.) V. 647.
scabra (Z.) V. 647.
- Ranke (B.) II. 37.
- Rankenampfer (B.) III. 1478.
gemeiner (B.) III. 1478.
- Rankenbarab (Z.) VI. 259.
gesteckter (Z.) VI. 259.
- Rankenmoder (B.) III. 68.
bunter (B.) III. 68.
- Rankennippeln (B.) III. 91.
gemeine (B.) III. 92.
- Rankenwurm (Z.) V. 571.
- Ranunculaceen (B.) III. 704, 707, 1141, 1143.

- Ranunculaceen, Litter. der (B.) III. 1440.
- Ranunculoiden (B.) III. 1143.
- Ranunculus (B.) III. 1144.
- acris (B.) III. 1147.
- albus (B.) III. 1150.
- aquaticus (B.) III. 1147.
- arvensis (B.) III. 1147.
- asiaticus (B.) III. 1146.
- auricomus (B.) III. 1145.
- bulbosus (B.) III. 1146.
- dulcis (B.) III. 1147.
- ficaria (B.) III. 1145.
- flammeus major (B.) III. 1145.
- flammula (B.) III. 1144.
- fluitans (B.) III. 1148.
- heterophyllus (B.) III. 1148.
- lingua (B.) III. 1144.
- palustris (B.) III. 1146.
- pratensis (B.) III. 1147.
- repens (B.) III. 1147.
- sceleratus (B.) III. 1146.
- scutatus (B.) III. 1145.
- thora (B.) III. 1145.
- Ranunkeln (B.) III. 24, 704, 706, 707, 1139, 1140, 1141, 1143, 1144.
- Ranzani, Elementa di Zoologia (Z.) VII. 669.
- Rapa (B.) III. 1405.
- Rapaccione (B.) III. 1405.
- Rapaotonda (B.) III. 1406.
- Rapsen (Z.) VI. 310.
- Raphania (B.) III. 50.
- Raphanistrum (B.) III. 1389.
- Rapbanus (B.) III. 1388.
- raphanistrum (B.) III. 1389.
- sativus (B.) III. 1389.
- albus (B.) III. 1389.
- niger (B.) III. 1389.
- radícula (B.) III. 1389.
- Raphia (B.) III. 680, 654.
- Raphidia (Z.) V. 1457.
- ophiopsis (Z.) V. 1457.
- Raphides (Z.) VI. 392.
- Raphis (Z.) VI. 392.
- Rapibule (B.) III. 1406.
- Rapilli (M.) I. 779, 783, 788.
- Rapin, R., Hortorum Libri IV. (B.) III. 2132.
- Raponica (B.) III. 1876.
- Rapp, Ueber die Polypen (Z.) V. 182.
- Rappen (Z.) VI. 309, 310.
- Räps (B.) III. 1405.
- Sommer (B.) III. 1405.
- Winter (B.) III. 1405.
- Räpsfäfer (Z.) V. 1768.
- Räpsföt (B.) II. 127. — III. 1405.
- Räpsweißling (Z.) V. 1399.
- Raptatores = Raubvögel (Z.) VII. 89, 110.
- Rapunculus (B.) III. 796.
- Rapuntium (B.) III. 791.
- Rapunzel (B.) III. 795, 797.
- gemeine (B.) III. 795.
- rundblüthe (B.) III. 796.
- Rapunzeln (B.) III. 795.
- Raquette (B.) III. 1909.
- Ra ra (Z.) VII. 253.
- Raraf (B.) III. 1339.
- Rascasse (Z.) VI. 181.
- Raschat (Z.) VI. 330.
- Rasenameisen (Z.) V. 906, 921, 929.
- Raseneisenstein (M.) I. 362, 523.
- Rasentraupe (Z.) V. 1119, 1347.
- Rasensäge (B.) III. 427.
- Rasentorri (M.) I. 535.
- Rasoir (Z.) VI. 219.
- Rasores (Z.) VII. 561.
- Raspa (Z.) V. 383.
- Raspail, Nouveau Système de Physiol. végétale (B.) II. 260.
- Rasp-boom (B.) III. 1302.
- Raspelhäring (Z.) VI. 386.
- riesenhäcker (Z.) VI. 386.
- Raspelmuschel (Z.) V. 382.
- gemeine (Z.) V. 382.
- Raspelpatteln (B.) III. 1301.
- gemeine (B.) III. 1301.
- Raspelstrauch (B.) III. 1248.
- gemeiner (B.) III. 1248.
- Raspelsträucher (B.) III. 1248.
- Raspen (B.) III. 252.
- Barts (B.) III. 257.
- Brods (B.) III. 259.
- Corallen (B.) III. 253.
- Fadens (B.) III. 258.
- Färbers (B.) III. 254.
- Gallerts (B.) III. 252.
- Hoens (B.) III. 257.
- Lunds (B.) III. 257.
- Kalks (B.) III. 253.
- Krugs (B.) III. 253.
- Raspen, Lungen (B.) III. 256.
- Röhrens (B.) III. 258.
- Rauers (B.) III. 254.
- Schlebens (B.) III. 259.
- Schüffel (B.) III. 254.
- Sterns (B.) III. 255.
- Strauhs (B.) III. 258.
- Wachholders (B.) III. 255.
- Walds (B.) III. 256.
- Wands (B.) III. 254, 255.
- Zweigs (B.) III. 258.
- Rasp-hout (B.) III. 1723.
- Rassa mala (B.) III. 1540.
- Rasler (Z.) VII. 500.
- Räffling (B.) III. 148, 156.
- Rat (Z.) VI. 79.
- Rat (Z.) VII. 719.
- Rat de bois (Z.) VII. 922, 926.
- d'eau (Z.) VII. 723.
- épineux (Z.) VII. 730.
- de montaignes (Z.) VII. 789.
- musqué (Z.) VII. 721, 731.
- poussed (Z.) VII. 710.
- Sand (Z.) VII. 710.
- de Surinam (Z.) VII. 908.
- Ratania (B.) III. 2051.
- Ratanhia (B.) III. 1295.
- antillarum (B.) III. 1295.
- Rataria (Z.) V. 205.
- cordata (Z.) V. 206.
- Rathke, De Libellularum partibus genitalibus (Z.) V. 1498.
- De Salamandarum corporibus adipsis (Z.) VI. 690.
- Entwicklung des Krebses (Z.) V. 708.
- Unterriech, über den Riemens apparatus (Z.) VI. 407.
- Rathsherr (Z.) VII. 401.
- Ratoffit (M.) I. 253.
- Raton (Z.) VII. 1687.
- Rätscheute (Z.) VII. 464, 471.
- Ratte, Ratten (Z.) VII. 719.
- alexandrinische (Z.) VII. 721.
- Beutels (Z.) VII. 920.
- Bisam (Z.) VII. 721, 731.
- Borstens (Z.) VII. 721.
- Buschs (Z.) VII. 926.
- Grunds (Z.) VII. 784.
- Haus (Z.) VII. 719.

Katze, Ratten, Känguruh:
 (3.) VII. 896.
 Kletters (3.) VII. 755.
 Perchats (3.) VII. 720.
 Pharaons (3.) VII. 1530.
 Pistori (3.) VII. 721.
 Sand: (3.) VII. 713.
 Stachel: (3.) VII. 729.
 Sumpfs (3.) VII. 734.
 Taschen: (3.) VII. 710.
 Wald: (3.) VII. 922.
 Wanders (3.) VII. 729.
 Wassers (3.) VII. 723.
 wilde (3.) VII. 723.
 Ratte penade (3.) VII. 978.
 Rattel (3.) VII. 1516.
 Ratten-Hawen (B.) III. 1671.
 Rattenholz (B.) III. 874.
 Rattenhüte (B.) III. 1670.
 laubreiche (B.) III. 1670.
 prächtige (B.) III. 1671.
 Rattenhülsen (B.) III. 1670.
 Rattenfüßig (3.) VII. 719.
 Rattenichwanzmaden (3.) V.
 806.
 Rattenschwanzlarven (3.) V.
 808.
 Rattentod (B.) III. 878.
 Rattenjetten (B.) III. 851.
 Ratti: L. G., Flora gallo-
 provincialis (B.) III.
 2125.
 Rattle-Snake (3.) VI. 571.
 bandede (3.) VI. 571.
 Rattus (3.) VII. 719.
 Raß (3.) VII. 1501.
 Beutel: (3.) VII. 903.
 Schlaf: (3.) VII. 765.
 Ratzeburg, De Pelorin
 (B.) II. 284.
 Rau, A., Enumeratio Rosa-
 rum (B.) III. 2110.
 Fische um Mainz (3.) VI.
 406.
 Raubfische (3.) VI. 21.
 Raubkäfer (3.) V. 1706, 1707,
 1711, 1715.
 bandierter (3.) V. 1716.
 Blätter: (3.) V. 1713.
 Blumen: (3.) V. 1713.
 Dorn: (3.) V. 1714.
 eigentliche (3.) V. 1711.
 Fleisch: (3.) V. 1714.
 gemeiner (3.) V. 1715.
 kleine (3.) V. 1710.
 Universal-Register.

Raubkäfer, Koth: (3.) V. 1713.
 mausgrauer (3.) V. 1715.
 Mist: (3.) V. 1713.
 Pitz: (3.) V. 1714.
 raucher (3.) V. 1716.
 rothflügeliger (3.) V. 1715.
 Saft: (3.) V. 1508.
 schlanker (3.) V. 1515.
 schwarzer (3.) V. 1516.
 Ufers (3.) V. 1514.
 Raubmäuse (3.) VII. 931.
 Raubmöve (3.) VII. 397.
 gemeine (3.) VII. 397.
 Raubmücken (3.) V. 773.
 Raubvögel (3.) VII. 18, 89,
 110.
 Nach: (3.) VII. 111.
 Tag: (3.) VII. 127.
 Rauchfuß (3.) VII. 138.
 Rauchhuhn (3.) VII. 607.
 Rauchsichwalbe (3.) VII. 93.
 Rauchtropas (M.) I. 137.
 Rauchsacke (M.) I. 732.
 Raufe (3.) VI. 306.
 Raubblättrige (B.) III. 24,
 1009.
 Raubhegel (3.) VI. 263.
 Raubfalk (M.) I. 733, 734.
 Raubtöpfe (3.) VI. 240.
 Raubotter (3.) VI. 567.
 ägyptische (3.) VI. 567.
 Raubstein (M.) I. 732.
 Raubwacke (M.) I. 243.
 Raufe (B.) III. 1403.
 Raumbfack (3.) V. 1114, 1361.
 Raup, Raupen (3.) IV. 469. —
 V. 714, 1053.
 After: (3.) V. 814.
 Afterspann: (3.) V. 1305.
 Affel: (3.) V. 1058, 1109,
 1387.
 Auferziehung der (3.) V.
 1053.
 blattwickelnde (3.) V. 1244.
 Bau der (3.) V. 1054.
 Bären: (3.) V. 1358.
 behaarte (3.) V. 1058, 1341.
 kreisförmige (3.) V. 1293.
 Buckel: (3.) V. 1322.
 Büßten: (3.) V. 1059, 1119,
 1347.
 Büßeln: (3.) V. 1347,
 1370.
 Camel: (3.) V. 1323.
 chagrinierte (3.) V. 1057.

Raupe, Dorn: (3.) V. 1058,
 1104, 1386, 1387.
 dornige (3.) V. 1386.
 dornlose (3.) V. 1386.
 Dünnhaar: (3.) V. 1307.
 eckige (3.) V. 1098.
 Eichen: (3.) V. 1114, 1158.
 Erbs: (3.) V. 1291.
 Erbsen: (3.) V. 1296.
 Essenszeit der (3.) V. 1062.
 Flug der (3.) V. 1062.
 Farben der (3.) V. 1057,
 1098.
 Feinde der (3.) V. 1171.
 Fenchel: (3.) V. 1110.
 Fichten: (3.) V. 884, 1156,
 1344.
 Filz: (3.) V. 1345.
 Fischschwanz: (3.) V. 1344.
 flechtenartige (3.) V. 1163.
 Flecken: (3.) V. 1381.
 Franzen: (3.) V. 1315.
 futteralmachende (3.) V.
 1217.
 Gabel: (3.) V. 1055.
 gangmachende (3.) V. 1183.
 Ganzdorn: (3.) V. 1388.
 gemeine (3.) V. 1119.
 Gemüse: (3.) V. 1264, 1302.
 gefellige (3.) V. 1152.
 Gespinnte der (3.) V. 1113.
 Gestalt des Leibes der (3.)
 V. 1061.
 glatte (3.) V. 1386.
 Gras: (3.) V. 1293.
 Grassurzel: (3.) V. 1291.
 Haar: (3.) V. 1341.
 halbbehaarte (3.) V. 1339.
 Halsdorn: (3.) V. 1388,
 1414.
 halbnaekte (3.) V. 1163.
 Halspann: (3.) V. 1307.
 Halsband: (3.) V. 1344.
 Halsdorn: (3.) V. 1417.
 Hasen: (3.) V. 1133, 1351.
 Hasenohr: (3.) V. 1290.
 Hautfüße der (3.) V. 1063.
 Häutung der (3.) V. 1071.
 Hochstich: (3.) V. 1391.
 Holz: (3.) V. 1322.
 Hörner: (3.) V. 1413.
 Kiens: (3.) V. 1345.
 Kirschen: (3.) V. 1342.
 Knopf: (3.) V. 1353.
 Koth: (3.) V. 1098, 1292.

- Raupe, Raupen, Kopfstättig: (3.) V. 1296.
 Lebensart der (3.) V. 1061.
 Leinfrucht: (3.) V. 1290.
 Liter. der (3.) V. 1425.
 Livrees (3.) V. 1115, 1341.
 Lotch: (3.) V. 1295.
 Mangold: (3.) V. 1298.
 Mark: (3.) V. 1370.
 meerspferdenförmige (3.) V. 1320.
 Milchhaar: (3.) V. 1372.
 Minier: (3.) V. 1183.
 Nord: (3.) V. 1287.
 nackte (3.) V. 1057, 1325.
 nehmächende (3.) V. 1257.
 Nagen der (3.) V. 1169.
 Ohren: (3.) V. 1119, 1353.
 Peltz: (3.) V. 1345.
 Pünfel: (3.) V. 1350.
 Processions: (3.) V. 1159, 1344.
 Rasen: (3.) V. 1347.
 Riesel: (3.) V. 1290.
 Rinden: (3.) V. 1398.
 Ringel: (3.) V. 1115, 1117, 1121, 1157, 1341.
 Rüsler: (3.) V. 1103.
 Salat: (3.) V. 1289.
 Sammet: (3.) V. 1058.
 Schaden der (3.) V. 1169.
 schädliche (3.) V. 1169.
 Scharfborn: (3.) V. 1418.
 Scharren: (3.) V. 1290.
 Scheindorn: (3.) V. 1416.
 Scheinschwärmer: (3.) V. 1325.
 Scheinspann: (3.) V. 1338.
 Scheinspinner: (3.) V. 1312.
 Schild: (3.) V. 1387.
 Schlangens: (3.) V. 1300.
 Schmalstild: (3.) V. 1393.
 Schmalstrich: (3.) V. 1311.
 Schnecken: (3.) V. 1324.
 Schopf: (3.) V. 1350.
 Schrägstrich: (3.) V. 1298.
 Schwein: (3.) V. 1377.
 Seiden: (3.) V. 1115, 1326.
 Seitenstreif: (3.) V. 1299.
 sonderbare (3.) V. 1163.
 Spann: (3.) V. 1056, 1262.
 Spiegel: (3.) V. 1377.
 Spindel: (3.) V. 1306.
 Spinn: (3.) V. 1285.
 Spinnen der (3.) V. 1065.
- Raupe, Raupen, Spitz: (3.) V. 1318.
 Spitzkopf: (3.) V. 1373.
 Spring: (3.) V. 1259.
 Stab: (3.) V. 1267, 1273.
 Stern: (3.) V. 1362.
 Stock: (3.) V. 1273.
 Stumpfkopf: (3.) V. 1382.
 Theile der (3.) V. 1063.
 Tiger: (3.) V. 1288.
 Verpuppung der (3.) V. 1101.
 - Dauer der (3.) V. 1143.
 Verwandlung der verpupp-
 ten (3.) V. 1135.
 Wachs: (3.) V. 1214.
 Walzen: (3.) V. 1273.
 Wasser: (3.) V. 1239.
 Wein: (3.) V. 1351, 1379.
 Wellenstrich: (3.) V. 1310.
 Wiesen: (3.) V. 1295.
 Wolfsmilch: (3.) V. 1382.
 Wollkraut: (3.) V. 1288.
 Wurzel: (3.) V. 1320.
 Zapfen: (3.) V. 1313.
 Zickzack: (3.) V. 1165, 1362.
 Zinken: (3.) V. 1322.
 Zweispitz: (3.) V. 1411.
 Raupenfadenwurm (3.) V. 554.
 Raupenfeinde (3.) V. 1171.
 Raupenfresser (3.) VII. 221.
 Raupengras (3.) III. 393, 396.
 gemeines (3.) III. 396.
 Raupengräser (3.) III. 396.
 Raupenjäger (3.) V. 1346, 1723.
 großer (3.) V. 1723.
 kleiner (3.) V. 1723.
 Raupenmücke (3.) V. 786.
 große (3.) V. 786.
 kleine (3.) V. 786.
 Raupenschnäpper (3.) VII. 78.
 grauer (3.) VII. 78.
 Raupenthelle, einzelne (3.) V. 1063.
 Raupentöchter (3.) V. 895, 945.
 Feld: (3.) V. 946.
 Holz: (3.) V. 959.
 Maurer: (3.) V. 951.
 Rücken: (3.) V. 945.
 rother (3.) V. 947.
 Wand: (3.) V. 946.
 Rauschbeere (3.) III. 1730.
 gemeine (3.) III. 1730.
 Rauschbeeren (3.) III. 1730.
- Rauschgetz (R.) I. 449.
 Rauschglume (3.) III. 1380.
 gemeine (3.) III. 1380.
 blige (3.) III. 1381.
 Rauschglumen (3.) III. 1380.
 Rauschpfeffer (3.) III. 606.
 Rauschroß (R.) I. 450.
 Raute (3.) III. 1265.
 gemeine (3.) III. 1265.
 wilde (3.) III. 1265.
 Rauten (3.) III. 24, 704, 706, 707, 1139, 1140, 1261, 1262, 1264, 1265.
 Heiß: (3.) III. 1646.
 Wiesen: (3.) III. 1151.
 Rautencrocobill (3.) VI. 672.
 Rautendodecaëder (R.) I. 45.
 Rautengemise (3.) VII. 1398.
 Rautenmuskeln (3.) IV. 34.
 Rautenschlange (3.) VI. 548.
 gemeine (3.) VI. 548.
 Rautenspath (R.) I. 242.
 Raunwolf, L., Beschreibung
 der Reise in die Mor-
 genländer (3.) III. 2116.
 Flora orientalis ed. Gro-
 novius (3.) III. 2116.
 Raunwölfen (3.) III. 951, 954,
 1016, 1040.
 Ravanello (3.) III. 1389.
 Rave (3.) III. 1405.
 Raven (3.) VII. 351.
 Ravenala (3.) III. 516.
 Ravenelle (3.) III. 1399.
 Ravensara (3.) III. 1522.
 Raviolo (3.) III. 1389.
 Ravizzone (3.) III. 1405.
 Rawa-Pou (3.) III. 876.
 Rayador (3.) VII. 392.
 Rangras (3.) III. 386.
 Französisch: (3.) III. 416.
 Razorbill (3.) VII. 439.
 Razza (3.) VI. 39.
 Re, J., Flora torinense (3.)
 III. 2125.
 Reasgar (R.) I. 450.
 Reaumur, Art de faire
 eclore des oiseaux (3.)
 VII. 674.
 Mémoires sur les Insectes
 (3.) V. 830, 1050, 1425.
 Reaumuria (3.) III. 1979.
 vermiculata (3.) III. 1979.
 Reaumurien (3.) III. 1958,
 1978, 1979.

- Reaumurien, Litar. der (B.) III. 2108.
- Reben (B.) III. 707, 1451, 1785, 1788, 1857.
 Delfens (B.) III. 1859.
 Persiliens (B.) III. 1870.
 Schwamm (B.) III. 1861.
 Wald (B.) III. 1152.
 Wasser (B.) III. 1863.
 Wein (B.) III. 1867.
- Rebendelde (B.) III. 1827.
 herausführende (B.) III. 1828.
 gemeine (B.) III. 1827.
- Rebendolden (B.) III. 1827.
- Rebenreifen (B.) III. 1740.
 gemeine (B.) III. 1741.
- Rebenkäfer (B.) V. 1807.
 gemeiner (B.) V. 1808.
- Rebensimpeln (B.) III. 1735.
 gemeine (B.) III. 1735.
- Rebensüßer (B.) V. 1649.
- Rebenta Cavallos = Lobelia longiflora (B.) III. 791.
- Reccie di San Pietro (B.) V. 416.
- Receptaculum (B.) III. 712.
- Rechbeeren (B.) III. 1905.
 schwarze (B.) III. 1906.
 wilde (B.) III. 1906.
- Rectices (B.) VII. 6.
- Recurvirostra (B.) VII. 487.
 americana (B.) VII. 489.
 avocetta (B.) VII. 487.
- Red Charr (B.) VI. 352.
 — Deer (B.) VII. 1294.
- Re-dei-trigili (B.) VI. 274.
- Redern (B.) III. 1421.
- Rasfarn (B.) III. 1423.
 Campher (B.) III. 1422.
 Copal (B.) III. 1421.
- Red-fox (B.) VII. 1550.
- Redi, Animalcula viva (B.) V. 558.
 Osservazioni intorno alle vipere (B.) VI. 691.
 Opuscula varia physiologica (B.) V. 1826.
- Redif (B.) III. 1121.
- Redmann (B.) VI. 261.
- Red marl (B.) I. 728.
- Redoute, Les Roses (B.) III. 2110.
 Liliacées (B.) III. 699.
- Redpol (B.) VII. 256.
 lesser (B.) VII. 262.
- Red Sandstone, new (B.) I. 728.
 Old (B.) I. 747.
- Reduvius (B.) V. 1613.
 personatus (B.) V. 1613.
- Redwing (B.) VII. 59.
- Red-wood-tree = Soymida febrifuga (B.) III. 1304.
- Reedling (B.) VI. 263.
- Reed-bird (B.) VII. 312.
- Reem (B.) VII. 1220, 1395.
- Refectionsgonjometer (B.) I. 75.
- Regalecus (B.) VI. 141.
 glesne (B.) VI. 142.
 grillii (B.) VI. 142.
 remipes (B.) VI. 142.
 taenia (B.) VI. 142.
- Regen, bei Vulcanausbrüchen (B.) I. 784.
- Regenbogen (B.) V. 446.
- Regenbogenfisch (B.) VI. 221.
- Regenbogenhaut (B.) IV. 101.
- Regenbogenhautnerven (B.) IV. 194.
- Regenbremse (B.) V. 829.
- Regenfuß, Schnecken (B.) V. 538.
- Regentröte (B.) VI. 485.
- Regenpfeifer (B.) VII. 512.
 Brach (B.) VII. 514.
 geschäfter (B.) VII. 517.
 Gold (B.) VII. 515.
 Halsband (B.) VII. 512.
 hühnerartige (B.) VII. 519.
 nehsüßige (B.) VII. 512.
 schwimmvogelartige (B.) VII. 512.
 spißflügelige (B.) VII. 512.
 stumpflügelige (B.) VII. 517.
 stumpschwanzartige (B.) VII. 517.
 käseflüßige (B.) VII. 512.
 trappenartige (B.) VII. 520.
- Regenschnecke (B.) VII. 495.
- Regenvogel (B.) VII. 328.
- Regenvogel (B.) VII. 87.
- Regenwurm (B.) V. 568.
- Regina aurarum (B.) VII. 168.
- Regina prati (B.) III. 2026.
- Regionen der Berghöhen und Breitenzonen (B.) II. 305.
- Régliase (B.) III. 1636.
- Regulus (B.) VII. 28.
- Reh, Rehe (B.) VII. 1284.
 bisantierartige (B.) VII. 1284.
 camelartige (B.) VII. 1282.
 Gatinga (B.) VII. 1282.
 Ganges (B.) VII. 1287.
 gemeines (B.) VII. 1284.
 hirschartige (B.) VII. 1284.
 indisches (B.) VII. 1284.
 lamaartige (B.) VII. 1282.
 rothes (B.) VII. 1283.
 tatarisches (B.) VII. 1285.
 weißes (B.) VII. 1286.
- Rehbüde (B.) III. 1153.
- Rehgemse (B.) VII. 1363.
- Reich, Magazin des Pflanzenreichs (B.) III. 2132.
- Reichardt, Ch., Einleitung in den Garten- u. Ackerbau (B.) III. 2129.
 Land- und Gartenkch (B.) II. 384. — III. 2129.
- Reichel, De vas. plant. spiral. (B.) II. 269.
- Reichenbach, H., (B.) I. 457.
 Flora excursoria (B.) II. 283.
- Reichenbach, L., Conspectus regni vegetabilis per gradus naturales evoluti (B.) III. 2115.
 Die Prachtpflanzen des Landes (B.) III. 2121.
 Flora germanica excursoria (B.) III. 2123.
 Flora germ. exsiccata (B.) III. 699, 2133.
 Flora lipsiensis pharmaceut. (B.) III. 2131.
 Handbuch des natürlichen Pflanzensystems (B.) III. 837, 1130, 2115.
 Icones florae german. (B.) III. 2121.
 Iconographia botan. exot. (B.) III. 700, 2121.
 Magazin der äther. Botanik (B.) II. 384. — III. 2121.
 Monographia Generis Aconiti (B.) III. 1441.
 Uebersicht der Gatt. Acontium (B.) III. 1441.

- Reichenbach, v., Obstkräuter (B.) III. 2130.
 Reider, Blumisterei (B.) III. 324.
 Reif auf den Früchten (B.) II. 127.
 Reifung der Pflanzenfrüchte (B.) II. 239.
 der Pflanzensamen (B.) II. 243.
 Reihenkriemer (Z.) V. 571.
 Reihennusfeln (Z.) IV. 177.
 Reihenufcaue (M.) I. 796, 797.
 Reihler (Z.) VII. 525, 534.
 brauner (Z.) VII. 538.
 dickhäufige (Z.) VII. 538.
 eigentliche (Z.) VII. 534.
 gemeiner (Z.) VII. 534.
 Kronen- (Z.) VII. 553.
 Löffel- (Z.) VII. 555.
 Nacht- (Z.) VII. 539.
 Purpur- (Z.) VII. 536.
 Silber- (Z.) VII. 536.
 Reiherbaihe (Z.) VII. 535.
 Reihereute (Z.) VII. 447.
 americanische (Z.) VII. 448.
 Reihersfedern (Z.) VII. 536.
 Reihervogel (B.) III. 403.
 Reiherschnabel (B.) III. 1171.
 Schierlings- (B.) III. 1171.
 wohntrichender (B.) III. 1171.
 Reiherschnabel (B.) III. 1171.
 Reine-Claudes (B.) III. 2056.
 Reine Marguerite (B.) III. 774.
 Reis, Reissbier u., s. Reiss u.
 Reische (B.) III. 726.
 Baum- (B.) III. 131.
 But- (B.) III. 158.
 Brunnens- (B.) III. 128.
 Fischen- (B.) III. 142.
 Erd- (B.) III. 129.
 Falkens- (B.) III. 143.
 Fäls- (B.) III. 150.
 Faus- (B.) III. 134.
 Leber- (B.) III. 131.
 regelmäßige (B.) III. 151.
 Scheidens- (B.) III. 159.
 Schild- (B.) III. 163.
 Spalts- (B.) III. 142.
 Stachels- (B.) III. 129.
 Steins- (B.) III. 136.
 Striegel- (B.) III. 242.
 Wargens- (B.) III. 128.
 Reische, Finken (B.) III. 131.
 Reiser (B.) II. 222.
 Reiss (B.) II. 345. — III. 403.
 Berg- (B.) III. 404.
 gemeiner (B.) III. 403.
 Haber- (B.) III. 404.
 Kleber- und Stärkegehalt des II. 119.
 Reissbier (B.) III. 404.
 Reissbley (M.) I. 319.
 Reissgerste (B.) III. 388.
 Reissgöden (B.) III. 1880.
 Reissbrenner (Z.) V. 467.
 Reisslauben (Z.) VI. 307.
 Reissquecken (B.) III. 403.
 gemeines (B.) III. 403.
 Reisschlange (Z.) VI. 533.
 Reissperling (Z.) VII. 271.
 Reisshaar (Z.) VII. 312.
 Reissvogel (Z.) VII. 326.
 Reiter (Z.) V. 654.
 Reitmaus (Z.) VII. 724.
 Reitter und Abel, Abbild. der 100 deutschen Hölzarten (B.) II. 2129.
 Reizker (B.) III. 156.
 Birken- (B.) III. 157.
 Reizbarkeit (Z.) IV. 204.
 Reize (Z.) IV. 204.
 chemische (Z.) IV. 205.
 innere (Z.) IV. 205.
 mechanische (Z.) IV. 204.
 Nerven- (Z.) IV. 205.
 physische (Z.) IV. 205.
 Religiöse Pflanzen (B.) II. 378.
 christliche (B.) II. 381.
 indische (B.) II. 382.
 jüdische (B.) II. 378.
 nordische (B.) II. 382.
 Reliquiae henkeanae Plant. in America (B.) III. 2121.
 Reifen (B.) III. 877.
 Kreuz- (B.) III. 877.
 Obst- (B.) III. 878.
 Wirtel- (B.) III. 878.
 Reilmans (Z.) VII. 766.
 Remiges (Z.) VII. 6.
 Remigia (B.) III. 868.
 Remis (Z.) V. 301.
 Remitz (Z.) VII. 247.
 Remora (Z.) VI. 163.
 Remus (Z.) V. 1410.
 Renard (Z.) VII. 1550.
 noir (Z.) VII. 1550.
 Renard tricolor (Z.) VII. 1548.
 Renard, L., Poissons (Z.) VI. 404.
 Renegrida (Z.) V. 1544.
 Rénez (Z.) VII. 189.
 Reng (Z.) VII. 1014.
 Rengen (B.) III. 938.
 Lorbeer- (B.) III. 939.
 Det- (B.) III. 939.
 Pitz- (B.) III. 942.
 Reuggler, Physiolog. Untersuchungen über den Haushalt der Insecten (Z.) V. 1826.
 Säugethiere von Paraguay (Z.) VII. 1859.
 Renilla (Z.) V. 122.
 Renken (Z.) VI. 361.
 Rennthier (Z.) VII. 1298.
 Rennthiermoos (B.) III. 252.
 Reppvogel (Z.) VII. 521.
 coromandelischer (Z.) VII. 522.
 gemeiner (Z.) VII. 522.
 Reppvogel (Z.) VII. 521.
 Renoncule (B.) III. 1144.
 Repphuhn (Z.) V. 475.
 Repphuhn, Repphühner (Z.) VII. 582.
 arabisches (Z.) VII. 586.
 großes (Z.) VII. 577.
 kleines (Z.) VII. 65, 576.
 Repphuhnbaum (Z.) III. 925.
 gemeiner (B.) III. 925.
 Repphuhnabäume (B.) III. 925.
 Reproduction (B.) II. 226. — (Z.) IV. 296.
 einzelne (Z.) IV. 296.
 ganze (Z.) IV. 296.
 Reproductionsoorgane (Z.) IV. 80, 103, 297, 442.
 Bedeutung der (Z.) IV. 196.
 Entwicklung der (Z.) IV. 147.
 Gefäßorgan der (Z.) IV. 161.
 Reproductionsystem (Z.) IV. 21, 262, 303.
 Nerven des (Z.) IV. 188.
 Reptilienbreccie (M.) I. 714.
 Requin (Z.) VI. 51.
 Reichen (B.) III. 1288.
 Reits- (B.) III. 1289.
 Strauchs- (B.) III. 1289.
 Reseda (B.) III. 1372.
 lutea (B.) III. 1373.

- Reseda luteola* (B.) III. 1373.
odorata (B.) III. 1373.
Resedaceae (B.) III. 1364, 1372.
Liter. der (B.) III. 1474.
Reseda (B.) III. 1140, 1372.
Resina (B.) III. 347.
carthaginensis Monardi (B.) III. 1764.
tacamahaca (B.) III. 1761.
Resinaephalt (M.) I. 315.
Résine decoumier (B.) III. 1761.
Resinit (M.) I. 315.
Resta bovis (B.) III. 1641.
Reise, organische (M.) I. 573 ic.
S. Organische Reise u. Organische Ueberreste.
Resiliaceae (B.) III. 382, 434.
Restiaria alba (B.) III. 1201.
Restio (B.) III. 435.
tectorum (B.) III. 435.
Retem = Juniperus oxycedrus (B.) II. 381.
Retepora (Z.) V. 136.
cellulosa (Z.) V. 136.
lichenoides (Z.) V. 137.
Reitha (B.) III. 1279.
Reticularia (B.) III. 77.
flavo-fusca (B.) III. 78.
fuliginoides (B.) III. 77.
griseo-flava (B.) III. 78.
umbrina (B.) III. 77.
Retinaculum (B.) III. 467.
Retinaephalt (M.) I. 315.
Retinit (M.) I. 315.
Retrig (B.) III. 1388.
gemeiner (B.) III. 1389.
Meer- (B.) III. 1396.
schwarzer (B.) III. 1389.
weißer (B.) III. 1389.
wilder (B.) III. 1389.
Reitige (B.) III. 1346, 1384, 1388.
Retzius, A., Anatomia chondropterygiorum (Z.) VI. 407.
Flora virgiliana (B.) II. 386. — III. 2131.
Obs. botanicarum Fascic. VI. (Z.) III. 2121.
Retzius et Bruzelius, Asteriae cognitae (Z.) V. 598.
Reum, Pflanzen-Physiologie (B.) II. 265.
- Reum, Forstbotanik* (B.) II. 385. — III. 2129.
Reusenschnede (Z.) V. 471.
Reuß, Kenntnis der dem Matern u. Färbern nützlichen Pflanzen (B.) II. 385.
Mineralog (M.) I. 29.
Repertorium commentationum a societatis literariis editarum. Scientia naturalis (M.) I. 23. — (B.) II. 96. — (Z.) V. 1826.
Reuter, Der Boden u. die atmosphärische Luft ic. (B.) II. 278.
Reuturm (Z.) V. 1528.
Rex amaroris (B.) III. 1294.
cyprinorum (Z.) VI. 327.
halecum (Z.) VI. 141.
mullorum (Z.) VI. 273.
Reges gallinazos (Z.) VII. 168.
Rha (Z.) VI. 197.
Rhaad (Z.) VII. 640.
Rhabarber (B.) III. 1484. — (M., D. M. S.) I. S. XV.
ächte (B.) III. 1484.
dornige (B.) III. 1485.
englische (B.) III. 1485.
Feld- (B.) III. 1152.
französische (B.) III. 1485.
handförmige (B.) III. 1484.
herzförmige (B.) III. 1485.
Mönchs- (B.) III. 1482.
unächte (B.) III. 730.
weiße (B.) III. 1485.
wilde (B.) III. 1483.
Rhabarbarin (M., D. M. S.) I. S. XVII. — (B.) II. 126.
Rhabarbarum monachorum (B.) III. 1482.
pauperum (B.) III. 1152.
Rhabarbern (B.) III. 1484.
Rhabarberwurzel (B.) III. 1484.
Rhachis (B.) II. 34, 43.
Rhacoma (B.) III. 1737.
Rhacoessa (Z.) VII. 643.
Rhagadiolus (B.) III. 722.
Rhagio (Z.) V. 815.
Rhagium (Z.) V. 1697.
indagator (Z.) V. 1698.
- Rhagium inquisitor* (Z.) V. 1697.
Rhamnaceae (B.) III. 1728, 1740.
Rhamnen (B.) III. 705, 706, 707, 1451, 1611, 1616, 1728, 1729, 1740.
Liter. der (B.) III. 2104.
Rhamnus (B.) III. 1743, 1744, 1746.
alaternus (B.) III. 1745.
cathartica (B.) III. 1744.
frangula (B.) III. 1745.
infectorius (B.) III. 1745.
lotus (B.) III. 935, 1746.
Rhaponticum (B.) III. 729, 730, 735, 1485.
Rhätijir (M.) I. 198.
Rhea (Z.) VII. 646.
Rheede van Drakenstein, H. Hortus malabaricus (B.) III. 30, 700, 1443, 2117.
Rheinankaen (Z.) VI. 315, 339, 342.
Rheindorn (B.) III. 1498.
Rheinflejel (M.) I. 137, 598.
Rheinschwabe (Z.) VII. 95.
Rhenne (Z.) VII. 1298.
Rheon (B.) III. 1485.
Rhésus (Z.) VII. 1798, 1799.
Rheum (B.) III. 1484.
australe (B.) III. 1484.
emodi (B.) III. 1484.
palmatum (B.) III. 1484.
rhabarum (B.) III. 1484.
ribes (B.) III. 1485.
undulatum (B.) III. 1485.
Rhexia (B.) III. 1989, 1891.
virginica (B.) III. 1890.
Rhexien (B.) III. 1889.
Rhinanthen (B.) III. 951, 953, 990, 994.
Liter. der (B.) III. 1135.
Rhinanthus (B.) III. 997.
crista galli (B.) III. 998.
major (B.) III. 998.
Rhingia (Z.) V. 815.
rostrata (Z.) V. 815.
Rhinobatos (Z.) VI. 46.
Rhinoceros (Z.) VII. 378, 1187.
africanus (Z.) VII. 1204.
antiquitatis (M.) I. 632. — (Z.) VII. 1219.
indicus (Z.) VII. 1194.

- Rhinoceros javanicus* (Z.) VII. 1201.
Pallasii (M.) I. 650.
sumatranus (Z.) VII. 1202.
tichorhinus (Z.) VII. 1219.—
(M.) I. 632.
unicornis (Z.) VII. 1194.
Rhinocyllus (Z.) V. 1645.
antiodontalgicus (Z.) V. 1645.
Rhinolophus (Z.) VII. 968, 970.
insignis (Z.) VII. 972.
Rhinomys (Z.) VII. 952.
jaculus (Z.) VII. 952.
Rhinopirus (Z.) VI. 525.
Rhinopoma (Z.) VII. 973.
Rhinosimus (Z.) V. 1675.
roboris (Z.) V. 1675.
Rhipiatiiden (B.) III. 1908.
Rhipsalis (B.) III. 1908.
casuya (B.) III. 1908.
parasitica (B.) III. 1908.
pendula (B.) III. 1908.
Rhizanthæe (B.) III. 802.
Rhizina (B.) III. 117.
undulata (B.) III. 117.
Rhizoboten (Rhizobelen) (B.) III. 1323, 1263, 1320.
Liter. der (B.) III. 1445.
Rhizobolus (B.) III. 1324.
amygdaliferus (B.) III. 1325.
butyrosus (B.) III. 1324.
glaber (B.) III. 1325.
tomentosus (B.) III. 1324.
Rhizoctonia (B.) III. 106.
crocorum (B.) III. 106.
Rhizoma (B.) II. 27.
Rhizomorpha (B.) III. 74.
chordalis (B.) III. 74.
dichotoma (B.) III. 74.
fragilis (B.) III. 74.
fusca (B.) III. 74.
obstruens (B.) III. 74.
putealis (B.) III. 74.
subcorticalis (B.) III. 74.
subterranea (B.) III. 74.
Rhizophora (B.) III. 918.
candelaria (B.) III. 920.
cylindrica (B.) III. 921.
gymnorhiza (B.) III. 922.
mangle (B.) III. 599, 918.
Rhizophoren (B.) III. 917.
Liter. der (B.) III. 1133.
Rhizophysa (Z.) V. 196.
Rhizophysa filiformis (Z.) V. 196.
heliantha (Z.) V. 197.
rosacea (Z.) V. 197.
Rhizopogon (B.) III. 109.
Rhizostoma (Z.) V. 218.
octopus (Z.) V. 218.
Rhoa (B.) III. 2039.
Rhoas (B.) III. 418.
Rhocadin (B.) II. 130.
Rhodee, Beiträge zur Pflanzenkunde d. Vorwelt (B.) III. 2128.
Pflanzenkunde der Vorwelt (B.) II. 383.
Rhodia (B.) III. 1965.
Rhodicit (M., D. M. S.) I. S. XIII.
Rhodiola (B.) III. 1965.
rosea (B.) III. 1965.
Rhododion (M.) I. 114, 125.
Rhodochlaena (B.) III. 1180.
altivola (B.) III. 1180.
Rhododendern (B.) III. 902.
Rhododendren (B.) III. 839, 889, 902.
Rhododendron (B.) III. 1037.
Dioscoridis (B.) III. 1037.
Plinii (B.) III. 1037.
Rhododendrum (B.) III. 904.
arborescens (B.) III. 906.
chrysanthum (B.) III. 905.
ferrugineum (B.) III. 904.
hirsutum (B.) III. 905.
maximum (B.) III. 906.
ponticum (B.) III. 903, 905.
puniceum (B.) III. 906.
Rhodomela (B.) III. 223.
scorpioides (B.) III. 223.
subfusca (B.) III. 223.
Rhombendodecaeder (M.) I. 90.
Rhombenoctaeder (M.) I. 57.
Rhomböeder (M.) I. 51.
spitzige und stumpfe (M.) I. 51.
Rhombus (Z.) VI. 165, 166.
aculeatus (Z.) VI. 166.
laevis (Z.) VI. 165.
Rhopala (B.) III. 1508.
montana (B.) III. 1508.
Rhus (B.) III. 1768, 1772.
cacodendron (B.) III. 1278.
caustica (B.) III. 1772.
copalina (B.) III. 1770.
Rhus coriaria (B.) III. 1769.
coriariorum (B.) III. 1770.
cotinosa (B.) III. 1768.
metopium (B.) III. 1771.
opsoniorum (B.) III. 1770.
radicans (B.) III. 1769.
toxicodendron (B.) III. 1769.
typhinum (B.) III. 1770.
venenata (B.) III. 1771.
vernificer (B.) III. 1770.
vernix (B.) III. 1771.
Rhyafelith (M.) I. 492.
Rhynchaea (Z.) VII. 504.
Rhynchaether (B.) III. 1891.
grandiflora (B.) III. 1892.
Rhynchaenus (Z.) V. 1635, 1636, 1638.
alni (Z.) V. 1636.
assimilis (Z.) V. 1636.
druparum (Z.) V. 1640.
nucum (Z.) V. 1642.
pomorum (Z.) V. 1638.
querens (Z.) V. 1636.
scrophulariae (Z.) V. 1637.
segetis (Z.) V. 1636.
thapsus (Z.) V. 1636.
ulmi (Z.) V. 1636.
viminialis (Z.) V. 1636.
Rhynchites (Z.) V. 1649, 1654.
alliariae (Z.) V. 1658.
bacchus (Z.) V. 1655.
betulae (Z.) V. 1649.
betuleti (Z.) V. 1694, 1655.
conicus (Z.) V. 1658.
cupreus (Z.) V. 1656.
populi (Z.) V. 1649.
purpureus (Z.) V. 1656.
Rhynchopriion (Z.) V. 664.
Rhynchops (Z.) VII. 392.
nigra (Z.) VII. 392.
Rhynchospora (B.) III. 430.
Rhynchotus (Z.) VII. 577.
fasciatus (Z.) VII. 577.
Rhytiphloea (B.) III. 218.
tinctoria (B.) III. 218.
Rhytisma (B.) III. 93.
acerinum (B.) III. 93.
salicinum (B.) III. 93.
Riana (B.) III. 1576.
Ribes (B.) III. 1123, 1485, 1905.
alpinum (B.) III. 1906.
bianco (B.) III. 1906.
grossularia (B.) III. 1906.

- Ribes nigrum* (B.) III. 1906.
rubrum (B.) III. 1905.
 Ribgrass = *Plantago* (B.) III. 1471.
Riccia (B.) III. 264.
fluitans (B.) III. 265.
glauca (B.) III. 265.
natans (B.) III. 265.
Riccio (Z.) VII. 954.
 Rice-bird (Z.) VII. 312.
 Richard = Prachtkäfer (Z.) V. 1693.
 Richard, Ach., Botanique medic. (B.) III. 2131.
 Dictionnaire classique (B.) III. 1441.
 Éléments de Botanique (B.) III. 2102.
 Richard, L., Analyse du Fruit (B.) III. 1444, 2102.
 De Coniferis et Cycadeis (B.) II. 277. — III. 372.
 De Musaceis (B.) III. 699.
 Du Fruit, auch deutsch (B.) II. 277.
 Medicin. Botanik (B.) II. 385.
 Richardia (B.) III. 598, 846.
 Richardson et Swainson, Fauna boreali-americana (Z.) VII. 673, 1858.
 Richardsonia (B.) III. 846.
emetica (B.) III. 849.
pilosa (B.) III. 847.
scabra (B.) III. 846, 849.
 Richte (Z.) VI. 354.
 Richter, Zöthyologie; Theologie (Z.) VI. 406.
 Systema Linnaei (B.) III. 703, 2119.
 Richtung der Pflanzen (B.) II. 145.
Ricinula (Z.) V. 480.
Ricinus (B.) III. 1593.
africanus (B.) III. 1594.
albus domesticus (B.) III. 1594.
 — *sylvestris* (B.) III. 1594.
communis (B.) III. 1593, 1594.
lividus (B.) III. 1594.
major (B.) III. 1596.
Ricinus mappae (B.) III. 1580.
ruber (B.) III. 1595.
viridis (B.) III. 1594.
Ricinus (Z.) V. 662, 1430.
ovinus (Z.) V. 663.
reduvius (Z.) V. 663.
Ricinusöl (B.) II. 127. — III. 1593, 1594.
 Rife (Z.) VII. 1285.
 Ricordo d'amore = *Myosotis* (B.) III. 1090.
Ricottaria = *Iris pleudacorus* (B.) III. 535.
 Riddel, J., A Synopsis of the Flora of the western States (B.) III. 2135.
 Rideau (Z.) VII. 462.
 Ridinger, Das geschilderte Thierreich (Z.) VII. 1857.
 Entwurf einiger Thiere (Z.) VII. 1857.
 Riechbeine (Z.) IV. 29.
 Riechen (Z.) IV. 252.
 Riechhaut (Z.) IV. 95, 162.
 Riechnerve (Z.) IV. 96, 191.
 Riechnerven (Z.) IV. 58.
 Riechorgan (Z.) IV. 143, 276, 435.
 Riechstoffe (Z.) IV. 275.
 der Pflanzen (B.) II. 136.
 — — Ausdünstungen der (B.) II. 214.
 Riechtopf (Z.) VII. 1364.
 Riedel, die Eingüßel im Zimmer (Z.) VII. 673.
 Riedforen (Z.) VI. 306.
 Riedgräser (R.) I. 589. — (B.) III. 23, 380, 381, 383, 424.
 eigenrüthe (B.) III. 425.
 gemeine (B.) III. 425.
 Riedlea (B.) III. 1197.
corchorifolia (B.) III. 1197.
 Riegel (Z.) IV. 399.
 Riemann, Fischereywesen (Z.) VI. 407.
 Riementume (B.) III. 1846.
 gemeine (B.) III. 1846.
 Riementumen (B.) III. 1846.
 Riemensaß (Z.) V. 487, 488.
 Riemenslöder (B.) III. 233.
 gemeiner (B.) III. 233.
 Riemenswurm (Z.) V. 544.
 Riepen (Z.) VII. 577.
 Riefsche (B.) III. 439.
 Riefsche, Aft. (B.) III. 440.
 Dolden (B.) III. 439.
 Riefschraupen (Z.) V. 1290.
 Riefsenatzen (B.) III. 1508.
 gemeine (B.) III. 1508.
 Riefsenbarsch (Z.) VI. 258.
 Riefseneidechse (Z.) VI. 628.
 Riefsenfauthier = *Megatherium* (Z.) VII. 881.
 Riefsenfoben (B.) III. 801.
 gemeine (B.) III. 802.
 javanische (B.) III. 802.
 Riefsengemien (Z.) VII. 1386.
 gazellenartige (Z.) VII. 1388.
 gemsenartige (Z.) VII. 1390.
 plattförmige (B.) III. 1387.
 ziegenartige (Z.) VII. 1386.
 Riefsengürteltier (Z.) VII. 861.
 Riefenhay (Z.) VI. 55. ♂.
 Menschenhay.
 Riefenträger (Z.) V. 549.
 Riefenfröde (Z.) VI. 489.
 Riefenmuschel (Z.) V. 330.
 Riefenohr (Z.) V. 443.
 Riefenpollstadenwurm (Z.) V. 557.
 Riefenrochen (Z.) VI. 49.
 Riefenschildkröte (Z.) VI. 511.
 Riefenschlangen (Z.) VI. 527.
 der alten Welt (Z.) VI. 532.
 der neuen Welt (Z.) VI. 528.
 gemeine (Z.) VI. 528.
 geringelte (Z.) VI. 530.
 hieroglyphische (Z.) VI. 536.
 hundesköpfige (Z.) VI. 532.
 zweyköpfige (Z.) VI. 534, 535.
 Riefenschwalf (Z.) VII. 112.
 Riefensford (Z.) VII. 544.
 afrikanischer (Z.) VII. 545.
 ostindischer (Z.) VII. 545.
 senegalischer (Z.) VII. 547.
 Riefensföde (Z.) VII. 544.
 Riefensturnvogel (Z.) VII. 388.
 Riefentapir (Z.) VII. 1115, 1146.
 Riefenthier (Z.) VII. 1115.
 Riefentromfen (B.) III. 739.
 gemeine (B.) III. 739.
 baumartige (B.) III. 739.
 Riefentrüffel (B.) III. 106.
 cocconußartige (B.) III.

Riecentruffeln, indische (B.) III. 106.
 Riestling (B.) III. 1869.
 Rigogolo (Z.) VII. 68.
 Rimau Kumbang (Z.) VII. 1608.
 Rimmon = Punica granatum (B.) II. 381.
 Rimpeln (B.) III. 92.
 Rhorn: (B.) III. 92.
 Brocken: (B.) III. 93.
 Flaichen: (B.) III. 92.
 Gras: (B.) III. 93.
 Himbeer: (B.) III. 92.
 Kirschen: (B.) III. 93.
 Leber: (B.) III. 94.
 Linsen: (B.) III. 93.
 Muschel: (B.) III. 94.
 Ranken: (B.) III. 94.
 Spalt: (B.) III. 92.
 Zeller: (B.) III. 95.
 Weiden: (B.) III. 93.
 Rind, Rinder (Z.) VII. 1402.
 eigentliche (Z.) VII. 1402.
 Rinde der Pflanzen (B.) II. 20.
 — III. 14.
 innere (B.) II. 20.
 veste, der Lava (M.) I. 786.
 Rindenaderer (B.) III. 199.
 Rindenapfel (B.) III. 1958,
 1978.
 Rindenbasser (B.) III. 480.
 Rindenbeerer (B.) III. 1788,
 1844.
 Rindenblätter (B.) II. 36.
 Rindenblumenpflanzen (B.) III. 1346, 1364.
 Rindendroster (B.) III. 316.
 Rindenfarren (B.) III. 316.
 Rindengräser (B.) III. 401.
 Rindengröbspflanzen (B.) III. 1262, 1276.
 Rindenholzer (B.) III. 600.
 Rindenkäfer (Z.) V. 1783.
 brauner (Z.) V. 1784.
 Rindenlaubpflanzen (B.) III. 953, 990.
 Rindenlilien (B.) III. 464, 480.
 Rindentorschen (B.) III. 1578.
 gemeine (B.) III. 1578.
 Rindenwolle (B.) III. 199.
 Rindenmulltreffer (Z.) V. 1783.
 Rindenmuspflanzen (B.) III. 1453, 1470.

Rindenpalmen (B.) III. 582,
 600.
 Rindenpflanzen (B.) III. 17,
 23, 380, 381. S. Rinder.
 Rindenpitze (B.) III. 59.
 Rindenpflaumenpflanzen (B.) III. 1614, 1634.
 Rindenpöle (B.) III. 57.
 gelblicher (B.) III. 57.
 Rindenraupen (Z.) V. 1308.
 Rindencruder (B.) III. 401.
 Rindenfarnpflanzen (B.) III. 1141, 1180.
 Rindenschleifen (B.) III. 195.
 erbsenförmige (B.) III. 195.
 gemeine (B.) III. 196.
 pflaumenförmige (B.) III. 195.
 warzenförmige (B.) III. 195.
 Rindenstengel (B.) II. 27.
 Rindenstengelpflanzen (B.) III. 838, 857.
 Rindentruffeln (B.) III. 109.
 indische (B.) III. 109.
 Rindenwurzeln (B.) II. 25.
 Rindenwurzelpflanzen (B.) III. 710, 740.
 Rindenzeller (B.) III. 56.
 Rinder = Rindepflanzen (B.) III. 381.
 Ader: (B.) III. 392.
 Apfel: (B.) III. 453.
 Baß: (B.) III. 405.
 Beeren: (B.) III. 450.
 Blumen: (B.) III. 439.
 Blüten: (B.) III. 434.
 Dressel: (B.) III. 396.
 Frucht: (B.) III. 441.
 Gröps: (B.) III. 436.
 Holz: (B.) III. 410.
 Laub: (B.) III. 430.
 Mark: (B.) III. 385.
 Raß: (B.) III. 441.
 Pflaumen: (B.) III. 444.
 Rinden: (B.) III. 401.
 Samen: (B.) III. 434.
 Schaft: (Scheiden:) (B.) III. 401.
 Stamm: (B.) III. 424.
 Stengel: (B.) III. 428.
 Wurzel: (B.) III. 425.
 Zellen: (B.) III. 385.
 Rinder (Z.), f. Rind.
 Rindsäuge (B.) III. 779.
 Rindsaffel (Z.) V. 765.

Rindsbremse (Z.) V. 828.
 Ring (B.) II. 23, 86. — III. 44.
 des Holzes (B.) II. 23.
 Ringamiel (Z.) VII. 61.
 Ringblume (B.) III. 757.
 officinelle (B.) III. 758.
 spanische (B.) III. 757.
 Ringblumen (B.) III. 757.
 Ringel (Z.) V. 711.
 Ringelblume (B.) III. 771.
 Garten: (B.) III. 771.
 wilde (B.) III. 771.
 Ringelblumen (B.) III. 771.
 Ringelcorall (Z.) V. 116.
 Ringeldeckchen (Z.) VI. 583.
 Ringelgans (Z.) VII. 473.
 Ringelkatze (Z.) VI. 551.
 Ringelkraut (Z.) V. 1115, 1117,
 1148, 1311.
 Kraut: (Z.) V. 1342.
 Wiesen: (Z.) V. 1341.
 Ringelschleichen (Z.) VI. 584.
 Ringelschwärmer (Z.) V. 1370.
 Ringelspann (Z.) VII. 275.
 Ringeltaube (Z.) VII. 302.
 Ringelthiere (Z.) IV. 344, 352,
 578, 579, 580, 581. — V. 7, 539. — (B.) II. 5.
 Zahl der (Z.) V. 540.
 Ringelweib (Z.) VII. 139.
 Ringelfarren (B.) III. 308,
 315, 322.
 Ringfinger (Z.) IV. 26.
 Ringgefäße der Pflanzen (B.) II. 17.
 Ringhals-Kraai (Z.) VII. 353.
 Ringhals-Slang (Z.) VI. 563.
 Ringlerche (Z.) VII. 293.
 Ringmuskeln (Z.) IV. 46.
 Ringpitze (B.) III. 141.
 Ringpitze (B.) III. 160.
 Ringstinken (B.) III. 199.
 rothe (B.) III. 199.
 Ringstien (B.) III. 2022.
 gemeine (B.) III. 2022.
 Ringstorch (Z.) VII. 547.
 Ring-tail (Z.) VII. 139.
 Ringthaler (M.) I. 565.
 Ring-Drach (Z.) VII. 62.
 Ringvia (Z.) VII. 437.
 Ringzeche (Z.) V. 27.
 Rinkenfisch (Z.) VI. 143.
 Rinnenblume (B.) III. 1075.
 canadische (B.) III. 1076.

- Rinnenblume, gemeine (B.) III. 1076.
 Rinnenblumen (B.) III. 1075.
 Rinnenschnecken (B.) V. 448.
 Rinorea (B.) III. 1376.
 Rinzen (B.) III. 551.
 Röhren: (B.) III. 551.
 Rinsenbutter (B.) III. 557.
 Riotish (R., D. R. S.) I. S. XXI.
 Riosse = *Iris germanica* (B.) III. 537.
 Riparello = *Salicaria* (B.) III. 1882.
 Rippen (B.) IV. 23, 230.
 Bauch: (B.) IV. 24.
 Brust: (B.) IV. 23.
 ganze (B.) IV. 23.
 halbe (B.) IV. 24.
 Spais (B.) IV. 24.
 kurze (B.) IV. 24.
 Rippenader (B.) IV. 80.
 dicke (B.) IV. 80.
 rechte (B.) IV. 80.
 Rippenäpfel (B.) III. 2085.
 Rippenbewegung (B.) IV. 242.
 Rippenbifurkaden (B.) IV. 80.
 gemeinschaftliche (B.) IV. 80.
 linke (B.) IV. 80.
 rechte (B.) IV. 80.
 Rippenbregen (B.) III. 328.
 gemeine (B.) III. 328.
 Rippenfortsatz (B.) IV. 24.
 Rippenhalter (B.) IV. 36.
 Rippenheber (B.) IV. 35.
 kurze (B.) IV. 36.
 lange (B.) IV. 36.
 Rippenhinterstück (B.) IV. 24.
 Rippenköpfe (B.) IV. 24.
 Rippenknallen (B.) V. 207.
 Rippenquerfortsätze (B.) IV. 24.
 Rippenschlagadern (B.) IV. 75, 78.
 Rippenstößen (B.) III. 226.
 blutrotze (B.) III. 227.
 buchtige (B.) III. 227.
 geflügelte (B.) III. 227.
 rosenrotze (B.) III. 227.
 Schein- (B.) IV. 37.
 zerstückte (B.) III. 227.
 Rippenvorderstück (B.) IV. 24.
 Rikave (B.) III. 404.
 Riéca (B.) VII. 261.
 Riscolo = *Salsola* (B.) III. 1463.
 Riska (B.) VII. 161.
 Riso = *Oryza* (B.) III. 403.
 Rispe (B.) II. 45. — III. 383.
 Rispenähre (B.) II. 45.
 Rispengräser (B.) III. 381, 382, 401, 412.
 Rispenpfennigkraut (B.) III. 961.
 Rispentraube (B.) II. 45.
 Rispenzusen (B.) III. 528.
 gemeine (B.) III. 528.
 Rissa (B.) VII. 401.
 Risso. Hist. nat. de l'Europe mérid. (B.) VI. 406.
 Hist. nat. des Crustacés de Nice (B.) V. 707.
 Hist. nat. des Orangers (B.) II. 282. — III. 1445.
 Ichthyologie de Nice (B.) VI. 406.
 Productions de l'Europe méridionale (B.) III. 1445. — (B.) V. 707.
 Ritro (B.) III. 736.
 Ritter (B.) V. 1405.
 griechische (B.) V. 1405.
 trojanische (B.) V. 1409.
 Ritter (B.) VI. 354.
 Ritterfisch (B.) VI. 244.
 gemeiner (B.) VI. 244.
 Rittersporen (B.) III. 1160.
 Rittersporen (B.) III. 1160.
 Garten: (B.) III. 1160.
 gemeiner (B.) III. 1160.
 scharfer (B.) III. 1160.
 Ritterspornmorte (B.) V. 1287.
 Ritter und Abes, Abes. der 100 deutschen Soljaren (B.) III. 2101.
 Rispschnecke (B.) V. 415.
 gemeine (B.) V. 415.
 Rivinia (B.) III. 1477.
 laevis (B.) III. 1477.
 Rivinus, A. R. Introd. gen. in rem herbariam (B.) III. 2117.
 Ordo plantarum flore irreg. pentapetal. (B.) III. 2103.
 Rivularia (B.) III. 194.
 angulosa (B.) III. 195.
 atra (B.) III. 194.
 natans (B.) III. 195.
 Ro (B.) VI. 219.
 Roe (B.) VII. 1284.
 Roach (B.) VI. 305.
 Robah (B.) VII. 1775.
 Robai (B.) III. 2037.
 Robalo (B.) VI. 268.
 Robbe, Robben (B.) VII. 1435, 1448.
 Bären: (B.) VII. 1469.
 Bart: (B.) VII. 1454.
 Elephanten: (B.) VII. 1460.
 gemeine (B.) VII. 1449.
 grünländische (B.) VII. 1452.
 Löwen: (B.) VII. 1475.
 Mönchs: (B.) VII. 1455.
 Mügens: (B.) VII. 1459.
 mit Dyrmuscheln (B.) VII. 1469.
 ohne Dyrmuscheln (B.) VII. 1449.
 Ruffels: (B.) VII. 1460.
 Robbia = *Rubia* (B.) III. 844.
 Robertianum (B.) III. 1170.
 Robineau, Organisation des Crustacés (B.) V. 707.
 Robinia (B.) III. 1649, 1650.
 caragana (B.) III. 1650.
 frutescens (B.) III. 1649.
 hispida (B.) III. 1651.
 panococo (B.) III. 1687.
 pseudacacia (B.) III. 1650.
 umbraculifera (B.) III. 1650.
 viscosa (B.) III. 1650.
 Robur (B.) III. 1544.
 Rocanbole (B.) III. 556.
 Rocella (B.) III. 249.
 scopulorum (B.) III. 249.
 tinctoria (B.) III. 249, 1590.
 Roch (B.) VII. 168.
 Roche (B.) VI. 305.
 Rochea (B.) III. 1968.
 coccinea (B.) III. 1968.
 falcata (B.) III. 1968.
 Rochel, H., Pflanzenurrisse aus dem Banat (B.) III. 2121.
 — aus den Karpathen des Banats (B.) III. 2123.
 Pl. Banatus rar. (B.) III. 2123.
 Rochen (B.) VI. 39.
 Adler: (B.) VI. 48.

- Rochen, mit Augenflecken (Z.) VI. 43.
 Chogrin: (Z.) VI. 48.
 Dorn: (Z.) VI. 45.
 eigentliche (Z.) VI. 44.
 elektrische (Z.) VI. 40.
 Engel: (Z.) VI. 46.
 Blatt: (Z.) VI. 44.
 hayenartige (Z.) VI. 46.
 Horn: (Z.) VI. 49.
 Krampf: (Z.) VI. 39.
 marmorirter (Z.) VI. 43.
 Nagel: (Z.) VI. 45.
 prickenartige (Z.) VI. 39.
 Rieien: (Z.) VI. 49.
 Stech: (Z.) VI. 46.
 störrige (Z.) VI. 46.
 Zitter: (Z.) VI. 39.
 Rocher = Murex (Z.) V. 483.
 Roehler (Z.) VI. 54.
 Roehier (Z.) VII. 128.
 Rock-basins (M.) I. 584.
 Röckel (Z.) VI. 168.
 Röckfisch (Z.) VI. 267.
 Rocou (B.) III. 1380.
 Rodtau (Z.) VI. 305.
 Rodel (B.) III. 953, 994.
 Roder: (B.) III. 998.
 Glocken: (B.) III. 1000.
 Saffran: (B.) III. 997.
 Strauch: (B.) III. 1002.
 Trichter: (B.) III. 1000.
 Rodentia (Z.) VII. 702.
 Rodo (Z.) VI. 242.
 Roe (Z.) VII. 1284.
 Rogenstein (M.) I. 235, 513, 684, 723.
 Rogensteinbildung (M.) I. 608, 684.
 Rogenstein, Corallen: (M.) I. 692.
 Eisen: (M.) I. 701.
 grobkörniger (M.) I. 725.
 Haupt: (M.) I. 698.
 Roggen (B.) III. 882, 385, 391.
 gemeiner (B.) III. 391.
 Kleber: u. Stärkgehalt des (B.) II. 119.
 Rohde. Monogr. Cynchonae (B.) III. 1133.
 Röthling, Moosgeschichte Deutschlands (B.) III. 302.
 Rohr, Beschreib. der Bäume u. Sträucher in Deutschland (B.) III. 2129.
 Rohrammer (Z.) VII. 282.
 Rohdommet (Z.) VII. 541.
 kleine (Z.) VII. 539.
 Rohdommetu (Z.) VII. 538.
 Rohedrossel (Z.) VII. 47.
 Röhren (des Ohres) (Z.) IV. 95.
 Röhrenacht (M.) I. 145.
 Röhrenbein (Z.) VII. 1242.
 Röhrenblümchen (B.) III. 710, 712.
 Röhrenblumen (B.) II. 57. — III. 15, 24, 704, 706, 708.
 Röhrencorallinen (Z.) V. 73.
 Röhrenfäden (B.) III. 187.
 sonderbare (B.) III. 187.
 Röhrenfisch (Z.) VI. 97.
 Röhrenfünze (B.) III. 115.
 hüsfelförmige (B.) III. 115.
 Röhrenmanna (B.) III. 1115.
 Röhrenmuscheln (Z.) V. 270.
 Röhrenpilz = *Fistulina* (B.) III. 131.
 Röhrenpitze (B.) III. 46.
 Röhrenpotypen (Z.) V. 61.
 Röhrenquallen (Z.) V. 187.
 Röhrenschängel (Z.) V. 567.
 Röhrenstierchen (Z.) V. 48.
 gemeines (Z.) V. 48.
 Röhrenstrosch (Z.) VI. 473.
 Rohrgans (Z.) VII. 479.
 Rohrhenne (Z.) VII. 566.
 Rohrhuhn, Rohrhühner (Z.) VII. 563.
 gemeines (Z.) VII. 563.
 kleines (Z.) VII. 565.
 kleineres (Z.) VII. 565.
 Rohrhühnlein (Z.) VII. 563.
 Rohrfäser (Z.) V. 1674.
 goldgrüner (Z.) V. 1674.
 Rohrfaseln (B.) III. 579, 581, 586.
 dreiblättriger (B.) III. 586.
 Rohrkörbe (Z.) VI. 487.
 Röhrliesbirne (B.) III. 2086.
 Röhrling (Z.) VI. 454, 487.
 Rohrlänger (Z.) VII. 45.
 Rohr, spanisches (B.) III. 418.
 Rohrspertling (Z.) VII. 46.
 kleiner (Z.) VII. 46.
 Rohrstorax (B.) III. 930.
 Rohrvogel (Z.) VII. 45.
 gemeiner (Z.) VII. 46.
 großer (Z.) VII. 47.
 kleinster (Z.) VII. 45.
 zirpender (Z.) VII. 45.
 Rohrzucker (M., D. M. S.) I. S. XV. — (B.) II. 116, 140. — III. 407.
 Rohuna = *Soymida febrifuga* (B.) III. 1304.
 Rohzucker (B.) III. 409.
 Roi de Cailles (Z.) VII. 564.
 Roitelet (Z.) VII. 28.
 Rollaffen (Z.) VII. 1747.
 Rolleidechse (Z.) VI. 644.
 gemeine (Z.) VI. 646.
 molchförmige (Z.) VI. 652.
 Rolleidechsen (Z.) VI. 644.
 Rolleischröter (Z.) V. 1703.
 gemeiner (Z.) V. 1703.
 Roller (Z.) VII. 334.
 Rollier (Z.) VII. 334.
 Rollgerbe (B.) III. 388.
 Rollkraken (Z.) V. 515.
 Rollnerve (Z.) IV. 59.
 Rollnerven des Auges (Z.) IV. 58.
 Rollquecken (B.) III. 1620.
 gemeine (B.) III. 1620.
 Rollsamige (Pflanzen) (B.) III. 1791.
 Rollschnecken (Z.) V. 449.
 Rollschwerdel (B.) III. 533.
 gemeiner (B.) III. 533.
 Roloway (Z.) VII. 1800, 1810.
 Rösen (B.) III. 779.
 Baum: (B.) III. 781.
 Birnen: (B.) III. 780.
 Bitter: (B.) III. 779.
 Borsten: (B.) III. 789.
 Gemüß: (B.) III. 779.
 Milch: (B.) III. 780.
 Rombo (Z.) VI. 166.
 Römer, Genera Insectorum etc. (Z.) V. 1823.
 Römer, J. J. (M.) I. 635, 689, 693.
 Flora europaea inchoata (B.) III. 2120.
 Neues Magazin u. Archiv für die Botanik (B.) III. 2132.
 Scriptores de Plantis hispan. (B.) III. 2115.

- Römer et J. A. Schultes, Linnaei Systema Vegetabilium (B.) III. 2119.
- Römer u. Schinz, Säugthiere der Schweiz (Z.) VII. 1859.
- u. Usteri, Magazin für Botanik (B.) III. 2132.
- Ronabea (B.) III. 850.
emetica (B.) III. 850.
- Roncaso (Z.) VII. 588.
- Ronce (B.) III. 2017.
- Ronco (Z.) VI. 243.
- Rondanin (Z.) VI. 219.
- Rondellet. De piscibus mar. (Z.) V. 182. — VI. 403.
- Rondeletia (B.) III. 860, 883.
asiatica (B.) III. 881.
- Rondeletien (B.) III. 838, 857, 859.
- Rondelle (B.) III. 803.
- Rondier (B.) III. 695.
- Rondine (Z.) VI. 180, 385.
- Rondine (Z.) VII. 93.
- Rondola (Z.) VI. 383.
- Rondone (Z.) VII. 106.
- Rongeurs (Z.) VII. 702.
- Ronson (Z.) VI. 352.
- Roob (B.) III. 2090.
- Roob Ribes (B.) III. 1485.
- Roogenfäde (Z.) IV. 299.
- Roogner (Z.) IV. 297.
- Roognerorgane (Z.) IV. 297, 298, 445.
- Rook (Z.) VII. 348.
- Roos-Appel (B.) III. 1250.
- Roos-Gut-Haas (Z.) VII. 822.
- Roeper, De Organismis plantarum (B.) II. 275.
Enumeratio euphorbiarum (B.) II. 277. — III. 2103.
Inflorescentiarum natura (B.) II. 46.
- Roques, Hist. des Champignons comestibles et vénéneux (B.) III. 175.
- Roquet (Z.) VI. 606.
- Roquet (Z.) VII. 1564.
- Roquette (B.) III. 1403.
- Ror-Quof (Z.) VII. 1040, 1044.
- Rosa (B.) III. 2017.
alba (B.) III. 2021.
arvensis (B.) III. 2017.
- Rosa benedicta (B.) III. 1163.
bicolor (B.) III. 2018.
burgundica (B.) III. 2019.
calendarum (B.) III. 2019.
canina (B.) III. 2021.
centifolia (B.) III. 2019.
cinamomea (B.) III. 2018.
damascena (B.) III. 2019.
eglanteria (B.) III. 2018, 2021, 2022.
foetida (B.) III. 2018.
gallica (B.) III. 2019.
hierochontea (B.) III. 1387.
indica (B.) III. 2020.
lutea (B.) III. 2018.
majalis (B.) III. 2018.
de monte (B.) III. 1685.
moschata (B.) III. 2020.
muscosa (B.) III. 2019.
pimpinellifolia (B.) III. 2018.
provincialis (B.) III. 2019.
pumila (B.) III. 2019.
punicea (B.) III. 2018.
regia (B.) III. 1163.
repens (B.) III. 2017.
del Rio (B.) III. 1884.
rubiginosa (B.) III. 2021.
sempervlorens (B.) III. 2019.
sempervirens (B.) III. 2020.
sinensis (B.) III. 1217, 1218.
spinossissima (B.) III. 2018.
sulfurea (B.) III. 2018.
sylvestris (B.) III. 2017, 2021.
- Rosaceen (B.) III. 19, 25, 705, 706, 708, 1959, 2000.
Liter. der (B.) III. 2109.
- Rosago (B.) III. 1037.
- Rosarios (B.) III. 1927.
- Rosalia (Z.) VII. 1768.
- Roscoe. Scitamineae (B.) III. 699.
- Rose (B.) III. 2017, 2019.
Bgl. Rosen.
Baf. (B.) III. 1886.
Bafiam. (B.) III. 2018.
Baud. (B.) III. 2020.
Bisam. (B.) III. 2020.
Burghunder. (B.) III. 2019.
Cassanien. (B.) III. 1424.
Eist. (B.) III. 1377.
Eßig. (B.) III. 2019.
Feld. (B.) III. 2017.
- Rose, fleischfarbige (B.) III. 2019.
gelbe (B.) III. 2018.
gemeine (B.) III. 2019.
Gicht. (B.) III. 1163.
Hecken. (B.) III. 2021.
Hunds. (B.) III. 2021.
immergrüne (B.) III. 2020.
indische (B.) III. 2020.
Jericho. (B.) III. 1386.
Klatich. (B.) III. 1418.
May. (B.) III. 2018.
Nagort. (B.) III. 1112.
Monats. (B.) III. 2019.
Noods. (B.) III. 2019.
Rund. (B.) III. 1211.
Pflanzl. (B.) III. 2019.
Provinz. (B.) III. 2019.
Schwefel. (B.) III. 2018.
Stachel. (B.) III. 2018.
Stock. (B.) III. 1211.
Thee. (B.) III. 2021.
türkische (B.) III. 2018.
Wismorin. (B.) III. 2019.
Wein. (B.) III. 2018, 2021.
— kleine (B.) III. 2022.
weiße (B.) III. 2021.
Wetter. (B.) III. 1221.
Zimmet. (B.) III. 2019.
Zucker. (B.) III. 2020.
- Rose (B.) III. 2017.
changeante de Cayenne (B.) III. 1218.
du Japon (B.) III. 1996.
oeillet (B.) III. 2019.
tremière (B.) III. 1211.
- Rose, Gustav, Mineralogisch-geognostische Reise nach dem Ural etc. (M.) I. 823.
- Roséen (B.) III. 1959, 2000.
- Roset, Insectenbeschäftigung (Z.) V. 56, 181, 830, 1425.
Naturgesch. der Frösche (Z.) VI. 687.
- Roselet (Z.) VII. 1498.
- Roselit (M.) I. 250.
- Roselline di Seme (B.) III. 1146.
- Rosemary, wild (B.) III. 1591.
- Rosjen (B.) III. 705, 708, 1451, 1959, 2001, 2017. Bgl. Rvie.
Baf. (B.) III. 1886.
Cassanien. (B.) III. 1424.

Rosen, Eiste (B.) III. 1377.
 Sicht: (B.) III. 1163.
 Zericho (B.) III. 1386.
 Litr. der (B.) III. 2110.
 Roggori. (B.) III. 1112.
 Rosenpiel (B.) III. 1249, 2085.
 elliptischer (B.) III. 1250.
 prächtiger (B.) III. 1249.
 gezählter (B.) III. 1259.
 Strich: (B.) III. 2087.
 Rosenäpfel (B.) III. 1249.
 Rosenaster (B.) III. 772.
 steife (B.) III. 772.
 Rosenaster (B.) III. 772.
 Rosenbiene (Z.) V. 988.
 Rosenblattlaus (Z.) V. 1562,
 1568.
 Rosenblattweife (Z.) V. 888.
 Rosenbrand (B.) III. 51, 53.
 Rosencade (Z.) V. 1596.
 Rosendorn (B.) III. 2079.
 Rosenbrahen (B.) III. 216.
 baumförmige (B.) III. 216.
 gemeine (B.) III. 216.
 Rosenkroffel (Z.) VII. 67.
 Rosenreißer (B.) III. 1211.
 Rosenreißer (B.) III. 1892.
 gemeine (B.) III. 1892.
 Rosenessig (B.) III. 2019, 2020.
 Rosenblätter (B.) III. 325.
 glatte (B.) III. 325.
 Rosenfäule (B.) III. 1217.
 gemeine (B.) III. 1219.
 saure (B.) III. 1221.
 syrische (B.) III. 1218.
 Rosenfäden (B.) III. 1217.
 Rosengülden (B.) III. 1883.
 gemeine (B.) III. 1883.
 Rosenholz (B.) III. 1086, 1087,
 1279, 1642, 1644.
 americanisches (B.) III.
 1087.
 cyprisches (B.) III. 1087.
 Rosenhonig (B.) III. 2019.
 Rosenhüllen (B.) III. 1023.
 gemeine (B.) III. 1023.
 Rosenigel (Z.) V. 590.
 gemeiner (Z.) V. 590.
 Rosenit (M.) I. 348.
 Rosenrothen (B.) III. 265.
 gerüpfelte (B.) III. 266.
 glatte (B.) III. 266.
 Rosenrösche (B.) III. 260.
 Rosenringe (B.) III. 1066.
 füzige (B.) III. 1066.

Rosenringe, gemeine (B.) III.
 1066.
 Rosenröschen (B.) III. 1066.
 Rosenrothe (B.) III. 1036,
 1037.
 gemeiner (B.) III. 1036.
 wohlriechender (B.) III. 1037.
 Rosenrothen (B.) III. 1036.
 Rosenrösche (B.) III. 55.
 Rosenrösche (Z.) V. 1288.
 Rosenmund (Z.) V. 424.
 Rosenöl (B.) II. 113. — III.
 2019, 2020.
 Rosenpappel (B.) III. 1210.
 Rosenperlen (B.) III. 2019.
 Rosenquarz (M.) I. 140.
 Rosenrösche (B.) III. 2019.
 Rosenschube (B.) III. 1929.
 granatarartige (B.) III. 1929.
 prächtige (B.) III. 1930.
 schöne (B.) III. 1930.
 Rosenschublen (B.) III. 1929.
 Rosensprüche (B.) III. 1279.
 Rosenstock (Z.) VII. 1231.
 Rosenthäl, Zithyphelag, Za-
 feln (Z.) VI. 407.
 Versuche über die Wärme
 (B.) II. 264.
 Rosenwasser (B.) III. 2019.
 Rosenweide (B.) III. 1533.
 Rosenwurz (B.) III. 1965.
 gemeine (B.) III. 1965.
 Rosenwurz (B.) III. 1965.
 Roseret (Z.) VI. 369.
 Rosinen (B.) III. 1869.
 Rosmarin (B.) III. 1072.
 gemeiner (B.) III. 1072.
 wilder (B.) III. 907.
 Rosmarinapfel (B.) III. 2086,
 2087.
 Rosmarine (B.) III. 1072.
 Rosmarinheide (B.) III. 899.
 Rosmarinöl (M., D. R. S.)
 I. S. XVII. — (B.) II.
 113. — III. 1072.
 Rosmarinus (B.) III. 1072.
 officinalis (B.) III. 1072.
 sylvestris (B.) III. 907.
 Rosmarus (Z.) VII. 1436, 1439.
 Rosolaccio (B.) III. 1408.
 Rosß (Z.) VII. 1434.
 Rosfameye (Z.) V. 900.
 Roskammer (B.) III. 1483.
 Roskastanien (B.) III. 707,
 1139, 1263, 1320, 1322.

Roskastanien, americanische
 (B.) III. 1322.
 gemeine (B.) III. 4323.
 Roskastanienbohner (Z.) V.
 1192, 1322.
 Roskastanienmotte (Z.) V.
 1314.
 Roskastanienranne (Z.) V.
 1118.
 Rosse (Z.) VI. 304, 305.
 Rosse (Z.) VI. 1234.
 Rosßigel (Z.) V. 562.
 Rosßigel (B.) III. 1825, 1828.
 Rosßgras (B.) III. 416.
 weiches (B.) III. 417.
 wolliges (B.) III. 417.
 Rosßgräser (B.) III. 416.
 Rosßhuf (Z.) V. 334.
 Rossi, Fauna etrusca (Z.)
 V. 1824.
 Rößfig, Versuch über den
 Gartenmohn (B.) III.
 1448.
 Rößfig u. Waig, die Nel-
 ken und ihre Arten (B.)
 III. 1446.
 die Rosen nach der Natur
 gezeichnet (B.) III. 2110.
 Rossignol (Z.) VII. 35.
 Rosßföser (Z.) V. 1806.
 dreizackiger (Z.) V. 1807.
 gemeiner (Z.) V. 1806.
 Rosßfömmel (B.) III. 1806,
 1810, 1824.
 gemeiner (B.) III. 1824.
 Rosßmakrele (Z.) VI. 187.
 Rosßmünze (B.) III. 1055.
 Ros solis (B.) III. 1366.
 Rosomaka (Z.) VII. 1519.
 Rosß (B.) III. 52. — (Z.) IV.
 150.
 Gras (B.) III. 52.
 Roste (B.) III. 46, 47.
 Ader: (B.) III. 48.
 Drossel: (B.) III. 48.
 Zellen: (B.) III. 48.
 Roestelia (B.) III. 51.
 cancellata (B.) III. 52.
 Rostellaria (Z.) V. 491.
 Rostellum (B.) II. 86.
 Rosßhügel (Z.) V. 1362.
 Rostkovius et E.
 Schmidt, Flora sedi-
 nensis (B.) III. 2122.
 Rosßpüße (B.) III. 46.

- Rothweiß (Z.) VII. 139.
 Rota (Z.) VII. 999.
 Rotanbaum, f. Rottanbaum
 (B.) III. 1185.
 Rotang (B.) III. 644.
 Rotem = Reitem (B.) II. 381.
 Rotengle (Z.) VI. 306.
 Roth (M.) I. 96. — (D. M.
 S.) XVII., XVIII.
 Roth (Z.) VII. 354.
 Roth, A., Bemerk. über das
 Studium d. cryptogam.
 Wassergewächse (B.) III.
 2122.
 Beyträge zur Botanik (B.)
 II. 262. — III. 2122.
 Botan. Abhandl. u. Beob.
 (B.) III. 2122.
 Botan. Bemerk. (B.) II.
 282. — III. 2122.
 Catalecta botan. (B.) III.
 300, 2122.
 Magazin für Bot. (B.) II.
 262.
 Neue Beyträge zur Botanik
 (B.) III. 300.
 Novae Plantae Indiae orient.
 (B.) III. 2127.
 Studium der crypt. Wass.
 fergewächse (B.) III. 300.
 Tentamen Florae germanicae
 (B.) III. 2122.
 Rothauge (Z.) VI. 304, 305.
 Rothäugle (Z.) VI. 312.
 Rothbacken (B.) III. 2053.
 Rothbart (Z.) VI. 352, 379.
 Rothbeinlein (Z.) VII. 494.
 Rothbleyerz (M.) I. 380.
 Rothbraunsteinerz (M.) I. 364.
 Rothbräutchen (Z.) VII. 42.
 Rothbuche (B.) III. 1547.
 Rothdroffel (Z.) VII. 59.
 Rothe (Z.) VII. 1853.
 Röthe (Z.) V. 662.
 Rothschienmorte (Z.) V. 1317.
 Rothschnecker (M.) I. 330.
 Rothschneckenrahm (M.) I. 330.
 Rothschneckenstein (Stusstein) (M.)
 I. 329, 832.
 dichter (M.) I. 330.
 feinerer (M.) I. 329.
 Röthel (M.) I. 330.
 Röthete (Z.) VI. 352.
 Röthetein (Z.) VI. 352.
 Röthelgeher (Z.) VII. 129.
- Rothes Todtsiegendes (M.) I.
 735.
 Rothfeder (Z.) VI. 305.
 Rothfisch (Z.) VI. 182.
 Rothflect (Z.) V. 1082, 1128,
 1369.
 Rothforelle (Z.) VI. 352.
 Rothfören (Z.) VI. 354.
 Rothförne (Z.) VI. 354.
 Rothfuchs (Z.) VII. 1549.
 Kreuz (Z.) VII. 1550.
 Rothfuß (B.) III. 139.
 Rothgans (Z.) VII. 473.
 Rothgemse (Z.) VII. 1364.
 Rothgülden (M., D. M. S.)
 I. S. XXI.
 Rothgültigerz (M.) I. 444.
 Rothhals (Z.) VII. 450, 461.
 Rothhirsch (Z.) VII. 1289.
 Rothholz = Erythroxyllum
 (B.) III. 1326.
 Rothhuhn (Z.) VII. 584.
 Rothia (B.) III. 719.
 Röthig (B.) III. 1479.
 Rothkopf (B.) III. 137.
 Rothkupfererz (M.) I. 346.
 blätteriges (M.) I. 346.
 dichtes (M.) I. 347.
 haarförmiges (M.) I. 347.
 Röthlichweiß (M.) I. 96.
 Rothliegendes (M.) I. 735.
 Röthling (B.) III. 156.
 Röthling (Z.) VI. 256.
 Röthlinge (Z.) V. 1393.
 Rothmanganerz (M.) I. 364.
 Rothmannia (B.) III. 885.
 capensis (B.) III. 885.
 Rothmaul (Z.) VI. 243.
 Rothmoth (Z.) VII. 461.
 Rothmund (Z.) V. 479.
 Rothoffit (M.) I. 160.
 Rothringel (Z.) V. 1369.
 Rothschwanz (Z.) V. 1115, 1349.
 Rothschwanz (Z.) VII. 40.
 Garren (Z.) VII. 40.
 Haus (Z.) VII. 40.
 Rothspießglanzerz (M.) I. 440.
 gemeines (M.) I. 441.
 Rothstein (M.) I. 365.
 Rothranne (B.) III. 350.
 Rothwürmer (Z.) IV. 576. —
 V. 542, 558.
 Kahle (Z.) V. 559.
 Rothwürz (B.) III. 2011.
 gemeine (B.) III. 2011.
- Rothwürz, kriechende (B.) III.
 2011.
 Rothwürzen (B.) III. 2011.
 Rothwürzel (B.) III. 387, 1742.
 Rothwürterz (M.) I. 348.
 Rotiser (Z.) V. 41.
 albivestitus (Z.) V. 51.
 confervicula (Z.) V. 52.
 erucifer (Z.) V. 52.
 quadricircularis (Z.) V. 51.
 redivivus (Z.) V. 52.
 vulgaris (Z.) V. 41.
 Rottanbaum (B.) III. 1185.
 gezähnter (B.) III. 1185.
 Rottanbäume (B.) III. 1185.
 Rottang (B.) III. 423, 643.
 ächter (B.) III. 646.
 Blut (B.) III. 648.
 gemeiner (B.) III. 644.
 Peitichen (B.) III. 647.
 ruthenförmiger (B.) III. 647.
 weißer (B.) III. 645.
 Rottange (B.) II. 129. — III.
 643.
 Wurzel (B.) III. 649.
 Rottangstöcke (B.) III. 423, 645.
 Rott-Apples = Genipa americana
 (B.) III. 885.
 Rottboell, Descript. et
 icones graminum rar.
 (B.) III. 698.
 Descript. et ic. Plant. rar.
 (B.) III. 2127.
 Descript. Plant. surina-
 mensium (B.) III. 2128.
 Rottchen (Z.) VII. 433.
 Rotte (Z.) VI. 334.
 Rotteln (Z.) VI. 304.
 Rotten (Z.) VI. 304.
 Rottlera (B.) III. 1592.
 tinctoria (B.) III. 1593.
 Roth (M., D. M. S.) I.
 S. XV.
 Rothfotben (Z.) VI. 78.
 Roucel, Flore du Nord de
 la France (B.) III. 2125.
 Rouge-gorge (Z.) VII. 42.
 Rouge-queue (Z.) VII. 40.
 Rouget (Z.) V. 662.
 Rouget (Z.) VI. 178, 279.
 camard (Z.) VI. 179.
 Rougette (Z.) VII. 988.
 Rouhamon (B.) III. 1049.
 Roussette (Z.) VII. 985, 988.
 Rousseau (Z.) VI. 236.

- Rouffean, Botanik für
Frauenszimmer (B.) II.
94. — III. 2120.
- Rouffette (B.) III. 2079.
Sommer: (B.) III. 2079.
Winter: (B.) III. 2080.
- Rousselles (B.) III. 2079.
- Rousseline (B.) III. 2080.
- Rousseline (Z.) VII. 50.
- Rousserolle (Z.) VII. 47.
- Rousette (Z.) VI. 53, 54.
grande (Z.) VI. 53.
petite (Z.) VI. 54.
- Roux, P., Ornithol. proven-
çale (Z.) VII. 667.
- Rovejola = Convolvulus (B.)
III. 1082.
- Rovero = Quercus esculus
(B.) III. 1544.
- Rovo (B.) III. 2017.
- Rowden, A., Poetical In-
troduction to the Study
of Botany (B.) III. 2132.
- Roxburgh, W., Flora in-
dica (B.) III. 2127.
List of Plants in St. Helena
(B.) III. 2126.
Pflanzen von Coromandel
(B.) III. 30.
Plants of the Coast of Co-
romandel (B.) III. 700,
1448, 2127.
- Royen, A., Prodrum Florae
leydensis (B.) III.
2118.
V., Carmen de amoribus
et connubiis Plantarum
(B.) III. 2132.
- Royle, J., Illustrations of
the Botany of Himalaya
(B.) III. 2127.
- Royoc (B.) III. 872.
- Rubben (Z.) VII. 1084.
- Rübe (B.) III. 1405. S. Rüb-
ben.
Sicht: (B.) III. 820.
- Rubellit (M.) I. 165.
- Rüben (B.) III. 1405, 1406,
gelbe (B.) III. 1804.
Sicht: (B.) III. 820.
Süßel: (B.) III. 1406.
Kern: (B.) III. 1406.
Rohr: (B.) III. 1405.
lange (B.) III. 1406.
Raps: (B.) III. 1406.
- Rüben, Del: (B.) III. 1405.
Pariser: (B.) III. 1406.
rorhe (B.) III. 1462.
runde (B.) III. 1406.
Runkel: (B.) III. 1462.
Stoppet: (B.) III. 1406.
Strahl: (B.) III. 1406.
Zeller: (B.) III. 1406.
testauer (B.) III. 1406.
weiße (B.) III. 1406.
Zaun: (B.) III. 819.
- Rübenbohne (B.) III. 1664.
- Rübenbohner (Z.) V. 1660.
- Rübenstockblume (B.) III.
796.
- Rübenkohl (B.) III. 1404.
- Rübenmücke (Z.) V. 796.
- Rubentia (B.) III. 1736.
olivina (B.) III. 1736.
- Rübenweißling (Z.) V. 1098,
1113, 1148, 1398.
- Rubia (B.) III. 844.
cynanchica (B.) III. 843.
tinctorum (B.) III. 844.
- Rubiaceen (B.) III. 24, 704,
705, 706, 708, 837, 840,
857, 871.
Eiter: der (B.) III. 1132.
- Rubigo (B.) III. 51, 59.
- Rubin (M.) I. 153.
- Rubinapfel (B.) III. 2084.
- Rubintende (M.) I. 444.
hemiprismatische (M.) I.
447.
peritome (M.) I. 417.
rhomböedrische (M.) I. 444.
- Rubincosibri (Z.) VII. 185.
- Rubingimmer (M.) I. 333.
- Rubinspinell (M.) I. 216.
- Rubis balais (M.) I. 216.
- Rübbt (M., D. M. S.) I.
S. XVII. — (B.) III.
1405.
- Rübsamen (B.) III. 1405.
- Rübten (B.) III. 1405.
Sommer: (B.) III. 1405.
Winter: (B.) III. 1405.
- Rubus (B.) III. 2014.
arcticus (B.) III. 2015.
batos (B.) III. 2016.
caesius (B.) III. 2016.
chamaemorus (B.) III. 2014.
fruticosus (B.) III. 2016.
idaeus (B.) III. 2015.
odoratus (B.) III. 2016.
- Robus saxatilis (B.) III. 2015.
- Ruca (B.) III. 1403.
- Rucam (B.) III. 1382.
- Ruch (Z.) VII. 169, 424, 427.
Bgl. Steißing.
- Ruchgras (B.) III. 394.
gemeines (B.) III. 394.
- Ruchgräser (B.) III. 394.
- Ruchinger, Flora dei Lidi
veneti (B.) III. 2124.
- Rücken (M.) I. 744.
der Berge (M.) I. 544, 570.
der Hügel (M.) I. 546.
- Rückenband (Z.) IV. 33.
- Rückenstöße (Z.) IV. 340, 341.
- Rückensturen (Z.) IV. 64.
- Rückenmark (Z.) IV. 23, 48,
126, 186.
das Hirn der Haut (Z.)
IV. 93.
- Rückenmarkscanal (Z.) IV. 23.
- Rückenmarkstumpf (Z.) IV. 50.
- Rückenmarksnerven (Z.) IV.
23, 49, 54.
rücklaufende (Z.) IV. 61.
- Rückenmarksfahlgaderu (Z.)
IV. 76.
hintere (Z.) IV. 76.
vordere (Z.) IV. 76.
- Rückenmarkslad (Z.) IV. 49.
- Rückenmarkstein (Z.) IV. 33, 34.
breiter (Z.) IV. 34.
viertheiliger (Z.) IV. 35.
- Rückenmarksnerven (Z.) IV. 55.
- Rückenmarksnerven (Z.) V. 398.
- Rückenmarkstrecker, langer (Z.) IV.
35.
- Rückenschwimmer (Z.) V. 1623.
- Rückenwirbel (Z.) IV. 23, 169.
- Rücker, Feldbau, chemisch
untersucht (B.) II. 266.
- Rückgrath (Z.) IV. 23, 126,
326.
- Rückherz (B.) III. 783.
- Rücksticher (Z.) IV. 46.
- Rud (Z.) VI. 306.
- Ruda (Z.) VI. 320.
- Rudbeckia (B.) III. 750.
laciniata (B.) III. 751.
purpurea (B.) III. 751.
- Rudentum (B.) III. 645.
- Ruderaaphidien (Z.) VI. 630,
654.
- Ruderfüßen (Z.) IV. 340.
- Ruderfüßler (Z.) VII. 405.

- Rüfche, Gemüs. (B.) III. 1554.
 Hanf. (B.) III. 1555.
 Rüfchen (B.) III. 1554.
 Rusconi, Amours de Salamandres (Z.) VI. 692.
 Circulazione delle Salamandre (Z.) VI. 690.
 Del Portes anguino (Z.) VI. 690.
 Ruscus (B.) III. 619.
 aculeatus (B.) III. 619.
 hypoglossum (B.) III. 619.
 hypophyllum (B.) III. 619.
 Rush = Juncus (B.) III. 437.
 Rusignuolo (Z.) VII. 35.
 Rusbrand (B.) III. 49.
 Russegger (M.) I. 594, 522.
 Russell, A., Fishes of Vizagapatam etc. (Z.) VI. 404.
 Natural History of Aleppo (B.) III. 2126.
 Naturgesch. v. Aleppo (B.) II. 281.
 Russell, P., Indian serpents (Z.) VI. 688.
 Rüffel (Z.) IV. 140, 331.
 Rüffel = Rüffelkäfer (Z.) V. 1635.
 Breit. (Z.) V. 1635, 1661.
 Kurz. (Z.) V. 1635, 1649.
 Lang. (Z.) V. 1635.
 Rüffelaffen (Z.) VII. 1773. ♂.
 Paviane.
 Rüffelaffel (Z.) V. 605.
 Russelia (B.) III. 1987.
 Rüffelkäfer (Z.) V. 1633, 1634.
 Aiter. (Z.) V. 1649.
 Aplet. (Z.) V. 1638.
 Birken. (Z.) V. 1650.
 Hart. (Z.) V. 1635.
 Breit. (Z.) V. 1661.
 Kern. (Z.) V. 1645.
 Kurz. (Z.) V. 1649.
 Lang. (Z.) V. 1635.
 Palmen. (Z.) V. 1648.
 purpurroth. (Z.) V. 1650.
 Steinobst. (Z.) V. 1640.
 Stenget. (Z.) V. 1638.
 Rüffelmaus (Z.) VII. 718.
 Rüffelmitzen (Z.) V. 661.
 Rüffelqualle (Z.) V. 217.
 große (Z.) V. 218.
 kleine (Z.) V. 217.
 Rüffelkrobbe (Z.) VII. 1460.
 Rüffelschildkröte (Z.) VI. 504.
 gefranzte (Z.) VI. 505.
 Rüffelschlinge (Z.) VI. 555.
 Rüffelscheide (Z.) VI. 587.
 gemeine (Z.) VI. 587.
 Rüffelspizmaus (Z.) VII. 952.
 gemeine (Z.) VII. 952.
 Rüffelwurm (Z.) V. 556, 580.
 Rüffelwürmer (Z.) V. 579.
 Rusente (Z.) VII. 447.
 americanische (Z.) VII. 448.
 Rusfille (B.) III. 78.
 -gelber (B.) III. 78.
 Rusfobte (M.) I. 308.
 Russula (B.) III. 153, 158.
 Rüsler (B.) III. 1555.
 gemeine (B.) III. 1555.
 Kork. (B.) III. 1556.
 Rüslerblauenwanze (Z.) V. 1616.
 Rüslerblatrfäfer (Z.) V. 1666.
 Rüslerblattläus (Z.) V. 1569.
 Rüslercicade (Z.) V. 1598.
 Rüslerfalter (Z.) V. 1138, 1422.
 Rüslergallenblattläus, schwarzfische (Z.) V. 1558.
 Rüstern (B.) III. 1555.
 Rüsternaste (B.) III. 809.
 baumartige (B.) III. 810.
 strauchartige (B.) III. 810.
 Rüsternasten (B.) III. 810.
 Rüsterraupe (Z.) V. 1103.
 Rüslerpringer (Z.) V. 1635.
 Rusticula (Z.) VII. 507.
 Ruta (B.) III. 1265.
 graveolens (B.) III. 1265.
 muraria (B.) III. 328, 330.
 Rutabaga (B.) III. 1405.
 Rutaceen (B.) III. 1264, 1275.
 Liter. der (B.) III. 1443.
 Ruteen (B.) III. 1264.
 Ruteen, Flora der Mittelmark (B.) III. 2133.
 Rutenfarren (B.) III. 322.
 gemeiner (B.) III. 322.
 Rutenfeder (Z.) V. 123.
 gemeine (Z.) V. 123.
 Rutenfelben (B.) III. 1502.
 gemeine (B.) III. 1502.
 Rutenhindel (B.) III. 1901.
 guyanische (B.) III. 1901.
 kletternde (B.) III. 1901.
 westindische (B.) III. 1902.
 Rutenhindeln (B.) III. 1901.
 Rutenhäuten (B.) III. 1270.
 Rutenhäuten, gemeine (B.) III. 1270.
 Rutenhäute (B.) III. 1983.
 gemeine (B.) III. 1984.
 wollige (B.) III. 1983.
 Rutenhäuten (B.) III. 1983.
 Rutenhäuten (Z.) V. 1506.
 Rutenwolke (B.) III. 71.
 breiter (B.) III. 71.
 Rutenwerfen (B.) III. 1731.
 gemeine (B.) III. 1732.
 Rutenwischen (B.) III. 1878.
 gemeine (B.) III. 1878.
 Rutit (M.) I. 342, 770.
 Rutilus (Z.) VI. 304.
 Rutschungen (M.) I. 707.
 Rutte (Z.) VI. 151.
 Ruuscher, Hist. nat. de la Coschenille (Z.) V. 1628.
 Ruyschii, F., Thesaurus animalium (Z.) VI. 404.
 H., Theatrum animalium (Z.) VI. 404, 686. — VII. 665.
 Ryakolith (M.) I. 191.
 Ryania (B.) III. 1381.
 speciosa (B.) III. 1381.
 Ryder (Z.) VII. 1014.
 Rye (B.) III. 391.
 Rypiticus (Z.) VI. 253.
 Rysling (Z.) VI. 292.
 Rytina (Z.) VII. 1091.
 Ryzana (Z.) VII. 1535.
 Rzaczynski, Hist. nat. Poloniae (Z.) VII. 670.

S.

- Saadän (B.) III. 2023.
 Saatbänder (M.) I. 837.
 Saatweide (B.) III. 1534.
 Saare (B.) III. 1535.
 Balsam. (B.) III. 1536.
 italienische (B.) III. 1536.
 schwarze (B.) III. 1536.
 Silber. (B.) III. 1535.
 Sitter. (B.) III. 1536.
 Saaren (B.) III. 1235, 1535.
 Beerens. (B.) III. 1241.
 Gewürz. (B.) III. 1237.
 Saatgans (Z.) VII. 478.
 Saatfrähe (Z.) VII. 348.
 Saatperlen (Z.) V. 365.