

- Symphoricarpos vulgaris* (B.) III. 1852.  
*Symphytum* (B.) III. 1091.  
   *officinale* (B.) III. 1091.  
*Synplocarpus* (B.) III. 590.  
*Symplocos* (B.) III. 928.  
   *alstonia* (B.) III. 928.  
   *theaeiformis* (B.) III. 928.  
   *tinctoria* (B.) III. 928.  
*Synagris* (Z.) VI. 230.  
*Synanthereae* = *Syngenesia* (B.) III. 711.  
*Synantheren* (B.) III. 711.  
*Synbranchus* (Z.) VI. 125.  
   *immaculatus* (Z.) VI. 125.  
*Synchodendron* (B.) III. 781.  
   *ramiflorum* (B.) III. 781.  
*Syncollesia* (B.) III. 193.  
   *mucoroides* (B.) III. 193.  
*Synedra* (Z.) V. 25.  
*Synetheres* (Z.) VII. 776.  
*Syngenesia* (B.) III. 6, 711.  
   *aequalis* (B.) III. 710, 713, 715, 779.  
   - *capitata* (B.) III. 726.  
   - *discoidea* (B.) III. 710, 740.  
   *frustranea* (B.) III. 710, 713, 742.  
   *necessaria* (B.) III. 713, 752, 771.  
   *segregata* (B.) III. 713.  
   *superflua* (B.) III. 756, 773.  
   - *discoidea* (B.) III. 776.  
   - *radiata* (B.) III. 742, 773.  
*Syngenesisten* (B.) II. 68. — III. 19, 704, 705, 706, 708, 709, 711, 714, 740, 756.  
   *Liter. der* (B.) III. 1130.  
*Syngnathus* (Z.) VI. 94.  
   *acus* (Z.) VI. 96.  
   *hippocarpus* (Z.) VI. 96.  
   *ophidion* (Z.) VI. 94.  
   *pelagicus* (Z.) VI. 95.  
   *typhle* (Z.) VI. 95.  
*Synodon* (Z.) VI. 230.  
*Synodontis* (Z.) VI. 92.  
   *scheylan* (Z.) VI. 92.  
*Synodus* (Z.) VI. 386.  
   *Tareira* (Z.) VI. 386.  
*Synoicum* (Z.) V. 96.  
*Synoviathäute* (Z.) IV. 109.  
*Syntrichia* (B.) III. 285.  
*Syntrichia ruralis* (B.) III. 285.  
   *subulata* (B.) III. 285.  
*Syringa* (B.) III. 1115.  
   *persica* (B.) III. 1116.  
   *vulgaris* (B.) III. 1115.  
*Syringe* (B.) III. 1115.  
   *falsche* (B.) III. 1999.  
*Syringen* (B.) III. 1115.  
*Syrnium* (Z.) VII. 121.  
*Syro* (B.) III. 399.  
*Syrphus* (Z.) V. 809.  
   *pinastri* (Z.) V. 812.  
   *pyrastri* (Z.) V. 812.  
   *ribesii* (Z.) V. 811.  
   *rosae* (Z.) V. 812.  
*Syrus* (M., D. M. S.) I. S. XV. — (B.) II. 117, 353.  
*Syrupus dauci sylvestris* (B.) III. 1804.  
   *domesticus* (B.) III. 1744.  
   *jufabinus* (B.) III. 1746.  
   *violarum* (B.) III. 1375.  
*System* (Z.) IV. 21.  
   *Arterien* (Z.) IV. 73, 112.  
   *Athmung:* (Z.) IV. 21, 87.  
   *Darm:* (Z.) IV. 65, 66, 116.  
   *der Mineralogie* (M.) I. 135.  
   *Eingeweid:* (Z.) IV. 22.  
   *Ernährung:* (Z.) IV. 21.  
   *Fleisch:* (Z.) IV. 22, 88.  
   *Gefäß:* (Z.) IV. 65, 71, 109.  
   *geologisches* (M.) I. 579.  
   *Haargefäß:* (Z.) IV. 222.  
   *Haut:* (Z.) IV. 88, 108.  
   *Knochen:* (Z.) IV. 22, 119.  
   *Lungen:* (Z.) IV. 65, 87, 117.  
   *Lymph:* (Z.) IV. 84, 115.  
   *Minerals, Oken's* (M., D. M. S.) I. S. III. ff.  
   *Muskel:* (Z.) IV. 22, 31, 124.  
   *Nasenknorpel:* (Z.) IV. 96.  
   *natürliches* (B.) III. 7.  
   *Nerven:* (Z.) IV. 22, 48, 126.  
   *Pflanzen* (B.) III. 3 ff.  
   *Pfortader:* (Z.) IV. 83, 114.  
   *Reproduction:* (Z.) IV. 21.  
   *Saugader:* (Z.) IV. 84, 115.  
   *Seenen:* (Z.) IV. 80, 114, 132.  
   *Verdauung:* (Z.) IV. 21.  
*Systemata anatomica* (B.) II. 19.  
*Systematisches Verzeichniß aller Schriften, welche die Naturgeschichte betreffen* (M.) I. 23.  
*Systeme* (Z.) IV. 21.  
   *anatomische* (Z.) IV. 108.  
   - *der Pflanzen* (B.) II. 19.  
   - *der Thiere* (Z.) IV. 21.  
   *animale* (Z.) IV. 21, 22, 119.  
   *Ausscheidung der* (Z.) IV. 129.  
   *Bedeutung der* (Z.) IV. 152.  
   *der Naturgeschichte, Litera- tur der* (M.) I. 24.  
   *Entwickelung der* (Z.) IV. 108.  
   *Lebens:* (Z.) IV. 21.  
   *pflanzenartige* (Z.) IV. 21.  
   *Reproduction:* (Z.) IV. 21.  
   *vegetative* (Z.) IV. 21, 65, 108.  
   *Berichtigungen der* (Z.) IV. 207.  
*Systeme quarzo-schieux superieur* (M.) I. 755.  
*Systema* (Z.) VI. 490.  
   *gibbosus* (Z.) VI. 490.  
   *Szyzygites* (B.) III. 60, 197.  
   *megalocarpus* (B.) III. 60.  
*Szyzygium* (B.) III. 1944.  
   *jambolana* (B.) III. 1944.  
   *obtusifolia* (B.) III. 1944.  
   *pedunculata* (B.) III. 1944.  

S.

*Tab* (Z.) VII. 251.  
*Tabak* (B.) III. 980.  
   *edler* (B.) III. 981.  
   *gemeiner* (B.) III. 981.  
   *strauchartiger* (B.) III. 981.  
   *türkischer* (B.) III. 981.  
*Tabake* (B.) III. 980.  
*Tabakjossen* (B.) III. 740.  
   *gemeine* (B.) III. 740.  
*Tabakmille* (B.) III. 1109.  
   *baumartige* (B.) III. 1110.  
   *jottige* (B.) III. 1109.  
*Tabakmüllern* (B.) III. 1109.  
*Tabakspießentisch* (Z.) VI. 98.  
*Tabakströhrenhoh* (B.) II. 336.  
*Tabacum* (B.) III. 981.

- Tabanus (Z.) V. 768, 827.  
 bovinus (Z.) V. 828.  
 caecutiens (Z.) V. 829.  
 pluvialis (Z.) V. 829.  
 Tabaro (Z.) VI. 236.  
 Tabaschir (Z.) III. 420.  
 Tabernaemontana (Z.) III. 1038.  
 citrifolia (Z.) III. 1039.  
 coronaria (Z.) III. 1039.  
 elastica (Z.) III. 1039.  
 gummifera (Z.) III. 1040.  
 montana (Z.) III. 1039.  
 utilis (Z.) III. 1039.  
 Tabernamontanus, Jac. Theod., Kräuterbuch (Z.) III. 2116.  
 Tabularia (Z.) V. 84.  
 campanulata (Z.) V. 84.  
 cristata (Z.) V. 84.  
 crystallina (Z.) V. 84.  
 gelatinosa (Z.) V. 86.  
 repens (Z.) V. 85.  
 Tacamahaca (Z.) III. 1426, 1536, 1714.  
 Tacamahaca (Z.) III. 1425, 1536, 1714, 1761.  
 borbonisches (Z.) III. 1426.  
 ostindisches (Z.) III. 1425.  
 Tacamaque de Bourbon (Z.) III. 1426.  
 Tacca (Z.) III. 512, 806.  
 litorea (Z.) III. 807.  
 phallifera (Z.) III. 595.  
 pinnatifida (Z.) III. 495, 806.  
 sativa (Z.) III. 595.  
 Taceen (Z.) III. 711, 800.  
 Liter. der (Z.) III. 1132.  
 Taccola (Z.) VII. 346.  
 Tachash (Z.) VII. 1114.  
 Tache (Z.) III. 1680.  
 Tachinus (Z.) V. 1713.  
 rufipes (Z.) V. 1713.  
 Tachydromus (Z.) V. 521.  
 Tachyglossus (Z.) VII. 843.  
 setosus (Z.) VII. 846.  
 Tachypetes (Z.) VII. 416.  
 Tachyporus (Z.) V. 1714.  
 chrysomelinus (Z.) V. 1714.  
 Taciunus. De situ et moribus germanorum (M.) I. 314, 551.  
 Taden (Z.) III. 583, 643.  
 Taeda (Z.) III. 348.  
 Tadorna (Z.) VII. 470.  
 Taern (Z.) VII. 395.  
 Tafel (M.) I. 88.  
 Tafeläpfel (Z.) III. 2085.  
 Tafelbananen (Z.) III. 515.  
 gemeine (Z.) III. 515.  
 Tafelbirne (Z.) III. 2077.  
 Fürsten (Z.) III. 2078.  
 Tafelbirnen (Z.) III. 2077.  
 Tafelbrettchen (Z.) V. 361.  
 Tafelente (Z.) VII. 450.  
 Tafelfisch (Z.) VII. 211.  
 Tafelbryse (Z.) VI. 550, 579, 618.  
 abweichende (Z.) VI. 558.  
 vegetmäßige (Z.) VI. 550.  
 Tafellachse (Z.) VI. 328.  
 mit senkrechtem Naut (Z.) VI. 328.  
 Tafelländer (M.) I. 552.  
 Tafelpisang (Z.) III. 521.  
 Tafelschlangen (Z.) VI. 537.  
 mit Kopfschuppen (Z.) VI. 538.  
 mit Kopftafeln (Z.) VI. 538.  
 Tafelspath (M.) I. 256.  
 Tafelspathe (M., D. M. S.) I. S. XII.  
 Tagaffen (Z.) VII. 1727.  
 Tagblumen (Z.) II. 159.  
 Tagel (Z.) III. 287.  
 Tageten (Z.) III. 710, 746.  
 Tageteen (Z.) III. 746.  
 Tagetes (Z.) III. 746.  
 erecta (Z.) III. 746.  
 patula (Z.) III. 746.  
 Tagetineen (Z.) III. 746.  
 Tagfaltr (Z.) V. 1079, 1385.  
 Taghunde (Z.) VII. 1553.  
 Taghasen (Z.) VII. 1590.  
 Taglitie (Z.) III. 569.  
 gelbe (Z.) III. 569.  
 rothe (Z.) III. 570.  
 Taglilien (Z.) III. 569.  
 Tagnicati (Z.) VII. 1137.  
 Tagpfaunauge (Z.) V. 1102, 1103, 1420.  
 Tagraubvogel (Z.) VII. 127.  
 Tagua = Phytelephas (Z.) VII. 610.  
 Taguan (Z.) VII. 775.  
 Taia (Z.) VII. 1757.  
 Tailleur (Z.) VII. 417.  
 Taifra (Z.) VII. 1515.  
 Taisson (Z.) VII. 1525.  
 Tafasu (Z.) VII. 1137.  
 Tajibi (Z.) VII. 923.  
 Talapiot (Z.) VII. 199.  
 Taleb (Z.) VII. 1552.  
 Talegallus (Z.) VII. 569.  
 Talève (Z.) VII. 566.  
 Talg (M.) I. 317. — (D. M. S.) S. XVII. — (Z.) III. 1518. — (Z.) VII. 1243.  
 Talgbaum (Z.) III. 1524, 1606.  
 Talgdrüsen (Z.) IV. 102.  
 Talgtoren (Z.) III. 1524.  
 gemeine (Z.) III. 1524.  
 Talgtorsche (Z.) III. 1606.  
 gemeine (Z.) III. 1606.  
 indische (Z.) III. 1606.  
 Talgtorschen (Z.) III. 1606.  
 Taliera (Z.) III. 685.  
 sylvestris (Z.) III. 685.  
 Talium (Z.) III. 1351.  
 anacampseros (Z.) III. 1352.  
 triangulare (Z.) III. 1351.  
 Talipot (Z.) III. 689.  
 de Ceylon (Z.) III. 689.  
 Talitrus (Z.) V. 609.  
 locusta (Z.) V. 609.  
 Talf (M.) I. 178, 491.  
 Talfbärchen (M.) I. 485.  
 Talfblenden (M., D. M. S.) I. S. XXI.  
 Talfboden (M.) I. 542.  
 Talfchrysolith (M.) I. 217.  
 Talfte (M., D. M. S.) I. S. XI.  
 Brenz (D. M. S., XII.) = Aebeste (M.) I. 268.  
 Classen (M., D. M. S.) I. S. XII.  
 Elementen (M., D. M. S.) I. S. XII.  
 Erd (M., D. M. S.) I. S. XI.  
 Erp (D. M. S., XII.) = Divine (M.) I. 217.  
 Feuer (D. M. S., XII.) = Basalte (M.) I. 503, 805.  
 Jrd (M., D. M. S.) I. S. XI.  
 Kalf (D. M. S., XI.) = Augite (M.) I. 256.  
 Kiefert (D. M. S., XI.) = Stimmer (M.) I. 175.  
 Luft (D. M. S., XII.)

- = Steinmarke (M.) I. 212.
- Talfe, Mineral: (M., D. M. S.) I. S. XI.
- Salz: (D. M. S., XII.) = Herubstenden (M.) I. 263.
- Talk: (D. M. S., XI.) = Chlorite (M.) I. 177.
- Tyon: (D. M. S., XI.) = Sapphirine (M.) I. 199.
- Wasser: (D. M. S., XII.) = Serpentine (M.) I. 221.
- Talkedestine (M.) I. 215.
- Talkerde (M.) I. 135. — (B.) II. 105, 172.
- boraxsaure (M., D. M. S.) I. S. XIII.
- Talkerden (M.) I. 215.
- Talkerdehydrat (M.) I. 219.
- Talkerde, jobsaure (M., D. M. S.) I. S. XIII.
- kochsalzsaure (M., D. M. S.) I. S. XIV.
- fohrensaure (M., D. M. S.) I. S. XIII.
- Talkerde-Mangan-Blau (M.) I. 285.
- Talkerde mit Wasser (M., D. M. S.) I. S. XIII.
- phosphorsaure (M., D. M. S.) I. S. XIII.
- schwefelsaure (M., D. M. S.) I. S. XIV.
- Talkgesteine (M.) I. 769.
- Talkhalde (M., D. M. S.) I. S. XIX.
- Talk, Härtegrad des (M.) I. 104.
- Talkkalle = Stellite (M., D. M. S.) I. S. XII.
- Talkkiesel (D. M. S., IX.) = Smaragde (M.) I. 154.
- Talkmasse (M.) I. 496.
- Talkmetalle (M., D. M. S.) I. S. XXII.
- Talkocher (M., D. M. S.) I. S. XVIII.
- Talkspäter (M.) I. 296.
- Talkschiefer (M.) I. 178, 496, 769.
- Talkschwefelleber (M., D. M. S.) I. S. XV.
- Talkspath (M.) I. 224.
- Talkspinel (M.) I. 216.
- Talktrappe (D. M. S., XI.) = Chlorite (M.) I. 177.
- Talkthone (D. M. S., X.) = Spinelle (M.) I. 216.
- Talk, weißer (M.) I. 179.
- Talkbiten (Z.) VII. 267.
- Tallow-tree (B.) III. 1433, 1524.
- Talona (B.) III. 1042.
- Talpa (Z.) VII. 932.
- asiatica (Z.) VII. 941.
- aurea (Z.) VII. 941.
- caeca (Z.) VII. 937.
- europaea (Z.) VII. 933.
- fusca (Z.) VII. 938.
- longicaudata (Z.) VII. 941.
- Talus (Z.) IV. 27.
- Tamala (B.) III. 1528.
- Tamandua (Z.) VII. 849.
- gnaçu (Z.) VII. 850.
- i (Z.) VII. 849.
- miri (Z.) VII. 850.
- Tamanoir (Z.) VII. 850.
- Tamar = Phoenix dactylifera (B.) II. 381.
- Tamara (B.) III. 461.
- Tamarin (Z.) VII. 1768.
- Tamarindus (B.) III. 1717.
- indica (B.) III. 1717.
- occidentalis (B.) III. 1718.
- Tamaricinen (B.) III. 1958, 1960, 1978, 1979.
- Liter. der (B.) III. 2108.
- Tamariscus (B.) III. 1981.
- Tamariske (B.) III. 1980.
- deutsche (B.) III. 1980.
- französische (B.) III. 1981.
- geglederte (B.) III. 1981.
- frantartige (B.) III. 1980.
- Tamarisken (B.) III. 1980.
- Tamariskenartige (Pflanzen) = Schaftklee (B.) III. 1978.
- Tamarix (B.) III. 1680.
- articulata (B.) III. 1981.
- gallica (B.) III. 1981.
- germanica (B.) III. 1980.
- herbacea (B.) III. 1980.
- orientalis (B.) III. 1981.
- Tamaryn-boom (B.) III. 1718.
- Tamatia (Z.) VII. 237, 555.
- Tambourissa (B.) III. 2036.
- Tambreet (Z.) VII. 837.
- Tamias (Z.) VII. 772.
- Tamonea (B.) III. 1104.
- verbenacea (B.) III. 1104.
- Tamus (B.) III. 615.
- communis (B.) III. 615.
- elephantipes (B.) III. 615.
- Tana (Z.) VII. 954.
- Tanaëctum (B.) III. 765, 766.
- balsamita (B.) III. 765.
- hortense (B.) III. 765.
- vulgare (B.) III. 765.
- Tanaëcium (B.) III. 1015.
- jaroba (B.) III. 1015.
- Tanagra (Z.) VII. 250.
- brasilia (Z.) VII. 251.
- brasilienensis (Z.) VII. 250.
- episcopus (Z.) VII. 251.
- jacapa (Z.) VII. 252.
- magna (Z.) VII. 251.
- prima (Z.) VII. 250.
- rubra (Z.) VII. 252.
- sayaca (Z.) VII. 251.
- tatao (Z.) VII. 250.
- violacea (Z.) VII. 249.
- Tanche (Z.) VI. 296.
- Tandale cotti (B.) III. 1641.
- Tangalum (Z.) VII. 1540.
- Tangara (Z.) VII. 250, 251.
- Tauge (B.) III. 23, 32, 177, 178, 180, 213. — (M., D. M. S.) I. S. XV.
- indische (B.) III. 225.
- Zahl der (B.) III. 45.
- Tangeima (Z.) VII. 316.
- Tangelmoos (B.) III. 318.
- Tanghin = Cerbera tanghin (B.) III. 1042.
- Tangles (B.) III. 898.
- Tani (B.) III. 915.
- Taenia (Z.) V. 547.
- canis (Z.) V. 547.
- expansa (Z.) V. 548.
- filum (Z.) V. 548.
- lata (Z.) V. 548.
- ovina (Z.) V. 548.
- serrata (Z.) V. 547.
- sodium (Z.) V. 547.
- Taenia (Z.) VI. 141, 285.
- altera (Z.) VI. 142.
- Tanna (Z.) VI. 229.
- Tanne (B.) III. 345, 350 ff.
- Balsam: (B.) III. 351.
- Edel: (B.) III. 351.
- Semlock: (B.) III. 352.
- Knorren: (B.) III. 352.
- Roth: (B.) III. 350.

- Tanne Schuppen (B.) III. 352.  
 Weiß (B.) III. 351.  
 Tannef (B.) III. 1355.  
   gemeines (B.) III. 1356.  
 Tannen (B.) III. 32, 346.  
   einhäufige (B.) III. 346.  
   Knorren (B.) III. 352.  
   zweyhäufige (B.) III. 352.  
 Tannenbergr, Partes genitalis masculae avium (B.) VII. 674.  
 Tannenbarz, gemeines (B.) II. 114.  
 Tannenbeher (B.) VII. 341.  
 Tannenpeit (B.) V. 1383.  
 Tannenwedel (B.) III. 343.  
   gemeiner (B.) III. 343.  
 Tannweise (B.) VII. 244.  
 Tanrec (B.) VII. 942.  
 Tantal (M.) I. 113, 121. — (D. M. S.) XIX.  
 Tantalit (M.) I. 327.  
   im Granit (M.) I. 824.  
   zimmtbrauner von Rimito (M.) I. 327.  
 Tantalum (M.) I. 121.  
 Tantalus (B.) VII. 525.  
   aethiopicus (B.) VII. 522.  
   falcinellus (B.) VII. 530, 531.  
   ibis (B.) VII. 528, 532.  
   loculator (B.) VII. 532.  
   niger (B.) VII. 530.  
   sacer (B.) VII. 527.  
 Tanzkrägen (B.) V. 773.  
   fahle (B.) V. 773.  
 Taon = Tabanus (B.) V. 827.  
 Taonabo (B.) III. 1186.  
 Tapayaxin (B.) VI. 615.  
 Tapete (B.) IV. 101.  
   persische (B.) V. 489.  
 Tapetenwaben (B.) V. 1216.  
 Tapetenwofz, gemeiner (B.) III. 72.  
 Tapeti (B.) VII. 815.  
 Tapesierbiene (B.) V. 986.  
 Tapesierer (B.) V. 986.  
 Tapesierspinnen (B.) V. 693.  
 Taphozos (B.) VII. 973.  
   lepturus (B.) VII. 974.  
   perforatus (B.) VII. 974.  
 Taphria (B.) III. 69.  
 Tapia (B.) III. 1410.  
 Tapioca = Jatropha (B.) III. 1595.  
 Tapir (B.) VII. 1141.  
 Tapir (B.) VII. 1140.  
   americanischer (B.) VII. 1141.  
   fossiler (M.) I. 632. — (B.) VII. 1146.  
   gestekter (B.) VII. 1145.  
   malayischer (B.) VII. 1144.  
   Riefen (B.) VII. 1115, 1146.  
 Tapire (B.) VII. 1140.  
 Tapire Pinchaque (B.) VII. 1143.  
 Tapirus (B.) VII. 1142.  
   americanus (B.) VII. 1141.  
   malayanus (B.) VII. 1144.  
 Tapiti (B.) VII. 815.  
 Tapoa-Tafa-far (B.) VII. 915.  
 Tappen (B.) III. 2002.  
 Tappuach = Pyrus cydonia (B.) II. 381.  
 Tapura (B.) III. 1731.  
   guyanensis (B.) III. 1732.  
   sessiliflora (B.) III. 1732.  
 Tapuru (B.) III. 1597.  
 Taquara (B.) VII. 372.  
 Tara (B.) III. 1707.  
 Tarabuso (B.) VII. 541.  
 Taraquira (B.) VI. 613.  
 Taralea (B.) III. 1686.  
 Taran (B.) VI. 315.  
 Tarandus (B.) VII. 1298.  
 Tarantel (B.) V. 681.  
 Tarantelkranz (B.) V. 682.  
 Tarantismus (B.) V. 682.  
 Tarantola (B., F.) VI. 331, 392.  
 Tarantola (B., M.) VI. 616, 632.  
 Tarantula (B.) V. 682, 702.  
 Taratti (B.) III. 461.  
 Taratufolo (B.) V. 306.  
 Taraxacum (B.) III. 715, 737.  
 Tarbagantschick (B.) VII. 790.  
 Tarehonanthus (B.) III. 777.  
   camphoratus (B.) III. 777.  
 Tardigradus (B.) VII. 1713.  
 Tareira (B.) VI. 386.  
   do Rio (B.) VI. 386.  
 Taret = Tereido (B.) V. 274.  
 Tarfa (B.) III. 1981.  
 Tarigionia (B.) III. 265, 266.  
   hypophylla (B.) III. 266.  
 Targioni-Tozzetti, Dizionario botanico ital. (B.) III. 2132.  
 Tarichos (B.) VI. 196.  
 Tarier (B.) VII. 44.  
 Tarière = Terebellum (B.) V. 456.  
 Tarin (B.) VII. 260.  
 Taern (B.) VII. 395.  
 Tarro (B.) III. 591.  
 Tarrofetber (B.) III. 591.  
 Tarron (B.) III. 1633.  
 Tarsius (B.) VII. 1723.  
   fuscimanus (B.) VII. 1726.  
 Tarsus (B.) IV. 27, 410. — V. 600.  
 Tartarin (B.) VII. 1774.  
 Tartarus martiatus (M., D. M. S.) I. S. XVI.  
 Tartarus vitriolatus (D. M. S., I. S. XIV.) = Duplicatfalz (M.) I. 298.  
 Tartuffoli (B.) III. 989.  
 Tarum (B.) III. 1710.  
 Tasche (B.) V. 488.  
 Täschelkraut (B.) III. 1391.  
   Wider (B.) III. 1391.  
   gemeines (B.) III. 1391.  
 Täschelkräuter (B.) III. 1391.  
 Täschentrebs (B.) V. 650.  
   gemeiner (B.) V. 650.  
   italianischer (B.) V. 650.  
 Täschentrebs (B.) V. 650.  
 Täschennaut (B.) VII. 471.  
 Täschennuschet (B.) V. 363.  
 Täschentratte (B.) VII. 710.  
   gemeine (B.) VII. 710.  
 Täschenschnecke (B.) V. 488.  
 Täschenschörchen (B.) III. 1393.  
 Täschenschur = Buxus sempervirens (B.) II. 381.  
 Tassart (B.) VI. 333.  
 Tasso = Taxus (B.) III. 358.  
 Tasso (B.) VII. 1525.  
 Tassen (B.) IV. 242, 271.  
 Taster (B.) IV. 427. — V. 601.  
 Tastermiden (B.) V. 668.  
 Tastkäfer (B.) V. 1711.  
 Tastorgan (B.) IV. 144.  
 Tastorgane (B.) IV. 168.  
 Tastspinn (B.) IV. 168, 271.  
 Tatai-iba (B.) III. 1566.  
 Tatno (B.) VII. 250.  
 Tatta-pam (B.) VI. 524.  
 Tatu (B.) VII. 862.  
   -Apar (B.) VII. 865.  
   -apara (B.) VII. 865.  
   -Ay (B.) VII. 868.  
   -Ete (B.) VII. 867.

- Tatu-lu (Z.) VII. 867.  
 -mataco (Z.) VII. 866.  
 -mullito (Z.) VII. 866.  
 -peba (Z.) VII. 869.  
 -plehiy (Z.) VII. 871.  
 -poyu (Z.) VII. 870.  
 -velludo (Z.) VII. 870.  
 Tatula (B.) III. 798.  
 Täubchen (Z.) V. 479.  
 -brütendes (Z.) V. 479.  
 -trauerndes (Z.) V. 479.  
 Täubchen (Z.) VI. 212, 213,  
 241.  
 -buntes (Z.) VI. 241.  
 Taube, Tauben (Z.) VII. 293.  
 -Würgerl. (Z.) VII. 301.  
 -Carmeliterz. (Z.) VII. 301.  
 -einfarbige (Z.) VII. 300.  
 -Feldz. (Z.) VII. 300.  
 -grünländische (Z.) VII. 433,  
 435.  
 -größere (Z.) VII. 435.  
 -kleinere (Z.) VII. 433.  
 -Grundz. (Z.) VII. 294.  
 -Hinkelz. (Z.) VII. 301.  
 -Höckerz. (Z.) VII. 301.  
 -Hofz. (Z.) VII. 300.  
 -Hofz. (Z.) VII. 301.  
 -Kronz. (Z.) VII. 303.  
 -Kropfz. (Z.) VII. 301.  
 -Lachz. (Z.) VII. 294.  
 -Lochz. (Z.) VII. 301.  
 -Mähnenz. (Z.) VII. 301.  
 -melirierte (Z.) VII. 300.  
 -Röucherz. (Z.) VII. 301.  
 -Perlsüßz. (Z.) VII. 301.  
 -Pfläuz. (Z.) VII. 301.  
 -peltische (Z.) VII. 301.  
 -Postz. (Z.) VII. 301.  
 -Ringelz. (Z.) VII. 302.  
 -schäufige (Z.) VII. 300.  
 -Schlagz. (Z.) VII. 301.  
 -Steinz. (Z.) VII. 299.  
 -Trommelz. (Z.) VII. 301.  
 -türkische (Z.) VII. 301.  
 -Turkelz. (Z.) VII. 294.  
 -Wanderz. (Z.) VII. 296.  
 -zahme (Z.) VII. 300.  
 Taube Würgerl. (B.) III. 713.  
 Taubenapfel (B.) III. 2086,  
 2087.  
 Taubenerbßen (B.) III. 1650.  
 Taubenfalte (Z.) VII. 130.  
 Taubenfuß (B.) III. 2085.  
 Taubenknopffraut (B.) III. 784.  
 Taubenkropf (B.) III. 1361,  
 1414.  
 Taubenmilbe (Z.) V. 669.  
 Taubenschwanz (Z.) V. 1133,  
 1373, 1681.  
 Taubenzecke (Z.) VII. 664.  
 Täubling (B.) III. 153, 154,  
 154, 158, 2087.  
 -bitterer (B.) III. 154.  
 -blauer (B.) III. 159.  
 -essbarer rother (B.) III. 153,  
 158.  
 -giftiger rother (B.) III. 158.  
 -grüner (B.) III. 159.  
 -Honigz. (B.) III. 153.  
 -Speyz. (B.) III. 158.  
 Täubling (Z.) VII. 133.  
 Täublinge (B.) III. 158.  
 Taubnessel (B.) III. 1059.  
 -geflechte (B.) III. 1060.  
 -italianische (B.) III. 1060.  
 -rothe (B.) III. 1060.  
 -weiße (B.) III. 1060.  
 Taubnesseln (B.) III. 1059.  
 Tauchente (Z.) VII. 443.  
 -gemeine (Z.) VII. 445.  
 -große (Z.) VII. 445.  
 -kleine (Z.) VII. 444.  
 -mittlere (Z.) VII. 444.  
 Tauchenten (Z.) VII. 443.  
 Taucher (Z.) VII. 422, 428.  
 -eigentliche (Z.) VII. 428.  
 -Eisz. (Z.) VII. 430.  
 -Haubenz. (Z.) VII. 427.  
 -Hornz. (Z.) VII. 425.  
 -Ohrenz. (Z.) VII. 426, 427.  
 -Papaganz. (Z.) VII. 438.  
 -Polarz. (Z.) VII. 429.  
 -rothkehliger (Z.) VII. 428.  
 -schwarzkehliger (Z.) VII. 429.  
 Tauern (M.) I. 774.  
 Taumelstrehmen (B.) III. 1649.  
 -kletternde (B.) III. 1649.  
 Taumelkäfer (Z.) V. 1727.  
 -gemeiner (Z.) V. 1727.  
 Taumelkerbel (B.) III. 1802.  
 Taumelkissen (B.) III. 752.  
 -rauhe (B.) III. 752.  
 Taumelknippe (B.) III. 1335.  
 -gemeine (B.) III. 1335.  
 -tödliche (B.) III. 1335.  
 Taumelknippen (B.) III. 1335.  
 Taumelshne (B.) III. 1244.  
 -canadische (B.) III. 1244.  
 -essbare (B.) III. 1247.  
 Taumelshne, Färber. (B.)  
 III. 1246.  
 -gemeine (B.) III. 1246.  
 -grüblige (B.) III. 1245.  
 -handförmige (B.) III. 1246.  
 -malabarische (B.) III. 1244.  
 Taumelshnen (B.) III. 1244.  
 Taumelstich (B.) III. 386.  
 Taupe (Z.) VII. 714, 932.  
 -du cap (Z.) VII. 714.  
 -dorée (Z.) VII. 941.  
 -des dunes (Z.) VII. 714.  
 Taurichthys (Z.) VI. 213.  
 -varius (Z.) VI. 213.  
 Taurus (Z.) VII. 1409.  
 -indicus (Z.) VII. 1414.  
 -mexicanus (Z.) VII. 1416.  
 Taurus volans (Z.) V. 1816.  
 Tausch, Herbar. Florae  
 bohem. (B.) III. 699,  
 2133.  
 Hortus caualius (B.) III.  
 2120.  
 Plantae selectae bohem.  
 (B.) III. 2133.  
 Taufendbein (Z.) V. 619.  
 Taufendblatt (B.) III. 759.  
 Taufendgüldenkraut (B.) III.  
 728, 1021.  
 -Großz. (B.) III. 728.  
 Taufendschön (B.) III. 775,  
 1467.  
 -drenfarbiges (B.) III. 1467.  
 -indisches (B.) III. 1468.  
 -mehrfreiges (B.) III. 1468  
 -schwanzförmiges (B.) III.  
 1468.  
 -wirdes (B.) III. 1468.  
 Taufendschöne (B.) III. 1467.  
 Tavon (Z.) VII. 570.  
 Taxineen (B.) III. 358.  
 Taxodium (B.) III. 363.  
 -distichum (B.) III. 363.  
 Taxus (B.) III. 358.  
 -baecata (B.) III. 358.  
 -nucifera (B.) III. 358.  
 Taxus (Z.) VII. 1525.  
 Tayazu-Guira (Z.) VII. 540.  
 Taytetu (Z.) VII. 1138.  
 Tazetta (B.) III. 539.  
 Teal (Z.) VII. 460.  
 Teasel = Dipsacus (B.) III.  
 785.  
 Technische Pflanzen (B.) II.  
 -366.

- Tecoma (B.) III. 1009.  
 Tectoan (B.) III. 1108.  
   *grandis* (B.) III. 1108.  
 Tectrices (B.) VII. 6.  
 Teda (B.) III. 1586.  
 Tedo (B.) VI. 492.  
 Teget (M.) I. 654.  
 Tegetformation (M.) I. 653.  
 Teguxin (B.) VI. 621.  
 Teichalcyonien (B.) V. 88.  
 Teichhühner (B.) VII. 562.  
 Teichkarpfen (B.) VI. 323.  
 Teichnapf (B.) V. 408.  
 Teichschneise (B.) VII. 496.  
 Teichschwamm (B.) III. 211.  
 Teichstapel (B.) VII. 401.  
 Teichwasserläufer (B.) VII. 496.  
 Teig des Thones (M.) I. 207.  
 Teigkäfen (B.) III. 1708.  
   *gemeine* (B.) III. 1708.  
 Teigne = Tinea (B.) V. 1183.  
 Teira (B.) VI. 216.  
 Teische (B.) III. 272.  
 Tej-bul = Xanthoxylon hostile (B.) III. 1278.  
 Teitei (B.) VII. 250.  
 Tejus (B.) VI. 621.  
   *crocodilinus* (B.) VI. 623.  
   *monitor* (B.) VI. 621.  
 Tela (B.) II. 12.  
   *cellulosa* (B.) II. 13.  
 Telagon (B.) VII. 1512.  
 Telagu (B.) VII. 1512.  
 Teledu (B.) VII. 1512.  
 Teleggo (B.) VII. 1512.  
 Telephium (B.) III. 1355, 1965.  
   *imperati* (B.) III. 1355.  
 Telephorus (B.) V. 1743.  
   *fuscus* (B.) V. 1743.  
 Telescope (B.) V. 448.  
 Telescopium (B.) VI. 274.  
 Tellerjode (B.) III. 859.  
   *gemeine* (B.) III. 860.  
 Tellerjoden (B.) III. 860.  
 Tellerquaste (B.) V. 230.  
   *gemeine* (B.) V. 230.  
 Tellerripeln (B.) III. 95.  
   *schwarze* (B.) III. 95.  
 Tellerrißen (B.) III. 1406.  
 Tellerrißnetzen (B.) V. 428.  
   *flache* (B.) V. 428.  
   *gemeine* (B.) V. 428.  
 Tellina (B.) V. 298.  
   *arenosa* (B.) V. 309.  
   *cornea* (B.) V. 303.  
 Tellina gari (B.) V. 299.  
   *inaequivalvis* (B.) V. 312.  
   *lactea* (B.) V. 311.  
   *planata* (B.) V. 301.  
   *radiata* (B.) V. 301.  
   *remies* (B.) V. 301.  
   *virgata* (B.) V. 300.  
 Tellinites (B.) V. 310, 530.  
 Tellur (M.) I. 113, 121.  
 Tellurbley (M.) I. 433.  
 Tellurerze im Grünstein (M.) I. 834.  
 Tellur, gediegenes (M.) I. 461.  
 Tellurglanz, pyramidaler (M.) I. 433.  
 Tellurium (M.) I. 121.  
 Tellur, rhomboëdrisches (M.) I. 461.  
 Tellur Silber (M.) I. 433.  
 Tellurwismuth (M.) I. 431.  
 Tellurwismuth Silber (M.) I. 432.  
 Temapara (B.) VI. 608, 621.  
 Temelo (B.) VI. 358.  
 Temia (B.) VII. 333.  
 Temminck. Hist. nat. de Pigeons et Gallinacées (B.) VII. 673.  
   Monogr. des Pigeons (B.) VII. 667.  
   Monographies de Mammologie (B.) VII. 1859.  
   et Meiffren. Nouv. recueil des Planches color. d'oiseaux (B.) VII. 667.  
 Temnodon (B.) VI. 187.  
 Temolo (B.) VI. 293, 358.  
 Temperament (B.) IV. 322.  
   *dyetisches* (B.) IV. 323.  
   *melancholisches* (B.) IV. 322.  
   *phlegmatisches* (B.) IV. 322.  
   *sanguinisches* (B.) IV. 323.  
 Temperamente (B.) IV. 322.  
 Temperatur, Einwirkung der, auf die Gesteine (M.) I. 581.  
   im Innern der Erde (M.) I. 814.  
 Templador (B.) VI. 39.  
 Tena = Ficus carica (B.) II. 381.  
 Tenea (B.) VI. 296.  
 Tench (B.) VI. 296.  
 Tenzina (B.) III. 866.  
 Tenzina, Gasse (B.) III. 867.  
   *duufte* (B.) III. 867.  
 Tendaridea (B.) III. 200.  
 Tendrac (B.) VII. 943.  
 Tenebrio (B.) V. 1773, 1784.  
   *lardarius* (B.) V. 1773.  
   *mauritanicus* (B.) V. 1808.  
   *minutus* (B.) V. 1774.  
   *molitor* (B.) V. 1785.  
 Tenga (B.) III. 663.  
 Tenlie (B.) VII. 1557.  
 Tennantit (M.) I. 425.  
 Tennee (B.) VI. 536.  
 Tenuu (B.) VII. 1203.  
 Tenore, Flora medica di Napoli (B.) III. 2131.  
   Flora neapolitana (B.) III. 2124.  
   Sylloge (B.) III. 2124.  
 Tentennio = Briza maxima (B.) III. 410.  
 Tenthredo (B.) VII. 874.  
   *alni* (B.) V. 875.  
   *amerinae* (B.) V. 882, 887.  
   *cerasi* (B.) V. 876, 887.  
   *femorata* (B.) V. 881.  
   *flava* (B.) V. 785.  
   *haemorrhoidalis* (B.) V. 891.  
   *lutea* (B.) V. 880.  
   *morio* (B.) V. 888.  
   *ovata* (B.) V. 883.  
   *papillosa* (B.) V. 876, 879, 886.  
   *pavida* (B.) V. 875, 883.  
   *plini* (B.) V. 884.  
   *populi* (B.) V. 896.  
   *rosae* (B.) V. 877, 888.  
   *rustica* (B.) V. 876, 877, 882.  
   *salicis* (B.) V. 856.  
   - *cinerea* (B.) V. 888.  
   - *pentandrae* (B.) V. 887.  
   *scrophulariae* (B.) V. 875.  
 Tepe-Maxtia (B.) VII. 1511.  
 Tepe-Maxtlam (B.) VII. 1697.  
 Tephritis (B.) V. 799.  
   *cardui* (B.) V. 804.  
   *cerasi* (B.) V. 799.  
   *leontodontis* (B.) V. 804.  
   *putris* (B.) V. 801.  
   *salicis* (B.) V. 1233.  
   *solistitiatilis* (B.) V. 803.  
 Tephrosia (B.) III. 1646.  
   *toxicaria* (B.) III. 1646.

- Teppichflappe (B.) III. 209.  
 gemeiner (B.) III. 209.  
 Terrassen der Gebirge (M.) I.  
 549, 552.  
 Terebella (Z.) V. 573.  
 carunculata (Z.) V. 572.  
 conchylega (Z.) V. 573.  
 flava (Z.) V. 572.  
 tentaculata (Z.) V. 571.  
 Terebellum (Z.) V. 456.  
 Terebinthaceen (B.) II. 25. —  
 III. 1728, 1748.  
 Liger. der (B.) III. 2105.  
 Terebinthen (B.) III. 705, 706,  
 707, 1454, 1611, 1613,  
 1616, 1728, 1748.  
 Terebinthina argentoratensis  
 (B.) III. 351.  
 communis (B.) III. 347.  
 vera (B.) III. 1756.  
 — de Chio (B.) III. 1756.  
 — de Cypro (B.) III. 1756.  
 Terebinthus (B.) III. 1754,  
 1755.  
 Terebra (Z.) V. 469.  
 Terebraten in der Kreide (M.)  
 I. 673.  
 Terebratula (Z.) V. 504.  
 caput serpentis (Z.) V. 504.  
 Terebratula vulgaris im Mu-  
 schelfall (M.) I. 715.  
 Teredo (Z.) V. 274, 1211.  
 gigantea (Z.) V. 282.  
 navalis (Z.) V. 274.  
 Teres (B.) III. 1107, 1422.  
 Tergipes (Z.) V. 398.  
 Termes (Z.) V. 1433.  
 arda (Z.) V. 1444.  
 atrox (Z.) V. 1444.  
 bellicosum (Z.) V. 1443.  
 destructor (Z.) V. 1444.  
 fatale (Z.) V. 1433, 1443.  
 flavicolle (Z.) V. 1445.  
 mordax (Z.) V. 1444.  
 viarum (Z.) V. 1445.  
 Terminalia (B.) III. 912, 1776.  
 angustifolia (B.) III. 913.  
 bellerica (B.) III. 915.  
 benzoin (B.) III. 913.  
 catappa (B.) III. 913.  
 caustica (B.) III. 1776.  
 chebula (B.) III. 915.  
 guianensis (B.) III. 916.  
 mauritania (B.) III. 913.  
 moluccana (B.) III. 914.  
 Terminologie, Theil der Mi-  
 neralogie (M.) I. 32.  
 Termiten (Z.) V. 1432.  
 Baum- (Z.) V. 1444.  
 Termo (Z.) V. 18.  
 Ternärbleherz (M.) I. 374.  
 Ternstroemia (B.) III. 1185.  
 dentata (B.) III. 1185.  
 Ternströmien (B.) III. 1185.  
 Liger. der (B.) III. 1442.  
 Terpentim, s. Terpentim.  
 Terpentim (B.) II. 113. —  
 III. 347 ff. — (M., D.  
 M. S.) I. S. XVII.  
 von Bordeaux (B.) III. 348.  
 — Boston (B.) III. 348.  
 cyprischer (B.) III. 1756.  
 deutscher (B.) III. 351.  
 straßburger (B.) III. 341.  
 venetianischer (B.) III. 349.  
 Terpentimbaum (B.) III. 1755.  
 Terpentimbinne (B.) III.  
 1754.  
 Terpentimblattaus (Z.) VII.  
 1559.  
 Terpentim liefernde Forstpflan-  
 zen (B.) II. 356.  
 Terpentimöl (M., D. M. S.)  
 I. S. XVII. — (B.) II.  
 113, 356. — (B.) III. 347,  
 351.  
 Terpugh (Z.) VI. 175.  
 Terra catechu (B.) III. 672,  
 862, 1695.  
 foliata tartari (M., D. M.  
 S.) I. S. XIV.  
 foliata tartari crystallizata  
 (M., D. M. S.) I. S.  
 XIV.  
 Terragonaschlange (Z.) VI. 554.  
 Terrain authraxifère, étage  
 inferieur (M.) I. 753,  
 760.  
 ardoisier (M.) I. 763.  
 bouillier (M.) I. 738.  
 des Calcaires et marnes à  
 Gryphées virgules (M.)  
 I. 690.  
 à chailles (M.) I. 692.  
 crétaé (M.) I. 672.  
 jura-crétaé (M.) I. 677.  
 jurassique (M.) I. 684.  
 pénaé (M.) I. 732.  
 de transition inférieure  
 (M.) I. 763.

- Terrains alluvien (M.) I.  
 580.  
 Inter-édiaires (M.) I. 731.  
 marins supérieurs (M.) I.  
 662.  
 plutoniques (M.) I. 820.  
 primitifs (M.) I. 768.  
 tertiaires (M.) I. 648.  
 de transition = Uebergangs-  
 gebirge (M.) I. 731.  
 volcaniques (M.) I. 777.  
 Terra japonica (B.) III. 672,  
 862, 1695.  
 merita (B.) III. 496.  
 miraculosa Saxoniae (M.)  
 I. 212.  
 Terrantola (Z.) VI. 633.  
 Terra orellana (B.) III. 1380.  
 Terrapin (Z.) VI. 503.  
 Terra ponderosa salita (M.,  
 D. M. S.) II. S. XIV.  
 di Siena (M.) I. 214.  
 sigillata (M.) I. 214.  
 urucu (B.) III. 1380.  
 Terre-noix (B.) III. 1835.  
 Terrentola (Z.) VI. 633.  
 Tertianaria (B.) III. 1066.  
 Tertiäres Gebirge (M.) I. 648.  
 obere Gruppe des (M.) I.  
 650.  
 — — —, obere Abtheilung  
 (M.) I. 651.  
 — — —, untere Abtheilung  
 (M.) I. 653.  
 untere Gruppe des (M.) I.  
 661.  
 Tertiärformation, dritte oder  
 obere (M.) I. 650.  
 obere (M.) I. 650.  
 Tertiari Rocks (M.) I.  
 648.  
 Testa (B.) II. 80, 261.  
 Testard (Z.) VI. 299.  
 Testudo (Z.) VI. 495, 509.  
 areolata (Z.) VI. 498.  
 denticulata (Z.) VI. 497.  
 elephantina (Z.) VI. 498.  
 geometrica (Z.) VI. 496.  
 graeca (Z.) VI. 495.  
 indica (Z.) VI. 498.  
 marginata (Z.) VI. 496.  
 tabulata (Z.) VI. 497.  
 terrestris (Z.) VI. 595.  
 tessellata (Z.) VI. 497.  
 Tetartin (M.) I. 191.

- Letartoebrische Crystallformen  
 (M.) I. 38.  
 Tête chèvre (Z.) VII. 111.  
 plate (Z.) VI. 643.  
 Teterka (Z.) VII. 593.  
 Tethyum (Z.) V. 500.  
 Téton de Venus (B.) III. 2063.  
 Tetracaulodon (M.) I. 650.  
 Tetracera (B.) III. 1248.  
 aspera (B.) III. 1248.  
 Tetradactylus (Z.) VI. 594.  
 decresiensis (Z.) VI. 594.  
 Tetradymit (M.) I. 431.  
 Tetradynamia (B.) III. 5.  
 Tetraëder (M.) I. 39, 47.  
 reguläres (M.) I. 90.  
 Tetragastria (B.) III. 1764.  
 balsamifera (B.) III. 1764.  
 Tetragonaha (Z.) V. 698.  
 extensa (Z.) V. 698.  
 Tetragonia (B.) III. 1973.  
 expansa (B.) III. 1973.  
 fruticosa (B.) III. 1973.  
 Tetragonolobus (B.) III. 1639,  
 1664.  
 Tetragonurus (Z.) VI. 276.  
 cuvieri (Z.) VI. 276.  
 niger (Z.) VI. 276.  
 Tetrahit (B.) III. 1061.  
 Tetrafisheraeder (M.) I. 47.  
 Tetrandria (B.) III. 5.  
 Tetranthera (B.) III. 1524.  
 Tetrao (Z.) VII. 577, 585, 595.  
 albus (Z.) VII. 587.  
 alchata (Z.) VII. 586.  
 arenarius (Z.) VII. 585.  
 aragonicus (Z.) VII. 585.  
 attagen (Z.) VII. 584.  
 bonasia (Z.) VII. 588.  
 coturnix (Z.) VII. 578.  
 cupido (Z.) VII. 590.  
 francolinus (Z.) VII. 584.  
 graecus (Z.) VII. 583.  
 hybridus (Z.) VII. 593.  
 -lagopodoides (Z.) VII. 593.  
 -urogalloides (Z.) VII. 593.  
 lagopus (Z.) VII. 596.  
 -alpius (Z.) VII. 587.  
 -subalpinus (Z.) VII. 588.  
 medius (Z.) VII. 577, 593.  
 perdis (Z.) VII. 582.  
 petrosus (Z.) VII. 583.  
 ruber (Z.) VII. 584.  
 rufescens (Z.) VII. 577.  
 rufus (Z.) VII. 584.  
 Tetron saxatilis (Z.) VII. 583.  
 scoiicus (Z.) VII. 588.  
 subalpinus (Z.) VII. 587,  
 593.  
 tetrax (Z.) VII. 591.  
 togatus (Z.) VII. 589.  
 umbellus (Z.) VII. 589.  
 urogallus (Z.) VII. 593.  
 urophasinus (Z.) VII. 593.  
 Tetrapihis (B.) III. 278.  
 pellucida (B.) III. 278.  
 Tetraspora (B.) III. 208.  
 gelatinosa (B.) III. 208.  
 lubrica (B.) III. 208.  
 Tetratheca (B.) III. 1297.  
 juncea (B.) III. 1298.  
 Tetrax (Z.) VII. 640.  
 Tetrix (Z.) VII. 591.  
 Tetradon (Z.) VI. 111.  
 electricus (Z.) VI. 115.  
 hispidus (Z.) VI. 114.  
 lagocephalus (Z.) VI. 115.  
 lineatus (Z.) VI. 112.  
 physa (Z.) VI. 112.  
 Tetradontium (B.) III. 278.  
 Tettigometra (Z.) V. 1591.  
 Tettigonia (Z.) V. 1585, 1590.  
 Teucer (Z.) V. 1408.  
 Teuerium (B.) III. 996, 1053.  
 chamaedris (B.) III. 1053.  
 marum (B.) III. 1054.  
 scordium (B.) III. 1053.  
 Teufelchen, formosanisches (Z.)  
 VII. 859.  
 Teufel, kleiner (Z.) V. 1602.  
 Teufelsabbis (B.) III. 448,  
 785.  
 Teufelsauge (B.) III. 1149.  
 Teufelsbaum (B.) III. 1561.  
 Teufelsbrot (M., D. M. S.)  
 I. S. XVII. — (B.) II.  
 115. — III. 1819.  
 Teufelsmühten (M.) I. 828.  
 Teufelsnadel (Z.) V. 1496.  
 Teufelsnadeln (Z.) V. 1489.  
 Teufelszwirn (B.) III. 985.  
 barbarischer (B.) III. 985.  
 gemeiner (B.) III. 985.  
 Teufelszwirne (B.) III. 985.  
 Teuthys (Z.) VI. 207.  
 Tevang (Z.) VII. 1714.  
 Teyu-guazu (Z.) VI. 621.  
 Thal (M.) I. 543, 553.  
 Haupt: (M.) I. 553.  
 Spalten: (M.) I. 564.  
 Thalansang (M.) I. 554.  
 Thalassidroma (Z.) VII. 383.  
 Thalassema (Z.) V. 569.  
 eelium (Z.) V. 569.  
 Thäter (M.) I. 553.  
 Außen: (M.) I. 553.  
 Berg: (M.) I. 553.  
 Bildung der (M.) I. 553.  
 Entblüßungs: (M.) I. 567.  
 Erhebungs: (M.) I. 565.  
 Gebirgs: (M.) I. 553.  
 Längen: (M.) I. 553.  
 Neben: (M.) I. 554.  
 Parallel: (M.) I. 553.  
 Quer: (M.) I. 553.  
 Rings: (M.) I. 565.  
 Seiten: (M.) I. 553.  
 Zwischen: (M.) I. 553.  
 Thäterquelle (Z.) V. 217.  
 gemeine (Z.) V. 217.  
 Thalia (B.) III. 511.  
 gonicalata (B.) III. 511.  
 Thalictrum (B.) III. 1151.  
 aquilegifolium (B.) III.  
 1152.  
 flavum (B.) III. 1151.  
 minus (B.) III. 1151.  
 pauperum (B.) III. 1151.  
 Thallus (B.) II. 87. — III.  
 47, 90, 238.  
 Thäterkreuze (M.) I. 554.  
 Thalwindung (M.) I. 554.  
 Thalfeste (M.) I. 554.  
 Thätvoriprung (M.) I. 554.  
 Thälwände (M.) I. 555.  
 Thälweg (M.) I. 554, 599.  
 Thamnidium (B.) III. 61.  
 elegans (B.) III. 61.  
 Thamnophilus (Z.) VII. 87.  
 magnus (Z.) VII. 87.  
 Thanatophytum (B.) III. 106.  
 Thapsia (B.) III. 1084, 1806.  
 garganica (B.) III. 1806.  
 silphium (B.) III. 1806.  
 villosa (B.) III. 1806.  
 Thapsien (B.) III. 1804.  
 Thapsus (B.) III. 972.  
 Thar (Z.) VII. 1390.  
 Thäer, Rationelle Landwirth-  
 schaft (B.) II. 384.  
 Thaumantias (Z.) V. 226.  
 haemisphaerica (Z.) V. 226.  
 Thauwurzeln (B.) III. 24.  
 Thayer, Capitän (M.) I.  
 794.



Thea (B.) III. 1181.  
 chinensis (B.) III. 1181.  
 - bohea (B.) III. 1181.  
 - viridis (B.) III. 1181.  
 Theaceen (B.) III. 1140, 1141,  
 1170, 1181.  
 Ester der (B.) III. 1441.  
 Theca (B.) III. 261.  
 Thecae (B.) III. 239.  
 Thecidea (M.) I. 673.  
 Thecodactylus (Z.) V. 637.  
 Thé du pays (B.) III. 974.  
 Thee (B.) II. 351. — III. 481.  
 Blumen: (B.) III. 1181,  
 1183.  
 von Bourbon (B.) III. 489.  
 Buch: (B.) III. 1182.  
 Campoy: (B.) III. 1182.  
 Carawanen: (B.) III. 1181,  
 1182.  
 Congo: (B.) III. 1182.  
 europäischer (B.) III. 996.  
 gemeiner (B.) III. 1182.  
 grüner (B.) III. 1181.  
 Hyfian: (B.) III. 1181.  
 James: (B.) III. 907.  
 Jesuiten: (B.) III. 1461.  
 Kaiser: (B.) III. 1181, 1183.  
 Kugel: (B.) III. 1181.  
 Labrador: (B.) III. 907.  
 Lieber'scher (B.) III. 1061.  
 Mehl: (B.) III. 1183.  
 mexicanischer (B.) III. 1461.  
 Oswego: (B.) III. 1075.  
 Paraguay: (B.) III. 1739.  
 Pecos: (B.) III. 1182.  
 Perlen: (B.) III. 1181.  
 Pouchon: (B.) III. 1182.  
 Songlo: (B.) III. 1181.  
 Soufaan: (B.) III. 1182.  
 Souchong: (B.) III. 1182.  
 Soulong: (B.) III. 1181.  
 Su Chong: (B.) III. 1183.  
 Toufay: (B.) III. 1181.  
 tschagrischer (B.) III. 1993.  
 ungarischer (B.) III. 1461.  
 Thee-Buch (B.) III. 1182, 1183.  
 Theespen (B.) III. 1891.  
 gemeine (B.) III. 1891.  
 Theeslangen (B.) III. 489.  
 gestielte (B.) III. 489.  
 wohlriechende (B.) III. 489.  
 Theegindeln (B.) III. 1900.  
 gemeine (B.) III. 1901.  
 Theegrampen (B.) III. 928.

Theegrampen, gemeine (B.)  
 III. 928.  
 Theehade (B.) III. 1365.  
 Theehelden (B.) III. 899.  
 gemeine (B.) III. 899.  
 Theehäcken (B.) III. 1269.  
 gemeine (B.) III. 1270.  
 Theemüllern (B.) III. 1104.  
 gemeine (B.) III. 1104.  
 Theemyrten (B.) III. 1940.  
 gemeine (B.) III. 1940.  
 Theepflanze (B.) III. 1181,  
 1940.  
 Theepflanzen (B.) II. 351.  
 Theeschmergel (B.) III. 1640.  
 Theestechpalme (B.) III. 1739.  
 Theestrauch (B.) II. 351.  
 Theetrensien (B.) III. 738.  
 gemeine (B.) III. 738.  
 Theer (B.) III. 347.  
 Theertiefernde Forstpflanzen  
 (B.) II. 356.  
 Theerose (B.) III. 2021.  
 Theersandschichten (M.) I. 661.  
 Theerschwelen (B.) III. 347.  
 Theilbarkeit der Mineralien  
 (M.) I. 85.  
 Theile, f. Leibeetheile.  
 Theilung der Pflanzen (B.) II.  
 219.  
 Theilungsflächen der Mineralien  
 (M.) I. 85.  
 Theilungsgestalten der Mineralien  
 (M.) I. 85.  
 Theilung, ursprüngliche Bildung  
 durch (Z.) IV. 314.  
 Theist (Z.) VII. 433.  
 dummer (Z.) VII. 436.  
 grauer (Z.) VII. 436.  
 schwarzer (Z.) VII. 435.  
 Theiste (Z.) VII. 433.  
 Theka (B.) III. 1109.  
 Thekbaum (B.) III. 1108.  
 gemeiner (B.) III. 1108.  
 Thekbäume (B.) III. 1108.  
 Thelebolus (B.) III. 84.  
 stercoreus (B.) III. 84.  
 terrestris (B.) III. 84.  
 Thelephora (B.) III. 128, 129  
 caerulea (B.) III. 128.  
 comedens (B.) III. 128.  
 domestica (B.) III. 128.  
 gigantea (B.) III. 128.  
 hirsuta (B.) III. 129.  
 laevis (B.) III. 128.

Thelephora pergamenea (B.)  
 III. 128.  
 puteana (B.) III. 128.  
 sulfurea (B.) III. 128.  
 terrestris (B.) III. 129.  
 Thelotrema (B.) III. 246.  
 exanthematicum (B.) III.  
 246.  
 Thélphusa (Z.) V. 653.  
 flaviatilis (Z.) V. 653.  
 Thelygonum (B.) III. 1551.  
 cynogrambe (B.) III. 1551.  
 Thelyphonus (Z.) V. 702.  
 caudatus (Z.) V. 702.  
 Thelypteris (B.) III. 333.  
 Thevardit (M.) I. 297.  
 Theobroma (B.) III. 1201.  
 cacao (B.) III. 1202.  
 guianensis (B.) III. 1201.  
 Theodora (B.) III. 1716.  
 speciosa (B.) III. 1716.  
 Theodoros, J., f. Tabernae-  
 montanus.  
 Theophrast, von Eresus,  
 Abhandl. von den Stei-  
 nen (M.) I. 26.  
 Naturgeschichte der Ge-  
 wächse, von Sprengel,  
 (B.) III. 2131.  
 Theophrasta (B.) III. 1125.  
 americana (B.) III. 1125.  
 Theophrasti Eresii, Hi-  
 storia Plantarum (B.)  
 III. 2115.  
 Theophrastus, Bestäubung  
 der Palmen (B.) II. 278.  
 Theoria praeformationis (Z.)  
 IV. 315.  
 Theorie der Nachbildung (Z.)  
 IV. 315.  
 der Vorbildung (Z.) IV. 315.  
 Therapon (Z.) VI. 254.  
 Theriac (B.) III. 1760.  
 Theriacaria (B.) III. 1373.  
 Theridion (Z.) V. 691.  
 redimitum (Z.) V. 691.  
 Thermen (M.) I. 762.  
 des Grundgebirges (M.) I.  
 775.  
 Thesium (B.) III. 1499.  
 linophyllum (B.) III. 1499.  
 Thespesia (B.) III. 1222.  
 Thetis (Z.) V. 401.  
 Thetvetia (B.) III. 1042.  
 Thia (Z.) V. 572.

Thibaudia (B.) III. 893.  
 macrophylla (B.) III. 894.  
 melliflora (B.) III. 894.  
 quereme (B.) III. 894.  
 Thienemann und Brehm,  
 Fortpflanzung der Vögel  
 (Z.) VII. 674.  
 Thier, Thiere (M.) I. 9. —  
 (B.) II. 4, 5. — (Z.) IV.  
 15. — IV. — VII. Bd.  
 Abarten der (Z.) IV. 595.  
 Adler (Z.) IV. 569, 572,  
 578, 580. — V. 6, 255.  
 affenartige (Z.) VII. 1704.  
 Allfunde (Z.) VII. 690.  
 Anatomie der (Z.) IV. 20,  
 329.  
 — äußere (Z.) IV. 329.  
 Arten der (Z.) IV. 595.  
 Arterien (Z.) V. 391.  
 arterielle (Z.) IV. 579.  
 Athem (Z.) IV. 570, 572,  
 574, 580. — V. 1539.  
 Aufenthalt der (Z.) IV. 614.  
 Augen (Z.) IV. 561, 569,  
 — VII. 690.  
 bärenartige (Z.) VII. 1659.  
 bedeckte (Z.) IV. 349.  
 Begriff des (Z.) IV. 15.  
 Bestimmung der (Z.) V. 5.  
 Beutels (Z.) VII. 882.  
 Bewegung der (M.) I. 13.  
 Bildung der (B.) II. 4.  
 Bifam (Z.) VII. 1272.  
 Blasenkiemen (Z.) IV. 579.  
 bläschenförmige (Z.) IV. 351.  
 Classen der (Z.) IV. 566.  
 Classification der (Z.) IV.  
 349, 481.  
 — oberflächliche (Z.) IV.  
 349.  
 Darm (Z.) IV. 569, 578,  
 579. — V. 5, 6, 11, 57.  
 dreitheilige (Z.) IV. 350.  
 Dreifels (Z.) V. 6, 541, 709.  
 Eingeweids (Z.) IV. 343,  
 566, 578. — V. 5, 7, 8.  
 einherzige (Z.) IV. 579.  
 einhöhlige (Z.) IV. 343, 350,  
 352, 562.  
 eintheilige (Z.) IV. 350.  
 Elemente oder Bestandtheile  
 des Thierreiches (Z.) IV.  
 20.  
 Stamm (Z.) VII. 1311.

Thier, Entstehung der (M.) I. 5.  
 — ursprüngliche (Z.) IV. 313.  
 Entwicklungstheorie der  
 (Z.) IV. 313.  
 Haut (Z.) VII. 872.  
 Fell (Z.) V. 541.  
 Fleisch (Z.) IV. 566, 569,  
 578, 580, 581. — V. 6,  
 8. — VI. 3.  
 fleischlose (Z.) IV. 569.  
 Flügelkiemen (Z.) IV. 579.  
 flügellose (Z.) IV. 574.  
 Gallert (Z.) IV. 353, 573,  
 578, 581. — V. 5, 7, 10.  
 gallertartige (Z.) IV. 350.  
 Gattungen der (Z.) IV. 595.  
 Gedärm (Z.) IV. 579. —  
 V. 5, 10.  
 gedrückte (Z.) IV. 30.  
 Gefäß (Z.) IV. 561. —  
 VII. 690.  
 geringelte (Z.) IV. 344,  
 350, 576.  
 Geschlechter der (Z.) IV.  
 594.  
 Glatt (Z.) IV. 353.  
 glatte (Z.) IV. 344, 346,  
 350.  
 gleichförmige (Z.) IV. 350.  
 großes (Z.) VII. 1141, 1313.  
 Gummi (Z.) VI. 1723.  
 Haar (Z.) VII. 690.  
 Hand (Z.) VII. 1098.  
 handlose (Z.) IV. 344.  
 Haut (Z.) IV. 570, 574,  
 578. — V. 541. — VII.  
 690.  
 häufige (Z.) IV. 350.  
 Hautkiemen (Z.) IV. 579.  
 Herzen (Z.) V. 495.  
 herzhörige (Z.) IV. 579.  
 mit einem Hirnkopf (Z.) IV.  
 562.  
 Hirsch (Z.) VI. 1389.  
 höhere (Z.) IV. 329. — VI.  
 u. VII.  
 — Anatomie der (Z.) IV.  
 329.  
 hornige (Z.) IV. 350.  
 Hufe (Z.) VII. 992.  
 hundartige (Z.) VI. 1529.  
 fagenartige (Z.) VII. 1578.  
 Kiemen (Z.) V. 541, 599.  
 Knochen (Z.) IV. 568, 569,  
 578. — V. 6. — VI. 13.

Thier, Kopf (Z.) IV. 561, 569.  
 kugelförmige (Z.) IV. 351.  
 Lebensart der (Z.) IV. 615.  
 Leib der (Z.) IV. 22.  
 Litter. über (Z.) V. 56.  
 181, 252, 390, 537, 558,  
 698, 707, 830, 1050, 1425,  
 1498, 1531, 1628, 1822.  
 — VI. 24, 403, 684, 688.  
 — VII. 665, 1857.  
 Luft (Z.) V. 8.  
 Luftröhren (Z.) IV. 541,  
 709.  
 Lungen (Z.) IV. 572.  
 Magen (Z.) IV. 579. —  
 V. 6, 11, 12.  
 marderartige (Z.) VII. 1435.  
 Maul (Z.) VII. 1232.  
 Muskel (Z.) IV. 568, 569,  
 578. — VI. 419. — VII.  
 1116.  
 nackte (Z.) IV. 349.  
 Nagel (Z.) VII. 1434.  
 Nasen (Z.) IV. 561, 569.  
 — VII. 690.  
 nasenlose (Z.) IV. 344.  
 Naturgeschichte der (Z.) IV.  
 7. — Bd. IV. — VII.  
 — — allgemeine (Z.) IV.  
 — — besondere (Z.) V. bis  
 VII.  
 Nerven (Z.) IV. 568, 569,  
 578. — V. 7. — VII.  
 1. Arbeit.  
 niedere (Z.) IV. 342.  
 — Anatomie der (Z.) IV.  
 342.  
 — Uebersicht der (Z.) V.  
 6. I. — XIV.  
 obere (Z.) IV. 352, 359.  
 Ohrio (Z.) VII. 1186.  
 Ohren (Z.) IV. 561, 569. —  
 VII. 5, 690.  
 Ordnung der (Z.) V. 5.  
 Ordnungen der (Z.) IV.  
 582.  
 runde (Z.) IV. 346, 350.  
 Organe der (Z.) IV. 21.  
 Pflanzen (Z.) V. 9.  
 Räder (Z.) V. 17, 35.  
 Remis (Z.) VII. 1298.  
 Ringels (Z.) IV. 344, 352,  
 578, 579, 580, 581. —  
 V. 539.  
 Rumpf (Z.) IV. 561, 639.

Thier, Säug. (Z.) IV. 329. —  
 VII. 2. u. 3. Abtheil.  
 — äußere Anatomie der (Z.)  
 IV. 329.  
 Saugader. (Z.) V. 5, 6,  
 11, 182.  
 Schal. (Z.) IV. 353, 572,  
 573, 578, 579, 580, 581.  
 — V. 6, 7, 255.  
 scheidenförmige (Z.) IV. 351.  
 Schleim. (Z.) VII. 1437.  
 Schleim. (Z.) IV. 353.  
 mit einem Schlundkopf (Z.)  
 IV. 562.  
 Schmalz. (Z.) VII. 1291.  
 Schnabel. (Z.) VII. 834.  
 Sinnen. (Z.) IV. 569, 578,  
 580. — VII. 2. und 3.  
 Abtheil. VII. 1433.  
 sphenöse (Z.) IV. 344.  
 Stink. (Z.) VII. 1504.  
 Strahl. (Z.) IV. 346.  
 strahlenförmige (Z.) IV. 350.  
 Stufen der (Z.) IV. 558,  
 579.  
 Systeme der (Z.) IV. 21.  
 Theile der (Z.) IV. 21.  
 Trompet. (Z.) VII. 1269.  
 ungleichförmige (Z.) IV. 350.  
 untere (Z.) IV. 352, 356.  
 Unterklassen der (Z.) IV.  
 579.  
 Unterschied der, von den  
 Pflanzen (M.) I. 12. —  
 (Z.) IV. 16.  
 Unterscheidungsmerkmale  
 der (Z.) IV. 580.  
 — äußere (Z.) IV. 580.  
 — innere (Z.) IV. 580.  
 — wesentliche (Z.) IV. 580.  
 Ur. (Z.) V. 18.  
 Venen. (Z.) V. 262.  
 venöse (Z.) IV. 579.  
 venöse u. arterielle (Z.) IV.  
 579.  
 Verbreitung der (Z.) IV.  
 609.  
 viertheilige (Z.) IV. 350.  
 walgige (Z.) IV. 351.  
 Wasser. (Z.) V. 8.  
 Weich. (Z.) IV. 353, 572,  
 578.  
 = Weltindividuen (B.) II. 5.  
 Wirbel. (Z.) IV. 349, 569.  
 wirbellose (Z.) IV. 350, 569.

Thier, Zahl der (Z.) IV. 596.  
 Thibeth. (Z.) VII. 1530.  
 Zünfte der (Z.) IV. 591.  
 Zungen. (Z.) IV. 561, 569.  
 — VII. 690.  
 zusammengedrückte (Z.) IV.  
 350.  
 zweyherzige (Z.) IV. 579.  
 zweyhöhliche (Z.) IV. 343,  
 349, 351, 562.  
 zweyseitige (Z.) IV. 30.  
 zweytheilige (Z.) IV. 350.  
 Thierblume (Z.) V. 162.  
 gemeine (Z.) V. 162.  
 Thierblumen (Z.) V. 162.  
 Thiere, f. Thier.  
 Thiereweiß (M., D. M. S.)  
 I. S. XV.  
 Thieresser (Z.) V. 1705.  
 Thiergallerie (M., D. M. S.)  
 I. S. XV.  
 Thiergeschichte (Z.) IV. 7.  
 Thierkenntnis (Z.) IV. 7.  
 Thierknochen i. L. u. f. (M.) I. 789.  
 Thierläuse (Z.) V. 1430.  
 Thieröl (M.) I. 704.  
 Thierreich (M.) I. 16. — (Z.)  
 IV. u. ff. — IV. 7.  
 Bedeutung des (Z.) V. 3.  
 Bildung des, durch quater-  
 näre Verbindung der  
 Elemente: Erde, Wasser,  
 Luft und Feuer (B.) II. 3.  
 Elemente oder Bestandtheile  
 des (Z.) IV. 20.  
 generische oder Entwick-  
 lungsgeschichte des (Z.)  
 IV. 7.  
 Naturgeschichte des (Z.) IV.  
 ff. IV. 7.  
 Thierreste (M.) I. 576; f. Dr.  
 ganische Ueberreste.  
 Thieräuren, Parallelismus  
 mit Pflanzen- und un-  
 organischen Säuren (M.,  
 D. M. S.) I. S. VIII.  
 Thierschleim (M., D. M. S.)  
 I. S. XV.  
 Thierstufen (Z.) IV. 558.  
 Thierwanzen (Z.) V. 1605.  
 Thiery de Mononville,  
 Traité de la culture de  
 Nopal et de l'éducation  
 de la Cochenille (Z.) V.  
 1545.

Thileo (B.) III. 1879.  
 Thlaspi (B.) III. 1391,  
 arvense (B.) III. 1391.  
 bursae pastoris (B.) III.  
 1391.  
 creticum (B.) III. 1391.  
 Thonias, Alpenpflanzen (B.)  
 III. 2133.  
 Catalogue des Plantes suis-  
 ses (B.) III. 2133.  
 Thomasherz, Str., (B.) III.  
 1694.  
 Thomasus (Z.) V. 685.  
 citreus (Z.) V. 685.  
 Thompson (M.) I. 174.  
 Thon (M.) I. 119, 207, 209,  
 477, 532, 648, 654, 658,  
 719, 799, 837.  
 Thon (Z.) VI. 191, 515.  
 Thon, Entomolog. Archiv  
 (Z.) V. 1825.  
 Thonablagerungen (M.) I. 633.  
 Thontenden = Geste (M., D.  
 M. S.) I. S. XXI.  
 Thonboden (M.) I. 538.  
 eisenkiesiger (M.) I. 538.  
 feinförmiger (M.) I. 538.  
 gewöhnlicher (M.) I. 538.  
 humoser (M.) I. 539.  
 kalkiger (M.) I. 538.  
 mergeliger (M.) I. 538.  
 salziger (M.) I. 539.  
 sandiger (M.) I. 538.  
 Thon, Bradford. (M.) I. 700.  
 Thone (M., D. M. S.) I. S.  
 X. = Feldspathie (M.)  
 I. 187, 207, 531, 808.  
 Brenz. (D. M. S., XI.)  
 = Blauspathie (M.) I.  
 185.  
 Classen. (M., D. M. S.)  
 I. S. XI.  
 d. Steinkohlengebirges (M.)  
 I. 741.  
 Elementen. (M., D. M.  
 S.) I. S. XI.  
 Erd. (M., D. M. S.) I.  
 S. X.  
 Erz. (D. M. S., XI.) =  
 Gadolinite (M.) I. 200.  
 Feuer. (D. M. S., XI.)  
 = Laven (M.) I. 785.  
 feuerfeste (M.) I. 207, 741.  
 Fels. (M., D. M. S.) I.  
 S. X.

Thone, Kalks (D. M. S., X.) = Epidote (M.) I. 167.  
 Kiesel (D. M. S., X.) = Feldspath (M.) I. 187.  
 Lustr. (D. M. S., XI.) = Thonsteine (M.) I. 209.  
 Mineral (M., D. M. S.) I. S. X.  
 reine (D. M. S., X.) = Sapphyre (M.) I. 153.  
 Salz (D. M. S., X.) = Schürte (M.) I. 164.  
 Talk (D. M. S., X.) = Spinelle (M.) I. 215.  
 Wasser (D. M. S., XI.) = Thonschiefer (M.) I. 509.  
 Thondesteine (M.) I. 152.  
 Thon, Eisen (M.) I. 210.  
 Thonstein, brauner (M.) I. 331.  
 dichter (M.) I. 332.  
 jaspisartiger (M.) I. 330.  
 kugeltiger (M.) I. 332.  
 rother (M.) I. 330.  
 schattiger (M.) I. 332.  
 Thonerde (M.) I. 119, 120, 136, 152. — (M., D. M. S.) I. S. XI. — (B.) II. 105, 172.  
 bromsaure (M., D. M. S.) I. S. XVIII.  
 flusssäure (M., D. M. S.) I. S. XIII.  
 kohlen-saure (M., D. M. S.) I. S. XIII.  
 Pflanzen der (B.) II. 310.  
 schwefel-saure (M., D. M. S.) I. S. XIII, XIV.  
 des Thonochers (M., D. M. S.) I. S. XVIII.  
 mit Wasser (M., D. M. S.) I. S. XIII.  
 Thonerden (M.) I. 152.  
 Thon, feuerfester (M.) I. 665.  
 Thonstein, bituminöses (M.) I. 733.  
 Thongallen (M.) I. 724.  
 Thongesteine (M.) I. 508.  
 Thongyps (M.) I. 223.  
 Thonhade (M., D. M. S.) I. S. XIX.  
 Thon, Sitts (M.) I. 685.  
 Thonstafel (D. M. S., XII.) = Sectithe (M.) I. 168.

Thonkiesel (D. M. S., IX.) = Zircon (M.) I. 150.  
 Thon, Kimmeridge (M.) I. 690.  
 Thontager auf dem Obergriin-sand = Gault (M.) I. 676.  
 Thontager, sandige (M.) I. 735.  
 Thonmanganerz (M., D. M. S.) I. S. XVIII.  
 Thonmasse (M.) I. 509.  
 der Wälderbildung (M.) I. 685.  
 Thonmergel (M.) I. 516, 711.  
 buntfarbiger (M.) 747.  
 Thonmetalle (M., D. M. S.) I. S. XXII.  
 Thonocher (M., D. M. S.) I. S. XVIII.  
 Thon, Oxyd (M.) I. 698.  
 — verhärteter (M.) I. 210.  
 Pfeifens (M.) I. 208.  
 plastischer (M.) I. 665.  
 Thonporphyr (M.) I. 508, 523.  
 quarzführender (M.) I. 831.  
 Thon, Salz (M.) I. 720.  
 Thonsandstein (M.) I. 519, 735.  
 Eisen (M.) I. 519.  
 gemeiner (M.) I. 519.  
 Thon, Schiefer (M.) I. 532.  
 Thonschiefer (M., D. M. S.) I. S. XI.; (M.) I. 509, 753, 557, 764, 831.  
 Brand (M.) I. 511.  
 Thonschiefergebirge (M.) I. 753.  
 Thonschiefer, glimmeriger (M.) I. 510.  
 kalkiger oder Kalk (M.) I. 511.  
 kohlig (M.) I. 510.  
 Thonschiefermasse (M.) I. 512.  
 Thonschiefer, porphyrtartiger (M.) I. 510.  
 quarziger (M.) I. 510.  
 reiner (M.) I. 510.  
 rheinischer (M.) I. 757.  
 lles (M.) I. 770.  
 Thonschwefel-leber (M., D. M. S.) I. S. XV.  
 Thonstein (M.) I. 210, 508.  
 augitischer (M.) I. 509.  
 bläufiger (M.) I. 509.

Thonstein, gemeiner (M.) I. 210, 508.  
 mandelsteinartiger (M.) I. 509.  
 Thonsteine (M., D. M. S.) I. S. XI.  
 Thonsteinmasse (M.) I. 508.  
 Thonsteinporphyr (M.) I. 508.  
 Thon, Stourbridge (M.) I. 741.  
 Thonstafel (D. M. S., XI.) = Sapphyrine (M.) I. 199.  
 Thon, Töpfers (M.) I. 208, 532.  
 verhärteter (M.) I. 210.  
 Thora (B.) III. 1145.  
 — Paeron (B.) III. 1667.  
 Thorea (B.) III. 198.  
 ramosissima (B.) III. 198.  
 Thoricis (B.) VI. 622.  
 crocodilinus (B.) VI. 622.  
 Thorium (M.) I. 113, 119, 120.  
 Thory, Monogr. du Genre grosseillier (B.) III. 2119.  
 Prodrome de la Monogr. du Genre rosier (B.) III. 2119.  
 Thos (B.) VII. 1556.  
 Thoth (B.) VII. 1775.  
 Thran (B.) VII. 995, 1025, 1450. — (M., D. M. S.) I. S. XVII.  
 Thranen (B.) IV. 102, 331.  
 Thranen-salg (B.) VII. 1231.  
 Thranen-bein (B.) IV. 29.  
 steines (B.) IV. 29.  
 Thranen-canal (B.) IV. 102, 147.  
 Thranen-drüse (B.) IV. 102.  
 Thranen-gras (B.) III. 399.  
 Felds (B.) III. 399.  
 Garten (B.) III. 399.  
 Thranen-puncte (B.) IV. 102.  
 Thranen-schwamm (B.) III. 143.  
 Thranen-stierchen (B.) V. 29.  
 schwanen-förmiges (B.) V. 29.  
 Thranen-warze (B.) IV. 102.  
 Thranen-weide (B.) III. 1533.  
 Thrasher (B.) VII. 1010, 1074.  
 Thraut (M.) I. 355.  
 Thracia (B.) III. 716.  
 Thrips (B.) V. 1431.  
 physopus (B.) V. 1431.

- Thrisa (Z.) VI. 380, 381.  
 Thrombium (Z.) III. 196.  
 Throstle (Z.) VII. 58.  
 Thuja-Thyja (Z.) III. 363.  
 Thunberg, De Borbonia  
 (Z.) III. 2103.  
 Dissert. de Ricino (Z.) III.  
 2103.  
 Diss. de Rubo (Z.) III.  
 2110.  
 Diss. geogr. Plant. (Z.) III.  
 (Z.) III. 2122.  
 Flora capensis (Z.) III.  
 2126.  
 - japonica (Z.) III. 2127.  
 Icones Plant. japon. (Z.)  
 III. 2127.  
 Plantae brasilienses (Z.)  
 III. 2134.  
 Prodr. Florae capensis (Z.)  
 III. 2126.  
 Thunbergia (Z.) III. 885,  
 1000.  
 capensis (Z.) III. 885, 1001.  
 fragrans (Z.) III. 1001.  
 Thunne (Z.) VI. 184, 188,  
 191; f. Thunnfische.  
 Thunnfische (Z.) VI. 184, 188,  
 191.  
 gemeiner (Z.) VI. 191.  
 lange (Z.) VI. 184.  
 tafelförmige (Z.) VI. 203.  
 Thunnfisch (Z.) V. 626.  
 Thunnus (Z.) VI. 193, 196.  
 Aristotelis (Z.) VI. 193.  
 Thur (Z.) VII. 1426.  
 Thüringer Formationenreihe  
 (M.) I. 710.  
 Thurm, babylonischer (Z.) V.  
 489.  
 gothischer (Z.) V. 446.  
 Thurmman (M.) I. 699.  
 Thürmchen (Z.) V. 457.  
 Falten (Z.) V. 457.  
 Fuchs (Z.) V. 457.  
 geköntes (Z.) V. 457.  
 Thurmfalke (Z.) VII. 129.  
 Thurmkraut (Z.) III. 1398.  
 gemeines (Z.) III. 1398.  
 Thurmkräuter (Z.) III. 1398.  
 Thurmshawbe (Z.) VII. 106.  
 Thurmshnecke (Z.) V. 489.  
 Thürschnecke (Z.) V. 430.  
 gemeine (Z.) V. 430.  
 Thyja (Z.) III. 363.  
 Thyja occidentalis (Z.) III.  
 363.  
 orientalis (Z.) III. 364.  
 Thylacianus (Z.) VII. 918.  
 Thylacis (Z.) VII. 912.  
 nasuta (Z.) VII. 913.  
 Thymallus (Z.) VI. 358.  
 Thymelaea (Z.) III. 1492,  
 1497.  
 Thymeteen (Z.) III. 25, 1487.  
 Thymus (Z.) III. 1067.  
 acinos (Z.) III. 1068.  
 serpyllum (Z.) III. 1068.  
 vulgaris (Z.) III. 1068.  
 Thymus (Z.) IV. 118.  
 Thynaus (Z.) VI. 191.  
 vagans (Z.) VI. 195.  
 Thyrsus (Z.) II. 38. — III.  
 433.  
 Thysselinum (Z.) III. 1816.  
 Tiarella (Z.) III. 1988.  
 cordifolia (Z.) III. 1988.  
 Tibia (Z.) IV. 409.  
 Tibouchina (Z.) III. 1891.  
 aspera (Z.) III. 1891.  
 Tichodroma (Z.) VII. 199.  
 Ticor (Z.) III. 495.  
 Tidhar = Acer ereticum (Z.)  
 II. 381.  
 Tiedemann, Anatomie der  
 Nöhrenhofsthorie r. (Z.)  
 V. 598.  
 Fischery (Z.) VI. 407.  
 Zoologie (Z.) VII. 669, 1859.  
 Tiedemann, Doppel und  
 Eibofsig, Naturge-  
 schichte der Amphibien  
 (Z.) VI. 689.  
 Tiefeneben (M.) I. 558.  
 Tieute (Z.) III. 1047.  
 Tigarea (Z.) III. 1248, 2005.  
 Tiger (Z.) V. 451, 1282. —  
 VII. 1628.  
 americanischer (Z.) VII. 1615.  
 arabischer (Z.) V. 451.  
 capischer (Z.) VII. 1605.  
 fossiler (M.) I. 632.  
 gefleckter (Z.) V. 1282.  
 Tiger (Z.) VII. 1628.  
 black (Z.) VII. 1590.  
 brasilian (Z.) VII. 1615.  
 Tigerboschkatze (Z.) VII.  
 1607.  
 Tigerbuschfäse (Z.) VII. 1593.  
 Tigertäse (Z.) VII. 1506.  
 Tigertäse, langschwänzige  
 (Z.) VII. 1598.  
 Tigertaget (Z.) V. 453.  
 Tigermotte (Z.) V. 1351.  
 gelbe (Z.) V. 1352.  
 graue (Z.) V. 1352.  
 weiße (Z.) V. 1351.  
 Tigermuschel (Z.) V. 312.  
 Tigerpferd (Z.) VII. 1221.  
 Tigerraupe (Z.) V. 1288.  
 Tigerschlange (Z.) VI. 534.  
 Tigerschwerdet (Z.) III. 533.  
 gemeiner (Z.) III. 533.  
 weißiger (Z.) III. 534.  
 Tigerwolf (Z.) VII. 1575.  
 Tiglia (Z.) III. 1189.  
 Tiglium (Z.) III. 1591.  
 Tigre (Z.) VII. 1628.  
 Tigridia (Z.) III. 533.  
 pavonia (Z.) III. 533.  
 Tigris (Z.) VII. 1628.  
 Tihu (Z.) III. 1595.  
 Tije (Z.) VII. 248, 251.  
 Tije-Guanco (Z.) VII. 248.  
 Tikus-Ambang-bulan (Z.) VII.  
 919.  
 Tildra (Z.) VII. 520.  
 Titefius, Ueber die horn-  
 artigen Fischeyer der Ro-  
 then und Hayen (Z.) VI.  
 407.  
 Tile stones (M.) I. 747.  
 Tilgate forest (M.) I. 686.  
 Tilgatsforst (M.) I. 686.  
 Tilgatschichten, Versteinern-  
 gen der (M.) I. 695.  
 Tilgate Stone (M.) I. 687.  
 Tilia (Z.) III. 1189.  
 grandifolia (Z.) III. 1190.  
 parvifolia (Z.) III. 1190.  
 Tiliaceen (Z.) III. 1179, 1186.  
 Tiligugu (Z.) VI. 596.  
 Tiligoni (Z.) VI. 596.  
 Tillaea (Z.) III. 1963.  
 aquatica (Z.) III. 1963.  
 muscosa (Z.) III. 1963.  
 Tillandsia (Z.) III. 631.  
 maculata (Z.) III. 632.  
 uenoides (Z.) III. 631, 949.  
 atriculata (Z.) III. 631.  
 Tilleul (Z.) III. 1189.  
 Tili, M. A., Catalogus plan-  
 tarum Horti siyani (Z.)  
 III. 2118.  
 Tilt (Z.) VII. 489.

Timbaus (B.) III. 1715.  
 Timm. Flora megalopolitana (B.) III. 299.  
 Timonius (B.) III. 874.  
 polygamus (B.) III. 875.  
 rumphii (B.) III. 875.  
 Tiaoriena (Z.) V. 514.  
 Timpen (B.) III. 1835.  
 Tinamu (Z.) VII. 575.  
 Tinca (Z.) VI. 296.  
 marina (Z.) VI. 247.  
 Tineta (B.) III. 1900.  
 Tinctura ferri acetici (M., D. M. S.) S. I. XVI.  
 Tinaea (Z.) V. 1088, 1093, 1183.  
 argyrella (Z.) V. 1218.  
 cerealella (Z.) V. 1207.  
 cereana (Z.) V. 1170.  
 cereilla (Z.) V. 1215.  
 chermetula (Z.) V. 1578.  
 colutella (Z.) V. 1234.  
 cynosbatella (Z.) V. 1197.  
 dodeceilla (Z.) V. 1170, 1196.  
 eonymella (Z.) V. 1093, 1162, 1170.  
 frangulella (Z.) V. 1192.  
 graminella (Z.) V. 1234.  
 granella (Z.) V. 1170, 1208.  
 hercyniana (Z.) V. 1170.  
 lichenella in Lichone candelaria (Z.) V. 1238.  
 mellonella (Z.) V. 1170, 1214.  
 merianella (Z.) V. 1093.  
 pudella (Z.) V. 1162, 1170, 1257.  
 pelliionella (Z.) V. 1171, 1274.  
 pinetella (Z.) V. 1170.  
 pinguinalis (Z.) V. 1216.  
 pomonella (Z.) V. 1170, 1198.  
 porrectella (Z.) V. 1094, 1261.  
 potamogata (Z.) V. 1241.  
 prolella (Z.) V. 1576.  
 rajella (Z.) V. 1186.  
 resinella (Z.) V. 1170, 1195, 1196.  
 roborella (Z.) V. 1189.  
 roesella (Z.) V. 1186, 1187.  
 sarcitella (Z.) V. 1170, 1223.  
 tapetzella (Z.) V. 1171, 1216.  
 tiliella (Z.) V. 1218.

Tinea turionella (Z.) V. 1170, 1196.  
 uvella (Z.) V. 1200.  
 viciella (Z.) V. 1237.  
 wilkella (Z.) V. 1188.  
 Tineo, V., Plantae rar. Sicilliae (B.) III. 2124.  
 Tingi = Paullinia (B.) III. 1336.  
 da Praya = Jacquinia obovata (B.) III. 1124.  
 Tingis (Z.) V. 1615.  
 cardui (Z.) V. 1615.  
 clavicornis (Z.) V. 1615.  
 Tinguivose (B.) III. 288.  
 einseitiges (B.) III. 289.  
 gefiederetes (B.) III. 288.  
 hängendes (B.) III. 289.  
 franjes (B.) III. 289.  
 rankendes (B.) III. 289.  
 Tingulog (B.) III. 1764.  
 Tinguy = Magonia pubescens (B.) III. 1333.  
 Tintal (M.) I. 293.  
 Tinunculus (Z.) VII. 129.  
 Tinti (Z.) VII. 45.  
 Tintinnus (Z.) V. 35.  
 Tinus (B.) III. 1856.  
 Tipioca (B.) III. 1597.  
 Tipula (Z.) V. 738, 753.  
 cornicina (Z.) V. 754.  
 oleracea (Z.) V. 753.  
 stercoraria (Z.) V. 738.  
 Tirade (B.) III. 686.  
 Tiresias (B.) III. 199.  
 Tirza = Quercus flex (B.) II. 381.  
 Tischler, Taschenbuch (Z.) V. 1426.  
 Tisiphone (Z.) VI. 569.  
 Titan (M.) I. 113, 122, (D. M. S.) S. XVIII, XIX.  
 Titan-Cotte (B.) III. 1046.  
 Titaneisen (M.) I. 323.  
 der Lava (M.) I. 785.  
 des massigen Gebirges (M.) I. 276.  
 Titaneisenhand (M.) I. 325.  
 Titanerzocher (M., D. M. S.) I. S. XIX.  
 Titanit (M.) I. 279, 488.  
 Titanium (M.) I. 122.  
 Thymalos (B.) III. 1582.  
 Tithys (Z.) VII. 40.  
 Titi (Z.) VII. 1758, 1767, 1771.

Titi von Carthagena (Z.) VII. 1767.  
 vom Dronoco (Z.) VII. 1758.  
 Titicaca, See von (M.) I. 557.  
 Titiri (Z.) VII. 77.  
 Titius, D., Parus minimus (Z.) VII. 673.  
 Titmouse (Z.) VII. 243.  
 Tittmann, Embryo des Samenfortens (B.) II. 277.  
 Keimung der Pflanzen (B.) II. 277.  
 Tjaecko (Z.) VII. 1802.  
 Tjaeder (Z.) VII. 595.  
 Tkelet = Quercus coccifera (B.) II. 381.  
 Tlatlanhqui-Ocelott (Z.) VII. 1615.  
 Toadstone (M.) I. 747.  
 Töberich (B.) III. 411.  
 Tobianus (Z.) VI. 139.  
 Tobiasfisch (Z.) VI. 139.  
 Tobira (B.) III. 1298.  
 Toc-kaie (Z.) VI. 636.  
 Toco (Z.) VII. 375.  
 Tococa (B.) III. 1896.  
 guianensis (B.) III. 1896.  
 physiphora (B.) III. 1896.  
 Toddalia (B.) III. 1285.  
 Toddy, f. Creos nucifera (B.) III. 663.  
 Toddywein (Z.) V. 1817.  
 Tode, Fungi mecklenburg. selecti (B.) III. 173.  
 Todier (Z.) VII. 79.  
 Todt (M.) I. 7.  
 Todte (M.) I. 31.  
 Todtenblume (B.) III. 746.  
 Todtengräber (Z.) V. 1768.  
 gedüpfelter (Z.) V. 1771.  
 gemeiner (Z.) V. 1769.  
 größter (Z.) V. 1771.  
 rothhafter (Z.) V. 1771.  
 Todtenkopf (Z.) V. 1085, 1169, 1385.  
 Todtenköpfchen (Z.) VII. 1757.  
 Todtenkopfmoss (B.) III. 255.  
 Todtenkopfmuschel (Z.) V. 503.  
 Todtenuhr (Z.) V. 1684.  
 Todtenvogel (Z.) VII. 117.  
 Todtliegende (M.) I. 735, 768.  
 Tödtung (Z.) IV. 208.  
 dynamische (Z.) IV. 209.

- Todstiegender, mechanische (Z.) IV. 209.  
 Födrungsproceß (Z.) IV. 208.  
 Todus (Z.) VII. 79.  
   *macrochynchus* (Z.) VII. 108.  
   *nasutus* (Z.) VII. 108.  
   *poliocephalus* (Z.) VII. 79.  
   *platyrhynchus* (Z.) VII. 76.  
   *regius* (Z.) VII. 74.  
   *viridis* (Z.) VII. 79.  
 Tofieldia (B.) III. 547.  
   *calyculata* (B.) III. 547.  
   *collina* (B.) III. 547.  
   *palustris* (B.) III. 547.  
 Tohila (B.) III. 1206.  
 Tolaat = *Quercus coccifera* (B.) II. 381.  
 Tolaat (B.) II. 381.  
 Tolai (Z.) VII. 821.  
 Tollferdel (B.) III. 1801, 1802.  
   gemeiner (B.) III. 1802.  
   knolliger (B.) III. 1802.  
 Tollfische (B.) III. 983.  
   gemeine (B.) III. 983.  
 Tollfische (B.) III. 983.  
 Tollforn (B.) III. 386.  
 Tollspillen (B.) III. 1776.  
   gemeine (B.) III. 1776.  
 Tölpet (Z.) VII. 408.  
   gemeiner (Z.) VII. 409.  
 Tolpis (B.) III. 716.  
 Tolubalsam (M., D. M. S.) I. S. XVII. — (B.) II. 113. — III. 1680.  
 Toluifera (B.) III. 1679.  
 Tolyptetes (Z.) VII. 865.  
 Tomate (B.) III. 989.  
 Tomback (M., D. M. S.) I. S. XXII.  
 Tomberug (B.) III. 1747.  
 Tomex (B.) III. 1524.  
   *myrrha* (B.) III. 1524.  
   *sebifera* (B.) III. 1524.  
 Tomino (Z.) VII. 180.  
 Tonger (Z.) VII. 1714.  
 Tonina (B.) III. 435.  
 Tonina (Z.) VII. 1073, 1105.  
 Tonka (B.) III. 1686, 1919.  
 Tonkabohne (B.) III. 1686.  
 Tonkaythee (B.) III. 1181.  
 Tonnari (Z.) VI. 192.  
 Tonne = *Tonnenschnecke* (Z.) V. 474.  
 Tonnenspinnen (Z.) V. 725.  
 Tonnenschnecke (Z.) V. 474.  
   große (Z.) V. 475.  
 Tonnenschnecken (Z.) V. 474.  
 Tonnine (Z.) VI. 193.  
 Tonniola (Z.) V. 303.  
 Tonno (Z.) VI. 191.  
 Tontelea (B.) III. 1332.  
   *scabra* (B.) III. 1332.  
   *senegalensis* (B.) III. 1332.  
 Toona (B.) III. 1301.  
 Topana (B.) III. 1835.  
 Topas (M.) I. 155, 826.  
   edler (M.) I. 156.  
 Topascotibri (Z.) VII. 190.  
 Topasfels (M.) I. 156.  
 Topas, Härtegrad des (M.) I. 104.  
   orientalischer (M.) I. 156.  
 Topas-Rubin (Z.) VII. 184.  
 Topfbaum = *Lecythis* (B.) III. 1919.  
 Topferthon (M.) I. 208, 532.  
 Topfervogel (Z.) VII. 200.  
   gelblicher (Z.) VII. 202.  
   gemeiner (Z.) VII. 200.  
   grüner (Z.) VII. 201.  
 Topferwüch (Z.) VII. 200.  
 Topferweisse (Z.) V. 953.  
 Topfstein (M.) I. 179, 496.  
 Top-Goch (Z.) VI. 352.  
 Tophus ruber (M.) I. 525.  
 Topinambour (B.) III. 511, 638.  
   blau (B.) III. 638.  
 Topino (Z.) VII. 95.  
 Topoa-Tafa-var (Z.) VII. 915.  
 Topohea (B.) III. 1901.  
 Toporagno (Z.) VII. 949.  
 Toppen (B.) III. 1789, 1917.  
   Affen (B.) III. 1920.  
   Apfels (B.) III. 1922.  
   Büchsen (B.) III. 1919.  
   Federn (B.) III. 1921.  
   Nuß (B.) III. 1918.  
 Torchepot (Z.) VII. 206.  
 Torcoll (Z.) VII. 209.  
 Torb (Z.) VII. 439.  
 Torda (Z.) VII. 439.  
 Tordela (Z.) VII. 55.  
 Tordo (Z.) VII. 58, 321.  
   *sassello* (Z.) VII. 59.  
 Tordyllen (B.) III. 1808.  
 Tordyllium (B.) III. 1803, 1808.  
   *officinale* (B.) III. 1808.  
 Torf (M.) I. 311, 534.  
 Torfbildung (M.) I. 646.  
 Torfboden (M.) I. 542.  
 Torf, Diluvial (M.) I. 646.  
 Torferde (M.) I. 535.  
 Torf, erdiger (M.) I. 535.  
   Faser (M.) I. 535.  
 Torfmoore (M.) I. 589, 749.  
 Torf, Moos (M.) I. 535.  
 Torfmoose (B.) III. 276.  
   haarblättriges (B.) III. 277.  
   fahlförmiges (B.) III. 277.  
   spitziges (B.) III. 277.  
 Torfspangen (B.) II. 309.  
 Torf, Wech (M.) I. 535.  
 Torfen (M.) I. 535.  
 Torfrot (M.) I. 591.  
 Torilis (B.) III. 1803.  
   *anthriscus* (B.) III. 1803.  
 Tormentilla (B.) III. 2011.  
   *erecta* (B.) III. 2011.  
   *reptans* (B.) III. 2011.  
 Torminaria (B.) III. 2067.  
   *crataegus* (B.) III. 2067.  
 Tornatalla fasciata (M.) I. 651.  
 Torpedo (Z.) VI. 39.  
 Torpille (Z.) VI. 39.  
 Torquilla (Z.) VII. 209.  
 Torrey, J., A compendium of the Flora of the northern and middle States (B.) III. 2135.  
   Flora of the United States (B.) III. 2135.  
 Torsk (Z.) VI. 153.  
 Tortrix (Z.) V. 1088, 1092, 1244.  
   *chlorana* (Z.) V. 1127, 1253.  
   *heracleana* (Z.) V. 1255.  
   *hercyniana* (Z.) V. 1255.  
   *prasinana* (Z.) V. 1128, 1178.  
   *roborana* (Z.) V. 1255.  
   *rosana* (Z.) V. 1246, 1248.  
   *solandriana* (Z.) V. 1248.  
   *verticalis* (Z.) V. 1249.  
   *viridana* (Z.) V. 1127, 1170, 1250.  
   *woeberana* (Z.) V. 1170, 1193.  
   *xylostella* (Z.) V. 1260.  
 Tortrix (Z.) VI. 588.  
 Tortue = *Coccinella* (Z.) V. 1762.  
   *franche* (Z.) VI. 511.

Tortula (B.) III. 254.  
 Torula (B.) III. 70.  
   herbarum (B.) III. 70.  
 Torus (B.) II. 53.  
 Torvisco (B.) III. 1497.  
 Toranus (Z.) VII. 491, 493.  
   stagnatilis (Z.) VII. 496.  
 Tottavilla (Z.) VII. 291.  
 Tottter (Z.) VII. 206.  
 Touan (Z.) VII. 924.  
 Toucan (Z.) VII. 373.  
 Toucnam-Courvi (Z.) VII. 314.  
 Touka (B.) III. 1919.  
 Toupie = Trochus (Z.) V. 445.  
 Touraco (Z.) VII. 355.  
 Tourlourou (Z.) V. 655.  
 Tournefort, J. Pitonde,  
   Corollarium Institutio-  
   num rei herbariae (B.)  
   III. 2117.  
 De optima methodo insti-  
 tuenda in re herbaria  
 (B.) III. 2117.  
 Eléments de Botanique (B.)  
 III. 2117.  
 Histoire de plantes aux  
 environs de Paris (B.)  
 III. 2117.  
 Institutiones rei herbariae  
 (B.) III. 1139, 2117.  
 Relation d'un voyage du  
 Levant (B.) III. 2117.  
 Tournefortia (B.) III. 1096.  
   fruticosa (B.) III. 1096.  
 Tournepierre (Z.) VII. 519.  
 Tournesol (B.) III. 249, 1589,  
 1590  
   en drapeau (B.) III. 1590.  
   en pain (B.) III. 1590.  
   en pâte (B.) III. 1590.  
 Tourteau = Cancrer payurus  
 (Z.) V. 651.  
 Tourterelle (Z.) VII. 294.  
 Tonte saine (B.) III. 1371.  
 Touyou (Z.) VII. 647.  
 Tover-Bloemen (B.) III. 1706.  
 Towson, Obs. de Amphi-  
 biis (Z.) VI. 690.  
 Toxicaria (B.) III. 543, 1568.  
 Toxicocendron (B.) III. 1769.  
 Toxotes (Z.) VI. 225.  
   jaculator (Z.) VI. 226.  
 Trabern (B.) III. 1868.  
 Trabenwasser (B.) III. 1868.

Trachea (Z.) V. 712.  
 Tracheae (B.) II. 17. — III. 14.  
 Tracheariae (B.) III. 23, 304.  
   alburnales (B.) III. 319.  
   baccates (B.) III. 359.  
   cauliales (B.) III. 327.  
   cellulales (B.) III. 310.  
   corollales (B.) III. 342.  
   corticales (B.) III. 316.  
   drupales (B.) III. 353.  
   floreales (B.) III. 337.  
   foliales (B.) III. 329.  
   fructuales (B.) III. 345.  
   liguales (B.) III. 320.  
   nucates (B.) III. 346.  
   parenchymates (B.) III. 309.  
   pistillales (B.) III. 342.  
   pomales (B.) III. 364.  
   radicales (B.) III. 323.  
   scapales (B.) III. 315.  
   seminales (B.) III. 337.  
   tracheales (B.) III. 312.  
   truncates (B.) III. 322.  
   vasales (B.) III. 311.  
 Trachelium (B.) III. 796, 797.  
   caeruleum (B.) III. 796.  
 Trachelius (Z.) V. 29.  
 Trachinus (Z.) VI. 80.  
   araneus (Z.) VI. 81.  
   draco (Z.) VI. 80, 81.  
   lineatus (Z.) VI. 81.  
   vipera (Z.) VI. 80.  
 Trachurus (Z.) VI. 190.  
 Trachyr (M.) I. 491, 492, 493,  
 523, 812.  
   blaßer (M.) I. 492.  
 Trachyrcongloerat (M.) I.  
 523.  
 Trachyt der Erhebungsgrater  
 (M.) I. 792.  
   der Lava (M.) I. 787.  
   der Vulcane (M.) I. 778.  
   dichter (M.) I. 492.  
 Trachyte (M.) I. 812.  
 Trachyt, erdiger (M.) I. 492.  
 Trachytgebilde (M.) I. 812.  
 Trachytgerus (M.) I. 533.  
 Trachytischer Kegel (M.) I. 796.  
 Trachyt, körniger (M.) I. 492.  
   porphyrrartiger (M.) I. 492.  
   schlackiger (M.) I. 492.  
 Trachyttuff (M.) I. 523.  
 Tradescantia (B.) III. 439.  
   malabarica (B.) III. 440.  
   virginica (B.) III. 440.

Tragacantha (B.) III. 1627.  
 Tragacanth (B.) III. 1626, 1627,  
 1628. — (M., D., R., S.)  
 I. S. XV.  
 Traganthschleim (B.) II. 115.  
   III. 1628.  
   arcadischer (B.) III. 1629.  
   moreotischer (B.) III. 1628,  
   1629.  
 Tragelaphus (Z.) VII. 1349.  
 Träger (B.) III. 90.  
 Trägheit (Z.) IV. 320.  
 Tragia (B.) III. 1578.  
   volubilis (B.) III. 1578.  
 Tragien (B.) III. 1576, 1578.  
 Tragocamelus (Z.) VII. 1386.  
 Tragopogon (B.) III. 719.  
   porrifolius (B.) III. 720.  
   pratensis (B.) III. 719.  
 Tragorchis (B.) III. 477.  
   hircini (B.) III. 477.  
 Tragos (B.) III. 355.  
   Disscor. (B.) III. 355.  
 Tragoselinum (B.) III. 1836.  
 Tragsack (Z.) IV. 304.  
 Tragulus (Z.) VII. 1362.  
 Tragus (B.) III. 398.  
 Traine-buissons (Z.) VII. 52.  
 Traminer (B.) III. 1869.  
 Drampeltstier (Z.) VII. 1269.  
 Transtein (Z.) VI. 263.  
 Trapa (B.) III. 1871.  
   bicornis (B.) III. 1872.  
   natans (B.) III. 1872.  
 Trapent (B.) III. 1871.  
 Trapelus (Z.) VI. 614.  
   aegyptius (Z.) VI. 614.  
 Trapp (M.) I. 833.  
 Trappe, Trappen (Z.) VII.  
 627, 638.  
   gemeiner (Z.) VII. 638.  
   hühnerartige (Z.) VII. 628,  
   638.  
   Kragen: (Z.) VII. 640.  
   läuferartige (Z.) VII. 628,  
   641.  
   säugthierartige (Z.) VII. 628,  
   640.  
   schwimmvogelartige (Z.) VII.  
   628.  
   sumpfvogelartige (Z.) VII.  
   628, 634.  
   Zwerg: (Z.) VII. 640.  
 Trappengeyer (Z.) VII. 164.  
 Trapporphyr (M.) I. 492.



Traquet (Z.) VII. 43.  
 Trasi (B.) III. 431.  
 Traß (M.) I. 522, 790.  
 erdiger (M.) I. 805.  
 Trattinid., Abbildungen  
 Icon. u. officin. Pflanzen  
 (B.) II. 383.  
 - der Bäume u. Sträu-  
 cher (B.) III. 2102.  
 Archiv der Gewächskunde  
 (B.) III. 2121.  
 Auswahl schöner Garten-  
 pflanzen (B.) II. 384.  
 Spätere Schwämme (B.) II.  
 384. - III. 175.  
 Flora des österr. Kaiser-  
 thums (B.) III. 2122.  
 Neue Arten von Felargo-  
 nien (B.) II. 282.  
 Deconom. u. officin. Pflanz-  
 en (B.) III. 2131.  
 Oesterreichs Schwämme (B.)  
 III. 172.  
 Thesaurus botanicus (B.)  
 III. 2121.  
 Traube (B.) II. 45.  
 Traube = Stielähre (B.) II. 44.  
 Dolden. (B.) II. 45.  
 Rispen. (B.) II. 45.  
 Trauben (B.) III. 705, 706,  
 1868.  
 Cibebe (B.) III. 1869.  
 Gläuner. (B.) III. 1869.  
 Stöbling. (B.) III. 1869.  
 Gutedel. (B.) III. 1869.  
 Muscateller. (B.) III. 1869.  
 Nasch. (B.) III. 1866.  
 Oesterreicher. (B.) III. 1869.  
 Riesling. (B.) III. 1869.  
 Sylvaner. (B.) III. 1869.  
 Traminer. (B.) III. 1869.  
 Weiss. (B.) III. 1868.  
 Traubenmarellen (B.) III.  
 2051.  
 Traubenampfer (B.) III. 1486.  
 stämmiger (B.) III. 1486.  
 gemeiner (B.) III. 1486.  
 weißer (B.) III. 1487.  
 Traubenbey (M.) I. 377.  
 Traubendore (B.) III. 1253.  
 ceylonische (B.) III. 1254.  
 dreylippige (B.) III. 1255.  
 malabarische (B.) III. 1254.  
 Pfirsig. (B.) III. 1255.  
 wohlriechende (B.) III. 1253.

Traubendoren (B.) III. 1253.  
 Traubenfaren (B.) III. 307,  
 315.  
 Traubengalgante (B.) III. 505.  
 rother (B.) III. 505.  
 Traubenholzer (B.) III. 1855.  
 Traubenhycinthe (B.) III. 563.  
 Traubenkirche (B.) III. 2048.  
 Traubenkräuter (B.) III. 754.  
 dreypaltige (B.) III. 755.  
 Strauß. (B.) III. 755.  
 Traubenkraut (B.) III. 754.  
 Traubenlecker (Z.) IV. 1379.  
 Traubenlilien (B.) III. 566.  
 gemeine (B.) III. 566.  
 Traubenmoder (B.) III. 66.  
 ästiger (B.) III. 66.  
 veränderlicher (B.) III. 66.  
 Traubenmonaden (Z.) V. 19.  
 Traubenpreußel (B.) III. 893.  
 braune (B.) III. 894.  
 flaumige (B.) III. 894.  
 glatte (B.) III. 894.  
 Traubenpreußeln (B.) III. 893.  
 Traubensäure (M.) I. 134  
 Traubenschabe (Z.) V. 1200.  
 Traubenschwergel (B.) III.  
 1460.  
 Traubenschwale (B.) III. 1312.  
 gemeine (B.) III. 1312.  
 Traubenzucker (M., D. M. S.)  
 I. S. XV. - (B.) II.  
 117, 140.  
 Traueraffe (Z.) VII. 1760.  
 Traueräsche (B.) III. 1114.  
 Trauerbaum (B.) III. 1112.  
 gemeiner (B.) III. 1112.  
 Trauerbäume (B.) III. 1112.  
 Trauerente (Z.) VII. 455.  
 Trauerguckgucke (Z.) VII. 237.  
 Trauerfische (B.) III. 1600.  
 brasilische (B.) III. 1601.  
 gemeine (B.) III. 1601.  
 hohe (B.) III. 1602.  
 schiffelartige (B.) III. 1600.  
 Trauerlorschen (B.) III. 1600.  
 Trauermantel (Z.) V. 1357,  
 1418, 1420.  
 Trauerqualle (Z.) V. 227.  
 Trauerweide (B.) III. 1533.  
 Traum, Träume (Z.) IV. 260.  
 Träumen (Z.) IV. 260.  
 Travertino (M.) I. 234, 610,  
 647.  
 Trechus (Z.) V. 1717.

Trechus rubens (Z.) V. 1717.  
 Tredern, Hist. ovi et incu-  
 pationis (Z.) VII. 674.  
 Trèfle (B.) III. 1635.  
 Tremandra (B.) III. 1298.  
 stelligera (B.) III. 1298.  
 Tremandren (B.) III. 1263,  
 1291, 1297.  
 Uter. der (B.) III. 1444.  
 Trembley, Mémoires pour  
 servir à l'histoire d'un  
 genre des Polypes d'eau  
 douce (Z.) V. 181.  
 Tremella (B.) III. 113, 195.  
 cerebrina (B.) III. 113.  
 fimbriata (B.) III. 113.  
 mesenterica (B.) III. 113.  
 nostoc (B.) III. 196.  
 pruniformis (B.) III. 195.  
 sarcoidea (B.) III. 114.  
 sphaerica (B.) III. 195.  
 tinctoria (B.) III. 114.  
 verrucosa (B.) III. 195.  
 Tremellarien (B.) III. 112.  
 Tremellen (B.) III. 178, 179.  
 Tremellinae (B.) III. 192.  
 Tremellini (B.) III. 112.  
 Trementina (B.) III. 754.  
 Tremola (Z.) VI. 39.  
 Tremolina = Briza (B.) III.  
 410.  
 Tremolit (M.) I. 264.  
 asbestartiger (M.) I. 264.  
 gemeiner (M.) I. 264.  
 glasartiger (M.) I. 264.  
 Tremse (B.) III. 729.  
 Tremfen (B.) III. 737.  
 Filz. (B.) III. 737.  
 Haars. (B.) III. 737.  
 Kletter. (B.) III. 738.  
 Krüppel. (B.) III. 739.  
 Kiesen. (B.) III. 739.  
 Schaft. (B.) III. 738.  
 Stroh. (B.) III. 738.  
 Thees. (B.) III. 738.  
 Trentepohlia (B.) III. 70.  
 aurea (B.) III. 70.  
 petraea (B.) III. 70.  
 Trepadores (Z.) VII. 197.  
 Trepang (Z.) V. 584.  
 Treppemoose (B.) III. 292.  
 baumartiges (B.) III. 292.  
 Tres-Folhas vermelhas (B.)  
 III. 1269.  
 Treppe (B.) III. 411.

- Treise, Aker. (B.) III. 412.  
 Dach. (B.) III. 412.  
 gemeine (B.) III. 411.  
 große (B.) III. 412.  
 weiche (B.) III. 411.  
 Treppen (B.) III. 411.  
 Tretern (B.) III. 1868.  
 Tré-Tré (Z.) VII. 1773.  
 Treutler, Observationes  
 (Z.) V. 558.  
 Trevirania (B.) III. 993.  
 coccinea (B.) III. 993.  
 pulchella (B.) III. 993.  
 Treviranus, L., Beiträge  
 (B.) II. 260.  
 Die Lehre vom Geschlechte  
 der Pflanzen (B.) II. 279.  
 Physiologie der Gewächse  
 (B.) II. 260.  
 Vermischte Schriften (B.)  
 II. 266.  
 Vom inwendigen Bau der  
 Gewächse (B.) II. 259.  
 Zeitschr. für Physiol. (B.)  
 II. 262.  
 Treviranus, R., Biologie  
 (B.) II. 259.  
 De Delphinio et Aquilegia  
 (B.) III. 1441.  
 Entwicklung des Embryo  
 (B.) II. 278.  
 Proteus anquinus (Z.) VI.  
 690.  
 Symbolae phytologicae (B.)  
 II. 278.  
 Trewe, C. J., et Ehret, Her-  
 barium blackwellianum  
 (B.) III. 2130.  
 Nomenclator linnaeanus  
 (B.) III. 2130.  
 Hist. Cedrorum libani (B.)  
 III. 372.  
 Hortus nitidissimus (B.)  
 III. 2121.  
 Librorum botanic. Catalogi  
 (B.) III. 2115.  
 Plantae selectae (B.) III.  
 372, 2118, 2120.  
 Trewe et Keller, Plantae  
 rariores (B.) III. 2121.  
 Tria (Z.) VI. 281.  
 Triasiboctaeder (M.) I. 47.  
 Triandria (B.) III. 5.  
 Trianthes (B.) III. 1350.  
 monogyna (B.) III. 1350.  
 Trias (M.) I. 711.  
 Hauptgruppen der (M.) I.  
 711.  
 Triasbitungen (M.) I. 672.  
 Hauptübersicht der (M.) I.  
 726.  
 Triasgebirge (M.) I. 672, 710,  
 711.  
 Trias- und Kupferschieferbit-  
 dungen (M.) I. 672.  
 Trias- u. Kupferschiefergebirge  
 (M.) I. 672.  
 Tribolo aequatico = Trapa  
 (B.) III. 1871.  
 Tribulus (B.) III. 1272.  
 aquaticus (B.) III. 1872.  
 maximus (B.) III. 1272,  
 1273.  
 terrestris (B.) III. 1272.  
 Trichada (Z.) VII. 57.  
 Trichechus (Z.) VII. 1436.  
 manatus (Z.) VII. 1098.  
 rosmarus (Z.) VII. 1436.  
 Trichia (B.) III. 80.  
 chryso sperma (B.) III. 80.  
 fallax (B.) III. 80.  
 nitens (B.) III. 80.  
 rubiformis (B.) III. 80.  
 Trichiaceen (B.) III. 79.  
 Trichiacei (B.) III. 75, 79.  
 Trichilia (B.) III. 1306.  
 emetica (B.) III. 1307.  
 spinosa (B.) III. 1312.  
 Trichiurus (Z.) VI. 143.  
 lepturus (Z.) VI. 144.  
 Trichius (Z.) V. 1789.  
 nobilis (Z.) V. 1789.  
 Trichocephalus (Z.) V. 553.  
 dispar (Z.) V. 553.  
 Trichoda (Z.) V. 28.  
 carinatum (Z.) V. 28.  
 cornuta (Z.) V. 40.  
 grandinella (Z.) V. 31.  
 ingenua (Z.) V. 35.  
 innata (Z.) V. 35.  
 inquilina (Z.) V. 35.  
 latus (Z.) V. 45.  
 longicauda (Z.) V. 39.  
 patula (Z.) V. 29.  
 rattus (Z.) V. 38.  
 sol (Z.) V. 28.  
 tineae (Z.) V. 28.  
 trochus (Z.) V. 45.  
 vermicularis (Z.) V. 30.  
 Trichoderma (B.) III. 76.  
 Trichoderma roseum (B.) III.  
 77.  
 vpride (B.) III. 76.  
 Trichodermaceen (B.) III. 76.  
 Trichodermacei (B.) III. 75,  
 76.  
 Trichodina (Z.) V. 31.  
 Trichomanes (B.) III. 330.  
 Trichopodus (Z.) VI. 238.  
 colisa (Z.) VI. 238.  
 Trichosanthes (B.) III. 822.  
 amara (B.) III. 823.  
 anguina (B.) III. 822.  
 cucumerina (B.) III. 823.  
 trifoliata (B.) III. 824.  
 Trichostomum (B.) III. 282.  
 tortile (B.) III. 283.  
 Trichotomia (B.) II. 42.  
 Trichter (B.) II. 44.  
 Trichter (Z.) IV. 53.  
 Trichterglisen (B.) III. 539.  
 gemeine (B.) III. 540.  
 indische (B.) III. 540.  
 Trichtergräber (B.) III. 393.  
 gemeines (B.) III. 394.  
 Trichterjocke (B.) III. 860.  
 gemeine (B.) III. 860.  
 Trichterjocken (B.) III. 860.  
 Trichterlisen (B.) III. 569.  
 blaue (B.) III. 569.  
 weiße (B.) III. 569.  
 Trichterrodell (B.) III. 1000.  
 knollige (B.) III. 1000.  
 Trichterrosen (B.) III. 870.  
 gemeine (B.) III. 870.  
 Trichterstrauß (B.) II. 44.  
 Trichtersunge (B.) III. 1035.  
 flaumige (B.) III. 1035.  
 giftige (B.) III. 1035.  
 Trichtersungen (B.) III. 1035.  
 Trichterthierchen (Z.) V. 33.  
 grünes (Z.) V. 33.  
 Trichterwinde (B.) III. 1087.  
 blaue (B.) III. 1087.  
 hochrothe (B.) III. 1088.  
 purpurrothe (B.) III. 1087.  
 stachelige (B.) III. 1088.  
 veränderliche (B.) III. 1087.  
 Trichterwinden (B.) III. 1087.  
 Triclast (M.) I. 198.  
 Tricoccus (B.) III. 1575.  
 Tridacna (Z.) V. 330, 380.  
 Trifol (Z.) VII. 520.  
 Trientalis (B.) III. 962.  
 europaea (B.) III. 962.

Trifolien (B.) III. 1615, 1619, 1634.  
 Uiter. der (B.) III. 2103.  
 Trifolium (B.) III. 1635.  
   acetosum (B.) III. 1175.  
   agrarium (B.) III. 1635.  
   album (B.) III. 1636.  
   arvense (B.) III. 1635.  
   aureum (B.) III. 1149.  
   bituminosum (B.) III. 1634.  
   caeruleum (B.) III. 1636.  
   fibrinum (B.) III. 1017.  
   fragiferum (B.) III. 1635.  
   hybridum (B.) III. 1636.  
   officinale (B.) III. 1636.  
   pratense (B.) III. 1635.  
   procumbens (B.) III. 1635.  
   purpureum (B.) III. 1636.  
   repens (B.) III. 1636.  
   rubens (B.) III. 1636.  
 Trifolium (Z.) VII. 970.  
 Trigla (Z.) VI. 178.  
   cataphracta (Z.) VI. 180.  
   cuculus (Z.) VI. 178.  
   gurnardus (Z.) VI. 178.  
   hirundo (Z.) VI. 179.  
   lineata (Z.) VI. 179.  
   lyra (Z.) VI. 179.  
   pini (Z.) VI. 178.  
   volitans (Z.) VI. 180.  
 Triglia (Z.) VI. 281.  
 Triglochis (B.) III. 442.  
   maritimum (B.) III. 442.  
   palustre (B.) III. 442.  
 Trigonella (B.) III. 1637.  
   foenum graecum (B.) III. 1637.  
 Trigonium (M.) I. 685.  
   alaeformis (M.) I. 677.  
 Triquienmergel (M.) I. 702.  
 Trigonis (B.) III. 1337. —  
   (M.) I. 710.  
 Trigonocephalus (Z.) VI. 547, 550.  
   lanceolatus (Z.) VI. 547.  
 Trigonotreta (M.) I. 731.  
 Trilobiten (Z.) V. 619.  
 Trilobites (Z.) V. 619. — (M.)  
   I. 731.  
 Trimeresurus (Z.) VI. 580.  
   leptocephalus (Z.) VI. 580.  
 Tringeln (B.) III. 1272.  
   Böhnen (B.) III. 1273.  
 Trinius, Clavis Agrostogr.  
   antiquioris (B.) III. 699.

Trinius, Fundamenta Agrostographiae (B.) III. 699.  
   Species Graminum Iconibus (B.) III. 699.  
 Trionum (B.) III. 1221.  
 Trionyx (Z.) VII. 506.  
 Triorchis (B.) III. 469.  
   alba (B.) III. 469.  
 Triosteum (B.) III. 1851.  
   perfoliatum (B.) III. 1851.  
 Tripel (M., D. M. S.) I. C. X.  
 Tripetto (B.) III. 126.  
 Tripitan (M.) I. 196.  
 Triphasia (B.) III. 1312.  
   trifoliata (B.) III. 1312.  
 Trypsifilin (M., D. M. S.) I. C. XX.  
 Triphylla (B.) III. 995.  
 Triplaris (B.) III. 1486.  
   americana (B.) III. 1486.  
 Triplax (Z.) V. 1776.  
   nigripennis (Z.) V. 1776.  
   russica (Z.) V. 1776.  
 Triplit (M.) I. 361.  
 Tripodium (B.) III. 773.  
 Tripp-Madam (B.) III. 1964.  
 Tripterella (B.) III. 524.  
 Tristan, le (Z.) V. 1412.  
 Tristania (B.) III. 1936.  
   nereifolia (B.) III. 1936.  
 Tristemma (B.) III. 1893.  
   virusanum (B.) III. 1893.  
 Tristoma (Z.) V. 551.  
   coccineum (Z.) V. 551.  
 Triticum (B.) III. 389.  
   amyleum (B.) III. 390.  
   compositum (B.) III. 389.  
   durum (B.) III. 389.  
   monococcum (B.) III. 390.  
   polonicum (B.) III. 390.  
   repens (B.) III. 390.  
   spelta (B.) III. 390.  
   turgidum (B.) III. 389.  
   vulgare (B.) III. 389.  
 Tritoma (B.) III. 566.  
 Tritoma (Z.) V. 1776.  
   bipustulata (Z.) V. 1776.  
 Triton (Z.) VI. 454.  
   alpestris (Z.) VI. 451.  
   carnifex (Z.) VI. 456.  
   cristatus (Z.) VI. 451.  
   exiguus (Z.) VI. 456.  
   gesneri (Z.) VI. 460.  
   gyrioides (Z.) VI. 457.

Triton igneus (Z.) VI. 456.  
   lacustris (Z.) VI. 460.  
   lateralis (Z.) VI. 447.  
   niger (Z.) VI. 460.  
   palmatus (Z.) VI. 465.  
   palustris (B.) III. 460.  
   parasinus (Z.) VI. 456.  
   platycaudus (Z.) VI. 460.  
   pruinatus (Z.) VI. 460.  
   punctatus (Z.) VI. 456.  
   salamandroides (Z.) VI. 457.  
   taeniatus (Z.) VI. 455.  
   utinensis (Z.) VI. 460.  
   wurfbainii (Z.) VI. 456, 460.  
 Tritonia (Z.) V. 400.  
 Tritonien (Z.) V. 400.  
 Tritonium (Z.) V. 486.  
   cancellinum (M.) I. 650.  
 Triumphetta (B.) III. 1187.  
   lappula (B.) III. 1188.  
 Triungulinus (Z.) V. 1755.  
 Trixago (B.) III. 1053.  
 Tripiden (B.) III. 737.  
 Trixis (B.) III. 737, 752.  
   brasiliensis (B.) III. 737.  
 Trochanter (Z.) IV. 409. —  
   V. 600.  
 Trochitenfalk (M.) I. 718.  
 Trochilus (Z.) VII. 180.  
   amethystinus (Z.) VII. 184.  
   auratus (Z.) VII. 189.  
   chrysurus (Z.) VII. 190.  
   colubris (Z.) VII. 185.  
   cristatus (Z.) VII. 187.  
   granatinus (Z.) VII. 189.  
   jugularis (Z.) VII. 189.  
   mango (Z.) VII. 189.  
   minimus (Z.) VII. 184.  
   mosquitos (Z.) VII. 184.  
   pella (Z.) VII. 190.  
   rubineus (Z.) VII. 184.  
   sapphirinus (Z.) VII. 184.  
   sparganurus (Z.) VII. 190.  
 Trochus (Z.) V. 445. — (M.)  
   I. 685.  
   aetatus (Z.) V. 446.  
   cinerarius (Z.) V. 446.  
   conchyliphorus (Z.) V. 446.  
   conulus (Z.) V. 445.  
   fenestratus (Z.) V. 446.  
   imbricatus (Z.) V. 446.  
   iris (Z.) V. 446.  
   labio (Z.) V. 445.

- Trochus longaevis* (Z.) V. 442.  
*magus* (Z.) V. 447. — (M.) I. 651.  
*mauritanus* (Z.) V. 446.  
*niloticus* (Z.) V. 447.  
*patulus* (M.) I. 650.  
*perspectivum* (Z.) V. 448.  
*pharaonis* (Z.) V. 447.  
*solaris* (Z.) V. 447.  
*telescopium* (Z.) V. 448.  
*tesselatus* (Z.) V. 445.  
*tuber* (Z.) V. 445.  
*umbilicaris* (Z.) V. 447.  
*vestiarius* (Z.) V. 445.  
*zizyphinus* (Z.) V. 445.  
*Trochlerin* (Z.) V. 446.  
*Troglodytes* (Z., B.) VII. 28, 274.  
*Troglodytes* (Z.; S. Th.) VII. 1845.  
*Trogmuche* (B.) III. 60.  
*gelbes* (B.) III. 60.  
*Trogmschel* (Z.) V. 311.  
*gemeine* (Z.) V. 311.  
*neapolitanische* (Z.) V. 311.  
*Trogon* (Z.) VII. 238.  
*curucui* (Z.) VII. 238.  
*narina* (Z.) VII. 240.  
*pavonius* (Z.) VII. 239.  
*violaceus* (Z.) VII. 239.  
*viridis* (Z.) VII. 239.  
*Trogosita* (Z.) V. 1808.  
*caraboides* (Z.) V. 1808.  
*caerulea* (Z.) V. 1810.  
*Troite* (Z.) VII. 436.  
*Troisblumen* (B.) III. 1154.  
*gemeine* (B.) III. 1154.  
*Trollius* (A.) III. 1154.  
*europaeus* (B.) III. 1154.  
*Trombidium* (Z.) V. 670.  
*insectorum* (Z.) V. 662.  
*phalangium* (Z.) V. 662.  
*Trombone* = *Narcissus pseudo narcissus* (B.) III. 539.  
*Trommelfisch* (Z.) VI. 248.  
*großer* (Z.) VI. 248.  
*Trommelgohren* (B.) III. 2035.  
*gemeine* (B.) III. 2035.  
*Trommelholz* (B.) III. 1718, 2036.  
*Trommelfäse* (B.) III. 1718.  
*ägyptische* (B.) III. 1719.  
*gebräuchliche* (B.) III. 1718.  
*gemeine* (B.) III. 1770.  
*manländische* (B.) III. 1719.  
*Trommelfäse, sinnvolle* (B.) III. 1719.  
*Trommelfäsen* (B.) III. 1718.  
*Trommelschlägel* (Z.) V. 435.  
*Trommelstock-boom* (B.) III. 1720.  
*Trommeltauben* (Z.) VII. 301.  
*Trompete* (Z.) VI. 96, 211.  
*Trompeten* (Z.) IV. 299.  
*Trompetenbaum* (B.) III. 1567.  
*gemeiner* (B.) III. 1567.  
*schildförmiger* (B.) III. 1567.  
*Trompetenbäume* (B.) III. 1567.  
*Trompetenblume* (B.) III. 1006.  
*brasilische* (B.) III. 1009.  
*Färber:* (B.) III. 1009.  
*Garten:* (B.) III. 1009.  
*gemeine* (B.) III. 1007.  
*hohe* (B.) III. 1009.  
*Klauen:* (B.) III. 1007.  
*Kork:* (B.) III. 1007.  
*Kreuz:* (B.) III. 1008.  
*weißrindige* (B.) III. 1008.  
*wurzelnde* (B.) III. 1008.  
*Trompetenblumen* (B.) III. 1006.  
*Trompetenkäfer* (Z.) V. 1675.  
*rothhalsiger* (Z.) V. 1675.  
*Trompetenmuskel* (Z.) IV. 46.  
*Trompetenschnecke* (Z.) V. 486.  
*gemeine* (Z.) V. 486.  
*knotige* (Z.) V. 487.  
*rothmündige* (Z.) V. 487.  
*verdrehte* (Z.) V. 487.  
*Trompetenschnecken* (Z.) V. 486.  
*Trompetenschwamm* (B.) III. 213.  
*trichterförmiger* (B.) III. 213.  
*Trompetentierchen* (Z.) V. 31.  
*gemeines* (Z.) V. 31.  
*Trompetersisch* (Z.) VI. 99.  
*Trompetervogel* (Z.) VII. 522.  
*gemeiner* (Z.) VII. 522.  
*Trompette du jugement* (B.) III. 980.  
*Trona* (M.) I. 291, 612.  
*Trongum* (B.) III. 990.  
*Trophäen* (B.) III. 1167.  
*Liter. der* (B.) III. 1441.  
*Tropaeolum* (B.) III. 1168.  
*majus* (B.) III. 1168.  
*minus* (B.) III. 1168.  
*Tropfenkunze* (B.) III. 113.  
*Tropfenkunze, gemeiner* (B.) III. 113.  
*Tropfenmannna* (B.) III. 1115.  
*Tropfstein* = *Kalkfinter* (M.) I. 83, 235.  
*Tropfsteine* (M.) I. 641.  
*Tropfwarz* (B.) III. 2025.  
*Tropidurus* (Z.) VI. 612.  
*torquatus* (Z.) VI. 612.  
*Tropikvogel* (Z.) VII. 405.  
*gemeiner* (Z.) VII. 405.  
*Trostelovogel* (Z.) VII. 59.  
*Trota* (Z.) VI. 345.  
*Troteln* (Z.) IV. 334.  
*Trottelqualle* (Z.) V. 214.  
*gemeine* (Z.) V. 214.  
*Trottel Schlange* (Z.) VI. 525.  
*gemeine* (Z.) VI. 525.  
*Troupial* (Z.) VII. 314.  
*gemeiner* (Z.) VII. 308.  
*Troupiale* (Z.) VII. 316.  
*grand* (Z.) VII. 327.  
*noir* (Z.) VII. 326.  
*Troupiales* (Z.) VII. 314.  
*Trout* (Z.) VI. 254, 345.  
*Trovanti* (M.) I. 637.  
*Trox* (Z.) V. 1805.  
*sabulosus* (Z.) V. 1805.  
*Trenchese, Kirchenorten* (B.) II. 384.  
*Trüffel* (B.) III. 110; f. *Speise trüffel*. Vgl. *Trüffel*.  
*Trüffelhunde* (B.) III. 111.  
*Trüffelmücke* (B.) III. 110, 111. — (Z.) V. 795.  
*Trüffelmücken* (Z.) V. 795.  
*Trüffel* (B.) III. 102.  
*Becher:* (B.) III. 108.  
*Horn:* (B.) III. 104.  
*Knopf:* (B.) III. 108.  
*Loh:* (B.) III. 105.  
*Moos:* (B.) III. 105.  
*Netz:* (B.) III. 109.  
*Stiz:* (B.) III. 106.  
*Riesen:* (B.) III. 106.  
*Rinden* (B.) III. 109.  
*Sommer:* (B.) III. 112.  
*Speise:* (B.) III. 110.  
*Strahlen:* (B.) III. 102.  
*Winter:* (B.) III. 111.  
*Zafer:* (B.) III. 106.  
*Trüffelwester* (B.) III. 111.  
*Trüffelzucht* (B.) III. 111.  
*Truggestalten* (M.) I. 70.  
*Truite* (Z.) VI. 341, 345.

- Truite saumonée* (Z.) VI. 341.  
*Trümmerschot* (M.) I. 145.  
*Trümmerteine* (M.) I. 479, 482, 732.  
*Trümmermarmor* (M.) I. 236.  
*Trumpe* (Z.) VII. 1042.  
*Truncariae* (B.) III. 24, 706, 708.  
*Truncus* (B.) II. 27. — III. 14.  
*Trunksucht* (Z.) IV. 320.  
*Truppenvogel* (Z.) V. 314.  
*Trütsche* (Z.) VI. 148.  
*Truß* (Z.) VI. 150.  
*Trer* (Z.) VI. 150.  
*Trütschen* (Z.) VI. 148.  
*antartige* (Z.) VI. 149.  
*scheimlose* (Z.) VI. 152.  
*Trütsching* (B.) III. 161.  
*Trussoli* = *Poa trivialis* (B.) III. 413.  
*Truthuhn*, *Truthühner* (Z.) VII. 616.  
*gemines* (Z.) VII. 616.  
*Trusta* (Z.) VI. 340, 341, 344, 353, 354, 355.  
*fluviatilis* (Z.) VI. 347.  
*lemani* (Z.) VI. 356.  
*Trygon* (Z.) VI. 46.  
*Trynga* (Z.) VII. 490, 500.  
*alpina variabilis* (Z.) VII. 498.  
*arenaria* (Z.) VII. 497.  
*atra* (Z.) VII. 495.  
*autumnalis* (Z.) VII. 526.  
*bertramii* (Z.) VII. 493.  
*canutus* (Z.) VII. 500.  
*cinclus* (Z.) VII. 498.  
*cinerea* (Z.) VII. 490, 500.  
*collaris* (Z.) VII. 519.  
*fulvicaria* (Z.) VII. 491.  
*gambette* (Z.) VII. 494.  
*glareola* (Z.) VII. 494.  
*grisea* (Z.) VII. 500.  
*helvetica* (Z.) VII. 517.  
*hyperborea* (Z.) VII. 490.  
*hypoleucos* (Z.) VII. 492.  
*hypomelanos* (Z.) VII. 517.  
*interpres* (Z.) VII. 519.  
*islandica* (Z.) VII. 500.  
*littorea* (Z.) VII. 494.  
*lobata* (Z.) VII. 491.  
*longicauda* (Z.) VII. 493.  
*macularia* (Z.) VII. 493.  
*maritima* (Z.) VII. 499.  
*minuta* (Z.) VII. 500.  
*Trynga morinella* (Z.) VII. 519.  
*naevia* (Z.) VII. 500.  
*ochropus* (Z.) VII. 493.  
*pardela* (Z.) VII. 517.  
*pugnax* (Z.) VII. 501.  
*ruficollis* (Z.) VII. 498.  
*squatarola* (Z.) VII. 517.  
*striata* (Z.) VII. 494.  
*subarquata* (Z.) VII. 499.  
*vanellus* (Z.) VII. 517.  
*varia* (Z.) VII. 517.  
*Trypethelium* (B.) III. 247.  
*cluteriae* (B.) III. 247.  
*Trypoxylon* (Z.) V. 953.  
*figulus* (Z.) V. 953.  
*Tscheiner*, *Angel* u. *Neß*: *tscherey* (Z.) VI. 408.  
*Tschetlick* = *Tiente* (B.) III. 1047.  
*Tschndy*, *Essay sur la Greffe* (B.) II. 274.  
*Tsebi* (Z.) VII. 1369.  
*Tseboa* (Z.) VII. 1571.  
*Tsin-y* = *Magnolia yulan* (B.) III. 1239.  
*Tsjakela* (B.) III. 1561.  
*Tsalt Salya* (Z.) V. 829.  
*Tsjampacam* (B.) III. 1425.  
*Tsjanku* (Z.) V. 487.  
*Tsjja-Pangam* (B.) III. 1723.  
*Tsjavoni* (B.) III. 648.  
*Tsjjeiran* (Z.) VII. 1397.  
*Tsjeria-Samstravadi* (B.) III. 1928.  
*Tsjerou-Kara* (B.) III. 853.  
*Tsjerre-Maram* (B.) III. 1592.  
*Tsjeru-Jonganam pullu* (B.) III. 1355.  
*Tsjeru-Katour* = *Naregam* (B.) III. 1313.  
*Tsjetti Mandaru* (B.) III. 1722.  
*Tsjetti-Pu* (B.) III. 761.  
*Tsjjinkin* (B.) III. 1886.  
*Tsjokatti* (B.) III. 1286.  
*Tsjonka* (B.) III. 1725. — (Z.) V. 465.  
*Tsubakki* = *Camellia* (B.) III. 1184.  
*Tu-abba* (Z.) VII. 1205.  
*Tuba* (B.) III. 1246.  
*baccifera* (B.) III. 1246.  
*Tuber* (B.) II. 31. — III. 110.  
*albidum* (B.) III. 112.  
*albus* (B.) III. 109.  
*Tuber aestivum* (B.) III. 112.  
*brunalis* (B.) III. 112.  
*cervinum* (B.) III. 88.  
*cibarium* (B.) III. 110.  
*griseum* (B.) III. 112.  
*luteolus* (B.) III. 109.  
*magnatum* (B.) III. 112.  
*melanosporum* (B.) III. 110.  
*niveum* (B.) III. 112.  
*regium* (B.) III. 106.  
*sambadarium* (B.) III. 109.  
*Tuberaceen* (B.) III. 102, 108.  
*Tuberacci* (B.) III. 108.  
*Tubera sincera* (B.) III. 110.  
*Tubercularia* (B.) III. 57.  
*purpurea* (B.) III. 57.  
*vulgaris* (B.) III. 57.  
*Tubercularien* (B.) III. 56.  
*Tubercularini* (B.) III. 48, 56.  
*Tuberose* (B.) III. 570.  
*Tubicinella* (Z.) V. 511.  
*balaeorum* (Z.) V. 511.  
*Tubipora* (Z.) V. 131.  
*musica* (Z.) V. 131.  
*Tubularia acetabulum* (B.) III. 210.  
*Tubularia* (Z.) V. 75.  
*cornucopiae* (Z.) V. 130.  
*indivisa* (Z.) V. 75.  
*muscoides* (Z.) V. 75.  
*pilaeformis* (Z.) V. 472.  
*Tubularien* (Z.) V. 75.  
*einfache* (Z.) V. 75.  
*moosförmige* (Z.) V. 75.  
*Tubulina* (B.) III. 81.  
*Tuca*: *T* (Z.) VII. 375.  
*Tucan* (Z.) VII. 712.  
*Tuckey*, *Congo* (B.) III. 1448.  
*Tucum* (B.) III. 658.  
*Tufa* (M.) I. 524.  
*granulare* (M.) I. 525.  
*litoide* (M.) I. 524.  
*Tufen* (B.) III. 524.  
*Dolden*: (B.) III. 527.  
*Faden*: (B.) III. 527.  
*Fitz*: (B.) III. 525.  
*Flügel*: (B.) III. 527.  
*Rippen*: (B.) III. 524.  
*Spindel*: (B.) III. 525.  
*Stern*: (B.) III. 526.  
*Strauß*: (B.) III. 527.  
*Woll*: (B.) III. 527.

- Luff (M.) I. 525.  
 Bröckel (M.) I. 525.  
 Diuvial (M.) I. 647.  
 Postlip (M.) I. 525.  
 Stein (M.) I. 524.  
 vulcanischer (M.) I. 524,  
 789.  
 Luffe der Basalte (M.) I. 805.  
 der Erhebungserrater (M.) I.  
 792.  
 Lunge (Z.) IV. 321.  
 Lunamittha (B.) III. 1669.  
 Tulalodh (B.) III. 860.  
 Tulbaghia (B.) III. 554.  
 alliacea (B.) III. 554.  
 Tulipa (B.) III. 574.  
 gesneriana (B.) III. 574.  
 suaveolens (B.) III. 574.  
 sylvestris (B.) III. 574.  
 Tulipaceen (B.) III. 465, 573.  
 Tulipano = Tulipa (B.) III.  
 574.  
 Tulipier (B.) III. 1239.  
 Tulipifera (B.) III. 1238.  
 Tulip tree (B.) III. 1239.  
 Tulpe (B.) III. 574.  
 Garten (B.) III. 574.  
 wilde (B.) III. 574.  
 wuchrichtende (B.) III. 574.  
 Tulpen (B.) III. 574.  
 Tulpenbaum (B.) III. 1238.  
 gemeiner (B.) III. 1238.  
 Tulpenbäume (B.) III. 1238.  
 Lünmter (Z.) VII. 1067, 1072.  
 Bgl. Delphin.  
 der Alten (Z.) VII. 1070.  
 gaugrischer (Z.) VII. 1072.  
 gemeiner (Z.) VII. 1070.  
 großer (Z.) VII. 1070.  
 fleiner (Z.) VII. 1072.  
 schwarzer (Z.) VII. 1078.  
 spitzköpfige (Z.) VII. 1070.  
 stumpfköpfige (Z.) VII. 1072.  
 Tuna (B.) III. 1301, 1909.  
 Tanga (Z.) V. 761.  
 Tungahein (M.) I. 121, 282.  
 Tungaheine (M., D. M. S.)  
 I. S. XIII.  
 Tunica hortensis (B.) III.  
 1359.  
 Tunia (Z.) VII. 1072.  
 Tunkte (Z.) V. 299.  
 ambolische (Z.) V. 299.  
 römische (Z.) V. 299.  
 Lunkenmischel (Z.) V. 299.  
 Tunstali. Ornithol. danica  
 (Z.) VII. 670.  
 Tupa (B.) III. 792, 793.  
 Tupaja (B.) III. 666.  
 Tupaia (Z.) VII. 952.  
 press (Z.) VII. 953, 954.  
 tana (Z.) VII. 954.  
 Tupe (Z.) VII. 953.  
 Tupelobaum (B.) III. 1503.  
 gemeiner (B.) III. 1503.  
 Tupelobäume (B.) III. 1503.  
 Tupinambis (Z.) VII. 622, 624.  
 bengalensis (Z.) VI. 625.  
 cepedianus (Z.) VI. 625.  
 elegans (Z.) VI. 627.  
 ornatus (Z.) VI. 627.  
 stellatus (Z.) VI. 627.  
 Tupper, Sensation in Ve-  
 getabels (B.) II. 262.  
 Tur (Z.) VII. 1426.  
 Turban (Z.) V. 510.  
 Turbinella (Z.) V. 490.  
 Turbinites (Z.) V. 532.  
 Turbo (M.) I. 685. — (Z.) V.  
 439.  
 argyrostomus (Z.) V. 444.  
 calcar (Z.) V. 443.  
 chrystostomus (Z.) V. 443.  
 cidaris (Z.) V. 441.  
 clathrus (Z.) V. 434.  
 cochlus (Z.) V. 441.  
 coronatus (Z.) V. 442.  
 delphinus (Z.) V. 444.  
 littoreus (Z.) V. 440.  
 longaevus (Z.) V. 442.  
 margaritaceus (Z.) V. 444.  
 marmoratus (Z.) V. 441.  
 muricatus (Z.) V. 441.  
 neritoides (Z.) V. 439.  
 olearius (Z.) V. 443.  
 pagodus (Z.) V. 442.  
 petholatus (Z.) V. 441.  
 pica (Z.) V. 444.  
 rugosus (Z.) V. 440. — (M.)  
 I. 651.  
 sanguineus (Z.) V. 444.  
 sarmaticus (Z.) V. 441.  
 scalaris (Z.) V. 444.  
 setosus (Z.) V. 443.  
 tectum persicum (Z.) V.  
 443.  
 terebra (Z.) V. 435.  
 thermalis (Z.) V. 432.  
 volubus (Z.) V. 423.  
 Turbot (Z.) VI. 165.  
 Turchelto (Z.) VI. 179.  
 Turdo (Z.) VI. 221.  
 Turdus (Z.) VI. 220.  
 Turdus (Z.) VII. 54.  
 arundinaceus (Z.) VII. 47.  
 cantans (Z.) VII. 66.  
 caeruleus (Z.) VII. 62.  
 cyanus (Z.) VII. 65.  
 formicivorus (Z.) VII. 59.  
 iliacus (Z.) VII. 60.  
 merula (Z.) VII. 64.  
 migratorius (Z.) VII. 64.  
 musicus (Z.) VII. 58.  
 pagodarum (Z.) VII. 67.  
 pilaris (Z.) VII. 56.  
 polyglottus (Z.) VII. 63.  
 rex (Z.) VII. 65.  
 roseus (Z.) VII. 67.  
 saxatilis (Z.) VII. 62.  
 seleucis (Z.) VII. 67.  
 solitarius (Z.) VII. 62.  
 tiuniens (Z.) VII. 65.  
 torquatus (Z.) VII. 61.  
 viscivorus (Z.) VII. 55.  
 Turdus sibi ipse malum cecat  
 (B.) III. 1845. — (Z.)  
 VII. 55.  
 Turgor vitalis (Z.) IV. 204.  
 Turia (B.) III. 1648.  
 Turiones (B.) II. 29. — III. 347.  
 pini (B.) III. 347.  
 Türfenbund (B.) III. 577, 831.  
 rother (B.) III. 577.  
 Türfenbund (Z.) V. 441, 588.  
 Turkey (Z.) VII. 616.  
 Turkey-reed = Rabia tincto-  
 rum (B.) III. 844.  
 Türkis (M.) I. 186.  
 abendländischer (M.) I. 186.  
 von Smorre (Z.) VII. 1187.  
 Türkis (Z.) V. 1369.  
 Türkisches Lager (Z.) V. 455.  
 Türkisch Roth (B.) III. 1266.  
 Turmalin (M.) I. 164.  
 grüner (M.) I. 771.  
 Ralt. (M.) I. 165.  
 Sitten. (M.) I. 165.  
 Narren. (M.) I. 165.  
 Turmeric (B.) III. 497.  
 Turner, de. British Fuci  
 (B.) III. 300.  
 Coloured Fig. of the gen.  
 Fucus (B.) III. 300.  
 Hist. of the Fuci (B.) III  
 300.

Turner, de. *Muscologia hibernica* (B.) III. 302.  
 Turnera (B.) III. 809.  
*unifolia* (B.) III. 809.  
 Turneraeeen (B.) III. 711, 800, 807, 809.  
*Liter. der* (B.) III. 1132.  
 Turnips (B.) III. 1405.  
 Turasol (B.) III. 249.  
 Turastone (Z.) VII. 519.  
 Turpethum (B.) III. 1083.  
*vegetabile* (B.) III. 1084.  
 Turpethwurzel (B.) III. 1084.  
 Turpin, *Essay sur la Végétation* (B.) II. 269.  
*Histoire d'un morceau du bois* (B.) II. 269.  
*Iconographie des Végétaux* (B.) II. 96.  
*Observ. sur l'organisation etc. de la Truffe etc.* (B.) III. 174.  
 Turpin et Poiteau, *Flore des Environs de Paris* (B.) III. 2125.  
 Turpinia (B.) III. 1733.  
*pomifera* (B.) III. 1733.  
 Turpithé des Montagnes (B.) III. 1826.  
 Turquoise (M.) I. 186.  
*odontolith* (M.) I. 186.  
 Turrilites (Z.) V. 532.  
 Turritella (Z.) V. 434.  
*Archimedis* (M.) I. 653.  
*subangulata* (M.) I. 650.  
 Turrilis (B.) III. 1398.  
*glabra* (B.) III. 1398.  
 Türkenblut (Z.) V. 484.  
 Turrus (Z.) VII. 1574.  
 Tursio (Z.) VII. 1070, 1073.  
 Tursteltaupe (Z.) VII. 294.  
 Turtur (Z.) VII. 294.  
 Tusckantschik (Z.) VII. 794.  
 Tussac, *Flore des Antilles* (B.) III. 1440, 2134.  
 Tussen (Z.) V. 1366.  
 Tussilaginae (B.) III. 710, 725.  
*Tussilagineen* (B.) III. 725.  
 Tussilago (B.) III. 725.  
*farfara* (B.) III. 725.  
*petasites* (B.) III. 725.  
 Tute (B.) II. 74.  
 Tutenapsel (B.) II. 75.  
 Tutenstüben (B.) III. 1224.  
 hochrotze (B.) III. 1224.

Tutenmoose (B.) III. 278.  
 gemeines (B.) III. 278.  
 Zutterfolben (B.) III. 586.  
 Tuta (Z.) VII. 372.  
 Tuſuma (B.) III. 1015.  
 Tuyo de mer = *Serpula* (Z.) V. 576.  
 Tuyuyu (Z.) VII. 543, 547.  
 Tweeg (Z.) VI. 449.  
 Twite (Z.) VII. 261.  
 Tychsen, *Physiologus syrus* (Z.) VII. 673.  
 Tylanthus (B.) III. 1740.  
 Tytkouſky, *Philos. curiosa in Actis Eruditorum* (B.) II. 270.  
 Tylostoma (B.) III. 84.  
*brumale* (B.) III. 85.  
 Tympanis (B.) III. 94.  
*conspersa* (B.) III. 94.  
 Typha (B.) III. 586.  
*latifolia* (B.) III. 586.  
 Typhaceen (B.) III. 586.  
 Typhinen (B.) III. 578.  
 Typhinum (B.) III. 1770.  
 Typhis (Z.) V. 606.  
*ovoides* (Z.) V. 606.  
 Typhle (Z.) VI. 95.  
 Typhlops (Z.) VI. 587.  
 Typhula (B.) III. 121.  
*gyrans* (B.) III. 121.  
 Tyrannus (Z.) VII. 76.  
 Tyrell Artis, *Antediluvian Phytologie* (B.) III. 2128.  
 Tyson, *Anat. der Klopferſchlange* (Z.) VI. 690.  
 Tzori = *Pistacia lentiscus* (B.) II. 381.

## U.

Uabr (Z.) VII. 889.  
 Ubarana (Z.) VI. 383.  
 Ubbriago (Z.) VI. 179.  
 Uebergänge des Gesteines (M.) I. 479.  
 Uebergangsgebirge (M.) I. 579, 731, 753.  
 Uebergangsgebirgsalkstein (M.) I. 755, 764.  
 älterer (M.) I. 764.  
 jüngerer (M.) I. 755.  
 Uebergangschiefergebirge (M.) I. 753.

Uebergangschiefergebirge, älteres = Cambrisches Gebirge (M.) I. 763.  
 — Sedgwick's 3 Abtheilungen des (M.) I. 764.  
 jüngeres (M.) I. 753, f. Gebirge, silurisches.  
 Ueberreste, organische, f. Organische Ueberreste.  
 Ueberſchwemmungen, nach Baticanaüsbrüchen (M.) I. 784.  
 Ueberſicht der Mineralogie (M.) I., S. I. ff.  
 der Pflanzen (B.) III. S. I. ff.  
 Ubi (B.) III. 614.  
 Ubi-Castela (B.) III. 1086.  
 Uga (Z.) V. 659.  
 Uga-Uua (Z.) V. 659.  
 Uccel St. Maria (Z.) VII. 221.  
 Uccelli di Cipro (Z.) VII. 288.  
 Uchtblumen (B.) III. 550.  
 gemeine (B.) III. 550.  
 geſchäkte (B.) III. 551.  
 Uchten (B.) III. 547.  
 Uden: (B.) III. 547.  
 Uras: (B.) III. 550.  
 Wolfen: (B.) III. 549.  
 Udani (B.) III. 910.  
 Uferas (Z.) V. 1474.  
 Uferastmooſe (B.) III. 295.  
 Uferkäfer (Z.) V. 1717.  
 eigentliche (Z.) V. 1717.  
 gemeiner (Z.) V. 1718.  
 rother (Z.) V. 1718.  
 Uferläufer (Z.) VII. 492.  
 americanischer (Z.) VII. 493.  
 Fluß: (Z.) VII. 492.  
 gemeiner (Z.) VII. 492.  
 langgeſchwänzter (Z.) VII. 493.  
 Uferraubkäfer (Z.) V. 1714.  
 gebüpfeter (Z.) V. 1715.  
 gemeiner (Z.) V. 1714.  
 Uferſchnepfe (Z.) VII. 503.  
 große (Z.) VII. 503.  
 rothe (Z.) VII. 504.  
 Uferſchwalbe (Z.) VII. 95.  
 Uferſpinne (Z.) V. 681.  
 Uggia (Z.) VII. 116.  
 Uhu (Z.) VII. 122.  
 Ukeley (Z.) VI. 308, 311.  
 Uklea (Z.) IV. 308.  
 Ukleja (Z.) VI. 312.