

Rezeptformeln.

(Die beigegeführten Indikationen sollen natürlich nur als allgemeine Anhaltspunkte dienen.)

Acid. boricum:

Acid. boric. 2,5—5,0	Acid. boric. 5,0
Mitin. ad 50,0	Pasta Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.
	(Antiseptische Paste.)

Acid. carbolicum:

Acid. carbol. 2,5	Acid. carbol. 2,0
Ol. olivar. 10,0	Sublimat. 0,1
Mitin. ad 50,0	Ol. olivar. 10,0
DS. äusserlich.	Mitin. ad 50,0
(Pruritus.)	DS. äusserlich.
	(Lichen ruber planus.)

Acid. pyrogallicum (Pyrogallol):

Acid. pyrogall. 1,0	Acid. pyrogall. 1,0
Mitin. ad 10,0	Ol. oliv. 2,0
DS. äusserlich.	Pasta Mitin. 7,0
	DS. äusserlich.
(Lupus vulgaris; Psoriasis vulgaris; Ekzem. seborrhoic. chron.)	

Acid. salicylicum:

Acid. salicyl. 0,25	Acid. salicyl. 1,0—2,0
Mitin. cosmet. ad 50,0	Mitin. pur. (s. Mitin. cosmet.) ad 50,0
DS. äusserlich.	DS. äusserlich.
(Gesichtsekzeme der Kinder. Zu kosmetischen Zwecken.)	(Kopfkzeme.)

Acid. salicyl. 5,0—10,0
Mitin. ad 50,0
DS. äusserlich.
(Hyperkeratosen.)

Extr. cannab. indic.
Creosot aa 2,0
Acid. salicyl.
Liq. stib. chlor.
Ol. olivar. aa 1,0
Mitin. 3,0
DS. äusserlich.
(Unna's grüne Salbe gegen Lupus.)

Acid. salicyl. 1,0
Pasta Mitin. ad 50,0
DS. äusserlich.
(Salicylpaste.)

Acid. salicyl. 1,0
Zinc. oxyd.
Amyl. aa 10,0
Mitin. ad 50,0
DS. äusserlich.
(Lassars Salizylpaste.)

Acid. tannicum:

Acid. tannic. 1,0
Mitin. ad 10,0
DS. äusserlich.
(Frostbeulen.)

Acid. tannic.
Flor. sulf. aa 5,0
Ol. olivar. 10,0
Pasta Mitin. ad 50,0
DS. äusserlich.
(Sycosis vulgaris.)

Airol:

Airol 10,0
Ol. olivar. 10,0
Pasta Mitin. ad 50,0
DS. äusserlich.
(Zum Wundverband.)

Anästhesin:

Anaesthesin. 2,0
Mitin. ad 20,0
DS. äusserlich.
(Anästheticum bei Geschwüren, Pruritus etc.)

Antrasol:

Antrasol 1,0—5,0
Mitin. ad 50,0
DS. äusserlich.
(Ekz. chron. — Pruritus ani.)

Antrasol 1,0—5,0
Pasta Mitin. ad 50,0
DS. äusserlich.

Arg. nitricum:

Arg. nitr. 0,5—1,0
Bals. Peruvian. 5,0
Mitin. ad 50,0
DS. äusserlich.
(Geschwürsbehandlung.)

Aristol:

Aristol 1,0
 Ol. olivar 2,0
 Mitin. 7,0
 DS. äusserlich.
 (Geschwürsbehandlung.)

Bals. Peruvianum:

Bals. Peruvian.
 Mitin. aa 25,0
 DS. äusserlich.
 (Skabies; Frostbeulen.)

Bismut. subnitricum:

Bism. subnitr. 2,0
 Pasta Mitin. ad 20,0
 DS. äusserlich.
 (Nässende Flechte.)

Bromocoll:

Bromocoll 2,0—4,0
 Mitin. ad 20,0
 DS. äusserlich
 (Pruritus.)

Camphor. trita:

Camphor. trit. 2,0
 Ol. olivar. 4,0
 Mitin ad 20,0
 DS. äusserlich.
 (Frostbeulen.)

Chloral. hydratum:

Chlor. hydr.
 Camphor. trit. aa 5,0
 Ol. olivar. 10,0
 Mitin. ad 50,0
 DS. äusserlich.
 (Pruritus.)

Chrysarobin:

Chrysarobin. 1,0—5,0	Chrysarobin. 1,0—5,0
Ol. olivar. 5,0	Ol. olivar. 5,0
Mitin. ad 50,0	Pasta Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.

(Psoriasis vulgaris; Alopecia areata; Ekzem. seborrhoic.)

Chrysarobin
Ol. Rusc. $\bar{a}\bar{a}$ 10,0
Sapon. kalin.
Mitin. $\bar{a}\bar{a}$ 15,0
DS. äusserlich.
(Psoriasis vulgaris.)

Chrysarobin
Ol. Rusc. $\bar{a}\bar{a}$ 10,0
Acid. salicyl. 5,0
Ol. oliv. opt. 5,0
Sapon. kalin.
Past. Mitin. $\bar{a}\bar{a}$ 10,0
DS. äusserlich.
(Psoriasis vulgaris.)

Cocain. muriaticum:

Cocain. muriat. 1,0
Mitin. ad 10,0
DS. äusserlich.
(Schmerzhafte Rhagaden etc.)

Dermatol:

Dermatol 5,0	Dermatol 5,0
Mitin. ad 50,0	Pastae Mitini ad 50,0
DS. äusserlich.	DS. äusserlich.
(Geschwürsbehandlung.)	(Nässende Flechten; Intertrigo; Balanitis.)

Empyroform:

Empyroform 2,5	Empyroform 2,5—5,0
Mitin. ad 50,0	Pastae Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.
(Ekz. chronicum; Ekzem. seborrhoic.; Pruritus; Seborrhoea capillitii.)	

Empyroform 5,0
Flor. sulf. 10,0
Sapon. kalin. 15,0
Mitin. 20,0
DS. äusserlich.
(Ekz. chronic. inveterat. Ersatz für Ung. Wilkinsonii.)

Epicarin:

Epicarin. 3,0—5,0
Mitin. ad 50,0
DS. äusserlich.
(Prurigo Hebrae.)

Eudermol:

Eudermol 0,05—0,15
Mitin. ad 50,0
DS. äusserlich.
(Skabies; Pruritus.)

Euguform:

Euguform 1,0
 Mitin. ad 10,0
 DS. äusserlich.
 (Pruritus.)

Europphen:

Europphen 1,0
 Ol. olivar 1,0
 Mitin. ad 10,0
 DS. äusserlich.
 (Ulcus molle.)

Formalin:

Formalin 0,02
 Pasta Mitin. ad 10,0
 DS. äusserlich.
 (Hyperhidrosis; Intertrigo; Ekzema madidans.)

Hydrargyrum bichloratum (Sublimat):

Hydr. bichlor. corros 0,1
 Acid. carbol. 2,0
 Ol. olivar. 10,0
 Mitin. ad 50,0
 DS. äusserlich.
 (Lichen ruber planus.)

Hydrarg. chlorat. mite (Calomel):

Hydrarg. chlor. mit. 1,0—2,0
 Mitin. ad 10,0
 DS. äusserlich.
 (Ulcera luetica.)

Hydrargyrum praecipitatum album:

Hydr. praecipit. alb. 5,0	Hydr. praecipit. alb. 5,0
Ol. olivar 5,0	Pasta Mitin. ad 50,0
Mitin. ad 50,0	DS. äusserlich.
DS. äusserlich.	(Ekzem; Psoriasis vulgaris.)
(Ekzem; Psoriasis vulgaris.)	
Hydr. praecipit. alb. 0,1	Hydr. praecipit. alb.
Acet. plumb. 0,2	Bism. subnitr. aa 12,5
Ol. amygd. dulc. 0,5	Mitin. 25,0
Mitin. ad 5,0	DS. äusserlich.
DS. äusserlich.	(Chloasma.)
(Blepharitis marginalis.)	

Hydrargyrum:

Mitin-Hydrargyr. s. Mitin. mercuriale 30,0 (in Glasröhre.)	Mitin-Hydrargyr. s. Mitin. mercuriale 3,0 d. t. dos Nr. X in charta (in caps. gelat.) DS. äusserlich.
--	--

Hydrargyrum oxydatum flavum:

Hydr. oxydat. flav. 0,1
Mitin. ad 10,0
DS. äusserlich.
(Gelbe Augensalbe.)

Hydrargyrum oxydatum rubrum:

Hydr. oxyd. rubr. 0,1—0,5 Mitin. ad 50,0 DS. äusserlich. (Augensalbe.)	Hydrarg. oxyd. rubr. 2,5—5,0 Mitin. ad 50,0 DS. äusserlich. (Ulcerata luetica.)
---	--

Ichthyol:

Ichthyol 1,0—5,0 Mitin. ad 50,0 DS. äusserlich. (Akne; Rosacea; Rheumatismus.)	Ichthyol Anaesthesin. aa 2,5 Mitin. ad 10,0 DS. äusserlich. (Fissuren; Schrunden der Mamma.)
Ichthyol 0,5—5,0 Pasta Mitin. ad 50,0 DS. äusserlich. (Ekzem; Akne rosacea.)	Ichthyol 1,0 Flor. sulf. 5,0 Mitin. ad 50,0 DS. äusserlich. (Akne; Ekz. seborrhoic.)

Ichthoform:

Ichthoform 2,0
Mitin. ad 20,0
DS. äusserlich.
(Ekzem; Ulcera.)

Jodoform:

Jodoform 1,0
Mitin. ad 10,0
DS. äusserlich.
(Ulcerata.)

Jodoformogen:

Jodoformogen 1,0
 Mitin. ad 10,0
 DS. äusserlich.
 (Ulcera mollia.)

Kali jodat.:

Kal. jodat. 5,0
 Jod. pur. 0,5
 Mitin. ad 50,0
 DS. äusserlich.

Lenigallol:

Lenigallol. 2,5—5,0
 Pasta Mitin. ad 50,0
 DS. äusserlich.
 (Ekzem)

Liquor. carbon. detergentis:

Mitin. 18,0
 paulatim terendo adde
 Liq. carbon. deterg. 2,0
 DS. äusserlich.
 (Ekzem; Seborrhoea capillitii.)

Menthol:

Menthol 0,1—0,5
 Ol. amygd. dulc. 2,0
 Mitin. ad 10,0
 DS. äusserlich.

Naphthol:

Naphthol 1,0—5,0	Naphthol 5,0
Mitin. ad 50,0	Sapon. kalin. 15,0
DS. äusserlich.	Mitin. ad 50,0
(Psoriasis vulgaris.)	DS. äusserlich.
	(Skabies.)

Naphthol 1,0
 Flor. sulf. 4,0
 Sapon. kalin.
 Mitin. āā 2,5
 DS. äusserlich.
 Schälpaste
 (Akne rosacea.)

Ol. Rusci (s. Ol. Cadin. s. Ol. Fagi s. Ol. Lithantracis).

Ol. Rusci 2,5—10,0	Ol. Rusci 2,5—10,0
Mitin. ad 50,0	Pasta Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.
	(Ekzem; Pruritus.)

Ol. Rusc.
 Flor. sulf. āā 2,5—5,0
 Pasta Mitin. ad 50,0
 DS. äusserlich.
 (Ekzem. chron.)

Ol. Rusci
 Flor. sulf. āā 10,0
 Cret. alb. 5,0
 Sapon. kalin.
 Mitin. āā 20,0
 DS. äusserlich (Wilkinsonsche
 Salbe.)
 (Ekzema chronic; Skabies.)

Ol. Rusci
 Flor. sulf. āā 10,0
 Sapon. kalin.
 Pasta Mitin. āā 20,0
 DS. äusserlich. Modifikation der
 Wilkinsonschen Salbe.
 (Ekzem. chronic.)

Plumbum aceticum:

Plumb. acetic. 5,0
 Mitin. ad 50,0
 DS. äusserlich.
 (Bleisalbe.)

Protargol:

Protargol 2,0
 Mitin. ad 20,0
 DS. äusserlich.
 (Wunden; Ekzeme).

Pyrogallol oxydatum (Pyraloxin):

Pyrogall. oxyd. 1,0
 Mitin. ad 10,0
 DS. äusserlich.
 (Ekzem. seborrhoic.; Psoriasis vulgaris.)

***Resorcin. albissimum:**

Resorcin. albiss. 2,0—10,0
 Pasta Mitin. ad 20,0
 DS. äusserlich. (Schälpaste.)
 (Akne; Lupus vulgaris.)

Resorcin. albiss. 1,0
 Ol. amygd. dulc. 10,0
 Mitin. ad 50,0
 DS. äusserlich.
 (Seborrhoa sicca faciei.)

Resorcin. albiss. 2,0—10,0
 Ol. amygd. dulc. 10,0
 Mitin. ad 50,0
 DS. äusserlich.
 (Akne; Seborrhoea capillitii.)

Resorcin. albiss.
 Flor. sulfur.
 Acid. salicyl. āā 5,0
 Ol. olivar. 10,0
 Pasta Mitin. ad 50,0
 DS. äusserlich.
 (Akne.)

3*

Sublimat: (v. s. Hydr. bichlor. corros.)

Sulfur. praecipitatus (Sulfur. sublimatus; Flores sulfuris):

Sulfur. praecipitat. 5,0	Sulf. praecipitat. 5,0
Mitin. (s. Mitin. cosmet.) ad 50,0	Resorcin. albiss. 1,0—2,5
DS. äusserlich.	Ol. amygd. dulc 10,0
(Seborrhoea capillitii; Ekzema seborrhoic.)	Mitin. ad 50,0
	DS. äusserlich.
	(Seborrhoea capillitii; Ekzema seborrhoic.)
Sulf. praecipitat. 20,0	Sulf. praecipitat. 5,0
Mitin. 30,0	Acid. salicyl. 2,5
DS. äusserlich.	Ichthyol 1,0
(Akne vulgaris.)	(Resorcin. albiss.)
	Pasta Mitin. ad 50,0
	DS. äusserlich.
	(Akne; Ekzem. seborrhoic.)
Sulf. praecipitat. 12,0	Sulf. praecipitat. 4,0
Hydr. sulf. rubr. 0,5	Zinc. oxyd. 6,0
Pasta Mitin. ad 100,0	Terr. silic. 2,0
DS. äusserlich.	Mitin. 28,0
(Ekzem. chron.)	DS. äusserlich.
	(Unnas Schwefelpaste.)

Sulf. sublimat. 20,0
Kali carbon. 10,0
Mitin. ad 100,0
DS. äusserlich.
(Skabies.)

Tannoform:

Tannoform 5,0	Tannoform 5,0—10,0
Mitin. ad 50,0	Pasta Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.

(Ekzem; Intertrigo.)

Thiol:

Thiol 5,0
Mitin. ad 50,0
DS. äusserlich.
(Ekzem; Akne; Verbrennung.)

Thigenol:

Thigenol 1,0—10,0	Thigenol 5,0—15,0
Mitin. ad 50,0	Pasta Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.
(Ekzem; Rosacea; Akne.)	(Ekzem; Akne.)

Tumenol:

Tumenol 1,0—5,0	Tumenol 1,0—5,0
Mitin. ad 50,0	Ol. olivar. 5,0
DS. äusserlich.	Pasta Mitin. ad 50,0
	DS. äusserlich.

(Ekzem; Ulcera; Pruritus)

Ung. diachylon Hebrae:

Emplastr. diachylon 25,0
leni calore liquefact. adde
Mitin. 25,0
Tere usque ad perfect.
refrigeration.
DS. äusserlich.
(Ekzem.)

Ung. Plumbi (v. s. Plumb. acetic.)

Ung. Wilsonii (v. s. Zinc. oxyd.).

Ung. Wilkinsonii (v. s. Ol. Rusci).

Ung. Zinc. (v. s. Zinc. oxyd.).

Xeroform:

Xeroform 5,0	Xeroform 5,0
Mitin. ad 50,0	Past. Mitin. ad 50,0
DS. äusserlich.	DS. äusserlich.

(Verbrennungen; Intertrigo; Ulcera.)

Zinc. oxyd.:

Zinc. oxyd. 5,0	Zinc. oxyd.
Mitin. s. Mitin. cosm. ad 50,0	Amyl. aa 10,0
DS. äusserlich.	Mitin. ad 50,0
(Zinksalbe; Ung. Wilson.)	DS. äusserlich.
	(Lassars Zinkpaste.)

Zinc. oxyd. 10,0
Terr. silic. 2,0
Mitin. 28,0
DS. äusserlich.
(Unnas Kieselgurpaste.)

Section and notes on fossils of the ...

Terrace

Terrace 10-15
Of ...
Last ...

The ...
...
...
...
...
...
...

The ...

The ...

The ...

The ...

...

...
...
...
...

...

...
...
...
...

...

...
...
...