



MATERIA MEDICA.

NOMINA SYNONYMA

USU RECEPTA. ET DESCRIPTIONES.

*A*brotani folia, Abrotani maris angustifoliæ *Artemesium abrotan.* lii majoris Caspar. Bauhini: vel,

Santolina chamaecypa- Abrotani foeminæ foliis teretibus C. Bauhini; *santolinæ* foliis teretibus Tournefort.

Absinthii maritimi Absinthii marini albi Gerardum summitates, absinthii seriphii *Artemisia maritima* Belgici C. B. absinthii Romani nostratibus falso dicti.

Absinthii vulgaris foliage, *Artemisia absyn-* Absinthii vulgaris majoris, *tarum* Johan. Bauhin.

Acacia, Succus inspissatus fructus immaturi acaciæ foliis scorpioidis leguminosæ C. B. *Mimosa aculeata.*

Acetum.

Ærugo.

Agaricus,

Agaricus, sive fungus laricis
C. B. in *Picea Larice arctica*

Allium,

Radix allii sativi C. B.

Aloe Socotorina,

Succus concretus aloes suc-

Aloe perfoliata (succot.) A 2 cotrinæ angustifoliæ spi-

nosæ

nosæ flore purpureo
Breyn Prodrom.

Althææ radix, folia, Althææ Dioscorid. & Pliniæ
althea offic. (α) C.B.

Alumen.

Ammeos semen,

Amomi semen,

Ammeos majoris C.B. *Ammi maj.*
Amomi racemosi C.B. *Mirabilis pimenta*
vel,

Sison amomum Sisonis, quod amomum of-
ficinis nostris C.B. sii aro-
matici Tourn.

Amygdalæ amaræ, Nuclei e fructu amygdali
Amygdalæ dulces, sativæ C.B.

Anethi semen, Anethi hortensis C.B. *Anethum graveolens*
angelica Angelicæ radix ab Hi- Angelicæ sativæ C.B. im-
angele spania, caules, folia, peratoriaæ sativæ Tourn.
semen,

Anisi adesum. Anisi semen, Anisi herbariis C.B. apii,
anisi dicti, semine sua-
veolente Tourn.

Antimonium.

Argentum.

Argentum vivum.

Ari radix,

Aristolochiæ longæ Aristolochiæ longæ veræ
radix, C.B. *ari vulgaris Gerard.*

Aristolochiæ tenuis Aristolochiæ clematitidis
radix, rectæ C.B. *ari tenuis clematis*

Artemisiæ folia,
artemisia vulgaris

atum maculatum (β)
Ari maculati maculis nigris.

C.B. ari vulgaris Gerard.

C.B. *aristolochia longa (α)*

rectæ C.B. *ari tenuis clematis*

Artemisiæ vulgaris majoris
C.B.

Afa

Aſa foetida,
Ferula aſa foetida

Succus concretus radicis
hingisēh, ſeu plantæ aſæ
foetidæ Kämpf. Amoeni-
tat. exotic.

Aſari folia,
Atriplicis oolidæ folia
Oenopodium vulvaria

Aſari C. B. ararum europæum
Atriplicis foetidæ C. B. Che-
nopodii foetidi Tourn.

Aurantiorum Hispa-
lensium ſuccus, &
cortex,
Axungia porcina.

Fructus mali aurantiæ ma-
joris C. B. mali aurantiæ
fructu acido. Citrus aurantium^(α)

B.

Balaufia,

Flores balaufiæ flore pleno
majore C. B. Punica granatum^(β)

Balsamum Copaiwa. *Copaiwa (ſpiralis)* 557

Balsamum Peruvianum.

Balsamum Tolutanum. *Toluifera (Balsamum)*

Bdellium.

Becabungæ folia, *Veronica becabunga* Veronicæ aquaticæ folio
ſubrotundo Morison. Hi-
stor. plant.

Benzoinum. *Styrax Benzoin.*

Biftortæ radix, *Polygonum biftorta* Biftortæ majoris radice mi-
nus intorta C. B.

Bitumen Judaicum.

Bolus Armenia.

Bolus Gallica.

Borax.

Buxi lignum, Buxi arboreſcentis C. B.

Buxus seoper virens (α) arborescens

C.

Acory calamus (x). vulg.

Calami aromatici radix,

Calaminthæ folia,
malissa nepeta

Calx,

Camphora,
Laurus camphora

Cancrorum chelæ.

Cancrorum oculi dicti.

Canella alba,

Cantharides.

Cardamomi minoris semen,

Cardui benedicti fo-
lia, *Envy vel centau- na benedicta*

Carica,
Ficus carica (x)

Carpobalsamum,

Carvi semen,

Caryophylla aroma-
tica, & oleum eo-
rum stillatitium
five essentiale,

Caryophylla rubra,
Dianthus caryophyllus (β)
coronaria

Acori veri, sive calami aromatici officinarum C.B.

Calaminthæ pulegii odore,
sive nepetæ C.B.

Calx cretacea.

Resina arboris camphorifera Japonicæ Breyn.

Cinamomum, sive canella tubis minoribus alba C.
B. cortex Winteranus fal-
so dictus Park. *Laurifolia* Linn.

Cnici silvestris hirsutioris,
five cardui benedicti C.B.

Fructus aridus ficus com-
munis C.B.

Fructus balsami Syriaci ru-
tae folio C.B.

Cumini pratensis, carvi of-
ficinarum C.B. *carum (parvi)*

Fructus immaturus caryo-
phylli Rumph. Herbar.

Amboinenſ. *caryophyllo (aromatica)*

Flores caryophylli altilis
majoris C.B.

Caf-

- Cassia fistularis, Fructus cassiae fistulae Alex-
andriniæ *C. B. Capra fistula*
- Castoreum Russicum.
- Casumunar.
- Centaurii minoris Centaurii minoris Tourn.
summitates, *gentiana centaurium (α)*
- Cepa, Cepa vulgaris *C. B. Allium cepa*
- Cera alba.
- Cera flava.
- Cerussa.
- Chalybs.
- Chamædryos summi- Chamædryos vulgo veræ
tates cum semine, existimatæ J. B. *Tectorium chamædry-*
(α)
- Chamæmeli folia, flo- Chamæmeli nobilis, five
res, *Anthemis nobilis (α)* leucanthemi odoratioris
C. B.
- Chamæpityos folia, Chamæpityos luteæ vulga-
Tectorium chamæpitys ris, five folio trifido *C. B.*
- Cineres Russici, Cineres e Russia advesti,
quibus utuntur saponarii
nostrí.
- Cinnamomum, & Cinnamomum, five canella *Laurus*
oleum ejus stillati- *cinnamo-*
tum siye essentiale, namomea *Herman. Hort.*
Lugd. Bat.
- Coccinella. *Acalypha in Cacto arborescens*
- Cochleariæ hortensis Cochleariæ folio subrotun- *cochlear.*
folia, *G.* do *C. B.*
- Colocynthidis me- Fructus, cortice seminibus-
dulla, que abjectis, colocynthi-
dis J. B. *Cucurbita colocynthis.*

Contrayerva radix, Contrayerva Hispanorum,
Dorstenia contrayerva five Drakena radix Clusii
 Park.

Corallium rubrum.

coriandrum sativum Coriandri semen, Coriandri majoris C. B.

Cornu cervi.

Costus,

Costus dulcis officinarum
 C. B. *Costus arabicus*

Creta.

crocus sativus Crocus, Styli capillamenta florum
var. autumnalis *anthracoides* croci sativi C. B.

piperis cubeba Cubebæ, Cubebæ vulgares C. B.
cucumis agrestis *momordica elatiorum* Fruktus cucumeris silvestris,
 asinini dicti C. B.

Cuprum.

Curcumia,
curcumia longa

Curcumia radice longa Her-
 man. Hort. L. B. maniella
 kua Hort. Malabar.

Ryng cydonia Cydonia mala, eo-
 rumque semina, Fruktus cotoneæ mali J. B.

Cymini semen,
cuminum (*cymimum*)

Cumini semine longiore C.
 B. foeniculi orientalis cu-
 mini dicti Tourn.

rosa canina Cynosbati fructus, Rosæ sylvestris vulgaris flore
 odorato incarnato C. B.

D.

Dauci Cretici semen, Dauci foliis foeniculi te-
athamanta cretensis nuissimis C. B.

Dictamni Cretici fo- Dictamni Cretici C. B. ori-
 lia, *origanum dictam* gani Cretici latifolii to-
 mentosi Tourn.

E. Ela-

E.

Elatines folia, *Antennaria parviflora* Elatines Dioscoridis Lobel.
 Adv. *linariae segetum*
nummulariae folio vil-
loso Tourn.

Eleutheriæ cortex, *Croton cerasinus*
 Enulaæ campanæ radix, *Helenii vulgaris C.B.* asteris
innula heteromalla omnium maximi Tourn.

Eryngii radix, *Eryngium maritimum* Eryngii maritimi C.B.

F.

Ferrum.

Foeni-Græci semen, Foeni Græci sativi C.B. *Trigonella foenum-graecum*
 Foeniculi dulcis se- Foeniculi dulcis C.B. *foeniculum*

men,
 Fuligo lignorum
 combustorum.

G.

Galbanum. *Bubon galbanum*
 Gallæ. *Ex crescencie in leuorum lobare.*

Gambogia. *gambogia gutta*

Gentianæ radix, Gentianæ majoris luteæ
C.B. gentiana lutea

Gladioli lutei radix, Iridis palustris luteæ, sive
Iris pseudacorus acori adulterini J.B. acori
vulgaris Pharmacop. Au-
gust.

Glycyrrhiza, *Radix glycyrrhizæ filiformis*
glycyrrhiza glabra, vel Germanicæ C.B.

A 5

Græ-

- Punicæ gra.
natam (α) Granati cortex, Fructus mali Punicæ sativæ
C.B.
- Guaiaci lignum, cor- Guaiaci Americani primi
tex, gummi, fructu aceris, five legi-
timi Breyn. *guajacum* *citale* (α)
- Gummi Ammoniacum.
- Gummi Arabicum. *Mimosa nilotica*
- Gummi Elemi. *Anagris elemifera*

H.

- Hederæ terrestris fo- Hederæ terrestris vulgaris
lia, C.B. *glecomothederacea*.
- Hellebori albi radix, Hellebori albi flore subvi-
veratum album ridi C.B. veratri flore
subviridi Tourn.
- Hellebori nigri ra- Hellebori nigri flore roseo
dix, C.B. *Helleborus niger*
- Hordeum distichum, Semen hordei distichi C.B.
- Hordeum perlatum, Semen exorticatam prioris
dictum.
- hypericum* *perforatum* Hyperici folia, flores, Hyperici vulgaris C.B.
- Hypocistidis succus, Succus inspissatus hypoc-
stidum hypocistis stidis sub cisto C.B.
- Hyssopi folia, Hyssopi officinarum coer-
hyssop *officinalis* leæ, five spicatae C.B.

J.

- Jalapii radix, *convolvuli species*, *Convolvulus jalappa*.
- Ipecacoanhæ radix, *Euphorbia ipecacuanha*
- Iridis radix, Iridis albæ Florentinæ C.B.
- Juncus odoratus, Juncus odoratus, five aro-
Andropogon Schenckii maticus C.B.

Junii-

Juniperi baccæ,

Juniperi vulgaris fruticosæ

C.B. juniperus com. (x)

K.

Kermes succus. *Quercus coccifera*

L.

Labdanum,

*cistus labdanifera, cretidy*Gummi cisti ladaniferæ Cre-
ticæ flore purpureo Tourn.

Corollar. Inst.

Lamii albi flores,

Lamii albi non foetentis, fo-

*lio oblongo C.B. Lamium album. (x)*Lapis Bezoar orienta-
lis.

Lapis Calaminaris.

Lapis Hæmatites.

Lavendulæ flores,

Lavendulæ angustifoliæ

C.B. Lavandula spica. (d)

Lauri folia, baccæ.

Lauri vulgaris *C.B. Laurus nobilis*Lichen cinereus ter-
restris,

Lichen terrestris cinereus

*Raii. Lichen caning*Lignum rhodium. *genista capariensis?*Lignum tinctoriale Cam.
Hama leylon (champakian.) Ann.
*hod. diffit. 160*Limonum succus,
cortex, & essentia
dicta,

Fructus mali limoniæ acidæ

*citrus (x)**mod. (x)**C.B. mali limoniæ fructu**acido.*

Lini semen,

Lini sativi *C.B. linum uritati si num*

Lithargyrus.

(x)

Lujulæ folia,

Oxyos albæ Ger. *Oxalis acetosella. (x)*

M. Ma.

M.

- Macis, Macis officinarum C. B.
Origanum Majorana, Majoranæ folia, Majoranæ vulgaris C. B.
Malabathrum, folium, Folium cinamomi, sive *Laurus caprifolia*, nellæ Malavaricæ & Jananensis C. B.
Malvæ folia, flores, Malvæ sylvestris folio sinuato C. B. *Malva sylvestris*
Manna. *in Fraxino Ordo colligitur.*
Margaritæ.
Mari Syriaci folia, Mari Cortusi J. B. chamædryos maritimæ incanæ frutescentis foliis lanceolatis Tourn.
Tenuiorum marum
Satureja Marivulgaris folia, Sampsuci, sive mari mastichen redolentis C. B.
masticina, *ed. antiqua*, *Thymus masticina* *edit. rec.* thymbræ Hispanicæ majoranæ folio Tourn.
Marrub. vulg. Marrubii folia, Marrubii albi vulgaris C. B.
Pistacia lentisci Mastiche, Resina lentisci vulgaris C. B.
Matricaria *cut.* Matricariæ folia, Matricariæ vulgaris, seu sativæ C. B.
Parthenium
Mel.
Melissa offic. Melissæ folia, Melissæ hortensis C. B.
Menthæ piperitidis Menthæ spicis brevioribus
folia, *Mentha piperita*, *Linn. sp. 4.* & habetioribus, foliis mentha fusæ, sapore fero-
p. 576 vido piperis Raii Synops.
Mentha spicata, *vires*, Menthæ vulgaris fo- Menthæ angustifoliæ spica-
lia, tæ C. B.
Athamantum Meum Athamanti- Radix mei foliis anethi
Neckeri. cum, C. B.
Mille-

Millepedæ.

Minium.

Morum, *Morù nigra* Fructus mori fructu nigro
C. B.

Moschus.

Myrrha.

N.

Napi semen,

Napi sativæ C. B. napi dul-
cis officinarum.Nardus Celtica,
*Valeriana celtica*Radix Nardi Ceiticæ Dio-
scoridis C. B. valerianæ
Celticæ Tourn.

Nardus Indica,

Nardus Indica, quæ spica,
spica nardi, & spica Indica
officinarum C. B.Nasturtii aquatici fo-
lia, *Nasturtium*
Virginicum
Tatricum.Nasturtii aquatici supini
C. B. sisymbrii aquatici
Tourn.Nepetæ folia,
*Nepeta cataria*Menthæ catariæ vulgaris &
majoris C. B. catariæ ma-
joris vulgaris Tourn.Nicotianæ folia,
*Nicotiana tabacum*Nicotianæ majoris latifoliæ
C. B.

Nitrum.

Nux moschata, & Nux moschata fructu ro-
oleum ejus stillati-
tum sive essentiale, pala Rumph. Herb. Am-
oleumque expref-
sum, macis vulgo
dictum,tundo C. B. nux myristica,
Rumph. Herb. Am-
oleumque expref-
sum, macis vulgo
dictum,

Q. Ole-

O.

- Oleum olivarum, Oleum e fructu oleæ sativæ
olea europaea (α) C. B.
 Olibanum. *Juniperus libanifera*.
 Opobalsamum, Resina balsami Syriaci rutæ
Anagris jileadensis. folio C. B.
 Opopanax. *Pastinaca opopanax*
 Origani folia, Origani filvestris, cunilæ
origan. vulg. bubulæ Plinii C. B.
 Ostreorum testæ.
 Ovum gallinaceum.

P.

- Paeonia*, *Paeonia officinalis* (β) *Paeonia* folio nigricante
masouca splendido; quæ mas C. B.
 vel,
 - - - *feminea* *Paeonia foemina* flore pleno
(ω) rubro majore C. B.
 Papaveris albi capita, Papaveris hortensis semine
 succus concretus albo C. B.
 sive opium, *papaver somniferum*
 Papaveris erratici flo- Papaveris erratici majoris
 res, C. B. *papaver rhoes* (α)
 Paralyfis flores, Verbasculi pratensis odorati
primula veris (α) *officinalis* C. B. *primulæ veris* ma-
 joris Raii.
pariet. offic. Parietariae folia, Parietariae officinarum C. B.
 Pentaphylli radix, Quinquefolii majoris re-
Potentilla reptans pentis C. B.
 Peruvianus cortex. *Cinchona officinalis*
 Petroleum Barbadense.

Petro-

- Petroselini Macedo- Apii Macedonici *C. B.*
 nici semen, *Bubon macedonicum*
- Petroselini vulgaris Apii hortensis, seu petrose-
 semen, lini vulgo *C.B. Apium petrofelinum*
- Pimpinellæ saxifragæ Pimpinellæ saxifragæ mi-
 radix, noris foliis sanguisorbæ
 Raii; tragofelini alterius
 majoris Tourn.
 vel
- Pimpinella saxifraga* *(z)* Pimpinellæ saxifragæ mino-
 ris *C. B. tragofelini mi-*
noris Tourn.
- Piper album, Piper nigrum Piper nigrum maturum de-
 cōrticatum.
- Piper Jamaicense. *Myrtæ pimenta*
- Piper longum, *piper longum* Piper longum orientale *C.*
B. cattu - tirpali Hort.
 Malabar.
- Piper nigrum, *piper nigrum* Piper nigrum officinarum;
molago-codi Hort. Mala-
 bar.
- Pix arida.
- Pix Burgundica.
- Pix liquida.
- Polii summitates, Polii angustifolii Cretici *C.*
B. vel, Teucrium creticum
- Pruna Gallica. *Pruna domestica* *(z)* *Prigola* Polii maritimi erecti Mons-
peliaci C. B. Teucrium capitatum
- Pruna silvestria, Fruētus pruni silvestris *C.B.* *Prunella*
- Pulegii folia, *Mentha pulegium* Pulegii latifolii *C. B. men-*
thæ aquatice, seu pule-
gii vulgaris Tourn.

Pyre,

Pyrethri radix, Pyrethri flore bellidis C. B.
anthemis pyrethrum

R.

Raphani rusticani
radix,

Raphani rusticani C. B.
cochleariae folio cubitali

Tourn. *cochlearia armata*

Rhabarbarum verum officin.
Rorismarini summa- Rorismarini hortensis an-
tes, flores, gustiore folio C. B.

Rosa purpurea C. B.

Rosa rubra multiplex C. B.

Rubia tinctorum (p.)

Rubi Idæi spinosi C. B.

Rutæ hortensis latifoliæ
C. B. *Ruta graveolens*

S.

Sabinæ folia,
junciperi Sabina (d)

Sabinæ folio tamarisci Dio- scoridis C. B.

sacchari Saccharum purissi-

Saccharum bis purificatum.

officinae mum,

rum Saccharum rubrum, Saccharum nondum purifi- catum.

Sagapenum.

Sal ammoniacus.

Sal catharticus amarus.

Sal gemmæ.

Sal marinus.

Salviæ folia,

Salviæ majoris C. B.

salv. offic. Sambuci flores, bac-

Sambuci fructu in umbella

ce, *samburg nigra* nigro C. B.

San-

- Sanguis draconis. *Draconia (Draco)*
 Santalum rubrum. *Cesalpinia Sappar.*
- Sapo durus, Sapo durus ab Hispania.
 Sapo mollis, Sapo mollis communis no-
 strorum saponariorum.
- Sarcocolla.
 Sarsaparillæ radix. *Smilax saponaria*
- Sassafras radix, ejus- Arboris ex Florida ferculne
 que cortex, folio C.B. *Laurus ragaffai* (α)
- Scammonium. *Convolvulus scammonia*
- Scilla, Radix scillæ radice alba C.
scilla maritima (β&α) B. vel scillæ vulgaris ra-
 dice rubra C.B. ornitho-
 gali maritimi Tourn.
- Scincorum ventres.
- Scordii folia, Scordii C.B. chamaedryos
 Teucrium scordium palustris canescens
 Tourn.
- Senæ folia, Senæ Alexandrinæ, sive fo-
capra sena liis acutis C.B.
- Serpentariæ Virgi- *tricholochia serpentaria*
 nianæ radix.
- Seselis semen, Ligustici quod seseli offici-
 narum C.B. *Lacropilum siler.*
 (Vereli major. in offici.)
- Sevum ovillum.
- Sinapis semen, Sinapis rapi folio C.B. *Sinapis nigra*
- Sperma ceti dictum.
- Spinæ cervinæ baccæ, Rhamni cathartici C.B. *Rhamnus catharticus*
- Spiritus vinosus re- Spiritus destillatus ex vino,
 stificatus, vel aliis liquoribus fer-
 mentatis, & ab aqua im-
 mixta, atque odore foeti-
 B do,

do, quantum fieri potest,
depuratus.

Spiritus vinosus te- Idem spiritus, cui immista
nior, ^{merito siccum} fuerit aquæ pars aqua.
Hujusmodi spiritus lin-
gua vernacula vocamus
proof. spirit.: e quibus
optimus est, qui ex vino
Gallico conficitur; sed in
usus communes adhiberi
potest spiritus (ex syrupo,
a saccharo inter purifi-
candum desuente) vulgo
appellatus *melasses spirit.*

Spongia.

Stannium.

Lavanda Stoechas,

Stoechas (x) Styra calamita,

Styrax (officinal.)

Succinum.

Sulphur.

Stoechas purpurea C. B.

Refina styracis folio mali
cotoneæ C. B.

T.

Tamarindus,

Tamarindus (indica)

Fructus siliquæ Arabicæ,

quæ tamarindus C. B.

Tanaceti folia,

Tanaceti (x) *vulgaris lutei C. B.*

Tartarum;

Tartari crystalli,

Terebinthina Argentoratensis.

Terebinthina Chia, vel cyprina, ex piilaria Te-

Tartarum viridalbi, vel rubri.

Tartarum purificatum.

Tere-

Terebinthina communis. e Pinæ sylo. atq; abies variæ.

Terra Japonica ~~maxima ex parte raro insipido fructu arboreo~~ fructu arboreo

Thlaspis semen, Thlaspis arvensis siliquis la-

~~Thlaspi arvense~~ tis, vel,

~~campestris~~ Thlaspis arvensis vaccariæ
incano folio majoris C.B.

Thus, Thus vulgare.

Thymi citratifolia, Serpylli, foliis citri odore

~~Thymus Serpyllum (z)~~ C.B.

Tiliae flores, Tiliae foeminae folio majore

~~Tilia europea (x)~~ C.B.

~~Tomentillæ erectæ~~ Tormentillæ radix, Tormentillæ silvestris C.B.

Tragacantha, Gummi tragacanthæ C.B.

~~Tragacanthæ~~ tragacanthæ Creticæ incanæ flore parvo lineis
purpureis striato Tourn.

Trichomanis folia, Trichomanis, sive polytri-

~~Apleium Trichomanes (x)~~ chi officinarum C.B.

Trifolii paludosæ folia, Trifolii palustris C.B. Menganhæ

Triticæ farina, & amy- ~~Triticum hypernum~~

lum.

Tutia.

V.

Valerianæ silvestris Valerianæ silvestris majoris
radix, montanæ C.B. valerianæ

~~Valerianæ officinalis~~ silvestris majoris foliis
angustioribus Morison.

Plant. umbellif.

Vinum album, Vinum Hispanicum mon-

tanum.

B 2

Vinum

- Vinum Canarinum.
 Vinum Rhenanum.
 Vinum rubrum, Vinum rubrum Lusitanicum.
 Viola, *Viola odorata*, Flos violæ martiae purpureæ
 ta(x) flore simplici odoro C. B.
 Vipera.
 Vitriolum album.
 Vitriolum cœruleum.
 Vitriolum viride, Vitriolum viride Anglicum.
 Uvæ passæ, Uvæ passæ majores.

Z.

- Zedoaria, Zedoaria longa C. B. vel,
Campheria rotunda, Zedoaria rotunda C. B.
 Zingiber ejusque Zingiber C. B. *inschi* vel *in-*
 conditura, *schii kua* Hort. Malabar.
Anomum Zingiber.

PRÆPARATIONES SIMPLICIORES.

TERREORUM,
 aliorumque, quæ aqua non dissolvuntur, cor-
 porum præparatio.

PRIMUM pulverentur hæc corpora in mor-
 tario, deinde lavigentur in pulvereum subtilis-
 simum super marmore expolito & duro cum
 paulula aqua, postea exsiccentur super lapidem
 cretaceum, denique in loco tepido seponantur,
 vel saltem probe sicco, per aliquot dies.

Hoc