

| | |
|------------------------|----------------------|
| Tinctura Hellebori | Tinctura melampodii |
| Tinctura Helvetii | Tinctura styptica |
| Tinctura Hieræ | Tinctura sacra |
| Tinctura specierum di- | } Tinctura aromatica |
| ambrae sine odoratis | |
| Trochisci albi Ravis | Pulvis e cerussa |
| Trochisci e carabe | Pulvis e succino |
| Trochisci e myrrha | Pulvis e myrrha |
| Turpethum minerale | } Mercurius emeticus |
| | |
| Vinum benedictum | Vinum antimoniale |
| Unguentum dialthææ | Unguentum ex althæa |
| Unguentum martiatum | Unguentum viride |
| Unguentum nutritum | } Unguentum triphar- |
| | |
| Unguentum pomatum | Unguentum simplex. |

I N D E X

MEDICAMENTORUM.

| | |
|-------------------------|---------|
| Acetum Distillatum | Pag. 35 |
| Scilliticum | 64 |
| Æruginis præparatio | 21 |
| Æthiops mineralis | 47 |
| Alumen ustum | 32 |
| Antimonii præparatio | 21 |
| Aqua Alexeteria simplex | 51 |
| spirituosa | 54 |
| spirituosa cum aceto | 55 |
| Aluminosa Bateana | 104 |
| Calcis magis composita | 64 |
| minus composita | 63 |
| | Aqua |

| | |
|-----------------------------|---------|
| Aqua Calcis simplex | Pag. 63 |
| Castorei | 52 |
| Cinnamomi simplex | ib. |
| spirituosa | 56 |
| Corticum aurantium simplex | 52 |
| spirituosa | 55 |
| Foeniculi | 52 |
| Fortis | 37 |
| composita | 38 |
| Hordeata | 60 |
| Juniperi composita | 56 |
| Menthae piperitidis simplex | 53 |
| spirituosa | 56 |
| vulgaris simplex | 53 |
| spirituosa | 57 |
| Nucis moschatae | 57 |
| Piperis Jamaicensis | 53 |
| Pulegii simplex | ib. |
| spirituosa | 57 |
| Raphani composita | ib. |
| Rosarum Damascenarum | 53 |
| Sapphirina | 104 |
| Seminum Anethi | 52 |
| Anisi composita | 55 |
| Cardamomi | ib. |
| Carvi | 56 |
| Sulphurata | 43 |
| Vitriolica cærulea | 105 |
| camphorata | ib. |
| Argenti vivi purificatio | 46 |
| Afæ foetidæ purificatio | 23 |
| Aurum Musivum | 46 |
| Ayungiaë porcinaë curatio | 21 |
| viperinaë curatio | 21 |

B. Bal.

B.

| | |
|---------------------------|---------|
| Balsamum Guaiacinum | Pag. 74 |
| Locatelli | 98 |
| Succini | 40 |
| Sulphuris Barbadense | 43 |
| simplex | 43 |
| Terebinthinæ | 32 |
| Traumaticum | 74 |
| Bezoar lapidis preparatio | 21 |

C.

| | |
|-------------------------------------|-----|
| Calx Antimonii | 51 |
| Cataplasmata e Cymino | 119 |
| Maturans | ib. |
| Caules Angelicæ conditæ | 25 |
| Causiticum Antimoniale | 51 |
| Commune fortius | 35 |
| mitius | ib. |
| Lunare | 45 |
| Ceratum Album | 117 |
| Citrinum | 118 |
| Epuloticum | ib. |
| Mercuriale | ib. |
| Chalybis rubigo præparata | 44 |
| Chalybs cum Sulphure præparatus | ib. |
| Chelarum Cancrorum apices præparati | 121 |
| Cinnabaris Antimonii | 125 |
| Cinnabaris Factitia | 47 |
| Coagulum Aluminosum | 119 |
| Colcothar Vitrioli | 36 |
| Colophonia | 32 |
| Confectio Alkermes | 83 |
| Cardiaca | 98 |
| Damocratis | 99 |
| Paulina | ib. |

Con.

| | |
|--|--------|
| Conserva Flavedinis corticum Aurantium | P. 24 |
| Florum Lavendulae | ib. |
| Malvae | ib. |
| Rorismarini | ib. |
| Rosarum rubrarum | ib. |
| Foliorum Cochleariae hortensis | ib. |
| Lujulae | ib. |
| Menthae vulgaris | ib. |
| Rutae | ib. |
| Fructus cynosbati | 25 |
| Prunorum silvestrium | ib. |
| Summitatum absinthii maritimi | 24 |
| Corallii preparatio | 21 |
| Cornu cervi calcinatio | 22. 40 |
| Cortex Aurantium conditus | 25 |
| Limonum conditus | ib. |
| Cretae preparatio | 21 |
| Crocus antimonii | 50 |
| lotus | ib. |
| D. | |
| Decoctum Album | 59 |
| Commune pro clystere | ib. |
| Pectorale | ib. |
| E. | |
| Elaterium | 26 |
| Electarium e Baccis Lauri | 96 |
| e Casia | ib. |
| Lenitivum | 97 |
| e Scammonio | ib. |
| e Scordio | 98 |
| Elixir Aloës | 74 |
| Myrrhae compositum | 75 |
| Paregoricum | 74 |
| Elixir Vitrioli acidum | 75 |
| Elixir | |

| | |
|--------------------------------------|---------|
| Elixir dulce | Pag. 75 |
| Emplastrum ex Ammoniaco cum mercurio | 107 |
| di Attrahens | 108 |
| Cephalicum | ib. |
| Commune | ib. |
| adhæsivum | ib. |
| cum gummi | 109 |
| cum mercurio | ib. |
| e Cymino | 110 |
| e Minio | ib. |
| e Mucilaginis | ib. |
| Roborans | ib. |
| e Sapone | 111 |
| Stomachicum | ib. |
| Vesicatorium | ib. |
| Emulsio communis | 76 |
| Epithema Vesicatorium | 118 |
| Volatile | ib. |
| Extractum Catharticum | 29 |
| Corticis Peruviani durum | 27 |
| molle | ib. |
| Foliorum Ruta | 27 |
| Sabinae | ib. |
| Glycyrrhizæ | ib. |
| Jalapii | 28 |
| Ligni Guaiaci durum | ib. |
| molle | ib. |
| Campechensis | 27 |
| Radicis Enulæ campanæ | 27 |
| Gentianæ | ib. |
| Hellebori nigri | ibid. |
| F. | |
| Flores Benzoini | 42 |
| Flores | |

| | |
|--------------------------------|---------|
| Flores Martiales | Pag. 44 |
| Sulphuris | 43 |
| loti | ib. |
| Fotus communis | 60 |
| Galbani purificatio | 23 |
| Gummi Aloës | 29 |
| Ammoniaci purificatio | 23 |
| H. omnia | |
| Hiera picra | 90 |
| I. M. | |
| Infusum Amarum purgans | 62 |
| simplex | 16 |
| Senæ commune | 62 |
| limoniatum | 63 |
| Julepum e Camphora | 76 |
| e Creta | ib. |
| e Moscho | ib. |
| Jus Viperinum | 60 |
| L. P. | |
| Lac Ammoniaci | 77 |
| Lapidis Calaminaris præparatio | 21 |
| Hæmatitæ præparatio | ib. |
| Lapis medicamentosus | 46 |
| Linimentum Album | 116 |
| Saponaceum | 117 |
| Tripharmacum | ib. |
| Volatile | ib. |
| Lixivium Martis | 45 |
| Saponarium | 35 |
| Tartari | 33 |
| Lotio saponacea | 105 |
| M. | |
| Margaritarum præparatio | 21 |
| Mel | |

| | |
|------------------------------|---------|
| Mel Ægyptiacum | Pag. 83 |
| Elatines | 84 |
| Helleboratum | ib. |
| Rosaceum | ib. |
| Solutivum | 85 |
| Mellis despumatio | 22 |
| Mercurius Calcinatus | 48 |
| Corallinus | 49 |
| Corrosivus albus | 47 |
| ruber | 49 |
| sublimatus | 47 |
| Dulcis sublimatus | 48 |
| Emeticus flavus | 49 |
| Præcipitatus albus | 48 |
| Millepedarum præparatio | 24 |
| Mithridarium | 99 |
| Mucilago feminum Cydoniorum | 61 |
| N. | |
| Nitrum Purificatum | 32 |
| Vitriolatum | 38 |
| Nucis moschatæ torrefactio | 22 |
| O. | |
| Oculorum Cancri præparatio | 21 |
| Oleum Amygdalinum | 30 |
| Buxi | 31 |
| Copaivæ compositum | 32 |
| Cornu Cervi | 41 |
| Essentiale e Baccis Juniperi | 31 |
| Caryophyllis aromaticis | ib. |
| Floribus Chamæmeli | 30 |
| Lavendulæ | ib. |
| e Foliis Absinthii | ib. |
| Majoranæ | ib. |
| Menthæ piperitidis | ib. |
| vulgaris | ib. |
| Origani | ib. |
| Pulegii | ib. |
| Rorisqmarini | ib. |
| Rutæ | ib. |
| Sabinæ | ib. |
| e Ligno Rhodio | ib. |
| I | Oleum |

| | |
|---|---------|
| Oleum Effentiale e Nuce moschata | Pag. 31 |
| Radice Saffraſas | 30 |
| Seminibus Anethi | 31 |
| Anifi | ib. |
| Carui | ib. |
| Cymini | ib. |
| Oleum Fuliginis | 41 |
| Hyperici | 106 |
| Lateritium | 31 |
| Lini | 30 |
| e Mucilaginibus | 106 |
| Petrolei Barbadenſis | 31 |
| Sambucinum | 106 |
| Sinapis | 30 |
| Succini | 40 |
| Terebinthinæ | 31 |
| æthereum | 32 |
| Viride | 107 |
| Vitrioli dicti | 37 |
| Opium colatum | 23 |
| Oxymel ex Allio | 85 |
| Scilliticum | ib. |
| Simplex | ib. |
| | P. |
| Philonium Londinense | 101 |
| Pilulæ Aromatica | 93 |
| ex Colocynthide cum Aloë | 94 |
| Simpliciores | ib. |
| Ephraſtica | ib. |
| Gummoſæ | 95 |
| Mercuriales | ib. |
| Ruſi | ib. |
| Saponacea | ib. |
| e Styrace | 96 |
| Pulparum extractio | 22 |
| Pulvis Antilyſſus | 86 |
| Ari compoſitus | ib. |
| Bezoardicus | 87 |
| e Bolo compoſitus cum opio | ib. |
| ſine opio | 86 |
| e Ceruſſa | 87 |
| e Chelis cancrorum compoſitus | ib. |
| | Pulvis |

| | |
|-------------------------------|---------|
| Pulvis Contrayervæ compositus | Pag. 88 |
| e Myrrha compositus | ib. |
| e Scammonio compositus | ib. |
| e Sena compositus | ib. |
| Sternutatorius | 89 |
| e Succino compositus | ib. |
| e Trägacantha compositus | ib. |
| R. | |
| Radix Eryngii condita | 25 |
| Refina Aloës | 29 |
| Flava | 32 |
| Nigra | ib. |
| Rhabarbari torrefactio | 22 |
| Rob Baccarum sambuci | 26 |
| S. | |
| Saccharum Rosaceum | 91 |
| Saturni | 45 |
| Sal Absinthii | 33 |
| Ammoniacus purificatus | 32 |
| Catharticus Glauberi | 38 |
| Cornu cervi | 41 |
| Diureticus | 36 |
| Fuliginis | 41 |
| Martis | 45 |
| Succini | 40 |
| Tartari | 33 |
| Vitrioli | 38 |
| Volatilis salis ammoniaci | 41 |
| Sapò Amygdalinus | 34 |
| ex Oleo olivarum | 35 |
| Scillæ Coctio | 22 |
| Exsiccatio | 22 |
| Serum Aluminosum | 61 |
| Scorbuticum | ib. |
| Sevi ovilli curatio | 21 |
| Species Aromaticæ | 90 |
| e Scordio cum opio | 91 |
| sine opio | 50 |
| Spiritus Aceti | 35 |
| Cornu Cervi | 40 |
| Fuliginis | 41 |
| Lavendulæ compositus | 58 |
| I 2 | |
| | Spi- |


| | |
|--------------------------------|---------|
| Spiritus Lavendulae simplex | Pag. 58 |
| Spiritus Nitri dulcis | 39 |
| Glauberi | 37 |
| Rorifmarini | 58 |
| Salis Ammoniaci | 41 |
| dulcis | ib. |
| Marini coagulatus | 39 |
| Glauberi | 37 |
| Succini | 40 |
| Sulphuris per campanam | 39 |
| Terebinthinae | 32 |
| Vinofus camphoratus | 77 |
| Vitrioli dulcis | 39 |
| fortis | 36 |
| tenuis | ib. |
| Volatilis aromaticus | 42 |
| foetidus | 41 |
| Spongiae ustio | 22 |
| Stannum pulveratum | 46 |
| Styracis colatio | 23 |
| Succi Scorbutici | 26 |
| Succini præparatio | 21 |
| Sulphur Antimonii præcipitatum | 49 |
| Præcipitatum | 43 |
| Syrupus ex Allio | 78 |
| ex Althæa | ib. |
| e Corticibus Aurantiorum | ib. |
| Balsamicus | ib. |
| Caryophyllorum rubrorum | 79 |
| Croci | ib. |
| Cydoniorum | ib. |
| Diacodion | 80 |
| Fructus Rubi Idæi | ib. |
| e Succo Limonum | 80 |
| e Meconio | ib. |
| Mororum | ib. |
| Papaveris erratici | 81 |
| e floribus Paralyfis | 79 |
| Pectoralis | 81 |
| Rosarum solutivus | ib. |
| Scilliticus | 82 |
| Simplex | ib. |

Syrup-

| | |
|-------------------------------|---------|
| Syrupus e Spina Cervina | Pag. 82 |
| Violarum | ib. |
| Zingiberis | 83 |
| T. | |
| Tabellæ Cardialgiæ | 93 |
| Tartarum Emeticum | 50 |
| Solubile | 33 |
| Vitriolatum | 38 |
| Terreorum, &c. præparatio | 20 |
| Testarum Ostreorum præparatio | 21 |
| Testarum Ovorum præparatio | ib. |
| Theriaca Andromachi | 101 |
| Tinctura Amara | 68 |
| Antimonii | ib. |
| Aromatica | ib. |
| Cantharidum | 69 |
| Cardamomi | ib. |
| Caltorei | ib. |
| Cinnamomi | ib. |
| Certicis Peruviani simplex | ib. |
| volatilis | 70 |
| Fœtida | ib. |
| Fuliginis | ib. |
| Guaiacina volatilis | ib. |
| Jalapii | ib. |
| Japonica | ib. |
| Florum Martialium | 71 |
| Martis in Spiritu falis | ib. |
| Melampodii | ib. |
| Myrrhæ | ib. |
| Rhabarbari spirituosa | 72 |
| vinosa | 66 |
| Rosarum | 64 |
| Sacra | 67 |
| Saturnina | 72 |
| Senæ | ib. |
| Serpentariæ | ib. |
| Stomachica | 73 |
| Styptica | ib. |
| Thebaica | 67 |
| Valerianæ simplex, | 73 |
| volatilis | ib. |
| Tinctu- | |

| | |
|---------------------------|---------|
| Tinctura Veratri | Pag. 74 |
| Trochisci Bechici albi | 91 |
| nigri | 92 |
| e nitro | ib. |
| e Scilla | ib. |
| e Sulphure | ib. |
| e Terra Japonica | 93 |
| Tutia preparatio | 21 |
| | V. |
| Vinum Aloëticum alkalinum | 65 |
| Amarum | ib. |
| Antimoniale | ib. |
| Chalybeatum | ib. |
| Croceum | 66 |
| Ipecacoanhæ | ib. |
| Viperinum | ib. |
| Vitriolum calcinatum | 33 |
| Unguentum Album | 112 |
| camphoratum | ib. |
| ex Althæa | 113 |
| Basilicum flavum | ibid. |
| nigrum | ibid. |
| viride | 114 |
| Cæruleum fortius | ibid. |
| mitius | ibid. |
| e Gummi Elemi | ibid. |
| e Mercurio præcipitato | 115 |
| e Pice | ibid. |
| Sambucinum | ibid. |
| Saturninum | ibid. |
| Simplex | 112 |
| e Sulphure | 116 |
| Tetrapharmacum | 113 |
| Tripharmacum | 116 |
| Tutia | ibid. |
| ad Vesicatoria | ibid. |
| Viride | ibid. |





Collegium Gothicum
COLLEGIUM GOTHICUM.