

B

POSOLOGICAL and PROSODIAL TABLE.

ACETIS potassæ, ʒ i to ʒ i.

Acētis ammoniæ aqua, ʒ ij to ʒ vi.

Acidum acetōsum impurum, ʒ i to ʒ fs; ʒ i to ʒ ij, *in glysters.*
aromāticum *analectic.*

camphorātum *analectic.*

distillātum, do.

forte, ʒ i to ʒ i.

Acidi acetōsi syrpus, ʒ i to ʒ ij.

Acidum benzoīcum, gr x to ʒ fs.

Acidi carbōnici aqua, lb ij *daily.*

Acidum citrīcum, gt x to ʒ fs.

Acidum muriāticum, gt x to gt xl.

nitrōsum, gt v to gt xx.

dilütum, gt x to gt xl.

succinīcum, gr v to ʒ i.

sulphūricum dilütum, gt x to gt xl.

aromāticum, gt x to gt xl.

Aconiti napelli herba, gr i to gr v.

succus spissātus, gr ½ to gr iiij.

Acōri cālāmi radix, ʒ i to ʒ i.

Æsculī hippocastāni cortex, ʒ fs to ʒ i.

Æther sulphurīcus, gt xx to ʒ i.

cum alcohōle, ʒ fs to ʒ ij.

cum alcohōle, aromāticus, ʒ fs to ʒ ij.

Ætheris nitrīci spiritus, ʒ fs to ʒ ij.

Alcōhol, ʒ fs to ʒ i.

ammoniatum, ʒ fs to ʒ i.

aromaticum, ʒ fs to ʒ i.

fœtidum, ʒ fs to ʒ i.

succinātum, gt x to gt xl.

Allii porri radīcis succus, 3 i to 3 fs.

Allii satīvi radix, 3 i to 3 ij.

succus, 3 i to 3 fs.

Alōes persfoliātae (socotorinæ) decoctum, 3 fs to 3 ij.

extractum, gr v to xx.

pilūlæ, gr xv to 3 fs.

pilulæ compositæ, gr x to xxv.

pilulæ cum assafetida, gr x to 3 i.

cum cōlōcynthide, gr v to gr x.

cum myrrha, gr x to 3 i.

pulvis compositus, gt x to 3 i.

pulvis cum canella, gr x to 3 i.

pulvis cum ferre, gr v to 3 i.

pulvis cum guāiāco, gr x to 3 i.

Aloes vulgāris (hepatīcae) succus spissatus, gr v to gr xx.

tinctūra, 3 fs to 3 ij.

tinctura cum myrrha, 3 fs to 3 ij.

tinctura æthērea, 3 fs to 3 ij.

vinum, 3 fs to 3 i.

Althææ officinālis decoctum, *ad libitum.*

syrūpus, 3 i to 3 ij.

Alūmīnæ sulphas, gr x to 3 i.

sulphātis pulvis compositus, gr x to 3 fs.

Ammōniæ aqua, gt x to gt xx.

acetītis aqua, 3 ij to 3 fs.

carbōnas, gr v to gr xx.

carbōnātis aqua, gt xx to 3 i.

hydro-sulphuretum, gt v to xij.

muriās, gr x to 3 fs.

Ammōniācum, gummi-resīna, gr x to 3 fs.

Ammōniāci mistūra, 3 ij to 3 i.

Amōni zingibēris rādix, gr v to 3 i.

syrūpus, 3 i to 3 ij.

tinctura, 3 i to 3 ij.

repentis semina, gr v to 3 i.

tinctura, 3 i to 3 ij.

composita, 3 i to 3 ij.

zedōariæ radix, 3 i to 3 i.

Amygdāli commūnis oleum fixum, 3 fs to i.

emulsio, fb ij. daily.

Amygdalæ confectio, 3 i to 3 fs.

Amýli mucilāgō, 3 i to 3 i; 3 iv to 3 vj *in glysters.*

trochīisci, 3 i to 3 ij.

Amýrīdis elēmiféræ resinæ, gr x to 3 fs.

gileadensis resīna liquida, 3 i to 3 i.

- Anēthi grāvēolēntis semīna, $\frac{3}{2}$ i to $\frac{5}{2}$ i.
 aqua destillata, $\frac{3}{2}$ i to $\frac{5}{2}$ iiij.
- Anethi fēnicūli semina, $\frac{3}{2}$ i to $\frac{5}{2}$ i.
 aqua distillata, $\frac{3}{2}$ i to $\frac{5}{2}$ iiij.
 oleum volatīle, gr ij to gt v.
- Angēlīcāe archangēlīcāe radix, herba, semen, $\frac{3}{2}$ fs to $\frac{5}{2}$ iiij.
- Angustūrāe cortex, gr x to $\frac{5}{2}$ i.
 infusum, $\frac{3}{2}$ fs to $\frac{5}{2}$ iv.
- Anthemīdis nobīlis flores, $\frac{3}{2}$ i to $\frac{5}{2}$ i.
 decocut, in glyster.
 extractum, gr x to $\frac{3}{2}$ fs.
 infusum, $\frac{3}{2}$ fs to $\frac{5}{2}$ iv.
 oleum, gt v to gt x.
- pyrēthri radix, gr iiij to $\frac{3}{2}$ fs.
- Antimonii sulphurētūm præparātūm, gr v to $\frac{3}{2}$ iiij.
 fuscum (*kermes mineralis*), gr i to ifs.
 præcipitatum, gr i to v.
- oxīdum, gr i to x.
- oxīdum cum sulphūre per nitrātēm potassae, gr i to iv.
 cum sulphūre vitrificatum, gr $\frac{1}{2}$ to iijs.
 vitrificātūm cum cera, gr iiij to $\frac{3}{2}$ i.
 cum phosphātē calcis, gr iiij to viij.
 album (*antimonium calcinatum*) gr x to $\frac{5}{2}$ fs.
 et potassae tartris,
 as a diaphoretic, gr $\frac{1}{2}$ to $\frac{3}{2}$.
 as an emetic, gr $\frac{1}{2}$ to gr iiij.
- tartarizati liquor, $\frac{3}{2}$ ij to $\frac{5}{2}$ vi.
- tartritis vinum, $\frac{3}{2}$ ij to vi.
- vinum, $\frac{3}{2}$ iiij to $\frac{5}{2}$ fs.
- pilulae compositāe, gr iiij to v.
- Apīi petrōsēlīni semīna, $\frac{3}{2}$ i to iiij.
- Arbūti uvæ ursi folia, gr x to $\frac{3}{2}$ iiij.
- Arctīi lappæ radix, a decoction of $\frac{5}{2}$ ij in $\frac{1}{2}$ lb ij of water, daily.
- Argenti nitras, gr $\frac{1}{2}$ to $\frac{1}{2}$.
- Ari maculāti radix, gr vi to $\frac{3}{2}$ i.
 conserva, $\frac{3}{2}$ fs to $\frac{5}{2}$ ifs.
- Aristolochiæ serpentāriæ radix, gr x to $\frac{5}{2}$ fs.
 tinctura, $\frac{3}{2}$ i to $\frac{5}{2}$ ij.
- Arnīcæ montānæ herba, gr v to x.
- Arsenīci oxīdum album, gr $\frac{1}{2}$ to $\frac{1}{2}$.
 aqua, gt v to x.
- Artēmisiæ abrotāni folia, $\frac{3}{2}$ i to $\frac{5}{2}$ i.
 absinthi herba, $\frac{3}{2}$ i to $\frac{5}{2}$ i.
 maritimæ cacūmina, $\frac{3}{2}$ i to $\frac{3}{2}$ iiij.
 conserva, $\frac{3}{2}$ ij to $\frac{5}{2}$ fs.

B

- Artemisiæ santonïcæ cacūmina, 3 fs to 3 i.
 Asări Europææ folia, gr v to x.
 pulvis compositus, gr v to 3 i.
 Astragăli tragăcanthi gummi, gr x to 3 i.
 Astragăli tragăcanthæ pulvis compositus, 3 fs to 3 i.
 Atröpæ belladonnæ folia, gr fs to gr v.
 succus spissatus, gr i to gr iij.
 Barytæ muriātis solūtio, gr v to x.
 Bitūmen petrolēum sulphuratum, gr v to 3 fs.
 Bitūminis petrolēi olēum, gr x to 3 fs.
 Bōlus gallicus, 3 i to 3 i.
 Bubōnis galbāni gummi resina, gr x to 3 i.
 pilulæ compositæ, gr x to 3 fs.
 tinctura, 3 i to iij.
 Calcis aqua, 3 iv to 3b i daily.
 muriātis solūtio, gr xl. to 3 i.
 Calcis carbōnas præparātus, 3 i to 3 iij.
 carbōnatis mistūra, 3 i to iv.
 pulvis compositus, 3 i to iij.
 pulvis compositus cum opio, gr xv to 3 i.
 trochisci, 3 i to iij.
 Cañcri astăci lapilli præparati, 3 fs to i.
 pagūri chelæ præparatæ, 3 fs to i.
 chelarum pulvis compositus, 3 i to 3 j.
 Canellæ albæ cortex, gr v to 3 ij.
 Capsici annui fructus, gr v to x.
 tinctura, 3 fs to 3 i.
 Cardamīnes prætensis flores, 3 i to 3 i.
 Cari carui semīna gr x to 3 i.
 aqua, 3 i to 3 iij.
 oleum volatile, gr i to v.
 spiritus, 3 i to 3 i.
 Caryophylli arōmatici floris germen, gr v to 3 i.
 oleum volatile, gr iij to vi.
 infusum, 3 ij to 3 i.
 Cassiæ fistūlæ pulpa, 3 fs to i.
 electuarium, 3 i to 3 i.
 Cassiæ sennæ folia, 3 i to 3 i.
 electuarium, 3 fs to 3 fs.
 extractum, gr x to 3 fs.
 infusum, 3 i to iij.
 infusum tartarizatum, 3 fs to iij.
 pulvis compositus, 3 i to 3 i.
 tinctura, 3 fs to 3 i.
 Castörēum Rossicū, gr x to 3 i.

Castorei tinctūra, 3 fs to i.

composita, 3 fs to i.

Centaureæ benedictæ herba, gr xv to 3 ij.

Cephaëlidis ipecacuanhæ radix,

as a stomachic gr fs to gr ij.

as an emetic, i to 3 fs.

Cephaëlidis ipecacuanhæ vinum,

as a stomachic, gt xx to xl.

as an emetic, 3 fs to 3 i.

pulvis compositus, gr x to 3 i.

Cēra, 3 i to 3 i, in emulsion.

Chironiæ centauriæ summittates, 3 i to 3 i.

Cinăræ scōlyni folia, 3 fs to i, of the expressed juice.

Cinchonæ officinalis cortex, 3 i to 3 ij.

decoctum, 3 i to 3 iv.

extractum, gr x to 3 i.

extractum cum resina, gr v to 3 i.

infūsum, 3 i to iv.

tinctūra, 3 i to 3 ij.

tinctūra ammoniata, 3 fs to ij.

tinctura composita, 3 i to ij.

Cissampeli pareiræ radix, gr xv to 3 ij.

Cisti cretici resina (Ladanum) gr x to 3 fs.

Citri aurantii folia, flores, gr x to 3 i.

fructus cortex exterior, 3 fs to 3 ij.

aqua distillata, 3 i to iij.

conserua corticis, 3 i to v.

infūsum compositum, 3 i to 3 iv.

syrūpus corticis, 3 i to ij.

tinctūra corticis, 3 i to ij.

Citri medicæ succus expressus, 3 i to 3 fs.

succus spissatus, 3 i to 3 ij.

syrūpus succi, 3 i to ij.

fructus cortex exterior, 3 fs to ij, in infusion.

aqua distillata, 3 i to ij.

oleum volatile, gt ii to gt v.

Cocci cactus, gr v to 3 i.

Cochleariæ officinalis herba, 3 i to iv. of the juice.

succus compositus, 3 i to iv.

Cochleariæ armoraciæ radix, 3 i to 3 i.

infusum compositum, 3 fs to 3 iv.

spiritus compositus, 3 i to 3 i.

Colchici autumnalís radix, gr fs to iij.

syrūpus, 3 i to 3 i.

oxymel, 3 i to 3 fs.

B

- Colchīci autumnālis acetum, 3 fs to 3 i.
 Cōlombæ rādix, gr x to 3 i.
 infusum, 3 i to 3 iv.
 tinctura, 3 i to ij.
 Confectio aromaticā, gr x to 3 i.
 opiāta, gr to 3 fs.
 Conī maculati folia, gr ij to 3 i.
 succus spissātus, gr i to gr ij.
 Convolvūlī scammoniæ gummi resina, gr v to gr xv.
 electuariūm, 3 i to 3 i.
 pulvis compositus, gr x to gr xv.
 pulvis cum aloë, gr x to gr xv.
 pulvis cum calomelāne, gr x to 3 i.
 Convolvuli jalapæ radix, gr x to 3 fs.
 extractum, gt v to xv.
 pulvis compositus, 3 fs to 3 i.
 tinctura, 3 i to ij.
 Copaféræ officinālis resina, gr xv to 3 fs.
 Cor̄andri satīvi semīna, 3 i to 3 i.
 Cornu ustum, 3 fs to 3 ij.
 Cornu usti mistura, 3 iv to lb fs.
 cum opio pulvis, gr xv to 3 fs.
 Croci satīvi floris stigmāta, gr v to 3 fs.
 syrūpus, 3 i to ij.
 tinctūra, 3 fs to ij.
 Crotōnis elutheriæ cortex, gr x to 3 i.
 extractum, gr x to 3 fs.
 tinctūra, 3 i to 3 ij.
 infusum, 3 i to 3 iv.
 Cūcūmeris cōlōcynthidis fructus medulla, gr i to viij.
 extractum, gr v to 3 fs.
 extractum compositum, gr v to 3 fs.
 Cumīni cymīni semina, 3 i to 3 i.
 Cupri subacetis, gr $\frac{1}{3}$ to $\frac{1}{2}$.
 ammoniarētum, gr $\frac{1}{2}$ to gr v.
 ammoniarēti aqua, gt v to gt xxx.
 ammoniarēti pilulæ, No. 1.
 sulphas, gr i to x.
 Curcumæ longæ radix, 3 i to 3 i.
 Daphnes mezeri radīcis cortex, gr i to x.
 decoctum, lb i. daily.
 Datūræ stramonii herba, gr i to v.
 Dauei carotæ semīna, 3 i to 3 i.
 Delphinii staphisāgrīæ semina, gr ij. to x.
 Dianthi caryophylli flores, 3 i to 3 i.

Dianthi caryophylli syrūpus, 3 i to ij.

Digitālis purpūreæ folia, gr fs to iij.

infusum, 3 fs to 3 i.

tinctura, gt x to xl.

Dōlīchi prurientis pubes leguminis rigida, gr v to x.

Dorstēnæ contrayērvæ radix, gr x to 3 fs.

pulvis compositus, 3 i to ij.

Electuarium opiātum, 3 i to ij.

Eryngii maritīni radix, 3 i to ij.

Ferri acetāti tinctura, gt x to xxx.

alkalini aqua, 3 fs to 3 i.

carbōnas, 3 fs to 3 i.

carbōnas præcipitātus, 3 fs to 3 i.

limatura, gr iij to gr x.

mistura composita, 3 i to 3 ij.

muriatis tinctura, gt x to xx.

et ammoniæ tinctura, gt xx to 3 i.

et potassæ tartris, gr x to 3 fs.

et ammōniæ muriās, gr iij to xv.

oxīdum nigrum purificatum, do.

supercarbonātis aqua, tb i. daily.

pilulæ cum myrrha, gr x to 3 i.

sulphas, gr i to v.

vinum, 3 i to 3 fs.

Ferulæ assæ foetidæ gummi resīna, gr x to 3 fs.

mistura, 3 fs to 3 i.

pilulæ compositæ, gr x to xx.

tinctura, 3 fs to 3 i.

Fici carīcæ fructus, NO iv, in decoction.

Fraxini orni succus concrētus (*Manna*), 3 fs to ifs.

succi concreti syrpus, 3 i to 3 ij.

Fumāriæ officinalis herba, 3 i to 3 ij. of the expressed juice.

Gentiānæ lutæ radix, gr x to 3 ij.

infūsum compositum, 3 ifs to iv.

extractum, gr x to 3 fs.

tinctūra composita, 3 i to ij.

vinum compositum, 3 fs to 3 i.

Geoffræe inermis cortex, 3 i to ij.

decoctum, 3 i.

Glycyrrhīzæ glabræ radix, gr x to 3 i.

extractum, 3 i to ij.

trochisci, 3 i to ij.

trochisci cum opio, 3 i to 3 fs during the day.

Gratiölæ officinalis herba, gr x to 3 i.

Guāiāci officinālis resīna, gr x to 3 fs.

- Guāiāci officinalis decoctum compositum, lb ij. daily.
 mistura, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ ij.}$
 tinctūra, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ ij.}$
 tinctūra ammōniata, $\frac{3}{2} \text{ i to ij.}$
- Hæmatoxylī Campechiāni extractum, $\frac{3}{2} \text{ i to ij.}$
 lignum, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
- Hellēbōri nigri radix, gr x to $\frac{3}{2} \text{ i.}$
 extractum, gr v to gr x.
 tinctura, $\frac{3}{2} \text{ fs to i.}$
 fœtidi folia, gr x to $\frac{3}{2} \text{ i.}$
- Hordēi distichi decoctum, $\frac{3}{2} \text{ ij to vj.}$
 compositum, $\frac{3}{2} \text{ ij to vj.}$
- Hūmuli lupūli extractum, gr v to $\frac{3}{2} \text{ i.}$
 strobūli, gr x to $\frac{3}{2} \text{ i.}$
- Hydrargyrū purificatum, $\frac{3}{2} \text{ ij to iv.}$
 cum crēta, gr x to $\frac{3}{2} \text{ fs.}$
- Hydrargyri acētis, gr i to vj.
 murias, gr $\frac{1}{8}$ to $\frac{1}{2}$.
 oxymuriātis liquor, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ fs.}$
 oxidum cinereum, gr i to gr v.
 oxidum rubrum, gr fs to gr ij.
 pilulæ, gr v to xv.
 submuriyas, gr i to gr v.
 præcipitatus, gr i to gr v.
 submuriatis pilulæ, gr v to gr xv.
 subnitras et ammoniæ, gr v to gr x.
 subsulphas, gr i to gr v.
 sulphuretum nigrum, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
 rubrum, gr x to $\frac{3}{2} \text{ fs.}$
- Hyosciāmi nigri herba, semen, gr iij to gr x.
 succus spissatus, gr i to v.
 tinctura, gt xx to $\frac{3}{2} \text{ i.}$
- Hyperīci perforāti flores, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
- Hysōpi officinalis herba, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
- Inūlæ hēlēnii radix, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
- Ir̄idis florentīnae radix, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
- Ir̄idis pseudācori radicis succus expressus, gt lx to lxxx.
- Isis nobilis (Corallium), gr x to $\frac{3}{2} \text{ i.}$
- Juglandis regiæ fructus, externally in decoction.
- Junipēri commūnis baccæ, $\frac{3}{2} \text{ fs to i.}$
 oleum volatile, gt ij to x.
 spiritus compositus, $\frac{3}{2} \text{ i to } \frac{3}{2} \text{ i.}$
- Juniperi lyciæ gummi resina, (Olibanum), $\frac{3}{2} \text{ i to ij.}$
- Juniperi sabinæ foliæ, gr x to $\frac{3}{2} \text{ ij.}$
 extractum, gr x to $\frac{3}{2} \text{ fs.}$
 tinctura composita, gt xxx to $\frac{3}{2} \text{ i.}$

Kino, gr x to 3 i.

pulvis compositus, gr v to 3 i.

tinctura, 3 i to 3 ij.

Lactucæ virosæ succus spissatus, gr iij to xv.

Lauri cinnamomi cortex, gr v to 3 i.

aqua destillata, 3 i to iij.

oleum volatile, gt i to ij.

pulvis compositus, gr v to gr x.

spiritus, 3 i to 3 i.

tinctura, 3 i to 3 ij.

tinctura composita, 3 fs to ij.

Laurus cassia, considerably weaker than the preceding species,
in other respects similar.

Lauri camphoræ; Camphora, gr iij to 3 i.

Acidum acetosum camphoratum, odour analeptic.

Emulsio camphorata, 3 fs to ij.

Camphoræ tinctura composita, 3 fs to 3 fs.

Lauri nobilis folia; baccæ, gr x to 3 fs.

Lauri sassafras lignum, radix, eorumque cortex, 3 i to 3 i.

oleum volatile, gt ij to gt x.

Lavandulae spicæ, spicæ florentes, 3 i to 3 i.

oleum volatile, gt i to v.

spiritus, an analeptic perfume.

spiritus compositus, 3 fs to 3 fs.

Leontodi taraxaci radix, 3 fs to 3 i, herba, 3 i to ij, of the juice.
extractum, gr x to 3 i.

Lichen, 3 i to 3 i.

Lichenis islandici decoctum, 3 i to 3 iv.

Lilii candidi radix, externally as a poultice.

Lini usitatissimi semina, in infusion 3 i to water lb i.

oleum fixum, 3 fs to 3 i; or, in elysters, 3 iij to vj.

infusum, 3 ifs to 3 iv.

Lini cathartici herba, 3 fs to 3 i, or an infusion of an handful
of the fresh plant.

Lobeliae syphiliticæ radix, 3 fs, boiled in lb xij of water to
lb viij; half a pint twice a-day.

Magnesia, gr x to 3 i.

Magnesiae carbonas, 3 i to 3 i.

trochisci, 3 i to ij.

sulphas, 3 i to 3 i.

Malvae sylvestris folia, flores, 3 fs to 3 i.

Marrubii vulgariis herba, 3 fs to 3 i.

Mel despumatum, 3 ij to 3 i; in elysters, 3 iij.

acetatum, 3 i to 3 fs.

boracis, 3 i to 3 ij.

B

- Mel rosæ, 3 i to 3 fs.
 Melēucae leuciādendri oleum volatile, gr i to v.
 Melissæ officinālis herba, gr x to 3 ij.
 Melōes vesicatorii pulvis, gr fs to i.
 tinctura, gt x to xxx.
 Menthæ viridis herba, gr x to 3 i.
 aqua, 3 i to iij.
 oleum volatile, gt ij to gt v.
 spiritus, 3 i to 3 i.
 Menthæ pīperītæ herba, gr x to 3 ij.
 aqua, 3 i to iij.
 oleum volatile, gt i to gt iij.
 spiritus, 3 i to 3 i.
 Menthæ pūlēgii herba, gr x to 3 ij.
 aqua, 3 i to iij.
 oleum, gt ij to v.
 spiritus, 3 i to 3 i.
 Menyanthis trifoliata herba, 3 fs to 3 i.
 Mimōsæ catēchu extractum, gr x to 3 fs.
 electuārium, 3 i to 3 i.
 infusum, 3 i to iij.
 tinctura, 3 i to ij.
 Mimosæ niloticae gummi, 3 i to ij.
 emulsio, lb ij daily.
 mucilago, 3 i to 3 fs.
 Momordicæ elaterii succus spissatus, gr fs to gr vj.
 Mori nigrae syrpus, 3 i to 3 fs.
 Moschus, gr v to 3 i.
 Moschi tinctura, 3 i to 3 fs.
 mistura, 3 fs to 3 i.
 Murias ammoniæ, gr x to 3 fs.
 Murias sodæ, 3 iij to 3 fs *in clysters.*
 Myristicæ moschatae fructus nucleus, gr v to 3 i.
 involucri oleum expressum, externally.
 nūcis involucrum, (Macis), gr x to 3 i.
 oleum volatile, gt ij to gt v.
 spiritus, 3 ij to 3 i.
 Mýroxyli peruiferi balsamum, gr v to 3 fs.
 tinctura, 3 fs to 3 i.
 Myrrha, gr x to 3 fs.
 Myrræ tinctura, 3 i to ij.
 pulvis compositus, gr xv to 3 i.
 Myrti pīmentæ fructus, g v to 3 ij.
 aqua destillata, 3 i to iij.
 oleum volatile, gt ij to v.

Myrti pimentæ spiritus, 3 i to 3 i.

Nicotianæ tabaci folia, gr fs to v.

vinum, gt xxx to gt lxxx.

Oleæ Europææ oleum fixum, 3 fs to 3 i.

Oleum animale, gt x to xl.

vini, gt i to iv.

Onisci aselli (Millipèdæ præparatæ), 3 i to ij.

Opium, gr fs to gr ij.

Opii pilulæ, gr v to 3 i.

extractum, gr fs to gr v.

tinctura, gt xx to xl.

ammoniata, 3 fs to ij.

camphorata, 3 fs to ij.

vinum, gt x to 3 fs.

Origani vulgariis herba, gr x to 3 i.

oleum volatile, gt i to ij.

marjoranae herba, 3 i to 3 i

Ostrææ edulis testæ præparatæ, 3 fs to i.

Ovis arietis sevum præparatum, externally.

Oxalis acetosellæ folia, 3 fs to 3 ifs of the juice.

conserua, 3 ij to 3 fs.

Pæneæ sarcocollæ gummi resina (Sarcocolla) gr x to 3 fs.

Panacis quinquefolii radix, 3 i to 3 i.

Papaveris rhææ flores, 3 i in decoction.

syrupus, 3 i to ij.

Papaveris somniferi syrupus, 3 fs to i to adults; 3 i to ij to children: one ounce is supposed to contain one grain of opium.

extractum, gr i to v.

succus spissatus (Opium), gr fs to gr ij.

Parietariae officinalis herba, gr x to 3 i, or 3 i to ij of the juice.

Pastinacæ opoponacis gummi resina, gr x to 3 fs.

Phasianni galli ovorum testæ præparatæ, 3 fs to i.

Physeteris macrocephali sevum (Spermaceti), 3 fs to ifs.

Pimpinellæ anisi semina, gr xv to 3 fs.

oleum volatile, gt v to gt x.

spiritus compositus, 3 i to 3 fs.

Pini abiætis resina, gr x to 3 fs.

Pini balsameæ resina liquida, (Balsamum Canadense) gt x to 3 fs.

Pini laricis resina liquida, (Terebinthina vénéta), gt x to 3 fs; and in clysters, 3 fs to i.

Pini sylvestris resina liquida, (Terebinthina vulgaris) gt x to 3 fs; and in clysters, 3 fs to i.

resina empumatica (Pix liquida), 3 i to 3 i.

Pini oleum volatile (Oleum terebinthinæ) rectificatum, gt x to 3 fs. lately 3 i to ij in tænia.

B

- Pipēris nigri baccæ, gr x to 3 i.
 cubebæ baccæ, gr v to 3 i.
 longi fructus, gr v to 3 i.
 Pistaciæ lentisci resina (Mastiche), gr v to 3 fs.
 terebinthi resina liquida (Terebinthina Chia), 3 i to 3 i.
 Plumbi acetis, gr fs to ij.
 Polygalæ senegæ radix, 3 i to 3 fs.
 senegæ decoctum, 3 fs to ij.
 Polygōni bistortæ radix, gr x to 3 i.
 Polypodii filicis māris radix, 3 i to ij.
 Potassæ aqua, gr x to xxx.
 acetis, 3 i to 3 i.
 carbonas gr v to 3 i.
 carbonatis aqua, 3 fs to 3 i.
 nitras, gr v to 3 i.
 nitratis trochisci, 3 i to ij.
 sulphas, 3 i to 3 fs.
 sulphas cum sulphure, gr xv to 3 fs.
 supersulphas, 3 i to 3 ij.
 supercarbonatis aqua, 3 ij to 3 iv.
 subcarbonas, gr v to 3 i.
 sulphurētum, gr v to xv.
 supertartris, 3 i to 3 i.
 tartris, 3 i to 3 i.
 Potentillæ reptantis radix, 3 fs to i.
 Prūni domesticæ fructus, 3 ij to ij, stewed.
 spinosæ fructus.
 conserva, 3 ij to 3 fs.
 Pterocarpi dracōnis resīna, gr x to 3 ij.
 Pulvis aromaticus, gr v to gr x.
 opiatus, gr v to gr x.
 Pūnicae granati fructus cortex, 3 i to 3 i.
 floris petala, 3 fs to ifs.
 Pyri cydoniæ decoctum, 3 i to 3 iv.
 Quassiæ simarubæ cortex, 3 i to 3 fs, or 3 ij in decoction.
 simarubæ infusum, 3 ifs to 3 iv.
 excelsæ lignum, gr v to 3 i; or 3 i to ij of an infusion of 3 ij in lb i water.
 infusum, 3 ifs to 3 iv.
 Quercus roboris cortex, gr x to 3 fs; or 3 i to ij of an infusion of 3 ij in lb i water.
 Quercus cerris gallæ, gr x to 3 fs.
 Rhamni cathartici baccæ, 3 i to 3 ij.
 succus expressus, 3 fs to i.
 syrūpus, 3 fs to ifs.
 Rhei palmati radix, gr x to 3 ij.

- Rhei palmati extractum, gr x to 3 fs.
infusum, 3 fs to iv.
pilulae compositae, gr x to 3 fs.
tinctura, 3 fs to ifs; as a stomachic, 3 i to 3 ij.
composita, 3 fs to ifs.
cum aloë, 3 fs to i.
cum gentiana, 3 fs to ifs; or, 3 ij to
3 fs as a stomachic.
vinum, 3 fs to ifs.
- Rhododendri chrysanthi folia, gr v to x; or an infusion of 3 ij
in 3 x of water.
- Rhi toxicodendri folia, gr fs to gr ij.
- Ribis nigri succus spissatus, 3 fs to i.
syrupus, 3 i to 3 fs.
- Ricini communis oleum expressum, 3 fs to 3 i.
- Rosae Gallicae petala, 3 i to 3 i.
conserva, 3 to 3.
infusum, 3 ij to vj.
mel, 3 i to ij.
syrupus, 3 i to ijj.
- Rosae damascenae petala, 3 i to 3 i.
aqua destillata, 3 i to ijj.
syrupus, 3 ij to fs.
- caninæ (Cynosbatus) conserva, 3 i to 3 i.
pulpa, 3 i to 3 ij.
- Roris marini officinalis summitates, gr x to 3 ij; and in infusion 3 i to ifs.
oleum volatile, gt ij to gt v.
spiritus, 3 i to 3 i.
- Rubiæ tinctorum radix, 3 i to 3 i.
Rubi idæi syrupus, 3 i to 3 fs.
Rumicis acetosæ folia, 3 i to 3 ij of the juice.
- Rütæ grævælentis herba, gr xv to 3 ij.
extractum, gr x to 3 i.
- Sagapenum, gummi resina, gr x to 3 fs.
- Salicis cortex, 3 i to 3 i.
- Salviae officinalis folia, gr xv to 3 i.
- Sambuci nigri cortex interior, gr v to 3 i.
succus spissatus, 3 fs to ifs.
- Sapo, gr v to 3 fs.
- Saponis cum opio pilulae, gr v to gr xv.
- Scillæ maritimæ radix recens, gr v to gr xv.
radix siccata, gr i to gr ijj.
acetum, 3 fs to 3 ifs.
conserva, 3 fs to i.
oxymel, 3 fs to ij.

B

- Scillæ maritimæ mel, 3 fs to ij.
 pilulæ, gr x to 3 i.
 syrūpus, 3 i to iii.
 tinctura, gt x to xx.
- Sināpēos albæ semina, 3 i to 3 fs.
 oleum fixum, 3 fs to i.
- Sii nodiflōri herba, 3 ij, or iiij of the juice
- Sisymbrii nasturtii herba, 3 i, or iiij of the juice.
- Smilacis sārsāparillæ radix, 3 i to 3 i.
 decoctum, 3 iv to lib fs.
 compositum, 3 iv to lib fs.
 extractum, gr x to 3 i.
- Sodæ carbōnas, gr x to 3 fs.
 subcarbōnas, gr x to 3 fs.
 exsiccata, gr v to gr xv.
- supercarbonatis aqua, 3 iv to lib fs.
 et potassæ tartris, 3 i to 3 i.
 sulphas, 3 i to 3 i.
 muriās, 3 iiij to 3 fs, in glysters.
 phosphas, 3 i to ifs.
 sub-boras, gr x to 3 fs.
 tartris, 3 i to 3 i.
- Solāni dulcamāræ stipites, 3 fs to 3 i, in infusion.
 decoctum, 3 fs to 3 ij.
- Spartii scoparii summittates, 3 i to 3 i.
 extractum, 3 fs to i.
- Spigeliæ marilandicæ radix, 3 fs to 3 i.
- Spiritus aetheris sulphurici compositus, 3 fs to ifs.
 nitrosi, 3 fs to 3 i.
- Spongia usta, 3 i to 3 i.
- Stalagmitidæ cambogiodis suc. spissat. (Gambogia) gr i to gr x.
 Cambogiae pilulæ composite, gr x to 3 i.
- Stanni pulvis et limatura, 3 i to 3 fs.
- Styracis officinalis balsamum, gr x to 3 fs.
 benzoini balsamum, gr x to 3 fs.
 tinctura composita, 3 fs to i.
- Succinum præparatum, 3 i to 3 i.
- Succini oleum rectificatum, gt x to xx.
- Sulphas aluminæ, 3 fs to 3 i.
- Sulphur præcipitatum, 3 i to 3 i.
 sublimatum lotum, 3 i to 3 i.
- Sulphuratum oleum, gt x to 3 fs.
- Sulphüris tröchisci, 3 i to iiij.
- Swieteniae mahagoni cortex, 3 i to ij.
 febrifugæ cortex, 3 i to ij.
- Tamārindi indicæ fructus, 3 fs to 3 ii.
 infūsum cum cassia senna, 3 ij to iv.

Tanaceti vulgariis herba, 3 fs to i.
 Teucrri maris herba, gr x to 3 fs.
 scordii herba, 3 i to 3 i.
 Toluiferi balsami balsamum, gt v to 3 fs.
 syrups, 3 i to iii.
 tinctura, 3 fs to ii.
 Tormentillae erectae radix, 3 i to ii.
 Tussilaginis farfarae herba, 3 fs to 3 i: 3 ij to iv of the express-
 ed juice.
 Ulmi campestris cortex interior, 3 i to 3 i.
 decoctum, 3 iv to 15 fs.
 Urticæ dioicae herba, 3 i to ij of the expressed juice.
 Valerianæ officinalis radix, 3 i to 3 i.
 tinctura, 3 i to 3 ij.
 ammoniata, 3 fs to 3 i.
 extractum, gr x to 3 i.
 Veratri albi radix, gr iii to gr x.
 tinctura, gt v to x.
 Vinum, gt v to x.
 Veronicæ beccabungæ herba, 3 ij to iv of the juice daily.
 Viölæ odoratæ syrupus, 3 i to ij.
 Winterae aromaticæ cortex, gr x to 3 i.
 Zinci carbonas, gt x to 3 i.
 oxidum, gr iij to x.
 sulphas, gr v to 3 fs.

N. B. These are in general the doses for adults from twenty
 to sixty, but they may be diminished for children, and peo-
 ple past the prime of life, nearly in the following proportions.

	Ages.	Proportionate doses.
Months	2	-
	7	-
	14	-
	28	-
Years	3	-
	5	-
	7	-
	14	-
	63	-
	77	-
	100	-

The practice of administering active fluids by drops has been long known to be inaccurate; but the extent of the evil has been only lately ascertained, by the accurate experiments of Mr Shuttleworth, surgeon, of Liverpool. Not only do the drops of different fluids from the same vessel, and of the same

B

fluids from different vessels, differ much in size; but it appears that the drops of the same fluid differ, even to the extent of a third, from different parts of the lip of the same vessel. The custom of dropping active fluids should, therefore, be abolished entirely; and, as weighing is too troublesome and difficult for general use, we must have recourse to small measures, accurately graduated, in the manner of Lane's *drop measure*, and the grain measure recommended by the Edinburgh college; but we must not be misled by their names; for they are measures of bulk, not of drops or of grains.

In the following table, the first column shews the weight, the second the number of drops, and the third the weight of the extract, in a measured drachm of several active fluids, in circumstances as nearly similar as possible, as ascertained by Mr Shuttleworth; the last column shews the number of drops in a drachm of different fluids, according to Dr Niemann.

	Grains.	Drops.	Grains.	Drops.
Distilled water weighed,	60	60		
Dr Fowler's solution of				60-80
arsenic, -	60 $\frac{1}{4}$	60		
White wine, -	58 $\frac{3}{4}$	94		
Ipecacuanha wine,	59 $\frac{3}{4}$	84	2 $\frac{1}{2}$	
Antimonial wine,	59 $\frac{3}{4}$	84		
Rectified spirits of wine,	51 $\frac{1}{2}$	151 $\frac{1}{2}$		
Proof spirit, -	55 $\frac{1}{4}$	140		
Laudanum, -	59 $\frac{1}{2}$	134	2 $\frac{3}{4}$	
Tincture of foxglove,	58	144		90-110
Balsam of copaiva,	-			60-70
Spring water, -	-			60-70
Diluted mineral acid,	-			60-80
Water of ammonia, -	-			100-120
Spirit of sulphuric æther,	-			120-140
Tinctures, -	-			140-180
Aether, -	-			140-180

A tea cup commonly contains three or four ounces of an infusion, decoction, or mixture; a wine glass about an ounce and a half; a table spoon about half an ounce of watery fluids, and two or three drachms of alcoholic; a tea spoon from half a scruple to a scruple of a light powder, such as magnesia, from half a drachm to two scruples of a heavier powder, as sulphur, and from one drachm to four scruples of a metallic oxide; from one scruple to half a drachm of alcoholic fluids, from half a drachm to two scruples of watery fluids; from two scruples to two drachms of tinctures and syrups, and from one to two drachms of electuaries. But all this is very uncertain.