

Observationes circa varia Simplicia sub
uno nomine s^epius comprehensa.

Quinque herbae emollientes.	{ Malva, Althaea, Violaria, Mercurialis, Parietaria.
Quinque radices aperientes ma- iores.	{ Apii, Foeniculi, Asparagi, Petroselinii, Rusci.
Quinque radices aperientes mi- nores.	{ Graminis, Rubiae, Eryngii, Capparis, Qnonidis.
Quinque genera myrobalano- rum.	{ Citringae seu flavae, Chebulae seu cepulae, Indae seu nigrae, Embllicae, Belliricæ.
Quinque lapides preiosi.	{ Sapphiri, Granati, Smaragdi, Hyacinthi, Carneoli seu sardæ.
Quinque herbae capillares.	{ Adianthum nigrum seu capillus ve- neris, Adianthum album seu ruta muraxia, Polytrichon aureum, Trichomanes, Asplenium seu ceterach.

Quatuor semina calida majora. | Anisi ,
| Fœniculi ,
| Carvi ,
| Cumini .

Quatuor semina calida minora. | Ammeos ,
| Amomi ,
| Apii ,
| Dauci .

Quatuor semina frigida majora. | Cucumeris ,
| Cucurbitæ ,
| Citrulli ,
| Melonum .

Quatuor semina frigida minora. | Endiviae ,
| Scariolæ ,
| Lactucæ ,
| Portulacæ .

Quatuor flores cordiales. | Borraginis ,
| Buglossi ,
| Rosarum ,
| Violarum .

Quatuor aquæ pleuriticae. | Cardui benedicti ,
| Cardui Mariæ ,
| Taraxaci ,
| Scabiosæ .

Quatuor aquæ castorrhales. | Farfaræ ,
| Scabiosæ ,
| Taraxaci ,
| Veronicae .

Quatuor unguentæ calida. | Nervinum ,
| Martiatum ,
| Althææ ,
| Agrippæ .

Quatuor

Quatuor unguen- { *Album camphoratum ,*
ta frigida. { *Rosatum mesues ,*
 { *Populeum ,*
 { *Infrigidans galeni .*

Tres aquae puer- { *Cardui Mariz ,*
perarum . { *Chamæpityos ,*
 { *Melissæ .*

Tria olea stoma- { *Absynthii ,*
chica . { *Cydoniorum ,*
 { *Masticinum .*

Tria salia stoma- { *Absynthii ,*
chica . { *Cardui benedicti ,*
 { *Centaurii minoris .*



Sequuntur