

SECTIO V.

DE SIMPLICIBVS ME-
DICAMENTIS IN OMNIBVS
officinis usitatis.

*Tabella generalis nomenclaturas om-
nium simplicium usitatorum, que in
Officinis prostant, compre-
hendens.*

SIMPLICIUM Medicamentorum
Salia sumuntur ex stirpibus, veluti sunt,
folia, flores, fructus, radices, succi,
resinæ, gummata, cortices, ligna: Alia ab
animantibus, veluti sunt, Sanguis, adeps,
pinguedo, lac, coagulum, excrementa,
pili, cornua: Alia ex terræ visceribus, ut
sunt metalla, lapides, gemmæ, terre species:
Alia ex mari & aquis, ut sunt salia,
spuma, &c.

HERBÆ VSITATÆ.

Abrotanum	Apium	Beta
Absynthium	Atriplex	Brancha ursina
Acetosa	Artemisia	Borago
Althea	Asplenion	Buglosson
Agimonia	Betonica	Calamintha
		Car-

Carduus Be-	Perfoliata	Buglossæ
nedictus	Plantago	Boraginis
Cassula	Pulegium	Chamæmeli
Chamædrys	Portulaca	Croci
Chamæpitys	Rosmarinus	Epithymi
Cicorium	Ruta	Genistæ
Chelidoniū	Sabina	Lavendulæ
Carduus Ma-	Squinnantū	Liliorū albo-
riæ	Sanicula	rum
Ebulus	Satureia	Lilii cōvallii
Eupatorium	Scabiosa	Meliloti
Endivia	Scolopen-	Nymphæ
Euphragia	dria	Prunellæ
Fæniculus	Scordion	Rosarum
Fumariæ	Serpillum	Sambuci
Folia senæ	Sisymbriū	Verbasci
Lauri folia	Semper vivū	Violarum.
Lactuca	Solatrum	SEMINA
Lupulus	Stæchas	ustitatoria.
Malva	Tussilago	Sc. Ammies
Marrhubiū	Verbascus	Amomi
Maiorana	Verbena	Acetosæ
Melilotum	Violaria.	Anethi
Melissa	FLORES	Anisi
Menta	ustati.	Apii
Mentastrum	Flores Ane-	Aquilegii
Mercurialis	thi	Asparagi
Nepeta	Anthos	Alcakengi
Ocymon	Balaustrium	Basiliconis
Origanum	mali puni-	Caruc
Parietaria	ci flos	Carthami

Ciceris	Pastinacæ	Cassia fistula-
Citriji	Plantaginis	ris
Citrulli	Portulacæ	Cydonia
Coriandri	Raphani	Dactyli
Cotoniorum	Sumach	Colocynththis
Cucurbitæ	Rusci	Galla
Cucumeris	Rutæ	Iuiubæ
Cymini	Santonici	Glandes
Dauci	Saxifragiæ	Malum Puni-
Eruçæ	Seselii	cum.
Fæniculi	Staphys agriq	Myrobalani.
Fœnu Græci	Milii solis	quotū quin-
Fabarum	Vrticæ	que sunt ge-
Hordei	FRUCTUS nera.	
Hyoscyami	uſitati.	Flavi
Lactucæ	Amygdalæ	Kebuli
Lentium	dulces	Emblici
Ligustici	Amygdalæ	Bellirici &
Linguæ avis, amaræ		Indi.
id est, fraxini	Anacardi	Myrtilli
Lini	Baccæ Iuni-	Sebesten
Maivæ	peri	Nuces Cu-
Maioranæ	Baccæ Lauti	pressi
Melonum	Berberis	Nux Indica
Nasturtii	Caricæ, id est,	Nux moscata
Nigellæ	ficcæ ficus	Nux vomica
Orobi	Capparis	Nuces pinceæ
Pæoniæ	Cubebæ	Olive
Papaveris	Carpobalsamum	Tamarindi
albi		Pistachiæ
Petroselini	Caryophyllæ	Prunæ

Vva

Vvæ	passæ.	Doronici	Philipendulæ
R A D I C E S	Eboli	Pæoniæ	
uſitata.	Elenii	Pentaphylli	
Acoti	Eryngii	Petroselinæ	
Agarici	Hellebori	Peucedani	
Althææ	utriusque	Polypodii	
Angelicæ	Efule	Polygonati	
Apii	Endivie	Pimpinellæ	
Aristolochiaæ	Filicis	Pyretti	
utriusque	Fæniculi	Phupontici	
Asari	Galangæ	Rhapontici	
Asparagi	Caryophyl-	Rhabarbari	
Asphodeli	latæ	Raphani	
Been	Gentianæ	Rubeæ	
Bis tortæ	Glycyrrhiza	Rusci	
Bryoniaæ	Hermodacty-	Satyrrii	
Borraginis	li	Scyllæ	
Capparis	Iridis Illyricæ	Scrophulariæ	
Cardopatii	Lapathi	Sympyti	
Cichorei	Laserpitii	Turbith	
Costi	Liliorum	T tormentillæ	
Cyclaminis	Mandrago-	Zinziberis	
Dictamni	re	Zeduariaæ	
	Nymphæ		

SVCCI VSITATI ORES.

Succus χύλος est liquor ex stirpibus recentibus contusis expressus, qui si len-torem habuerit, non succus, sed mucago seu mucilago nominatur. Succorum alii liquidi, alii indurati conservantur. Li-quidi sunt succus

Citri mali	Ladanum	bicum
Cytoniorum	Licium	Gummi he-
Granatorum	Opium	deræ
Endiviaz	Saccarum	Myrrha
Mel	Sanguis Dra	Mastiche
Oleum	conis.	Opopanax
Omphacium	GUMMATA	Olibanum
Rosaceus	usitatoria.	Sagapenum
Violaceus	Ad succorū	Terebinthina
Vinum & a-	induratorum	Sarcocolla
que omnes	genera refer-	Styrax
stillatitez.	ri possunt	& Calamintha
Succi indura-gummata,	Sandaraca	
ti habentur qualia sunt	Succinum	
Acacia	Afa fætida	Camphora.
Aloë	Ammoniacū	CORTICES
Afa fætida	Bdellium	usitatores.
Cera	Benzoi	Cortex Aran-
Scamonia	Colophonia	tiarum
Euphorbium	Euphorbium	Granatorum
Glycyrrhiza	Galbanum	Mandragoræ
Hypocistis	Gummi Ara.	Tamarisci
		Me-

METHOD. MEDENDI. 727

Mediana sam-	lapilli	Caprinum
buci	Cranium ho-	Hircinum
Cinnamo-	minis su-	Medulla Cer-
mum	spensi	vina
Cassia aroma	Castoreum	Vitulina
tica.	Coagulum	Pulmo vulpis
LIGNA usi-	leporis	Scincus
tatoria.	Corna cervi	Sanguis hir-
Lignum A-	num	ci
loës	Cornu uui	Serum lactis
Lignum Gua-	cornis	caprini
iaci	Ebur	Vipera
Lignum san-	Fel tauri	Zibetum
da i. cuius	Fel leporis	Moscus
Tres sunt	Genitale cer-	Cantharides.
species, al-	vi & tauri	Gottes Worme.
bum, ru-	Iecur lupi	METALLICK
brum &	Mumia	remedia
flavum.	Os è corde	ustitatoria.
Xylobalsa-	cervi	Aurum
mum	Os sepiæ	Argentum
Viscus quer-	Pinguedo	Auripigmen-
cinus	Anatina	tum
Eichen kinster.	Amserina	Ærugo
SIMPLICIA	Canis	Æs ustum
ustitataque	Gallinacea	Æris squa-
ex anima-	Humana	ma
lib. sumun-	Vrsina,	Alumen
tur.	Vulpina	Cadmia
Cancer	Sevum cervi	Chalcan-
Cancrorum	num	thum

H h 4

Chal-

728	FRAN. IOELIS
Chalcitis	Lapis Arme. Remedia usi-
Calx	nus tatoria ex
Ceruſa	Lapis Lazu- mari su-
Chrysocolla	li muntur
Cinabaris	Lap. Hema. Asphaltus
Ferrum	tites Succinum
Gypsum	Lap. Magues Bernicia.
Lithargyriō	Pumex Sperma ceti.
Minium	Bolus Arme. Margaritae
Nitrum	nus Corallium
Plumbum	Lemnia terra. Spongia.
Pompholix	GEMMAE usi- Sal; cuius tres
Thutia	tatores. sunt species;
Spodium	Rubinus Factitius Ma-
Stibium si- ve Antimonium	Granatus rinus & Sapphirus Gemmeus.
Sulphur	Smaragdus

SE-