

INDEX GENERALIS

PHARMACOPÆIÆ CHIRURGICÆ.

ACETA,	p. 537	ÆTHER ET ÆTHEREA,	
ACETAS ammoniacæ liquidus,	512	ÆTHER alcoholisatus, <i>ib.</i>	
— plumbi crystallisatus,	520	— sulfuricus, <i>ib.</i>	
— — — liquidus, <i>ib.</i>			
ACETUM aromaticum,	537	ALCALIA,	511
— campheratum, <i>ib.</i>		ALCOHOL ET ALCOHOLISATA,	527
— cochlearia-armoraciæ, <i>ib.</i>		ALCOHOL alcalisatum,	529
— lithargyrii s. saturninum.	520	— ammoniacatum, <i>ib.</i>	
— scilliticum,	538	— — — aromatisatum, <i>ib.</i>	
— vini vel cerevisiæ, <i>ib.</i>		— aromatisatum Coloniensium, <i>ib.</i>	
ACIDA,	509	— campheratum, 528	
ACIDUM aceticum,	<i>ib.</i>	— cochleariæ compositum,	528
— — — concentratum, <i>ib.</i>		— — — simplex, <i>ib.</i>	
— — — dilutum, <i>ib.</i>		— concentratum, 527	
— citricum, <i>ib.</i>		— dilutum, <i>ib.</i>	
— muriaticum, 510		— melissæ compositum,	
— — — oxygenatum, <i>ib.</i>		529	
— nitricum, 510		— rosmarini, <i>ib.</i>	
— phosphoricum, 511		— serpylli, <i>ib.</i>	
— sulfuricum, <i>ib.</i>		ALUMEN,	515
— tatarosum, <i>ib.</i>		— fusum,	516
ADEPS suilla,	526	ALUMINA,	515
AUDIOPOCERA,	<i>ib.</i>	AMMONIACA,	511

- | | | | |
|--------------------------|----------|-------------------------------|--------|
| AQUA aluminosa | Bateana | CARBONAS ammoniacæ | |
| | p. 548 | liquidus, | p. 512 |
| — calcis, | 549 | — calcis, | 514 |
| — — cinchonata, | ib. | — potassæ, | 513 |
| — camphorata, | ib. | — sodæ, | ib. |
| — — Bateana, | 546 | CATALPLASMATA, | 600 |
| — cœlestis, | ib. | CATALPLASMA acetatum | |
| — cupri vitriolati com- | | | ib. |
| posita, | 548 | — ex allio, | 601 |
| — lithargyrii composita, | 580 | — ex aqua marina, | ib. |
| — marina, | 550 | — commune, | ib. |
| — — artefacta, | ib. | — e conio, | 602 |
| — ophthalmica cœrulea, | | — e Daucō, | 603 |
| — rosæ, | ib. | — discutiens, | ib. |
| — salviæ, | ib. | — emolliens, | 605 |
| — sapphirina, | 546 | — epispasticum, | ib. |
| — saturnina, | 580 | — e pomo, | 606 |
| — styptica, | 548 | — sedativum, | ib. |
| — vegeto-mineralis, | 580 | CATHETERES, | 609 |
| AQUÆ, | 549 | — — — — — ex argento, | ib. |
| AXUNGIA porcina, | 526 | — — — — — ex resina elastica, | ib. |
| | | CERA alba, | 527 |
| B. | | — flava, | ib. |
| BALSAMUM Arcæi, | 643 | CERATA, | 624 |
| — — vitæ externum, | 638 | CERATUM album sim- | |
| BOLETUS igniarius, | 566 | plex, | ib. |
| — — — larinicus, | ib. | — e plumbo, | ib. |
| BORAX s. horas | sodæ al- | — rubrum, | 625 |
| calescens, | 513 | — saponaceum (POTT), | ib. |
| BUTYRUM, | 526 | — e sulfure, | ib. |
| | | — e zineo, | 626 |
| C. | | CEREI medicati, | 607 |
| CALX, | 514 | CEREOLI e chordis fi- | |
| CANDELULÆ medica- | | dium, | 609 |
| tæ, | 607 | — communes, | 607 |
| | | — emollientes, | 608 |

CEROLEI exhydrargyro, DECOCTUM sarsaparillæ
p. 609 compositum, p. 551

CEROLEI MEDICATI 607 — tabaci, ib.
— ex resina elastica, 609 — veratri, 552

CEROMEL (AITKEN) 626

COLLUTORIA, 572

COLLUTORIUM alumini-

nosum, ib. EMBROCATIONES, 598

— antiscorbuticum, 573 EMBROCATIO ammonia-

— antisepticum, ib. calis, 599

— ad aphthas, ib. — — camphorata, ib.

— humectans, 574 — discutiens s. resolvens,

— sialagogum, ib. 600

COLLYRIA, 569 — stimulans, ib.

COLLYRIUM alumino- EMPLASTRA, 612

sum, ib. EMPLASTRUM adhæsi-

— ex acetate ammoni- vum anglicum, 613

cæ, ib. — — s. roborans, 612

— ad corneæ ulcusecula — adstringens, 614

(GIMBERNAT), 570 — belladonæ, ib.

— cupratum, 571 — e Caoutchouc s. resina

— ex muriate hydrargyri elastica, 615

oxygenato, ib. — ad clavos, 616

— plumbatum, ib. — commune, ib.

— sedativum, 572 — e conio, ib.

— zinci, ib. — defensivum rubrum,

— e zincio compositum ib. 621

D.

DECOCTA ET INFUSA, 550 — diachyli compositum, 617

DECOCTUM adstringens, 550 — dorsale, ib.

— (florum) arnicæ, 551 — e galbano, 616

— cinchonæ, ib. — e gummi resinis, 617

— drupæ juglandis, ib. — gummosum, ib.

— sarsaparillæ, ib. — ex hydrargyro, ib.

— hyosciami, ib.

— ischiadicum, 618

— maturans, ib.

— e plumbo, 619

- E**PLASTRUM resolvens, p. 619
 — ammoniacatum ib.
 — roborans, 614, 621
 — saponaceum, 620
 — camphoratum, ib.
 — sedativum, ib.
 — stypticum, 621
 — stomachicum primum, ib.
 — secundum, 622
 — thuris, 614
 — ad tormina ventris 622
 — vesicans, 623
ENEMATA, 589
ENEMA acetatum, ib.
 — antispasmodicum, ib.
 — ad ascarides, 590
 — nutriend, ib.
 — oleosum, 591
 — sedativum, ib.
 — tabaci, 592
 — e terebinthina. ib.
EXTRACTA, 554
EXTRACTUM aconiti, ib.
 — bilis, ib.
 — conii, 555
 — drupæ juglandis, ib.
 — hyosciami, ib.
 — opii, ib.
 — turionum pini, ib.
- G.**
- G**ARGARISMATA, 575
GARGARISMA ammoniacale, ib.
 — antisepticum, ib.
 — commune, 576
 — emolliens, ib.
 — e scilla, ib.
 — sedativum, ib.
GELATINA amyli, 553
 — animalis, ib.
GELATINÆ, ib.
- H.**
- H**ERBÆ aromaticæ, 564
 — emollientes, ib.
- I.**

F.

- F**O_TUS s. FOMENTA, 593
FO_TUS adstringens, ib.
 — aluminosus, ib.
 — aromaticus, 594

- I**NJECTIONES, 583
INJECTIO adstringens, ib.
 — ad blepharorrhœam, 584
 — cuprata, 585
 — ad fistulas, ib.

INJECTIO ad leuco-
rrhœam (PRINGLE),

p. 586

— — — (YOUNG), 587
e muriate hydrargyri

oxygenato, ib.

e nitrate argenti, ib.

oleosa, 586

e plumbō composita ib.

sedativa, ib.

— — — composita, ib.

L.

LINIMENTA, 627

LIŃIMENTA MELLITA,
640

LINIMENTUM alumino-
sum, 627

ad ambusta, ib.

ammoniacæ campho-
ratum, ib.

— — — compositum, 628

fortius, ib.

misius, ib.

ad aphthas, 629

aromaticum, ib.

stimulans, ib.

arsenicatum, 631

ad arthrodynamia, ib.

camphoratum, ib.

cupratum, 632

emolliens, 633

e gummi-resina am-
mon, ib.

ophthalmicum, 634

petrolei, ib.

plumbatum, ib.

LINIMENTUM resolvens
(POTT), p. 635

— saponaceum campho-
ratum (FERRIAR), ib.

— — — (Ph. L.), 636

— — — compositum, ib.

— sedativum, 637

— — — æthereum, ib.

— — — camphoratum, ib.

— simplex s. album, 638

— stimulans, ib.

— e sulphure, 639

LIQUORES, 538

LIQUOR alexiterius ace-
tatus, ib.

— — — oxygenatus (GUY-
TON), 539

— — — (CHENEVIX)ib.

— anodynus mineralis
HOFFMANNI, 530

— ad aphthas, 539

— auricularis, 540

— ad condylomata, ib.

— ad dysecream, 541

— ad odontalgiam, 542

— ad perniones, ib.

— SWIETENII, 546

— ad ulcera oris, 542

LOTIONES, 577

LOTIO alcoholisata, ib.

— cosmeticæ, ib.

— hydrargyri nigra, 578

— ex hydrargo, ib.

— phagedænica, 579

— plumbata, 580

— — — simplex, ib.

— plumbi composita, ib.

— sedativa, 581

LOTIO e staphisagria,	MURIAS stibii oxygena-
— p. 581	tus, p. 520
— e veratro, 582	
— zinci camphorata, ib.	N.
— e zincio et cupro com-	
posita, 583	
LYCOPERDON BOVISTA	NITRAS argenti fusus,
566	516
M.	— potassæ, 513
	— sodæ, 514
MEL boraxatum, 640	O.
— eupratum, ib.	
— hydrargyratum, 641	OLEA ET OLEOSA,
— e muriate hydrar-	522
gyri, ib.	OLEA animalium fixa
MOXA , 567	concreta, 526
MUCILAGINES , 552	— empyreumatica, 525
MUCILAGO camphorata,	— fixa, 523
553	— partim fixa partim vo-
— gummi arabici, 552	latilia, 525
— — mimosæ niloticæ,	— volatilia, 522
ib.	OLEUM amygdalarum,
— — — Senegal, ib.	523
— — — tragacanthæ, ib.	— animale, 525
— seminis cydoniæ, 553	— benzoës, 522
— — lini, ib.	— cacao butyraceum, 523
— — psyllit, ib.	— camphoræ, 522
MURIAS ammoniacæ,	— — nitricatum, ib.
512	— canaphoratum, 631
— calcis, 515	— caryophilli, 522
— ferri, 518	— ceræ, 523
— hydrargyri, 519	— chamomillæ, 525
— — ammoniacalis, ib.	— hyosciami, 524
— — oxygenatus, ib.	— lauri, 525
— — potassæ oxygenatus,	— lavandulæ, 522
513	— lini, 524
— sodæ, 514	— melaleuca-leucadendri
	523

OLEUM myristicæ mos-		POTASSA,	p. 512
chatæ,	p. 525	— fusa,	513
— olivarum,	524	PULVERES,	556
— palmae,	ib.	PULVIS ad albuginem,	
— petrolei,	525	561	
— pyro-tartarosum,	526	— antisепticus composi-	
— ricini,	524	tus,	556
— serpylli,	523	— arnicæ,	ib.
— tartari foetidum,	526	— arsenicalis,	ib.
— terebinthinae,	523	— belladonæ,	557
— valerianæ,	523	— carbonum,	ib.
ONGUENT de la Mère,		— ad carcinoma (COSME)	
	647	ib.	
OXYDA METALLICA,		— — (PLUNCQUET),	558
	516	— e cerussa compositus,	
OXYDUM arsenicialbum,		561	
	517	— cinchonæ,	558
— bismuthi,	ib.	— columbo,	ib.
— cupri viride,	ib.	— coralliorum rubrorum,	
— ferri rubrum,	ib.	ib.	
— hydrargyri album	518	— e cupro,	559
— — griseo-nigrum,	ib.	— — compositus,	ib.
— — rubrum,	ib.	— dentifricius,	ib.
— manganesii nigrum,	519	— errlinus,	ib.
— plumbi album,	520	— escharoticus,	560
— — rubrum,	ib.	— ad exressentias,	ib.
— — semivitreum,	ib.	— e plumbo,	561
— zinci album,	521	— e plumbo composi-	
		tus,	ib.
		— ad prolapsum,	ib.
P.		— quassiae,	562
		— rhei,	ib.
PASTA ad perniones,	651	— sacchari,	ib.
PESSARIA,	611	— stibiatus,	ib.
— — ex ebure,	ib.	— stypticus,	563
— ex resina elastica,	ib.	— e sulphure,	ib.
— ex spongia,	ib.	— ad ulcera crurum,	ib.
— ex vesica inflata,	ib.	— — tendonum,	ib.

S.

- SALES METALLICI, p. 516
 — SALINI, 511
 — TERREI, 514
 SAPO ammoniacalis, 527
 — communis, ib.
 — Starkeyanus, ib.
 — terebinthinatus, ib.
 SAPONES,
 SCUTUM stomachicum, 621
 SEVUM ovillum, 526
 SMELLOME'S ointment 651
 SODA, 513
 SOLUTIONES, 543
 SOLUTIO alexiteria oxy-
 genata, 544
 — ad vaporisationem
 (GUYTON), 543
 — — — (CARM. SMITH)
 544
 — arsenicata, 545
 — cupri ammoniacalis ib.
 — — camphorata, 546
 — muriatis cupri amino-
 niacalis, ib.
 — — hydrargyri oxyge-
 nati, ib.
 — — potassæ oxygenati,
 547
 — nitratis argenti, ib.
 — sedativa, 548
 — styptica, ib.
 — zinci aluminumsa, ib.
 SPERMACETI, 526
- SPIRITUS salis amino-
 niaci aromaticus, p.
 529
 — — — dulcis, ib.
 SPONGIA PRÆPARATA 563
 STEER'S Opodeldoc 636
 SUCCUS acetosæ, 554
 — acetosæ læ, ib.
 — citri, ib.
 — cochleariæ, ib.
 — nasturtii, ib.
 SULFASaluminæ cum po-
 tassa et ammoniacea 515
 — cupri, 517
 — ferri, 518
 — hydrargyri luteus 519
 — zinci, 521
 SULFURETA, 621
 SULFURETUM calcis, ib.
 — hydrargyri rubrum ib.
 — potassæ, ib.
 — sodæ, ib.
 SUPPOSITORIA, 611
- T.
- TARTRIS ferri cum po-
 tassa, 518
 — potassæ acidulus, 513
 — sibili cum potassa 521
 TERRÆ, 514
 TINCTURÆ, 531
 TINCTURA arnicæ, ib.
 — assæ foetidæ, ib.
 — balsamica, ib.
 — benzoës composita ib.
 — cantharidum, 533

TINCTURA catechu,	p.	UNGuentum depilato-
— cinchonæ,	532	rium, p. 643
— cosmetica,	ib.	— digestivum flavum ib.
— euphorbiæ,	ib.	— — nigrum, 645
— gingivalis,	533	— digitalis purpureæ ib.
— lyttæ vesicatoriæ,	ib.	— elemi compositum 643
— mastiches,	536	— emolliens, 645
— muriatis ferri,	534	— epispasticum, 646
— myrræ,	ib.	— fuscum, 647
— odontalgica,	ib.	— helenii, ib.
— sedativa,	535	— hydrargyri album 648
— tartari,	529	— — — compositum, ib.
— turionum pini,	536	— — — griseum, ib.
— vulneraria composita,	ib.	— mercuriale, ib.
— — — simplex,	ib.	— nervinum, 629
TROHisci Rhazis,	561	— nitratishydrargyri 649
TURUNDÆ,	610	— nitricatum, 650
TURUNDÆ ex cereolis,	ib.	— nutritum, 652
— e chordis fidium,	ib.	— ophthalmicum cam-
— e linteo carpto,	ib.	phoratum, 650
— e spongia,	610	— oxygenatum, ib.
U.		— ad perniones, 651
UNGUENTA,	642	— phosphoricatum, 652
UNGUENTUM adipoceræ		— e plumbo, 652, 653
ib.		— — — compositum, 653
— ægyptiacum,	640	— rosatum, 654
— album simplex,	642	— — — compositum, ib.
— basilicum flavum	643	— saturninum, 652
— — nigrum,	645	— sedativum, 654
— conii,	642	— staphisagriæ, 655
— eupratum,	643	— e sulfure, ib.
		— sulfuricatum, ib.
		— ad varices ani, 656
		— veratri, 657
		— ad vesicata, ib.
		— e zincœ, 658

F I N I S.

