

Turunda carbolata.*Brun's Carbollint.*

Rp. Colophonii contusi 400,0
 Olei Ricini 40,0.
 Solve leni calore in
 Spiritus Vini absoluti 1600,0.
 Tum adde

Acidi carbolici 100,0
 et agita, donec solutio effecta fuerit.
 In hunc liquorem immerge

Turundae (texti lintei tenuioris) 1000,0.

Turunda permadefacta distrahatur
 et in aëre loco a luce remoto siccetur.
 Ad alligaturam vulnerum.

Eadem ratione paretur:

Gaza carbolata (Carbolgaze)*Brun's.*

Xylinum carbolatum s.
 Gossypium carbolisatum (*Carbol-Watte*) (*Brun*), eo discrimine, ut ille liquor addendo spiritum usque ad 3000,0 diluatur et xylini 1000,0 immergantur.

Unguen medicinale.

Adipatum. *Ersatz des Adeps suillus für Salben. Adepsersatz.*

Rp. Lanolinae anhydreae P. 35
 Vaselineae albae P. 50
 Ceresinae albae P. 7
 Aquae destill. P. 8.

In mortarium porcellaneum calefactum injectae conterendo in unguen uniforme album transferantur.

Hoc unguen ad parationem unguentorum non rancescentium adhibeatur.

Unguentum acerrimum.*(Veterinaria.)*

Rp. Cantharidum pulv.
 [1] Euphorbii pulv.
 Olei Terebinth. aa 5,0
 Tartari stibiati pulv.
 Hydrarg. bichlorati corrosivi pulv. aa 1,25
 Unguenti basilici 30,0.
 Misce.

Unguentum Cantharidum in usum veterinarium.

Unguentum acre *Ph. Germanicae.*

Rp. Cerae flavae 3,0

[2] Resinae Colophonii 6,0
 Terebinthinae 12,0
 Adipis suilli 50,0
 Cantharidum subtiliter pulv. 10,0

Euphorbii subt. pulv. 2,0.

Cerae, resinae, colophonio, terebinthinae et adipi liquatis et semirefrigeratis admisce cantharides et euphorbium, ut fiat unguentum e viridi fuscum.

Unguentum acre, quod radículas pilorum non destruit.

Rp. Unguenti Cantharidum

[3] Ungt. Hydrarg. cin. aa 40,0

Fuliginis e taeda 10,0

Cantharidum pulv. 2,5.

M. exacte.

Unguentum Acidi borici.

Rp. Acidi borici P. 1

Unguenti Paraffinae P. 9.

Misce l. a. *Ph. German.*

Ph. Brit. Acidi borici 1, Ungt. Paraffinae 4, Paraffinae durae 2.

Unguentum Acidi carbolici.

Unguentum phenylatum. *Carbolsalbe.*

Rp. Acidi carbolici P. 1

Ungt. Paraffinae P. 12

Paraffinae durae P. 6.

Misce l. a. *Ph. Brit.*

Unguentum Acidi gallici.

Rp. Acidi gallici P. 10

Adipis benzoïnati P. 90.

Misce. *Ph. U. St.*

Unguentum Acidi salicylici.

Rp. Acidi salicylici P. 1

[1] Ungt. Paraffinae P. 18

Paraffinae durae P. 9.

Misce l. a. *Ph. Brit.*

Vaselina salicylica.

Salicyl-Vaseline.

Rp. Cerae flavae

[2] Paraffinae aa 5,0

Vaselineae 20,0

Acidi salicylici 0,5

Olei Gaultheriae procumbentis 0,2.

Misce. Fiat unguen.

Unguentum Acidi sulfurici.

Ungt. antineuralgicum *Vigier*.

Rp. Axungiae porci 7,0
Acidi sulfurici concentrati 1,0.
Misce agitando. (Ex tempore.)

Unguentum Aconitini.

Ungt. Aconitiae s. Aconitinae.

Rp. Aconitini 0,5.
Solve in
Spiritus Vini rectfss. *Gutt.* 30.
Tum admisce
Adipis suilli benzoïnati 27,5.
Ph. Brit.

Eodem modo paretur:

Unguentum Atropini *Ph. Brit.*

Unguentum Aeruginis
s. Apostolorum.

Rp. Aeruginis 10,0
Olibani 40,0.
In pulverem subtilissimum redacta
commisceantur cum
Emplastri Cerussae 80,0
Olei Olivarum 160,0
Resinae Pini 10,0
Cerae 40,0
antea liquatis, ut fiat l. a. unguentum.

Unguentum Althaeae.

Ungt. flavum *Ph. Germanicae*. Ungt.
citrinum. Ungt. Foeni Graeci comp.
Ungt. resinosum *Ph. Helv.*
(*Ad usum mercatorium.*)

Rp. Cerati arborei flavi *P.* 100
[¹] Sebi taurini *P.* 50
Adipis suilli *P.* 400
Spiritus V. rectfss. *P.* 10.
Leni calore mixtae agitentur, donec
refruxerint.

Rp. Adipis suilli *P.* 200
[²] Cerae flavae *P.* 30
Unguenti basilici *P.* 100.
Leni calore liquatis admisce

Rhizomatis Curcumae subtilissime pulv. *P.* 10
antea conspergendo humectatas
Spiritus Rorismarini *P.* 10.
Dein agita, donec miscela refruxerit.

Rp. Cerae flavae
[³] Sebi taurini aa *P.* 200
Resinae Pini *P.* 100
Olei Raparum crudi *P.* 600
Rhizomatis Curcumae pulv.
P. 15
Aquae communis *P.* 5
Spiritus Rorismarini *P.* 20.
Liquando mixtas cola, tum agita,
donec refruxerint.

Rp. Rhizomatis Curcumae pulv.
[⁴] *P.* 10
Adipis suilli *P.* 500.
Digere calore balnei vaporis per
horam dimidiam, tum adde
Cerae flavae
Resinae Pini *P.* 30.
Liquefactae colentur. *Ph. Germanica.*

Tinctura Curcumae.
Ad unguentum tingendum Tincturam
Curcumae concentratam adhibere
potes. Haec tinctura e Rhizomatis
Curcumae pulverati Grammatis 100 et
Spiritus Vini absoluti Grammatis 400
digerendo paretur. Colatura expressa
(destillando) evaporetur, donec Gram-
mata 200 remanserint.

Unguentum Althaeae album.

Ungt. nervinum (album). (*Ad usum mercatorium.*)

Rp. Cerae flavae *P.* 100
Sebi taurini *P.* 200
Terebinthinae *P.* 50
Adipis *P.* 700.
Liquando mixtis adde
Olei Rorismarini *P.* 10
— Lavandulae
— Majoranae
— Thymi aa *P.* 5.

Unguentum Althaeae camphoratum.

Rp. Unguenti flavae 25,0

Camphorae tritae
Spiritus Vini rectifss. aa 2,5.
Misce exacte.

**Unguentum
Ambusta sanans.**

Brandsalbe. Wundsalbe.

Rp. Kalii sozodolici 2,0
Lanolinae hydratae 25,0
Tincturae Opii simpl. 0,3.
Misce, ut fiat ungt.

**Unguentum
contra amaurosin**

Sicheli.

Rp. Cupri oxydati nigri 1,0
Adipis suilli 10,0.
Misce exactissime.

Unguentum ammoniacale

Gondretii.

Causticum ammoniacatum. *Pommade
ammoniacale (de Gondret).*

Rp. Sebi ovilli
Adipis aa P. 1.

In lagenam orificio amplo et epistomio vitreo instructam immissis et leni calore liquefactis, dum refrigerescant, admisce

Ammonii caustici soluti, pond.
spec. 0,920, P. 2,

lagenam statim claudendo et inter agitationem aquae frigidae submergendo, ut refrigeratio acceleretur. (Vesicans.) *Ph. Gall.*

Unguentum Andreae.

Unguento d' Andrea della Croce.

Rp. Unguenti Elemi 20,0
Olei (Ungt.) laurini 5,0.
Misce.

Unguentum anodynum

Richardsoni.

Rp. Morphini hydrochlorici 0,5
Chloroformii 20,0
Vasolinae 80,0.
Misce.

**Unguentum
anthelminthicum.**

Ungt. contra Vermes. Ungt. Arthanitae.
Wurmsalbe.

Rp. Extracti Colocynthis 1,0

Aloës pulveratae 2,0
Fellis Tauri inspissati 3,0
Spiritus Rorismarini 2,0

Conterendo in massam aequabilem redactis admisce l. a.

Olei Absinthii 1,0
Petrolei 3,0, tum
Cerae flavae 2,0
Adipis suilli 10,0
Sebi taurini 5,0,

quae antea leni colore mixta sunt.

**Unguentum
anthelminthicum**

Dörffurtii.

Rp. Extracti Juglandis nucum
Fellis Tauri inspiss. aa 5,0
Adipis suilli 30,0
Olei Tanacetii 1,5.

Misce l. a.

**Unguentum
antiblephariticum.**

Deval's Augentidsalbe.

Rp. Hydrargyri oxydati rubri
Plumbi acetici aa 0,3
Camphorae 0,15
Butyri puri 6,0.

M. l. a.

**Unguentum
antiherpeticum.**

Rp. Hydrargyri oxydati rubri 0,5
Balsami Peruviani 2,0
Unguenti cerei 10,0.

Misce exactissime.

**Unguentum
antineuralgicum.**

Unguentum antarthriticum. *Gichtsalbe.
Salbe gegen Gliederreissen.*

Rp. Veratrini 0,3
Spiritus Vini 0,5
Lanolinae hydratae
Ungt Paraffinae aa 7,5
Olei Bergamottae
Olei Thymi aa 1,0.

Misce (ex tempore). Mane et vesperi parti aegrae corporis infricetur.

Unguentum antiperiodicum.

Ungt. febrifugum (Spinellii).

- Rp. Chinini sulfurici 1,0
 Ferri oxydati fuscii
 Opii pulverati aa 0,1
 Aceti concentrati 0,5
 Adipis suilli 18,0.

M. exacte. Regioni vertebrae infricetur.

Unguentum antipruriosum

Aliberti.

Alibert's Jucksalbe.

- Rp. Zinci oxydati 1,0
 [1] Sulfuris praecipitati
 Tinct. Opii crocat. aa 0,5
 Olei Amygdalae 5,0
 Adipis suilli
 Lanolinae hydratae aa 12,5.

Misce. Fiat unguentum.

Ungt. contra pruritus pudendorum Plenckii.

Ungt. antipruriosum Plenckii.

- Rp. Ungt. Hydrarg. citrini 25,0
 [2] Hydrargyri oxydati rubri 1,0
 Adipis suilli 15,0.

M. f. ungt. Caute adhibendum.

Unguentum antipruriticum

*Liebreich.**Juckenwidrige Salbe.*

- Rp. Aluminis 1,0
 [3] Camphorae 0,75
 Lanolinae hydratae 30,0.

Misce. Contra pruritus vulvae, ani.

Unguentum antipsoricum.

Formula vetus magistr. Berol. in us. paup.

- Rp. Kali nitrici 1,0
 Radicis Hellebori albi 5,0
 Sulfuris sublimati 20,0.
 Pulveratis admisce
 Saponis viridis 20,0
 Adipis suilli 50,0.

Unguentum antipsoricum

Vezini.

Ungt. Hellebori sulfuratum. *Vezin'sche Krätzsalbe.*

- Rp. Sulfuris sublimati
 Saponis kalini aa 25,0
 Adipis suilli 75,0
 Rhiz. Veratri albi pulv. 7,5
 Kali nitrici 0,5.

M. f. ungt.

Unguentum antirosaceum.Unguentum nasoroseum. *Kupfernasen-pasta. Rothnasensalbe.*

- Rp. Kali iodati 1,0
 Sulfuris praecipitati 2,0
 Zinci oxydati 3,0
 Glycerinae
 Aquae Rosae aa 2,0
 Lanolinae anhydreae 5,0
 Unguenti Zinci 20,0.

Misce. *Usus:* Contra acnem rosaceam, guttas rosaceas, roseolas saltantes. Per noctem naso straturam tenuem superimponere.Pasta zincosulfurata; Unguentum antirosaceum *Uma*

componitur ex Ungt. Zinci 20,0, Amyli Oryzae 5,0, Sulfuris 2,0. Ut antea notatum adhibeatur.

Unguentum antisematicum.*Fleckvertreiber.*

- Rp. Olei Cacao
 Olei Ricini aa 25,0
 Zinci oxydati 0,25
 Hydrargyri praecipit. albi
 Olei Rosarum aa 0,1.

Misce. *Usus:* Bis pro die infricetur (maculae gravidarum).**Unguentum antispasmodicum Sellii.**

- Rp. Camphorae pulv.
 Tinct. Opii crocati ana 5,0
 Unguenti Althaeae 40,0.
 Misce. Ex tempore parandum est.

Unguentum**Argenti nitrici Clinici.**

Ungt. Argenti Guthrianum vel Graefianum. *Pomata ophthalmica di Gouthrié.*

Rp. Argenti nitrici subtilissime pulv. 0,5

Unguinis medicinalis 10,0

Aceti plumbici *Gutt.* 12.

Misce.

Onguent de Gouthrié (Jaegeri).

Rp. Argenti nitrici 0,2

Hydrargyri oxydati rubri 0,4

Plumbi acetici cryst. 0,8

Cerae flavae 4,0

Unguinis medicinalis 8,0.

M. exactissime.

Unguentum Argenti nitrici compositum.

(Loco Ungt. nigri.)

Rp. Unguinis medicinalis 25,0

Zinci oxydati albi

Balsami Peruv. aa 3,0

Argenti nitrici subt. plv. 1,0.

Misce l. a.

Unguentum Arltii.

Rp. Hydrargyri praecipitati albi 0,5

Extracti Belladonnae 1,0

Adipis suilli 15,0.

Misce exactissime. Conf. Ungt. frontis Graefii. (*Stirnsalbe.*)

Unguentum aromaticum.

Balsamum stomachale Waekeri.

Magenbalsam.

Rp. Adipis suilli 100,0

[¹] Olei Lauri unguinosi

Olei Olivarum Provinc.

Cerae flavae aa 50,0

Olei Nucistae 20,0.

Liquatis et semirefrigeratis adde

Olei Absinthii aeth.

— Rorismarini

— Menthae crispae

— Lavandulae

— Caryophyllor. aa 5,0

— Macidis 2,5

Mixturae oleoso-balsamicae

Boli Armenae praep. aa 10,0.

Misce exacte.

Rp. Herb. Absinthii conc. 12,5

[²] Spiritus Vini diluti 25,0.

In pulvem contusa digere per sex horas, dein calefiant cum

Axungiae porci 100,0,

donec pars humiditatis evaporata sit, tum cola. Colaturam leni calore confundere cum

Cerae flavae 25,0

Olei Lauri 12,5.

Colliquatis colatisque admisce

Olei Juniperi

— Menthae piperit.

— Rorismarini

— Lavandulae aa 1,0.

Fiat unguentum. *Ph. Austriaca.*

Unguentum Arseni jodati.

Rp. Arseni jodati 0,5

Adipis suilli 25,0.

M. l. a.

Unguentum Atropini

Ph. Brit.

Ungt. Atropiae.

Rp. Atropini 0,5.

Solve in

Spiritus Vini rectif. 1,5.

Tum misce cum

Adipis suilli 30,0.

Unguentum Baregiense.

Pommade de Barèges.

Rp. Natrii sulfurati

Natri carbonici cryst. aa 10,0

Balsami Tolutani

Benzoës aa 2,0

Adipis suilli 75,0

Lanolinae hydratae 25,0.

Misce exacte. (In dermatosa, exanthemate etc. adhibetur.)

Unguentum basilicum.

Ungt. basilicum flavum. Ungt. Terebinthinae resinosum.

Rp. Olei Olivarum 300,0

[¹] Cerae flavae

Sebi taurini

Colophonii aa 100,0
 Terebinthinae communis 66,6.
 Leni calore liquata cola. *Ph. Germanica.*
 Rp. Olei Raparum rec. 400,0
 [2] Cerae flavae 100,0
 Colophonii 150,0
 Sebi taurini 200,0
 Terebinth. communis 50,0.
 M. ut supra. (*Ad usum veterinariae medicinae.*)
 Unguentum Holloway.
 Rp. Cerae flavae 200,0
 [3] Terebinthinae 60,0
 Resinae albae 250,0
 Cetacei 50,0
 Adipis suilli 500,0
 Olei Olivarum 600,0.
 Leni calore misceantur. (*Arcanum Anglicum.*)

Unguentum basilicum fuscum s. nigrum.

Ungt. basilicum *Ph. Gall.* Ungt. Picis.
 Rp. Olei Olivarum 60,0
 Cerae flavae
 Colophonii
 Picis navalis
 Terebinthinae communis
 Sebi ovilli aa 20,0.
 Leni igne liquata cola.
Ph. Gall. Picis navalis, Colophon.,
 Cerae ana 10,0, Ol. Oliv. 40,0.

Unguentum Belladonnae.

Rp. Extracti Belladonnae 10,0
 [1] Spiritus Vini diluti
 Glycerinae ana *Gutt.* 10
 Unguenti cerei 90,0.
 Misce l. a.
 Rp. Herbae Belladonnae siccatae,
 [2] minutim concisae *P.* 1
 Spiritus Vini rectfss. *P.* 2.
 Leni calore in vitro obturato per
 duos dies digestae commisceantur cum
 Sebi taurini *P.* 1
 Adipis suilli *P.* 5
 et leni calore coquantur, donec humidum spirituosum consumtum sit. Dein

fortiter exprimendo cola; unguentum refrigeratum atque leviter agitatum serva.

Ph. U. St. Extracti Bellad. alcoholici 10, Spir. V. dil. (45 %) 6, Adip. benzoinat. 84. *M.*

Ph. Brit. Extr. Bellad. 1,0, Adipis benzoinati 9,0.

Ph. Gall. Extr. 4,0, Aq. 2,0, Adip. 24,0.

Unguentum ex herba recenti.

Rp. Herbae Bellad. flor. rec. *P.* 20

[3] Spiritus Vini rectfss. *P.* 5.

Contundendo mixtis adde

Adipis suilli *P.* 35

Sebi taurini *P.* 5.

Coque et fac ut supra praeceptum est.

Aequali modo parentur:

Unguentum Aconiti

— **Calendulae**

— **Calendulae** florum. *Us.:*
 Ad ligamentum carcinomatis.

— **Conii.** *Us.:* Ad ligamentum mastitidis, carcinomatis peracerbi.

— **Digitalis**

— **Hyoseyami**

— **Lactuciae** virosae

— **Linariae** herb. *Ph. Germ.*
 Herb. sicc. 2, Adip. 10

— **Majoranae** herb. flor.
Ph. Germ. Herb. sicc. 2, Adip. 10

— **Nicotianae**

— **Sabinae** (herb.)

— **Salicis** foliorum rec.

— **Sambuci** florum

— **Stramonii**

— **Toxicodendri.**

Unguentum Belladonnae.

Pomatum Belladonnae.

(Ungt. ex Extracto vegetabili.)

Rp. Extracti Belladonnae 1,0

Spiritus Vini diluti *Gutt.* 10,
 Mixtis adde

Unguenti cerei 9,0.

Misce, fiat unguentum. (*Ph. Germ.*)

Eodem modo parentur:

Unguentum Aconiti

— **Calendulae**

Unguentum Conii

- Digitalis
- Hyoseyami
- Lactucac
- Mezerei
- Nicotianae
- Sabinae
- Stramonii
- Toxicodendri.

Unguentum benzinatum.

Unguentum Benzini Lamberti.

- Rp. Benzini lithanthracini 5,0
Adipis suilli 20,0.
Misce. Da ad ollam.
Usus: Contra scabiem quotidie bis infricetur.

Unguentum Bismuthi.*Bleisalbenersatz.*

- Rp. Bismuthi oxydati hydrati 50,0
Acidi oleïnici 200,0.
Contrita calore balnei aquae per horam unam digere, interdum agitando, tum seponere, ut refrigerando in massam unguinosam transeat. Hoc unguen unguentum plumbicum et Cerrussae compensat, igitur laudandum.

Unguentum boricum

Listeri.

Lister's Borsalbe.

- Rp. Acidi borici
Cerae albae $\widehat{a}a$ 5,0
Olei Amygdalarum
Paraffinae $\widehat{a}a$ 10,0.
Leni calore fiat unguentum.

Unguentum Cacao.

- Rp. Olei Cacao P. 3
Olei Olivarum Provinc. P. 2.
Leni calore liquando commixtae agitentur, donec refrixerint. Hieme sumantur Olei Olivarum P. 3.

Unguentum**Calcii sulfurati.**

Ungt. Sulfureti calcici.

- Rp. Calcii sulfurati P. 1
Axungiae benzoïnatae P. 9.
Misce.
Ph. Neerl. 1 : 8.

Aequali modo paratur:

Ungt. Cupri sulfurici vel Oxydi cuprici.**Unguentum camphoratum.**

- Rp. Camphorae trit. 2,0.
Solve leni calore in
Unguenti cerei 8,0.
Ph. Gall. Camph. 3,0. Cerae alb. 1,0, Adipis 9,0.

Unguentum Cantharidum.

Ungt. irritans s. epispasticum.

- Rp. Olei Cantharid. infusi P. 3
[¹] Cerae virgineae (insolatione non candefactae) P. 2.
Lenissimo calore liquando mixtae agitentur, usquedum refrixerint. Vel
Rp. Cantharidum 60,0.
[²] Grosso modo pulveratis affunde
Olei Olivar. Provincial. 200,0.
Digere calore balnei vaporis per horas duodecim, tum exprime et colaturam filtra. Colaturae 175,0 Grm. cum
Cerae flavae 116,7
liquando misceantur et agitentur, donec refrixerint. (*Ph. Germanica.*)

Unguentum**Cantharidum colatum.**

- Rp. Colophonii
Cerae flavae
Terebinthinae communis
Sebi cervini $\widehat{a}a$ 50,0.
Liquatis addantur
Olei Olivarum 200,0
Cantharidum pulv. 100,0.
Digere per aliquot horas, et cola.

Unguentum**Cantharidum nigrum.**

- Rp. Cantharidum subt. pulv. 2,0
Unguenti basilici nigri 15,0.
Misceantur.

Unguentum carbolisatum.

- Ungt. phenylatum Ungt. Acidi carbolic. *Carbolsalbe.*
Rp. Acidi carbolic. P. 10.
Unguenti cerei P. 90.
Misce conterendo *Ph. U. St.*

Unguentum Cepae

s. suppurans. Linimentum Cepae.

Rp. Resinae Pini

Cerae flavae aa P. 10.

Liquatis adjiciantur

Saponis viridis P. 10

Bulbi Cepae, sub cineribus
assati, decorticati et contusi

Mellis depurati aa P. 50.

Digere calore balnei vaporis, donec
humor consumptus sit. Tum subigun-
tur bacillo ligneo, ut omnia in unum
coëant.

Cataplasma Kerndtii.

Rp. Seminis Sinapis pulv.

Bulborum Allii Cepae assa-
torum

Seminis Lini pulverati

Saponis viridis aa 10,0

Kali carbonici 3,0

Aquae calidae q. s.

M. f. cataplasma, quod tepidum
quaque tertia hora ulceri superimpo-
natur.**Unguentum
Cerae compositum.**Ungt. Cetacei s. Ungt. album (Londi-
nense). Ungt. Spermatis Ceti. Ungt.
Adipocerae.

Rp. Olei Amygdalarum 40,0

[¹] Cerae albae 5,0

Cetacei 10,0

Benzoës pulv. 1,0.

Calore balnei aquae per horam
unam agita, tum per linteum cola.
(*Ph. Brit.*)

Rp. Olei Olivae provincial. 60,0

[²] Cerae albae 15,0

Cetacei 25,0.

Liquando mixta agita, donec re-
frigerint. Sit unguentum albidum.**Unguentum cereum**

(s. simplex.)

Unguentum *Ph. U. St.* Ointement
Ph. U. St.

Rp. Olei Olivae provinc. 100,0

Cerae flavae 43,0.

Calore balnei vaporis aquae liquata
agita, donec refrigerint. *Ph. Germanica.**Ph. U. St.* Adipis suilli 80 et Cerae
flav. 20. *Misce.***Unguentum Cerussae.**Ungt. Hydrocarbonatis plumbici. Ungt.
album simplex. Ungt. Plumbi
Carbonatis.

Rp. Cerussae (plumbeae) P. 12.

[¹] Subtilissime pulveratae in mortario
porcellaneo calefacto cum

Adipis suilli P. 10

ad miscelam aequabilem tenerrimam
conterantur, tum admisce

Adipis suilli P. 10

Empl. Plumbi simpl. 4,0,
antea leni calore liquatas, deinde
agita, donec refrigerint. *Ph. Austr.*Rp. Cerussae subtilissime pulve-
[²] ratae P. 3

Ungt. Paraffinae P. 7.

Misce exactissime. Ph. Germanica.
Ph. Gall. Cerussae 10,0, Adipis ben-
zoïnati 50,0.*Ph. U. St.* Cerussae 10,0, Adipis ben-
zoïnati 90,0.*Ph. Brit.* Cerussae 10,0, Ungt. sim-
plicis 70,0.**Unguentum
Cerussae camphoratum.**

Unguentum album camphoratum.

Rp. Unguenti Cerussae 19,0

Camphorae tritae 1,0.

*Misceantur. Ph. Germanica.**Usus:* Ad infricationem et ligamen-
tum perionium.**Unguentum Chinini.**

Unguentum febrifugum.

Rp. Chinini sulfurici 2,0

[¹] Acidi stearinici 3,0

Natri carbonici sicci 1,0

Aquae frigidae 1,5.

Ad massam aequabilem contritis adde

Aquae fervidae 15,0

et usque ad ebullitionem calefac. Tum
sepone loco frigido. Massam rigidam
tum separa et leni calore commisce cum

Unguenti aromatici 10,0.

Tripier et Bouchardat praecipiant
Chinini stearinici P. 1 cum Adipis
P. 2 commiscendam.

Rp. Chinini sulfurici 1,0
 [2] Mixturee sulfurico-acid. 0,5
 Adipis suilli 4,0.
 Misc. (Præceptum Boudini.)

**Unguentum
 chloroformiatum.**

Unguentum (Pomatum) Chloroformii.
 Ungt. contra pruritus. *Jucksalbe.*
Hautjucksalbe.

Rp. Chloroformii 10,0.
 Inter terendum sensim immisce
 Cerae albae 5,0
 Adipis suilli 85,0

leni calore colliguatis. D. S. *Zum Einreiben* (contra pruritus).

Ph. Gall. præcipit: Cera et adeps in lagena exitu amplo instructa colligantur, tum massae semirefrigeratae Chloroformium addatur et agitando mixtio efficiatur.

Unguentum Chrysarobini.

Ungt. Chrysarobinae.

Rp. Chrysarobinae e pulvere Arabae 10,0

Adipis benzoïnati 90,0.

Misc. *Ph. U. St.*

Ad usum. Contra psoriasin, herpitem tonsurantem, eczemata, pityriasin, caute adhibendum.

Ph. Brit. Chrysarobin. 1,0, Adipis benzoïnati 24,0.

**Unguentum ad clavos
 pedum Galopeau.**

Pommade Galopeau pour le guérison des cors aux pieds.

Rp. Unguenti pomadini
 Unguenti cerei aa 45,0
 Acidi acetici concentrati 10,0.

Misc.

Unguentum Cocculi.

Rp. Seminis Cocculi subt. pulv. 5,0
 Adipis suilli 30,0.

Misc.

Unguentum colligans.

Salbe für rissige Haut.

Rp. Mentholi 1,0
 Saloli 2,0
 Olei Olivae 3,0.

Leni calore inter trituras mixtis admisce

Hager.

Lanolinae hydratae 50,0.
 Cutis fissa et rimata per diem bis infricanda est. (A Doctore *Steffen* laudatum.)

**Unguentum
 contra combustionem**

Stahlii.

Stahl'sche Brandsalbe.

Rp. Cerae flavae P. 1
 Butyri insulsi P. 2.
 Liquando commisceantur.

Unguentum consumens.

Ungt. contra rheuma salsum (s. fluxum salinum) *Salzfluss.*

Rp. Aloës tritae 1,0
 Plumbi acetici 3,0
 Aluminis usti
 Minii præparati
 Lapidis calaminaris præp.
 aa 6,0

Hydrargyri oxydati rubri
 Terebinthinae communis

Adipis suilli aa 9,0

Mellis crudi 12,0

Unguenti basilici 100,0.

Misc.

Unguentum

corrosivum Graefii s. escharoticum
 Clinici.

Rp. Sublimati corrosivi 15,0
 Gummi Arabici 2,5
 Aquae destillatae 2,0.

Misce exacte. Fiat pasta. Ad erodendum fistulas callosas, carnem luxuriantem.

Unguentum Cosmi

(Hellmundi).

Unguentum arsenicale Hellmundi.

Rp. Pulveris arsenicalis Cosmi P. 1
 Unguenti narcotico-balsamici
 Hellmundi P. 8.

Misce exactissime. Semper ex tempore. *Ph. Germanica.*

Usus: Carcinoma.

Unguentum Cosmi rectificatum.

Rp. Pulveris arsenicalis Cosmi 5,0

Adipis suilli 5,0
Lanolinae hydratae 35,0.

Misce.

Unguentum crocatum.

Lucillina.

Rp. Tincturae Opii simpl.
Tincturae Croci aa 1,0
Vaselinæ 5,0.

Contrita leni calore calefiant, donec partes spirituosae aquosaeque avolverint. Tum admisce

Vaselinæ 5,0.

Unguen anodynum.

Unguentum Crotii.

Pommade de Crotius.

Rp. Acidi sulfurici conc. P. 1

Adipis suilli P. 2.

Misce. Causticum non laudatum.

Unguentum Cucumeris.

Pommade aux concombres.

Gurkenpomade.

Rp. Succis fructus Cucumeris sativi recent. P. 100.

Misce leni calore cum

Tincturae Benzoës P. 10

Adipis balsamici P. 100

Lanolinae hydric. P. 50.

Sit unguentum albissimum.

Rp. Fructus Cucumeris sativi recent. concisi vel raspati P. 300

Spiritus V. rectfss. P. 10.

In vesicam destillatoriam stanneam immissae stent per diem unum, tum vapores aquae permittendo destillent P. 10, quae exhibent:

Spiritus Cucumeris.

Dein liquando misce

Adipis suilli P. 100 et

Sebi recentis, desumpti pullo taurino, P. 50

Resinae Benzoës pulv. P. 5

et digere per aliquot horas calore balnei vaporis aquae. Colaturae semi-refrigeratae immisce inter assiduam agitationem

Spiritus Cucumeris P. 10.

Ph. Gall. Adipis 1000,0, Sebi vitulini 600,0, Balsami Tolutani 2,0, Aquae

Rosae 10,0, Succis fruct. Cucumeris 1200,0. Cutem molliens et mollescens.

Unguentum cylindricum.

Salbenstäbe. Salve sticks.

Rp. Olei Cacao

Cerae flavae

Olei Cocois vel Adipis suilli

Lanolinae hydratae aa P.

Leni calore mixtae et agitatae in formas cylindricas infunde. Miscelae huic medicamenta necessaria antea addantur, tum miscela in formam cylindricam fundatur. Ad usum orbiculus tenuis cultri ope desecatur et vulnere parvo vel parti cutis patienti imponitur.

Unguentum Cyrilli.

Ungt. Hydrargyri bichlorati corrosivi Cyrilli. Ungt. mercuriale corrosivum.

Rp. Hydrargyri bichlorati corrosivi 1,0

Adipis suilli 9,0.

Misce exactissime (*Ph. Belg.*)

Ungt. Cyrillo-Hufelandi.

Rp. Hydrarg. bichlorati corrosivi Ammonii chlorati aa 3,0

Adipis suilli 25,0.

Exactissime conterantur. *Us.:* Ante somnum vola pedis (senecis) hoc unguine (2,0—3,0) infricanda est, ut haemoptysis et arthritis praecaveantur.

Unguentum ad decubitus

Rp. Unguenti simplicis 80,0

Zinci tannici recent. praecipitati, paulum humidi 20,0.

M.

Unguentum defensivum caeruleum.

Ungt. Oxydi cobaltici.

Rp. Unguenti plumbici P. 5

Smalti caerulei pp. P. 1.

Misce.

Unguentum depilatorium.

Rp. Terebinthinae comm. P. 4

Resinae Pini P. 3.

Liquando misce.

Unguentum diabolicum.

Rp. Kalii jodati 2,5
 Aquae destill. 2,0
 Ungt. Hydrargyri cinerei 2,0
 Lanolinae hydratae 10,0
 Adipis suilli 28,0.
 Misce.

Unguentum diachylon.

Rp. Emplastri Plumbi simplicis
 Olei Olivarum ana P. 5.
 Calore balnei aquae colligando
 mixtae tereantur, donec refrixerint.
 Aliquot horis interlipsis, denuo un-
 guen terendo agitetur. *Ph. Germ.*

Unguentum diachylon

Dr. Hebra.

Ungt. diachylon *Ph. Austr. et Ph. U. St.*
 Rp. Empl. Plumbi simpl. 100,0.
 Emplastro liquefacto admisce
 Olei Olivae q. s. (70,0),
 ut fiat unguentum molle, cui adde
 Olei Lavandulae 4,0.

Unguentum diachylon Hebrae
 (a Dr. Goldmann correctum).

Rp. Plumbi oleinici
 Lanolinae hydratae $\widehat{a} P.$
 Leni calore inter agitationem misce.
Ph. Fenn. Empl. Plumbi et Ol. Oliv.
 provincialis ana.

**Unguentum
 digestivum simplex**

Ph. Gall.

Rp. Terebinthinae larin. 40,0
 Vitellum ovi gallin. unius
 (20,0).

Terendo commixtis sensim adde
 Olei Olivae 10,0.
Ph. Gall.

Unguentum Digitalini.

Rp. Digitalini 0,1
 Adipis suilli 10,0.
 Misce.

Unguentum Digitalis.

Rp. Extracti Digitalis 1,0
 Ungt. cerei 9,0.
 Misce. (Semper ex tempore.)

Eodem modo parentur:

Ungt. Hyoscyami.**Unguentum Elemi.**

Unguentum s. Balsamum Arcae.

Rp. Elemi
 Terebinthinae Venetae
 Sebi taurini
 Adipis suilli $\widehat{a} P.$
 In balneo vaporis colligatas cola.

Unguentum Emetini.

Rp. Extracti Ipecacuanhae spiri-
 [1] tuoso-aquosi 5,0
 Spiritus Vini rectif. 2,5
 Adipis suilli 20,0.

Misce l. a.

Rp. Emetini puri 1,5
 [2] Spiritus Vini rectif. 1,0
 Adipis suilli 25,0.

Misce l. a.

**Unguentum
 epispasticum flavum.**

Unguentum irritans Lausanniense.
 Pomatum luteum Cantharidum.

Pommade épispastique jaune.

Rp. Cantharidum grosso modo
 pulv. 10,0
 Rhizomatis Curcumae pulv. 1,0
 Cerae flavae 20,0
 Adipis suilli 170,0.

Digere per quatuor horas et saepius
 agita, tum exprimendo cola. Unguento
 semirefrigerato et agitato admisce

Olei Citri cort. *Gutt.* 25.

Rp. Ungt. Canth., Ungt. Althaeae
 $\widehat{a} a$ 10,0, Ol. Citri. *Gutt.* 3. (*Ex temp.*)

Ph. Gall. Cantharid. 60,0, Adipis
 840,0, Cerae flav. 120,0, Curcumae 4,0.
 Digere, filtra. Ol. Citri 4,0.

**Unguentum epispasticum
 Hufelandi.**

Rp. Cantharidum subt. pulv. 1,0
 Adipis suilli 9,0.

M.

**Unguentum
 epispasticum viride.**

Unguentum Cantharidum viride.

Pommade épispastique verte.

Rp. Cerae flavae P. 135
 Unguenti laurini P. 875.

Liquando commixtis adde
 Cantharidum subt. pulv. *P.* 32
 et agita, dum refrigerescunt.
Ph. Gall. Canth. pulv. 10,0, Ungt.
 populei 280,0, Ceræ albae 40,0.

Unguentum Eucalypti.

Rp. Olei Eucalypti 10,0
 Unguenti Paraffinae
 Paraffinae \widehat{a} 20,0.
 Misce calore modico. *Ph. Brit.*

Unguentum exsiccans.

Ceratum epuloticum s. Turneri. Ungt.
 Lapidis calaminaris. Ungt. Calaminae
 s. Calaminare. *Turner's Cerate.*

Rp. Ceræ flavæ 50,0
 Olei Olivar. Provinc. 100,0.
 Liquando mixtis adde
 Lapidis calaminaris pp. 40,0
 et agita, donec refrixerint.
 Loco mixturae Ceræ cum oleo
 Adipem benzoïnatum adhibere licet.
Usus: Ad ligaturam ulcerum vetustorum.

Unguentum exsiccans Acrelii.

Unguentum Calaminae compositum.
 Rp. Olei Olivarum 100,0
 Ceræ flavæ 25,0.
 Liquando commixtis adde pulverem
 subtilissimum, paratum e
 Boli Armenae praep.
 Lapidis calaminaris
 Lithargyri \widehat{a} 10,0.
 Miscelae semirefrigeratae admisce
 Camphoræ tritæ 1,0.

Unguentum Fellis taurini.

Unguentum Roncalli.
 Rp. Fellis taurini recentis 50,0
 Salis culinæ 10,0
 Olei Jugland. nucum 5,0.
 Misce conquassando, ut fiat linimentum.

Unguentum ad Fonticulos.

Fontanellsalbe.
 Rp. Ceræ flavæ 50,0

[¹] Olei Olivarum Provinc. 150,0
 Cantharidum pulv. 50,0
 Euphorbii pulv. 12,5.

Digere calore balnei vaporis per horas sex, tum exprimendo cola.

Ungt. ad Fonticulos viride Bergii.

Rp. Cantharidum 6,0
 [²] Corticis Mezerei 20,0.

Grosso modo pulveratis et minutim concisis affunde

Olei Olivar. Provinc. 100,0.

Digere calore balnei vaporis aquae per diem unum, dein exprimendo cola.
 Colaturæ Grammata 75,0 colligando misce cum

Ceræ flavæ 40,0
 Terebinthinae Venetae 10,0,
 postremum admisce

Cupri acetici cryst. subt. pulverati 6,0

antea cum paulo Olei Provincialis contrita.

Unguentum frontis

Graefii.

Rp. Hydrargyri praecipit. albi 0,5
 Extracti Belladonnae 1,0
 Unguenti rosati 7,0
 Ceræ flavæ 1,5.

Misce l. a. Conf. Ungt. Arltii.

Unguentum Fuliginis.

(*Pomata di Carbone e Fuliggine.*)

Rp. Fuliginis splendentis pulv.
 Aquae fervidae \widehat{a} 10,0
 Adipis suilli 40,0.

Digere per aliquot horas et saepius agita, tum cola et sepone. Post refrigerium aquam demove et leni calore inter agitationem massam adiposam ab humore libera.

Unguentum Fuliginis kreosotatum.

Rp. Unguenti Fuliginis *P.* 100
 Kreosoti *P.* 1.

Misce.

Unguentum fuscum

s. universale.

Balsamum universale (Legrand). Ungt. Minii adustum. Ungt. Matris. *Mother's Salve*. *Onguent de la Mère (Le Grand)*. *Universalsalbe*. *Muttersalbe*.

Rp. Emplastri fusci camphorati
P. 2

Olei Olivarum

Sebi taurini aa P. 1.

Liquando commixtas in ollas minores vel scatulas ligneas infunde.

Unguentum fuscum**Larrejii.***Onguent brun de Larrey.*

Rp. Hydrargyri oxyd. rubri 2,0
Unguenti basilici fusci 30,0.
Miscantur l. a.

Unguentum Gallarum.

Ungt. Gallae. Ungt. haemorrhoidale Bellii.

Rp. Gallarum subtt. pulv. 6,0
Unguenti simplicis 33,0.

Misce. *Ph. Brit.* (Prolapsus ani).
Ph. U. St. Gall. plv. 10, Adipis benzoïn. 90.

Unguentum**Gallarum cum Opio.**

Ungt. Gallae opiatum. *Hämorrhoidal-knotensalbe*.

Rp. Unguenti Gallarum 30,0
Opium subtt. pulv. 2,0.
Misc. (*Ph. Brit.*)

Unguentum**Giacominianum.**

Rp. Unguenti plumbici 30,0
Aqua Lauro-Cerasi 5,0.
Misc.

Unguentum Glycerinae.

Ungt. Glycerini *Ph. Germ.* Glycerolatum amylaceum.

Rp. Amyli triticei P. 10
Aqua destill. P. 15
Glycerinae P. 100.

Mixtis admisce

Tragacanthae subtt. pulv. P. 2
contritas cum

Spiritus Vini P. 5.

Tum inter agitationem calefac, donec odor spirituosus evanuerit. Sit gelatina diaphana. Conf. Glycerolatum simplex. *Ph. Germ.*

Unguentum**haemorrhoidale.**

Ungt. plumbicum compositum.

Rp. Croci subtt. pulv.
Camphorae pulv. aa 1,0
Olei Hyoscyami infusi 7,5
Unguenti plumbici 20,0.
Conterendo misce.

Ungt. haemorrhoidale leniens.

Ungt. contra haemorrhoides gangraenosas.

Rp. Glycerolati simplicis 60,0
Extracti Hyoscyami 1,0
Extracti Opii aquosi 0,5
Aqua destill. 5,0.
Misc. exactissime.

Unguentum**haemostaticum**

(Vriente).

Ungt. Ferri sesquichlorati.

Rp. Adipis suilli 20,0
Ferri sesquichlorati 5,0.
Misc.

Unguentum**Hamburgense.***Hamburger Salbe.*

Rp. Olei Cacao 10,0
Olei Amygdalae 20,0 (tempore hiemis 30,0).
Leni calore misce. *Usus*: Ad ligamenta, ad unguina ophthalmica.

Unguentum Helenii

s. Enulae.

Rp. Radicis Helenii subtt. pulv. 30,0
Aqua fervida 40,0.
Digere calore balnei vaporis per horas duas. Massae refrigeratae inter agitationem assiduam admisce
Adipis suilli 20,0.

**Unguentum
Hellebori albi.**

Ungt. Veratri.

Rp. Radicis Helleb. albi pulv. 10,0
Adipis suilli 40,0.
Misc.

**Unguentum contra
herpetem excedentem.**Ungt. ad eczema salinum Hageri.
Salzflusssalbe.

Rp. Ceræ flavæ 10,0
Adipis suilli 30,0
Acidi carbolicæ puri 2,0
Balsami Peruviani 1,0.
Misc.

**Unguentum
Hydrargyri album.**Unguentum Hydrargyri præcipitati
albi. Ungt. Hydrarg. ammoniati. Ungt.
ad Scabiem Werlhofii (Zelleri).

Rp. Hydrargyri præcipitati albi
Ungt. Paraffinæ aa P. 1.
Leni calore exactissime contritis ad-
misc

Ungt. Paraffinæ P. 8.

*(Ph. Germanica.)**Ph. U. St.* præcipit Adipem, benzoïnatum; *Ph. Brit.* Ungt. simplex.**Unguentum Hydrargyri
bijodati rubri.**

Rp. Hydrargyri bijodati rubri 1,0
Unguenti cerei 10,0—20,0.

Exactissime misceantur.

**Unguentum Hydrargyri
chlorati mitis.**Unguentum Calomelanos. Ungt. Hy-
drargyri Subchloridi.

Rp. Calomelanos 2,5
Adipis suilli benzoïnati 12,5.
Misc.

**Unguentum Hydrargyri
chlorobijodati.**

Rp. Hydrargyri chlorobijodati 0,1
Adipis suilli 10,0.
Misc.

**Unguentum Hydrargyri
chlorojodati.**

Ungt. contra scrophulosin Boutignyi.

Rp. Hydrargyri chlorojodati 0,2
Adipis suilli 10,0.

Misc.

**Unguentum
Hydrargyri (cinereum).**Ungt. Neapolitanum. Ungt. mercuriale. Pomatum Hydrargyri simplex.
Pommade mercurielle faible. Blue ointement. Graue Mercurialsalbe. Franzosensalbe.

Rp. Hydrargyri depurati 600,0
Lanolinæ hydratae 200,0.

Tere in lebetæ ferreo ad perfectam
Hydrargyri extinctionem. Tum ad-
misc

Sebi taurini 350,0

Adipis suilli 650,0

antea colliquata et refrigerata. (*Ph. Germanica.*) (Dosis ad us. intern. 0,1—0,2—0,4 pluries per diem. Syphilis).*Ph. U. St.* Hydrarg. 450, Sebi et Adipis ana 225, Tinct. Benzoës comp. 40, Ungt. Hydrarg. ciner. 100.*Ph. Gall.* Hydrarg. 50,0, Adipis benzoïnati 350,0.*Ph. Brit.* Hydrarg. 16,0, Adipis 16,0, Sevi 1,0.*Ph. Germ.* Adipis 13, Sebi ovilli 7, Hydrarg. 10.**Unguentum Hydrargyri
cinereum fortius.**Ungt. Hydrarg. duplicatum s. duplex.
Ungt. Louvrieri. *Pommade mercurielle à parties égales.*

Rp. Hydrargyri 25,0
Lanolinæ hydratae 10,0

Olei Cacao

Ceræ flavæ

Adipis suilli aa 5,0.

Conterantur tamdiu, donec Hydrargyrum extinctum fuerit.

Ph. Gall. Hydrarg. et Adipis benzoïnati ana.

**Unguentum
Hydrargyri cinereum**
cum Terebinthina.

Rp. Unguenti Hydrargyri cinerei
25,0
Adipis suilli 15,0
Terebinthinae comm. 4,0.
Misce.

**Unguentum
Hydrargyri citrinum.**

Balsamum mercuriale. Ungt. Hydrargyri Nitratis s. nitrici. Ungt. citrinum s. Pomatum citrinum *Ph. Gall.*

Rp. Hydrargyri P. 1
Acidi nitrici P. 2

vel quantum ad Hydrargyri solutionem calore lenissimo requiritur. Liquorem adhuc calidum sensim inter assiduum agitationem misce cum

Adipis suilli liquefacti et semirefrigerati P. 12.

Tum in capsulas chartaceas effunde.

Nota. Mixtio in mortario porcellaneo efficiatur spathula ferrea non adhibita.

Unguentum a luce remotum servandum est.

Ph. U. St. Hydrarg. 7, Acid. nitrici 17, Olei Adipis (*Lard oil*) 76.

Ph. Gall. Hydrarg. 4,0, Acidi nitrici 8,0, Olei Olivae et Adipis ana 40,0.

Ph. Brit. Hydrarg. 10,0, Acidi nitrici 33,0, Adipis 37,5, Ol. Oliv. 80,0.

Unguentum Hydrargyri Nitratis dilutum.

Rp. Ungt. Hydrarg. Nitratis *Ph. Brit.* 10,0

Ungt. Paraffinae 20,0.

Misce leni calore. *Ph. Brit.*

**Unguentum Hydrargyri
compositum.**

Compound ointment of Mercury.

Rp. Olei Olivarum

Cerae flavae aa P. 6

Colliquatis et refrigeratis immisce

Camphorae pulv. P. 3

Ungt. Hydrarg. cinerei P. 12.

Ph. Brit.

**Unguentum
Hydrargyri digestivum.**

Ungt. digestivum mercuriale.

Rp. Unguenti Terebinthinae
Ungt. Hydrarg. cinerei aa P.
Misceantur.

**Unguentum
Hydrargyri jodati.**

Rp. Hydrargyri jodati flavi 1,0
Adipis suilli 20,0.

Misceantur. *Ph. Belg., Gall.*

**Unguentum
Hydrargyri Jodidi rubri**

Ph. Brit.

Rp. Hydrargyri jodati rubri 1,0
Ungt. simplicis 27,25.

Misce.

**Unguentum Hydrargyri
(Oxydi) flavum.**

Ungt. Hydrargyri Oxydi flavi.

Rp. Hydrarg. oxydati flavi P. 10
Unguenti cerei P. 90.

Misce. *Ph. U. St.*

**Unguentum
Hydrargyri rubrum.**

Balsamum ophthalmicum rubrum.
Ungt. Hydrargyri Oxydi rubri. Ungt. Praecipitati rubri. Ungt. Walhofii.
Pommade de Lion. Pomata di Lion.

Rothe Augensalbe.

(*Ad usum mercatorium.*)

Rp. Hydrargyri oxydati rubri 5,0
[¹] Cinnabaris praep. 1,0.

Cum pauxillo Olei Amygdalarum tritis admisce miscelam liquando paratam ex

Vasellinae albae 80,0

Paraffinae solidae 10,0

Cerae flavae 5,0.

Unguentum servetur in ollis porcellaneis et dispensetur ope spathulae porcellaneae vel corneae.

Rp. Hydrargyri oxydati rubri 1,0

[²] Ungt. Paraffinae 9,0.

Exactissime misceantur. *Ph. Germ.*

Ph. U. St. Hydrarg. oxyd. rubri 10,

Ungt. cerei 90.

Ph. Gall. Hydrarg. oxyd. rubri 1,0,
Vaselinæ 15,0.

Ph. Brit. Hydrarg. oxyd. rubri 10,0,
Paraffinæ 17,5, Ungt. Paraffinæ 52,5.

Unguentum

Ichthyoli fortius Unna.

Rp. Ichthyoli *

Aquae destill. aa 10,0

Lanolinæ hydratae 30,0.

Misce. S. Infricetur (rheuma, arthritidis).

Ungt. Ichthyoli tenue.

Rp. Ichthyoli

Aquae destill. aa 10,0

Lanolinæ hydratae 80,0.

Misce.

Unguentum Jodi.

Unguentum jodatum.

Rp. Kalii jodati

Jodi aa 10,0

Glycerinæ 21,5

Adipis 273,0

Misce l. a. *Ph. Brit.*

Unguentum

Jodi compositum.

Unguentum Jodi. Unguentum Kalii jodati jodatum. *Pommade jodurée.*

Rp. Jodi 1,0

Kalii jodati 5,0.

Trita cum

Aquae destill. 5,0

miscceantur cum

Adipis benzoïnati 40,0.

Ph. Gall.

Ph. U. St. Ungt. Jodi: — Jodi 4,0,
Kalii jodati 1,0, Aquae 2,0, Adipis benzoïnati 93,0.

Unguentum Jodoformii.

Rp. Jodoformii 10,0

Adipis benzoïnati 90,0.

Misce. *Ph. U. St., Brit.*

Unguentum

Jodoformii compositum

(Smith).

Rp. Jodoformii

Extracti Secalis cornuti

Picis liquidæ

Balsami Peruviani aa 3,5

Vaselinæ 30,0.

M. f. ungt.

Unguentum

Jodoformii desodoratum.

Rp. Unguenti Jodoformii 50,0

Olei Menthae piperitæ

Olei Sassafras ana *Gutt.* 10.

Misce.

Unguentum

Ipecacuanhae.

Pomata rubefaciente di Hannay.

Rp. Adipis suilli

Olei Provincialis

Radici Ipecacuanhae pulv. aa 10,0.

Misce.

Unguentum Juniperi.

Rp. Baccarum Juniperi cont. 25,0

Adipis suilli 50,0.

Coque usque ad humidam consumptionem et exprimendo cola. Colaturæ colligatae cum

Cerae flavae 10,0

admisce

Olei Juniperi bacc. 1,5.

Usus: Ad tumores hydropicos infricandum.

Unguentum

Kalii jodati (album).

Ungt. Potassii Jodidi. Ungt. Jodeti kalici. *Pommade hydriodaté.*

Rp. Kalii jodati 20,0

Natri thiosulfurici 0,25.

Contrita solvantur in

Aquae destill. 15,0,

tum commisceantur cum

Adipis suilli 165,0,

ut fiant Grammata 200,0 unguenti albi.

Ph. Germ., Fenn.

Ph. Gall. Kalii jodati 10,0, Aq. dest. 10,0, Adipis benzoïnati 80,0.

Ph. Brit. Kalii jodati 8,0, Kali carbonici 0,5, Aq. dest. 7,0, Adipis benzoïnati 55,0.

Unguentum

Kalii jodati flavidum.

Rp. Kalii jodati 10,0.

Solve terendo in
Aquaе destill. 7,5.

Solutioni admisce

Adipis benzoïnati 75,0

Cerae flavae 10,0

antea liquando mixta et refrigerata.
Serva in ollis porcellaneis.

Unguentum Kalii sulfurati

Ph. Brit.

Ungt. Potassae sulfuratae.

Rp. Kalii sulfurati 5,0

Paraffinae 18,0

Ungt. Paraffinae 55,0.

Misce l. a.

Unguentum Kreosoti.

Ungt. Creosoti s. kreosotatum.

Rp. Kreosoti 2,0

Unguenti lenientis 18,0.

Misce. (Contra ulcerationes putridas).

Unguentum Kreosoti salicylatum.

Ungt. Acidi salicylici cum Kreosoto
Unna.

Rp. Acidi salicylici *P.* 4

Kreosoti faginei *P.* 8

Ungt. simplicis *P.* 5

Cerae flavae *P.* 3.

M. f. ungt. Tempore aestivo Ungt.
simplicis et Cerae ana *P.* 4 ad-
misceantur.

Unguentum labiale.

Unguentum labiale rubrum.

Rp. Cerae flavae

Olei Olivar. Provinc. \widehat{aa} 25,0

Radici Alkannae 2,0

Olei Rosae *Gutt.* 2.

Liquando, digerendo, colando miscen-
doque fiat ceratum, quod in cistulas
chartaceas infundatur.

Unguentum Lanolinae.

Lanolimentum. Ungt. lanolinatum.

Rp. Lanolinae anhydrae 55,0

Paraffinae liquidae 20,0

Ceresinae 5,0

Aquaе destill. 20,0.

Misce leni calore et agita, donec

massa refrigerata unguenti consisten-
tiam acceperit. Hoc unguen non ran-
cescit.

Unguentum laurinum.

Pomatum Lauri baccarum. Ungt. ner-
vinum *Ph. Neerl.* Ungt. Lauri tere-
binthinatum s. Lauri comp. (Loco
Olei laurini *in usum mercatorium.*)

Rp. Adipis suilli 500,0

Sebi taurini

Olei laurini \widehat{aa} 130,0

Pulveris tinctorii 10,0.

Digere. Mixtioni calidae decantha-
tae vel colatae adde

Olei Cajeputi

— Terebinthinae

— Juniperi

— Sabinæ \widehat{aa} 2,0.

Ph. Gall. Fol. recent. Lauri 50,0,
Bacc. Lauri 50,0, Adipis 100,0. Coctione
peracta, exprime.

Unguentum Lauro-Cerasi.

Rp. Olei Lauro-Cerasi 1,0

Adipis suilli 9,0.

Misce.

Unguentum leniens.

Ungt. Cetacei rosacetum. Ungt. emol-
liens *Ph. Austr.* Ungt. refrigerans.
Ungt. cosmeticum. (*Cold cream.*) *Pom-
made à la Crème. Crème céleste. Cérat
cosmétique.*

Rp. Cerae virgineae (si deficit
Cerae albae) 10,0

Cetacei 20,0

Olei Amygdalarum 80,0.

Leni calore liquatis adde

Aquaе Rosae 20,0.

In mortarium porcellaneum tepe-
factum ingesta agitentur, donec re-
frixerint. Tum affunde

Olei Rosae *Gutt.* unam

et diligenter agita, ut fiat unguentum
molle albissimum.

Ph. Austr. Idem praeceptum, sed
admixtio Olei Rosae omittatur.

Ph. Germ. Cerae albae 4,0, Cetacei
5,0, Olei Amygdalarum 32,0; in balneo
vaporis liquatis, tum refrigeratis et
assidue agitatis paulatim admisce

Aquae 16,0. Quinquagenis (50) Gram-
matis mixturae admisce Olei Rosae
Guttam unam.

Conferatur Pomata leniens [pag. 186].

Unguentum Lupulinae.

Rp. Lupulinae *) 10,0

Adipis suilli 30,0.

Digere calore leni per sex horas,
per linteum trajice et exprime.

Unguentum Majoranae

(compositum).

Butyrum Majoranae.

Rp. Olei laurini

Cerae flavae aa 20,0

Adipis suilli 80,0.

Leni calore liquatis admisce

Olei Majoranae 1,0.

Unguentum

ad Mammis saucias.

*Pommade contre les gerçures des ma-
melons. Brustwarsensalbe.*

Rp. Tincturae Opii simpl. 2,5

Balsami Peruviani 5,0

Spiritus V. rectifss. *Gutt.* 15

Cerae flavae 10,0

Adipis suilli 40,0.

Digere calore balnei aquae per ali-
quot horas saepius agitando, tum agi-
ta, donec massa refrixerit.

Unguentum martiatum.

Rp. Ferri limati 10,0

Acidi nitrici diluti 40,0.

Solutioni inde effectae admisce

Olei Olivarum 40,0.

Coquendo, seponendo fiat unguentum.

Unguentum

melanicum causticum.

Causticum Aethiopicum.

Rp. Acidi sulfurici Angl. concen-
trati P. 2.

Admisce

Croci pulverati q. s.,

ut fiat puls densior, quae detur in
ollam vitream, epistomio vitreo mu-
nitam. Causticum non laudatum.

*) Cf. Tinctura Lupulini. Pag. 791.

Unguentum Mentholi.

Migränesalbe. Mentholmigränesalbe.

Rp. Mentholi 2,0

Olei Amygdalae 1,0.

Colliquata misce conterendo cum
Lanolinae hydratae 9,0.

Unguentum mercuriale dilutum.

Loco Ungt. Pediculorum.

Rp. Sebi taurini P. 10

Adipis suilli P. 20.

Liquando mixtis et refrigeratis adde
Unguenti Hydrarg. cinerei
P. 15.

Fiat unguentum aequabile.

Unguentum Mezerei.

Unguentum epispasticum (cum Gnidio).
Onguent de Garou.

Rp. Extracti Mezerei 1,0.

Contrito cum Spiritus Vini 0,5 ad-
misce

Unguenti cerei 9,0.

Usus: Ad alligaturam vulneris ve-
sicatorii, loco ungt. Cantharidum.

Ph. U. St. Extr. fluid. Mezerei 25,0,
Adipis 80,0, Cerae flavae 12,0. Leni
calore misceantur, ut Spiritus fugiatur.

Ph. Gall. Extr. Mezerei 4,0, Adipis
90,0, Cerae alb. 10,0, Spir. vini (90%) 9,0.

Unguentum Minii

Stehmannii.

Rp. Minii praep. 25,0

Olei Olivarum 200,0.

Leni igne coque inter agitationem,
donec Minium solutum sit, tum adde

Olei Hyperici

Colophonii aa 25,0

Cerae flavae 50,0

Resinae Pini 200,0.

Mixtione liquando peracta admisce

Camphorae tritae 6,0.

Infunde in ollas et signa.

Unguentum Monesiae.

Extracti Monesiae 3,0

Unguenti rosati 22,0.

Misce I. a.

Unguentum morphinatum.

Vaselina Morphini *Richardson.*
Morphinvaselin.

Rp. Morphini puri 0,3
Vaselinæ albae 40,0
Chloroformii 8,0.

M. l. a.

Unguentum Morphini.

Rp. Morphini acetici 0,5
Glycerinæ *Gutt.* 10.
Bene contritis admisce
Adipis suilli 50,0.
Loco Adipis suilli sumere potes
Vaselinæ albae 35,0 et
Lanolinæ hydratae 15,0.

Eodem modo parentur:

Unguentum Aconitini

— **Atropini**
— **Morphini** (muriat.)
— **Strychnini** (nitrici).

Unguentum Naphthalinae.

Rp. Naphthalinae (C²⁰H⁸) 1,0
Adipis suilli 15,0.
Misce, fiat unguentum.

Unguentum narcotico-balsamicum Hellmundi.

Rp. Plumbi acetici 1,0
Extracti Conii 3,0
Tincturæ Opii crocatae 0,5
Unguenti cerei 25,0
Balsami Peruviani 3,0.
Misce exactissime. Pulveris Cosmici parte decima mixtum saepe adhibetur.

Unguentum Natrii bromati.

Rp. Natrii bromati 5,0.
In aquae pauxillo terendo soluta commisceantur cum
Adipis suilli recentis 45,0.
Paretur ex tempore.

Unguentum nervinum

Ph. Gall.

Pommade ou Baume neural Ph. Gall.
Rp. Medullæ bovinae P. 350

[¹] Olei Nucistae expressi P. 450
Olei Amygdalarum P. 100.

Leni calore colliquatis et in mortarium lapideum colando fuis, dum inter assiduam agitationem refrigescant, admisceantur

Olei Rorismarini P. 30
Olei Caryophyllorum
Camphoræ tritæ aa P. 15,

postremum

Balsami Tolutani P. 30

antea solutæ

Spiritus Vini, pond. spec.
0,864, P. 60.

Usus: Stimulans. Ad infricationes contra rheuma chronicum, arthritidem, retractionem musculorum.

Unguentum nervinum

Venellii.

Rp. Adipis purpurati 100,0

[²] Cerae flavæ 15,0

Olei Nucistae 30,0.

Liquatis admiscee mixturam paratam ex

Olei Rorismarini
— Menthae crispæ
— Lavandulæ
— Caryophyllorum
— Thymi
— Salviæ aa 0,6

Balsami Peruviani 8,0

Camphoræ tritæ 3,0

Spiritus V. rectifss. 10,0.

Unguentum Nucistae.

Rp. Opii pulv. 1,0.

Cum aquae paulo contrito admiscee mixturam paratam ex

Olei Nucistae
Adipis suilli aa 50,0
Mixturæ oleoso-balsamicæ
10,0.

Usus: Abdomini infricetur in diarrhoea infantum.

Unguentum ophthalmicum

(Hamburgense).

Ungt. Hydrargyri rubrum comp.

Rp. Hydrargyri oxydati rubri
Opii pulverati aa 2,0

Zinci oxydati 5,0
Unguenti cerei 100,0.

Misce exactissime.

**Unguentum
ophthalmicum**

Pharmacopoeae Germanicae vet.

Rp. Olei Amygdalarum 60,0
Cerae flavae 38,0.
Liquatis et refrigeratis admisce
Hydrargyri oxydati rubri 2,0.

**Unguentum
ophthalmicum**

Desaultii.

Pommade de Desault.

Rp. Hydrargyri oxydati rubri
Tutiae praeparatae
Aluminis usti
Plumbi acetici aa P. 5
Hydrargyri bichlor. corr. P. 1
Adipis suilli P. 50.

Misce exactissime. (Ophthalmitis,
chemosis, lippitudo.)

**Unguentum
ophthalmicum**

Dupuytreni.

Rp. Hydrargyri oxydati rubri P. 1
Zinci sulfurici P. 2
Adipis suilli P. 100.

Misce exactissime.

**Unguentum
ophthalmicum**

Janini.

Rp. Hydrarg. praecipitati albi 1,0
Zinci oxydati venalis
Boli Armenae aa 2,0
Adipis suilli 5,0.

Misce exactissime.

**Unguentum
ophthalmicum**

Juengkenii.

Rp. Hydrargyri oxydati rubri 0,3
Opii pulverati aa 0,2
Aquae pauxillum destillatae
(Gutt. 5)
Unguenti rosati 6,0.

M. l. a. *Usus:* Post meridiem et
ante somnum palpebrae illinantur.

**Unguentum
ophthalmicum**

Richteri.

Rp. Olei Cacao
Adipis suilli aa 3,0.
Leni calore liquatis et refrigeratis
admisce l. a.

Hydrargyri oxydati rubri 1,0.
Usus: Ophthalmia chronica. Circum
orbitam oculi illinendum.

**Unguentum
ophthalmicum**

Rustii.

Rp. Hydrargyri oxydati rubri 0,5
Unguenti cerei 10,0
Aceti plumbici
Tincturae Opii crocat. aa 0,8.
Misce.

**Unguentum
ophthalmicum**

St. André.

Rp. Hydrargyri oxydati rubri
Plumbi acetici aa 5,0
Ammonii chlorati 0,6
Zinci oxydati venalis 0,3
Butyri rec. loti 35,0.

M. l. a. Detur in olla 7,5 Grm. un-
guenti repleta.

**Unguentum
ophthalmicum**

St. Yvesii.

Balsanum ophthalm. St. Yves. Ungt.
Hydrarg. rubrum comp.

Rp. Butyri recentis loti 30,0
[1] Cerae flavae 7,0.

Leni calore liquatis et semirefrige-
ratis admisce

Hydrargyri oxydati rubri
laevigati 3,0

Zinci oxydati 1,0,

deinde

Camphorae 1,0

antea tritae cum

Olei Provincialis 2,0.

Ne nimis diu servetur in ollis por-

cellaneis dense obturatis ac charta paraffinata obductis.

Unguentum ophthalmicum compositum

Ph. Germanicae vet.

Ungt. ophthalmicum St. Yves.

Rp. Adipis suilli 70,0

[²] Cerae flavae 12,0

Hydrargyri oxydati rubri 7,5

Zinci oxydati 3,0.

Mixtis adde

Camphorae 2,5

Olei Amygdalarum 5,0

soluta. Sint mixturae Grammata 100,0.

Unguentum opiatum.

Ceratum cum Opio.

Rp. Extracti Opii 1,0.

Cum pauxillo aquae (1,0) terendo subigatur cum

Unguenti cerei 19,0.

Paretur ex tempore.

Unguentum oxygenatum.

Ungt. s. Adeps oxygenatus s. nitricus.

Ungt. Alyoni.

Rp. Adipis suilli P. 100

Acidi nitrici (pd. sp. 1,200)

P. 5.

Axungiae in vase porcellaneo leni igne liquatae guttatim addatur acidum, et massa inter agitationem, ope bacilli vitrei, tamdiu modico calori exponatur, donec chartam exploratoriam coeruleam non amplius rubefaciat, vel non amplius spumet. Tum in capsulas chartaceas infunde et in vase clauso serva.

Unguentum ozaenisanans

Lennox.

Ungt. ad ozaenam Lennox.

Rp. Jodoformii 0,5

Aetheris 5,0

Vaselinæ 30,0

Olei Rosae *Gutt.* 5.

M. f. ungt. In ollam operculo claudendam ingeratur. *Usus:* Penicilli ope ozaenae aqua ablutae illinendum.

Unguentum Pagenstecheri.

Rp. Hydrargyri bichlorati corrosivi 0,5.

Contritis affunde

Aquae Calcariae 200,0.

Mixtura bene agitata, praecipitatum exortum in filtro collige, aqua ablue et adhuc humidum commisce cum

Unguenti lenientis (*Cold Cream*) 12,0.

Si vis, parare licet ex Hydrargyri oxydati via humida parati 0,4 et Ungt. lenientis 12,0 (Ophthalmicum).

Unguentum Paraffinae.

Petroleina. Vaseline. Cosmolina. Unguentum paraffinatum s. minerale. Adeps s. Axungia mineralis. Petrolatum. *Pétréoline. Piméléine. Paraffinsalbe. Petroleum Ointement.*

Rp. Paraffinae solidae 10,0

Paraffinae fluidae 40,0.

Leni calore commixta in mortario agitentur, donec plane refrixerint. *Ph. Fem., German., Gall.*

Nota. Ut hoc unguen per cutem et tunicam resorbeat, admisce paullum Lanolinae.

Unguentum parasiticidum.

Parasiticidische Pomade. Pomade gegen Hautparasiten.

Rp. Sulfuris loti 10,0

Camphorae tritae

Olei Bergamottae

Olei Citri

Balsami Peruviani

Benzinae lithanthracin. \widehat{aa} 2,5.

Contritis admisce

Ungt. lenientis 100,0.

Usus: Ad infricationem partium cutis parasitis oneratae semel pro die.

Unguentum Paullinae.

Rp. Extracti Pastae Guaranae 2,0.

Addendo pauxillum Spiritus Vini rectificati et terendo ad mucilaginem redacta commisce cum

Adipis suilli 18,0.

**Unguentum
contra Pediculos.**

- Rp. Ungt. Hydrarg. ciner. P. 100
 [1] Axungiae composit. P. 200.
 Mixtis adde mixtionem conterendo effectam e
- [2] Fuliginis e taeda P. 1
 Benzinae P. 10
 Adipis P. 20
- Rp. Fuliginis e taeda P. 2
 [3] Hydrargyri praecipitati albi P. 10.
 Optime cum Olei Olivarum pauxillo tritis admisce
 Ungt. Hydrarg. ciner. P. 20
 Axungiae compositae P. 200.
- Rp. Hydrargyri P. 2
 [4] Acidi nitrici crudi P. 5
 Aquae P. 2.
 Digere leni calore, donec Hydrargyrum solutum sit. Solutionem infunde in liquorem paratum commiscendo e
 Liquoris Ammonii caust. P. 4 et
 Aquae communis P. 20.
 Praecipitatum ortum collige in filtro, tum adhuc humidum commisce cum
 Axungiae compositae P. 50
 Olei Citri corticis
 Olei Lavandulae aa P. 1
 Benzinae P. 5.
- Rp. Hydrargyri oxyd. rubri P. 1
 [5] Ungt. Hydrarg. ciner. P. 30.
 Mixtis adde miscelam liquando paratam ex
 Emplastri Plumbi P. 30
 Naphthalinae P. 25
 Ceresinae P. 30
 Sebi taurini P. 20
 Axungiae (comp.) P. 15
 Olei Raparum P. 100.
 Postremum admisce
 Fuliginis e taeda P. 1/2
 cum
 Olei Cadini vel Terebinthinae P. 3,
 optime contritam.
- Rp. Seminis Staphidis agrariae
 [6] Saponis domestici aa P. 2

- Rhiz. Veratri alb. P. 1
 Olei Lauri P. 6
 Ungt. Hydrarg. cinerei P. 10
 Terebinthinae P. 2
 Axungiae P. 30
 Benzinae P. 5.

Misce.

Unguentum Pediculorum album odoriferum.

- Rp. Ungt. Hydrargyri albi 15,0
 [7] Unguenti cerei 10,0.
 Mixturae odoriferae 1,0.
 Misc.

- Rp. Naphthalinae 30,0
 [8] Unguenti cerei 60,0
 Olei Bergamottae
 — Citri aa 2,0
 — Lavandulae 3,0
 Lanolinae hydratae 3,0.

Leni calore colliquata conterantur, donec massa refrixerit.

Conf. Unguentum antienodalicum elegans et bestiarum in pag. 653 et 654.

**Unguentum contra
Perniones Brefeldi.**

Brefeld'sche Frostsalbe.

- Rp. Sebi taurini
 [1] Adipis suilli aa 50,0
 Ferri oxydati fuscii
 Terebinthinae Venet. aa 6,0
 Olei Bergamottae 0,4
 Boli Armenae 3,0.
 M. f. unguentum.

Ungt. contra Perniones parochi
 Wahleri.

- Rp. Sebi taurini
 [2] Adipis suilli aa P. 12
 Ferri oxydati fuscii P. 2.
 In lebetem ferreum ingestae inter perpetuam agitationem coquantur, donec massa colore et nigro fuscum induerit. Tum admisceantur leni calore
 Terebinthinae Venetae P. 2
 Boli Armenae P. 1,
 et miscelae semirefrigeratae
 Olei Bergamottae P. 1.

Usus: Unguenti quantum satis quotidie bis linteo vel ramentis linteis (*Charpie*) illitum applicetur.

Ungt. ad Perniones Dumreicher.

Rp. Plumbi acetici 5,0

[³] Aluminis crudi 2,5

Glycerinae 5,0

Ungt. simplicis 50,0.

M. f. ungt.

Ungt. ad Perniones Hufelandi.

Rp. Boracis sub. pulv. 5,0

Unguenti rosati 20,0.

Misce.

Ungt. ad Perniones Liebreichii.

Liebreich's Frostsalbe.

Rp. Acidi carbolici 2,0

[⁴] Lanolinae hydratae

Ungt. plumbici aa 40,0

Olei Olivae 20,0

Olei Lavandulae 1,0

(v. *Gutt.* 30).

Misce l. a.

Pernioticum. *Frostsalbe der Nordländer.*

Rp. Lanolinae hydratae 30,0

[⁵] Adipis suilli 20,0.

Mixtis adde

Camphorae 2,0

soluta in

Petrolei Americani

Olei Terebinth. aa 4,0

Tincturae Benzoës 5,0

Tincturae Opii 2,5.

Fiat unguentum.

Ungt. ad Perniones Rustii.

Rp. Aluminis triti 10,0

[⁶] Camphorae

Opii pulv. aa 2,0

Balsami Peruviani 8,0

Ungt. Plumbi 30,0.

Misce exacte.

Unguentum pernionipropulsans

Stempelianum.

Pomatum perniones detenens matronae baronalis Stempel. *Frostschutzpomade der Baronesse Stempel.*

Rp. Sebi taurini (benzoïnati) 30,0

Empl. Plumbi simpl. 5,0.

Leni calori commixta in lagenam vitream, orificio ampliore munitamingere, tum, calore ad 25° C. descenso, adde

Aetheris 20,0.

Mixtione conquassando effecta, lagenam epistomio suberino claude. *Us.:* Cutis faciei (frontis, buccarum, genarum, nasi) illinatur ante exitum in aërem frigidiorum et ventosum.

Unguentum phosphoratum.

Pomatum phosphoratum. *Pommade phosphorée.*

Rp. Phosphori P. 1

Adipis suilli P. 100.

In lagenam orificio lato instructam et epistomio vitreo munitam ingestae calore balnei aquae digerantur, interponendo inter epistomium et collam lagenae particulam chartae, ut aëris exitus pateat. Post phosphori solutionem quassando agita, donec massa refrixerit. *Ph. Gall. vet.*

Unguentum Picis liquidae.

Ointment of Tar.

Rp. Picis liquidae (e ligno) 10,0

Cerae flavae 4,0.

Misce liquando conterendoque, tum agita, donec refrixerint. *Ph. Brit.*

Ph. U. St. Picis liq. et Adipis aa.

Usus: Contra ekzemata, psoriasin, lepram.

Unguentum Picis s. piceum.

Pomatum Picis.

Rp. Picis liquidae 10,0

Adipis suilli 90,0.

Leni calore misceantur. *Ph. Gall.*

Unguentum Plenckii balsamicum.

Balsamum mercuriale Plenck.

Rp. Ungt. Hydrarg. cinerei

Ungt. Elemi aa 25,0

Calomelanos 1,0.

Misce. *Usus:* Contra pruritus pudentorum.

**Unguentum
Plumbi acetici.**

Rp. Adipis suilli 300,0
Cerae albae 100,0
Colliquatis admisce
Plumbi acetici 6,0
soluta in
Aquae destill. 20,0.
Ph. Austr.
Ph. Brit. Adipis benzoïnati 11,0,
Acetatis plumbici triti 2,0.

Unguentum Plumbi

Froeteri.

Unguentum Froeteri.

Rp. Cerae albae 14,0
Olei Olivarum Provinc. 40,0
Mucilaginis Cydonior. con-
centratae 20,0
Aceti plumbici 4,0.

M. l. a., ut fiat unguentum.

**Unguentum
Plumbi glycerinatum.**

Ungt. Glycerinae plumbicum. Ungt.
Glycerini Plumbi Subacetatis *Ph. Brit.*

Rp. Glycerinae Plumbi Subaceta-
tis 10,0

Ungt. Paraffinae 40,0

Paraffinae 13,3.

Misce l. a. *Ph. Brit.*

**Unguentum
Plumbi jodati.**

Pomatum Jodureti plumbici.

Rp. Plumbi jodati 1,0
Adipis benzoïnati 9,0.

Misce exacte. *Ph. Gall.*

Aequali modo parentur:

**Unguentum Calomelanos
s. Hydrargyri chlorati
mitis** *Ph. Gall.*

— Praecipitati albi s.

Hydrargyri praecipiti-
tati albi. *Ph. Gall.*

— Zinci oxydati *Ph. Gall.*

Ph. Brit. Ungt. Plumbi Jodidi.
Plumbi jodati 10,0, Ungt. simplicis 70,0.

**Unguentum
Plumbi tannici.**

Ungt. ad decubitum *Ph. Belg., mil. Austr.*

Rp. Acidi tannici 1,0
Aceti plumbici 2,0.

Conterendo mixtis adde

Adipis suilli 17,0.

Misce exactissime. Ex tempore pa-
randum. (*Usus: Decubitus.*) *Ph. Germ.*

Unguentum plumbicum.

Unguentum Plumbi. Ungt. Subaceta-
tis plumbici. Ungt. saturninum s. nu-
tritum. Ungt. Lithargyri. Ungt. tria-
pharmacum. *Bleisalbe. Kühsalbe.*

Rp. Ungt. Paraffinae 95,0.

Calore leni liquatis immisce

Aceti plumbici 10,0

et agita, donec refrixerint. Sit un-
guentum album. *Ph. Germanica.*

Unguentum pomadinum.

Rp. Olei Nucum mosch. 10,0

[¹] Adipis suilli 500,0

Sebi taurini rec.

Cerae flavae aa 35,0.

Liquando mixtis ingere

Cassiae cinnamomeae 15,0

Caryophyllorum 5,0

Corticis Citri recentis 25,0,

omnia minutim concisa et contusa, dein

Benzoës pulveratae

Radicis Alkannae aa 10,0.

Digere, vase tecto, calore balnei
vaporis per horas tres, tum expri-
mendo cola. Colaturam, postquam
loco tepido subsederit, decantha et
commisce cum

Olei Bergamottae 10,0

Olei Melissae Indicae (Olei

Citronellae) 3,0.

Unguentum pomadinum album.

Rp. Adipis balsamici 450,0

[²] Sebi taurini rec.

Olei Cacao aa 50,0.

Liquatis admisce inter agitationem

Aquae Aurantii flor. 40,0

Olei Bergamottae 10,0

— Citri cort. 4,0

Olei Melissae Indicae
 Olei Pelargonii rosei $\widehat{a}a$ 2,0
 Tincturae Moschi *Gutt.* 5.

Rp. Adipis suilli 500,0

[²] Ceræ virgineae
 Olei Cacao $\widehat{a}a$ 50,0

Liquando mixtis adde

Aquae Aurantii flor. 40,0.

Agita, donec refrixerint, tum admisce

Mixturae odorif. moschat. 20,0.

Rp. Adipis suilli 500,0

[³] Sebi taurini recent. 100,0

Paraffini puri 50,0.

Liquatis admisce

Aquae Aurantii flor. 30,0.

Agita, donec refrixerint, tum admisce

Mixturae odoriferae 20,0.

Rp. Adipis balsamici 100,0

[⁴] Aquae flor. Naphae 2,0

Mixturae odorif. mosch. 1,0.

Agitando misce.

Ungt. pomadinum ordinarium.

Rp. Adipis suilli 750,0

[⁵] Sebi taurini rec. 250,0.

Calore balnei aquae liquatis et mixtis
 inter agitationem adde

Mixturae oleoso-balsamicae

Tincturae Benzoës $\widehat{a}a$ 15,0

Mixturae odoriferae 20,0

Olei Melissae Indicae 10,0.

Unguentum

pomadinum cum China.

Pomata chinica. *Chinapomade.*

Rp. Unguenti pomadini 100,0.

Admisce

Extracti Chinae 3,0

conterendo mixta cum

Tincturae Catechu 5,0.

Postremum admisce

Balsami Peruviani 1,0

solutum in

Spiritus Vini rectfss. 2,0.

Unguentum

pomadinum in baculis.

Rp. Olei Cacao

Hager.

[¹] Adipis balsamici

Ceræ flavæ $\widehat{a}a$ 20,0.

Liquatis admisce

Mixturae odoriferae 2,0

et infunde in formam idoneam, e lamina alba confectam. Bacilla refrigerata stanno foliato involvantur.

Cf. etiam Pomatum in baculis, pag. 184.

Ungt. pomadin. in baculis
 nigrum seu Ceratum pomadinum nigrum.

Rp. Ceræ nigrae 25,0

[²] Unguenti pomadini

Adipis $\widehat{a}a$ 10,0.

Leni calore liquata et mixta malaxando in magdaleones redige, tum in stannum foliatum involve.

Unguentum

pomadinum glaciale

(s. crystallisatum).

Rp. Olei Olivarum Provinc. 60,0

Cetacei 8,5 (aestate 10,0).

Leni calore liquatis admisce

Mixturae odoriferae 5,0.

Tum infunde in ollulas vitreas, quas sepone, ut unguentum in iis non agitatatum refrigerescat.

Unguentum pomadinum roseum s. rubrum.

Paretur uti Unguentum pomadinum album, ita tamen, ut loco Adipis suilli P. 100 adhibeas miscelam, ex

Adipis suilli P. 80 et

Adipis purpurati P. 20

paratam, vel adhibeas adipem, in quo Radix Alkannae digesta est.

Unguentum populeum.

Pomatum populeum.

Oleum populeum. Ungt. viride s. Gemmarum Populi. Ungt. Populi.

Pommade de bourgeons de Peuplier.

Rp. Gemmarum Populi, recenter

[¹] siccatarum 50,0

Adipis suilli 150,0.

Gemmas contusas cum Adipe liquefacto leni igne digere per dies tres, tum adde

Herbae Hyoscyami siccatae 5,0,

quae antea

Spiritus Vini rectfss. 5,0

humectavisti. Sepone per noctem unam, dein coque usque ad humidi consumptionem, tum ope preli calefacti cola et colaturam agita, donec refrixerit. Sit coloris e fusco viridis. (*Ad recepturam.*)

Ph. Gall. Gemm. Populi rec. siccatae 80, Fol. Papav. rec., Fol. Belladonn. rec., Fol. Hyoscyami rec., Fol. Solani nigri rec. aa 50, Adipis suilli 400. Vegetabilia contusa calore modico cum adipe calefiant, donec vapores aquosi non amplius excedunt, tum exprimentum colatura efficiatur.

(*Ad usum mercatorum.*)

Rp. Cerae flavae 200,0
 [2] Olei Hyoscyami 300,0
 Adipis suilli
 Unguenti Rorismarini comp.
 aa 500,0.

Liquando commisceantur.

Rp. Adipis viridati
 [3] Adipis suilli aa 250,0
 Lanolinae hydratae 50,0
 Cerae flavae 25,0.

Liquando commixtis adde
 Olei Rorismarini 5,0
 — Juniperi baccarum
 — Thymi aa 2,0.

Unguentum contra pruriginem

(Albert).

Albert's Jucksalbe.

Rp. Zinci oxydati puri 1,0
 Sulfuris sublimati
 Tincturae Opii croc. aa 0,5
 Olei Amygdalarum 8,0
 Adipis suilli 20,0
 Lanolinae hydratae 5,0.
 M. f. ungt.

Unguentum Pyrogalloli compositum

Unna.

Rp. Acidi pyrogallici P. 5
 Acidi salicylici P. 2
 Ammonii sulfoichthyolici P. 5
 Vaselinae flavae P. 88.
 Misce, ut unguen fiat.

Eodem modo paretur:

Ungt. Chrysarobinae comp.

Unna.

Loco Acidi pyrogallici Chrysarobinam impone.

Unguentum refrigerans

Unna.

Coldcream simplex. Feine Kühsalbe.

Rp. Lanolinae anhydrae 10,0

[1] Adipis benzoïnati 20,0

Aquae Rosae 30,0.

Misce.

Rp. Lanolinae hydratae

[2] Adipis benzoïnati

Aquae Rosae aa 20,0.

Misce. (Helcosis, combustiones.)

Ungt. refrigerans calcaratum

Unna.

Unna'sche Brandsalbe.

Rp. Lanolinae anhydrae 10,0

Adipis benzoïnati 20,0

Aquae Calcis 30,0.

M. Us.: Ambusto imponatur, membranae adustae infricetur.

Unguentum Regentis.

Pommade de Régent.

Rp. Hydrargyri oxydati rubri

Plumbi acetici aa 1,0

Camphorae 0,1

Vaselinae 18,0.

Misce l. a., ut fiat unguentum. *Ph. Gall.* (Ophthalmia, nebula cornea.)

Unguentum

Resinae (Pini).

Rp. Adipis suilli 88,0

Resinae Pini Burgund.

Cerae flavae aa 6,0.

Liquando mixta colentur.

Ph. Brit. Resinae Pini 8,0, Cerae flavae 4,0, Unguenti simplicis 16,0, Olei Amygdalarum 1,8.

Unguentum resolvens

(Girardii).

Rp. Terebinthinae Venet. 25,0
 Hydrargyri bichlorati corrosivi 5,0.

Terendo diligenter misce. (*Ad usum*
medicinae veterinariae.)

Unguentum resolvens

Pfeifferi.

Rp. Saponis viridis 50,0
Ammonii muriatici 3,0
Liquoris Ammonii caustici
Petrolei $\widehat{a}a$ 1,5.
Misce agitando.

Unguentum

rhagadisanans Steffen.

Unguentum ad cutem rimosam.
Salbe für rissige Hände.

Rp. Mentholi 1,5
Saloli 2,0
Olei Olivae 3,0
Lanolinae hydratae 50,0.
Misce l. a. Bis per diem infricandum.

Unguentum Rhedani

Dr. Wagneri.

Rpi Extracti Belladonnae
— Digitalis
— Prunellae $\widehat{a}a$ 1,0
Unguenti simplicis 12,0.
Misce.

Unguentum contra Rhinitidem scrophulosam

Liebreich.

Liebreich'sche Nasenkühlsalbe.

Rp. Acidi tannici 2,0
Jodoformii 1,0
Lanolinae hydratae 15,0
Adipis suilli 1,5.
Misce l. a.

Unguentum Rochardi

(contra scabiem).

Rp. Jodi 0,7
Calomelanos 2,0
Unguenti simplicis 50,0.
Misce exacte.

Unguentum

Rorismarini compositum.

Ungt. nervinum (*Pharmacopoeiarum*).
Rp. Adipis suilli 200,0

Sebi taurini 100,0

Cerae flavae

Olei Nucistae $\widehat{a}a$ 25,0.

Calore balnei aquae liquatis et semi-
refrigeratis admisce

Olei Rorismarini

— Juniperi bacc. $\widehat{a}a$ 12,5.

Ph. Germanica.

Unguentum rosatum.

Ungt. Aquae Rosae. Ungt. pomadinum.

Rp. Adipis suilli 100,0

[¹] Cerae albae 20,0.

Liquatis et semirefrigeratis adde

Aquae Rosae 10,0.

Bene agitando fiat unguentum al-
bissimum. *Ph. Germanica.*

Nota. Serva unguentum, Spiritus
Vini rectificati paulo superaffuso, in
ollis porcellaneis, bene obturatis. Ante
dispensationem quamque Spiritus de-
fundatur. Hoc modo semper unguen-
tum minus rancidum in promptu ha-
bebis.

Ph. U. St. Ol. Amygdal. 50, Cetacei
10, Cerae alb. 10, Aq. Rosae 30. M.

Ph. Austr. Adipis 300,0, Cerae alb.
75,0, Olei Bergamottae 1,5, Ol. Rosae 0,5.

Ungt. rosatum elegans.

Rp. Lanolinae anhydrae 60,0

[²] Ceresinae purae 10,0

Paraffinae liquidae

Aquae Rosae $\widehat{a}a$ 20,0.

Leni calore mixtis et semirefrigeratis
adde

Olei Rosae *Gutt.* 5

et agita, donec massa in unguentum
aequabile transducta fuerit.

Unguentum Rusci olei.

Rp. Saponis viridis

Sebi ovilli

Cerae flavae $\widehat{a}a$ 25,0

Olei Rusci 75,0.

Misce calore modico.

Unguentum Sabadillae.

Ungt. contra pediculos s. ad phthiriasin.

Rp. Unguenti simplicis 100,0

Seminis Sabadillae pulv. 25,0

Olei Lavandulae 1,0.

Misce leni calore. *Ph. Austr.*

Unguentum Sabinae.

Paretur [1] ex Herba Sabinae uti
Unguentum Belladonnae.

Rp. Extracti Sabinae 1,0

[²] Spiritus V. rectif. *Gutt.* 10.

Mixtis adde

Unguenti aerei 9,0.

Ph. Germanica.

Ph. Brit. Summit. Sabinae recent.
20,0, Adipis 40,0, Cerae flavae 7,5.
Calore balnei aquae per horae trien-
tem calefac, tum exprimendo cola.

Unguentum Salicis.

Rp. Succı expressi foliorum Sa-

licis recentium 10,0

Adipis suilli 15,0

Lanolinae anhydrae 10,0.

Leni calore contritae agitentur, do-
nec refrixerint.

Ph. paup. Succı q. s. cum adipe
miscetur.

**Unguentum
cum Sapone ferrico.**

Rp. Cerae flavae 10,0

Saponis ferrici liquidi 20,0.

Calore balnei aquae miscendo fiat
unguentum.

**Unguentum cum Sapone
ferrico phenylatum.**

Rp. Cerae flavae 40,0

Saponis ferrici liquidi 60,0.

Leni calore liquatis immisce mixtu-
ram paratam e

Saponis ferrici liquidi 20,0

Acidi carbolicı 5,0.

**Unguentum
saturninum cum Zinco**

Clinici.

Rp. Unguenti plumbici 18,0

Zinci oxydati 2,0.

Misce l. a.

**Unguentum
contra scabiem.**

I.

Unguentum ad scabiem Jasseri.

Rp. Baccarum Lauri pulv.

Sulfuris sublimati

Zinci sulfurici pulv. \widehat{aa} 10,0

Adipis suilli 40,0.

Misce, fiat unguentum.

II.

Unguentum Hellebori (Veratri)
sulfuratum.

Ungt. psoricum. Ungt. ad scabiem
Anglicum. Ungt. helleboratum.

Rp. Sulfuris sublimati 15,0

Rad. Hellebori albi pulv. 5,0

Kali nitricı pulv. 0,5

Saponis viridis 15,0

Adipis suilli 45,0.

M. f. ungt.

III.

Unguentum contra scabiem nobile.

Rp. Balsami Peruviani 25,0

Olei Caryophyllorum 5,0

Acidi carbolicı puri 5,0

Acidi aceticı 2,5

Tincturae Quillayae cort. con-
centratae 25,0.

Agitando exacte mixta commiscean-
tur cum

Adipis balsamici 250,0 et

Cerae flavae 25,0

antea colliquantis.

IV.

Unguentum Viennense.

Rp. Kali carbonici P. 2

Sulfuris sublimati

Picis liquidae \widehat{aa} P. 3

Saponis viridis

Axungiae Porci \widehat{aa} P. 6.

Misce. *Ph. Neerlandica.*

**Unguentum ad
scrophulos Hufelandi.**

Rp. Adipis suilli 100,0

Fellis Tauri insp. 25,0

Petrolei rectif. 12,5

Ammonii carbonici pyroleosi

Camphorae tritae \widehat{aa} 2,0.

Misce. (*Ph. Dan.*)

Unguentum simplex.

Rp. Adipis suilli 200,0

Cerae albae 50,0.

Liquando mixta agitentur, donec refrixerint. *Ph. Austr.*

Ph. Brit. Ceræ albae 10,0, Adipis benzoïnati 15,0, Olei Amygdal. 13,6. M.

Unguentum simplex constans.

Unguentum immutabile. Adeps mineralis. Axungia durabilis. Basis unguentaria.

Rp. Lanolinae anhydrae 30,0
Ceresinae (Cerae mineralis) 8,0
Vaselinæ 52,0
Aquae destill. 10,0.

Colliguata agita, donec massa refrixerit.

Unguentum Staphidis agriae.

Ungt. Staphisagriae.

Rp. Seminis Staphidis agriae, grosso modo pulv. 25,0
Adipis suilli 75,0.

Digere per diem unum et saepius agita, tum exprimendo cola.

Ph. Brit. Sem. Staphid. agriae 10,0, Adipis benzoïnati 20,0. Calore balnei aquae per horas duas calefac et exprimendo cola.

Unguentum Styracis.

Ungt. Styracis comp.

Rp. Olei Olivarum Provinc. 100,0

[¹] Ceræ flavae 25,0
Colophonii
Elemi aa 10,0.

Liquata et semirefrigerata commisce eum

Styracis liquidi 75,0.

Cola per cribrum.

Rp. Colophonii 36,0

[²] Ceræ flavae
Elemi aa 20,0
Olei Olivarum Prov. 30,0.

Leni calore liquatis admisce inter agitationem

Styracis liquidi 20,0.

(*Ph. Gall.*)

Usus: Pernioni, abcessui lente luxurianti imponitur, etiam contra scabiem adhibetur.

Unguentum sulfuratum (simplex).

Unguentum Sulfuris.

Rp. Sulfuris depurati *P.* 1

[¹] Adipis suilli *P.* 2.

Misce. Fiat unguentum.

Ph. Brit. Sulfuris subl. *P.* 1, Adipis benzoïnati *P.* 2.

Ph. Gall. Sulfuris loti 10,0, Ol. Amygdal 10,0, Adipis benzoïnati 80,0.

Aequali modo paretur:

Unguentum Sulfuris praecipitati *Ph. Gall.*

Ungt. sulfuratum *Ph. Austriae.*

Rp. Saponis kalini

[²] Adipis suilli aa 60,0.

Leni calore mixtis et liquatis, tum colatis sensim admisce, per cribrum trajiciendo,

Sulfuris sublimati 30,0

Cretae praep. 20,0

antea intime mixta. Sub finem adde

Picis liquidæ 30,0.

Fiat unguentum. *Ph. Austr., Ph. Hungarica.*

Unguentum sulfuratum alkalinum.

Pomatum antipsoricum alcalinum. Pomatum Helmerichii.

Rp. Kali carbonici 5,0

Aquae destill. 5,0

Olei Amygdalar. 5,0

Sulfuris depurati 10,0

Adipis suilli 35,0.

Conterendo l. a. fiat unguentum. (*Ph. Gall.*)

Usus: Contra scabiem, pityriasin, lepramet.

Ph. U. St. Sulf. dep. 20,0, Kali carb. 10,0, Aquae 5,0, Adipis benzoïnati 65,0.

Unguentum sulfuratum compositum.

Ungt. Zinci sulfuratum.

Rp. Sulfuris depurati

Zinci sulfurici subtilissime

pulverati aa 10,0

Adipis suilli 80,0.

M. f. unguentum. *Ph. Germ. vet.*

**Unguentum
Sulfuris jodati.**

Rp. Sulfuris jodati 5,0
Adipis suilli 45,0.
Misce exactissime.
Ph. Brit. Sulfuris jodati 5,0, Paraffinae 18,0, Ungt. Paraffinae 55,0.

Unguentum tannicum.

Ungt. Tannini. Ungt. Acidi tannici.
Rp. Acidi tannici 2,0
Spiritus Vini rectif. 1,5.
Exacte conterendo conjunctis immisce
Unguenti cerei 16,5.
Ph. U. St. Acidi tann. p. 1 et Adipis benzoïnati p. 9. M.

**Unguentum
Tartari stibiati.**

Ungt. stibiatum. Ungt. Stibio-Kali tartarici. Ungt. Autenriethii. Ungt. Antimonii tartarati.

Rp. Tartari stibiati 2,0.
Terendo in pulverem subtilissimum redacta commisce cum
Ungt. Paraffinae 8,0.
Ph. Germanica. (Brit.)
Ph. Gall. Tart. stib. 10,0, Adipis benzoïnati 30,0. *Ph. Neerl.* 1:6. *Ph. Fenn.* 1:4 Ungt. Paraff.

**Unguentum
terebinthinaceum**

Ph. Neerl.
Balsamum Locatelli *Ph. Neerl.*
Rp. Ligni Santali rubri 2,5
Olei Olivae 30,0.
Digere. In colatura leni calore solve
Cerae flavae 20,0
Terebinthinae 30,0.
Unguento inter agitationem paene refrigerato admisce
Balsami Peruviani 1,25.
Usus: Ad vulnera.

**Unguentum
Terebinthinae.**

Rp. Terebinthinae
Cerae flavae $\widehat{a}a$ 25,0.
Leni calore liquatis admisce
Olei Terebinthinae 25,0.
Agita, donec refrixerint. *Ph. Germanica.*

Ph. Brit. Ol. Terebinth. 7,0, Resinae Pini 1,0, Cerae flavae, Adipis ana 4,0.

**Unguentum
Terebinthinae
compositum.**

Rp. Terebinthinae laricinae 100,0
Vitelli ovorum gallinaceorum 10,0.

Agitando probe subigantur, dein interantur

Myrrhae pulv.
Aloës pulv.
Glycerinae $\widehat{a}a$ 3,0
Olei Terebinthinae 2,0
conterendo antea bene mixta. Tum immisce

Olei Olivar. Prov. 25,0,
ut fiat unguentum molle aequabile.
Ph. Germanica vet. Paretur aequali modo e

Terebinthinae laricinae P. 32
Vitelli Ovi P. 4
Myrrhae pulv.
Aloës pulv. $\widehat{a}a$ P. 1
Olei Olivar. Prov. P. 8.

**Unguentum
Terebinthinae
resinosum.**

Rp. Cerae flavae
Resinae Pini flavae
Terebinthinae
Sebi ana 10,0
Olei Olivae commun. 40,0.
Colliquata inter agitationem misce, donec refrixerint. *Ph. Fenn.*

Unguentum de uvis.

Ceratum uvarum.

Rp. Succii recentis uvarum ni-grarum
Butyri a sale liberati
Cerae flavae $\widehat{a}a$ 55,0
Lanolinae hydratae 10,0.

Calore balnei aquae mixta inter agitationem evapora, donec massa ad pondus 130,0 redacta fuerit. Tum massae e balneo aquae remotae adde

Olei Vitis viniferae 1,0

Olei Bergamottae 0,5

et denuo agita, ut massa paululum refrigeretur. Deinde massam semifluidam in capsulas papyraceas infunde.

Unguentum vegetabile vesicans.

Ungt. Mezerei cum Euphorbio.

Rp. Unguenti Mezerei

Unguenti basilici aa 9,0

Euphorbii subt. pulv. 2,0.

Misce.

Unguentum venae aureae

s. contra varices haemorrhoidales dolentes.

Loco Unguenti Linariae. *Goldne-Ader-Salbe.*

Rp. Ceræ flavæ 10,0

Adipis benzoïnati 30,0

Olei Hyoscyami cocti 20,0

Opii pulverati 0,5.

Liquando et conterendo misceantur.

Unguentum Veratrini.

Unguentum Veratriæ.

Rp. Veratrini 1,0.

Cum guttulis nonnullis Olei Amygdalarum optimi contritum commisce cum Adipis benzoïnati 50,0.

Ph. U. St. Veratrini 4,0, Alcohol. Vini 6,0, Adipis benzoïnati 96,0. In mortario tepido misceantur.

Ph. Brit. Veratrini 1,0, Paraffin. 14,0, Ungt. Paraffinae 41,0, Olei Olivæ 7,0.

Unguentum vesicatorium cum Euphorbio.

(Ad usum medicinæ veterinariæ.)

Rp. Unguenti basilic. fusc. 50,0

Cantharidum pulv. 15,0

Euphorbii pulv. 5,0.

Leni calore fiat unguentum.

Unguentum Zinci.

Ungt. de Nihilo.

Rp. Zinci oxydati venalis s. Cæussæ zincicæ P. 2

Adipis suilli P. 1.

Terendo in mortario porcellaneo calefacto laevigatis admisce

Ceræ albæ P. 3 et

Adipis benzoïnati P. 14

antea leni calore liquatas. Tum agita, donec refrixerint.

Ph. Germanica. Rp. Zinci oxydati venalis P. 1 et Adipis P. 9. Misce. = *Ph. U. St.* Zinci oxyd. 20, Adipis benzoïnati 80.

Ph. Austr. Adipis 100,0, Ceræ albæ 20,0, Zinci oxydati 20,0 contrit. cum Olei Amygdal. 10,0.

Ph. Brit. Zinci oxydati 4,0, Adipis benzoïnati 22,0.

Unguentum

Zinci compositum

sive Doctoris Wilsonii.

Wilson's Grindsalbe.

Rp. Adipis suilli 50,0

Benzoës pulv. 2,0.

Digere. Colaturæ admisce

Zinci oxydati 12,0.

(Contra eczemata, porriginem, pustulas etc.)

Unguentum

Zinci oleïnici.

Ungt. Zinci Oleatis.

Rp. Zinci oleïnici

Ungt. Paraffinae aa P.

Misce leni calore.

Urea.

CH₄N₂O. Ureum. Carbamidum.

Rp. Kalii ferro-cyanati flavi q. v.

In pulverem redactum vasi ferreoingere et supra carbones ardentes inter agitandum ab aqua crystallina plane libera. Hujus salis exsiccati

Partes 28

commisceantur cum

Mangani hyperoxydati subt. pulv. P. 14,

tum in vas ferreum minime profundum ingestæ inter continuam agitationem rutilæ aestuent, cavendo, ne miscela in massam unam coëat. Igitur agitatione diligenti massæ conglutinatio impedienda est. E miscela post aestuationem refrigerata et trita Aquæ destillatæ frigidissimæ non nimia quantitate iterum iterumque macerando sal eliciatur.

Solutiones sale saturatas priores ab ulterioribus dilutioribus separa.

In solutionibus dilutioribus conquisando solve

Ammonii sulfurici sicci *P.* 25, deinde eas cum solutionibus saturatis confunde et per aliquod horas loco frigido sepone. Liquor a Kalio sulfurico orto filtratione separatus in balneo vaporis temperaturae 75° Cels. therm. non excedentis ad volumen dimidium remanens evaporetur et loco frigido seponatur. Iterum Kalio sulfurico demisso separato, fluidum in balneo vaporis ejusdem temperaturae ad siccum evaporetur. Residuo contrito, in cucurbitam vitream ingesto, affunde

Spiritus V. rectfss. *P.* 60—70

circiter, et ad lenem ebullitionem calefac. Solutionem fervidam, per linteum colatam, Spiritus Vini magna parte elicit destillando e retorta vitrea, ad crystallisationem loco frigido sepone. Crystalla decoloria demissa collige, inter strages chartae bibulae premendo sicca et in lagenula obturata asserva. *Effic.* circiter *P.* 18. Sint crystalla prismatica acicularia, saporis refrigerantis, amariuseuli, odoris expertia. *Dosis:* 0,5—1,0—2,0 (affectiones hydropicae).

Urea nitrica.

Ureum nitricum.

Rp. Acidi nitrici (p. spec. 1,18—1,20) *P.* 10.

Hoc acidum, antea in vas porcellaneum apertum ingestum, usque ad ebullendum calefac, ut a gasis fortasse adhaerentibus nitrosis plane liberum fiat. Acido tum affunde inter agitandum

Ureae purae *P.* 3, in

Aquae dest. fervidae *P.* 3

solutas. Tum loco frigido per 24 horas sepone. Massa orta crystallina colando separata, e liquore colato evaporando et refrigerando crystallula elice.

Crystallula omnia collecta in Aquae destillatae ferventis duplo solvantur et iterata crystallisatione depurentur. Lenissimo calore siccata asserventur. *Efficuntur* circiter *P.* 6. Sint crystallula lamellaria sive acicularia alba acida.

Urethanum.

Aethyl-Urethan. Aethylo-aether carbaminicus. $\text{CO}\cdot\text{NH}_2\cdot\text{O}\cdot\text{C}_2\text{H}_5$.

Rp. Ureae nitricae tritae

Spiritus V. absoluti aa *P.*

Ingere in tubum vitreum, quod conflando claudatur. Tum tubum in balneum Calcei chlorati impone et per horas tres vel quatuor ad 120—130° C. calefac. Massam refrigeratam in Aqua destillata solve et affuso

Aethere aethylico

bis terve exquassa. Liquores aethereos decanthatos destillando ab aethere quam maxime libera, tum massam residuam solvendo in aquae copia parva filtrando seponendoque in crystalla transduc, quae operatio, si opus fuerit, repetatur. Sint crystalla columnaria decoloria, saporis refrigerantis, calore 50° liquescentia, calore 175° C. sublimatum praebentia, facile solubilia in aqua, spiritu, aethere, chloroformio.

Dosis: 2,0—4,0 in aqua et syrupo soluta vel semihoriorum 1,0 bis quaterve. (Hypnoticum, agrypnia nervosa, cardiopathia).

Vanilla pulverata.

Rp. Pulpae e Siliquis Vanillae exemtae *P.* 1

Sacchari Lactis *P.* 4.

Terendo in mortario porcellaneo commisceantur.

Vanilla saccharata.

Pulvis Vanillae cum Saccharo.

Sucre de la Vanille.

Rp. Vanillae *P.* 1.

Minutim concisa cum

Sacchari *P.* 9

conteratur, donec pulvis aequabilis effectus fuerit, qui per cribrum trajectus in vase clauso servetur. *Ph. Gall.*

Vanillina.

$\text{C}_8\text{H}_8\text{O}_3 \sim \text{C}^{16}\text{H}^8\text{O}^6 = 152$.

Vanillina, quae saepius siliquis Vanillae adhaeret, modo mechanico colligenda est. Vanillina, quam siliqua continet, Aethere extrahatur et, aethere destillando separato, solvendo in aqua, filtrando etc. in crystallula transducatur (Nervinum, stimulans). *Dosis:* 0,1—0,15—0,2 ter quaterve per diem.