

INDEX RERUM.

A.

| | |
|-----------------------------|----------|
| A brotanum | I. 128 |
| Abforbentia | II. 130 |
| Abfynthium | I. 129 |
| Acacia Germanica | II. 13 |
| Acaciæ veræ succus | II. 40 |
| Acetofa | I. 17 |
| Acetofella | II. 135 |
| Acetum saturni | III. 112 |
| Acetum quid? | ibid. 74 |
| efurinum | 91 |
| Aceti principia | 4 |
| Diversitas | 5 |
| Vires | 5 |
| Præparata | 6 |
| Acidum nitri quod? | II. 103 |
| Acidorum Mineralium species | III. 70 |
| Acidum Vitrioli | ibid. 70 |
| Aluminis | 71 |
| Sulphuris | 71 |
| Nitri | 71 |
| Salis | 71 |
| Acida venena | 70 |
| Acipenser | I. 77 |
| Aconiti vires | III. 36 |
| Acorus palustris | II. 21 |

N 3

Aco-

INDEX RERUM.

| | |
|------------------------------------|-----------------|
| Acorus | I. 131 |
| Acrimoniae alcalinae contraria | II. 135 |
| Acrimoniae Muriaticae contraria | — 145 |
| Acrimoniae oleosae contraria | — 152 |
| Adamas | III. 105 |
| Adeps quid? | — 13 |
| Adstringentia quæ? | II. 13 |
| Aer diu reclusus | III. 134 |
| animalibus corruptus | — 135 |
| Mineralibus infectus | — 135 |
| Æolipylae usus | I. 119 |
| Æs | III. 88 |
| Æris calx | ib. 90 |
| Calcis usus | — 91 |
| Ærugo quid? | — 91 |
| destillata | — 91 |
| Æruginis usus | — 91 |
| Spiritus | — 91 |
| Æther | II. 62 |
| Æthiops Mineralis | ib. 202 |
| Agallochum | I. 131 |
| Agaricus | II. 223 |
| Alauda | I. 74 |
| Albumen ovi optimum est alimentum | ib. 101 |
| Alchymilla | II. 21 |
| Alcali. vide Salia. | |
| mineralis a vegetabili distinctio. | III. 70 |
| Alcea | II. 4 |
| Alcohol | ib. 128 |
| Alexipharmaca quæ? | III. 3 |
| Alexiteria quæ? | ibid. 3 |
| Alkekengi | II. 174 |
| Aloe | ibid. 221. seq. |
| Allium | — 78 |
| Alliaria | — 78 |
| Althea | II. 4 |
| | Alu- |

INDEX RERUM.

| | | |
|------------------------|------|-----|
| Alumen quid? | II. | 51 |
| Quotuplex | ib. | 51 |
| Usum | — | 53 |
| Aluminis principia | — | 51 |
| Proprietates | — | 52 |
| Ufus | — | 52 |
| Ambarum liquidum | I. | 199 |
| Ambra Gryfea | — | 187 |
| Amia | — | 82 |
| Amygdalæ | — | 35 |
| Amygdalarum olei vires | — | 35 |
| Amylum quid? | — | 8 |
| Amyli usus Medicus | — | 10 |
| Anomum | — | 132 |
| Amphibia quæ? | — | 77 |
| Ananas | — | 121 |
| Anacardii vires | III. | 37 |
| Anas | I. | 68 |
| Anemones vires | III. | 37 |
| Anethum | I. | 133 |
| Angelica | I. | 133 |
| Anguilla | — | 68 |
| Animalium exhalatio | — | 111 |
| Producta | — | 69 |
| Victus | — | 62 |
| Anisum | — | 134 |
| Stellatum | — | 135 |
| Anodyna quæ? | II. | 232 |
| Antacida quæ? | — | 130 |
| Antiaristoloehica | — | 190 |
| Antidota quæ? | III. | 3 |
| Antiemmenagoga | II. | 190 |
| Antihecticum Poterii | III. | 115 |
| Antimonium quid? | — | 69 |
| Crudum innocuum | — | 93 |
| Quando noxium | — | 93 |

INDEX RERUM.

| | |
|---------------------------------------|--------------|
| Antimonium crudam an solvatur in aqua | III. 94 |
| Diaphoreticum | — 98 |
| Antimonii principia | — 92 |
| Ufus Medicus | — 94 |
| Præparata | ib. 95 seq. |
| Æthiops | — 99 |
| Butyrum | — 75 |
| Antiscorbutica | II. 78 |
| Aper | I. 63 |
| Apii Rifus noxæ | III. 37 |
| Cura | ib. 38 |
| Apium | I. 18 |
| Apocyni Noxæ | III. 38 |
| Apophlegmatifonta | II. 191 |
| Aqua calcis vivæ quotuplex | ib. 147 seq. |
| Aquæ calcis vivæ ufus medicus | — 150 |
| Aqua della toffina | III. 34 |
| Aquæ huius Antidotum | — 34 |
| Aqua florum fabarum | I. 14 |
| Aqua fortis | III. 71 |
| Aqua Rabellii | II. 59 |
| Regia | III. 71 |
| Aqua generale antidotum | — 9 |
| Aqua ærofa venenum. | — 91 |
| Aquæ frigidæ effectus | — 7 |
| Calidæ effectus | — 7 |
| Aqua marina artificialis. | I. 181 |
| ut dulcificari poffit | II. 49 |
| Aquæ Medicatæ | — 213 |
| Antonianæ | — 214 |
| Ægranæ | — 214 |
| Carolinæ | — 214 |
| Aquæ Med. Piperinæ | — 214 |
| Pirmontanæ | — 214 |
| Roitschienfes | — 214 |
| | Seite- |

INDEX RERUM.

| | |
|---------------------------------------|---------------|
| Aquæ Med. Selteranæ | II. 215 |
| Schwalbacenfes | — 215 |
| Sedlicenfes | — 215 |
| Spadanæ | — 215 |
| Wisbadenfis | ibid. |
| Aqua panis | I. 7 seq. |
| Aqua phagedænica | II. 151 |
| Aqua pluvia etiam dat acidum vitrioli | — 97 |
| Aranea | III. 119 |
| Arbutus | II. 14 |
| Arcanum duplicatum | ib. 64. 102 |
| Ardea | I. 69 |
| Argentum | III. 73 |
| Ari Noxæ | — 39 |
| Boni affectus | — 40 |
| Veneni Medicina | ibid. |
| Aristolochica quæ? | II. 186. seq. |
| Aristolochia | — 187 |
| Armeniaca | I. 36 |
| Arnicae vire | III. 39 |
| Arsenicum quid? | — 29 |
| Factitium quotuplex | — 33 |
| Album quid? | — ibid. |
| Citrinum quid? | — 34 |
| Arsenici Notæ characteristicæ | — 30 |
| Proprietates | — ibid. |
| Nativi species | — ibid. |
| Noxæ | ib. 34 |
| Antidotum | — ibid. |
| Medicina | ib. 34. 35 |
| Arthemisia | I. 128. 135 |
| Arteriotome | III. 193 |
| Arum | ib. 39 |
| Afa foetida | I. 167 |
| Afarum | II. 210 |
| Afellus | I. 80 |
| N 5 | Aspa- |

INDEX RERUM.

| | | |
|---------------------------------|---------|----------|
| Asparagus | II. | 174 |
| Aspis | III. | 126 |
| Attenuantia quæ? | II. 72. | III. 152 |
| Attenuantia quando indicentur | II. | 72 |
| Absterfiva | | ibid. |
| Gummi aromatica | | ib. 77 |
| Alcalescentia | | — 78 |
| Salina | | — 83 |
| Saponacea | | — 77 |
| Atmosphæra animalium putrid. | III. | 137 |
| Aquam putrefact. | | ibid. |
| Ædificiorum recentium | | ib. 138 |
| Vegetabilium Noxiorum | | ibid. |
| Atramentum sympatheticum | III. | 28 |
| Avellanæ | I. | 36 |
| Avenæ noxæ | | — 2 |
| Ufus | | ibid. |
| Avis Nivis | I. | 74 |
| Auricula Iudæ | II. | 43 |
| Aurantia | I. | 36 |
| Aurantiorum pulvis in Epilepsia | I. | 38 |
| Auripigmentum unde dictum? | III. | 31 |
| Nativum insipidum | | — 32 |
| Auripigmenti proprietates | | ibid. |
| Ufus | | ibid. |
| Aurum | ib. | 72 |
| Fulminans | | ibid. |
| Ufus | | ib. 73 |
| Azederach noxæ | | — 40 |
| Medicina | | — 40 |
| B. | | |
| Balneum terræ | I. | 113 |
| Balsama quæ? | | — 198 |
| Quotuplicia | | — 198 |
| Artificialia | | — 208 |
| | | Bal- |

INDEX RERUM.

| | |
|---|--------------|
| Balsamus de copaiva | I. 199 |
| Peruvianus | ibid. |
| Toletanus | ib. 200 |
| Balsamus saturni | III. 113 |
| Balsamus arcæol | I. 208 |
| Balsami sulphuris varii | II. 145 |
| Balaustia | — 32 |
| Bardana | — 72 |
| Beccabunga | — 79 |
| Belladonæ vires | III. 55 |
| Benzoinum | I. 175 |
| Benzoini falsi ab aliis falsibus diversitas | ib. 176 |
| Berberis | II. 15 |
| Beta | I. 19 |
| Betonica | ib. 123 |
| Betula | II. 175 |
| Bezoar inanis vis | III. 24. 25 |
| Bilis animalium | II. 77 |
| Biliofis qualis diæta conveniat | I. 105 |
| Bistorta | II. 22 |
| Bitumen quid? | I. 180 |
| Bituminis diversa ab aliis substantiis natura | ib. 180 181 |
| Bolus quid? | II. 48 |
| Armena | ib. 48. seq. |
| Variæ | ib. 48 |
| Bombax | — 5 |
| Borrago | I. 122 |
| Borax quid? | II. 91 |
| Boracis proprietates | ib. 92 |
| Principia | — 94 |
| Ufus medicus | — 95 |
| Præparata | ibid. |
| Bos | I. 65 |
| Botrys | ib. 124 |
| Branca ursina | II. 5 |
| Brama | I. 86 |
| | Braffi- |

INDEX RERUM.

| | |
|-------------------------|-----------|
| Brassica | I. 19. 20 |
| Bryonia | II. 227 |
| Buffo | III. 120 |
| Buglossum | I. 123 |
| Butyrum quid? | — 98 |
| Ufus | III. 13 |
| Butyrum antimonii | — 73 |
| C. | |
| Cacao | II. 120 |
| Caiaput oleum | I. 138 |
| Calamintha | ib. 136 |
| Calx quid? | II. 145 |
| Calx viva | — 145 |
| Calcis viæ proprietates | — 146 |
| Ufus medicus | — 150 |
| Calendula | — 156 |
| Calomet quid? | — 205 |
| Camphora | I. 189 |
| Cancer | ib. 88 |
| Cancrorum chelæ | II. 230 |
| Lapides | — 131 |
| frequentior ufus noxius | I. 89 |
| Cannabis | — 5 |
| Cantharis | III. 120 |
| Rabiei antidotum | ib. 21 |
| Capillus venëris | II. 22 |
| Capparidis cortex | — 34 |
| Capra | I. 65 |
| Capreolus | — 66 |
| Cardamomum | — 137 |
| Cardiaca nervea quæ? | — 107 |
| quando indicentur | ibid. |
| Stimulantia quæ? | — 120 |
| | Car- |

INDEX RERUM.

| | |
|---------------------------------|---------------|
| Carduus benedictus | II. 156 |
| Mariæ | — 157 |
| Carlina | — 158 |
| Caryum | I. 138 |
| Caryophyllata | II. 138 |
| Caryophyllus | I. 138 |
| Cascarilla | — 142 |
| Caseus quid? | — 99 |
| Cassava | III. 58 |
| Cassia fistula | II. 217 |
| Lignea | I. 139 |
| Castor | — 64 |
| Castoreum | — 194 |
| Cataputiæ minoris noxæ | III. 41 |
| Cataputiæ minoris vis in cancro | ibid. |
| Maioris vis anthelmintica | ib. 42 |
| Catechu | II. 40 |
| Caustica quid? | III. 185 |
| Rubefaciencia | ib. 185. seq. |
| Cathæretica escharotica | — 188 |
| Centaurium minus | II. 159 |
| Cepa | — 79 |
| Cera | — 6 |
| Cerafa | I. 38 |
| Cerealia quæ? | — 1 |
| Cerevisia quæ? quibus conveniat | — 104 |
| Medicata | — 104 |
| Cerei venerei | III. 110 |
| Cerussa | — 112 |
| Cervus | I. 66 |
| Ceterach | II. 22 |
| Chamæpitis | I. 140 |
| Chamæleon niger | III. 42 |
| Chamæmelon | II. 187 |
| Chamomilla | — 188 |
| | Cha- |

INDEX RERUM.

| | |
|------------------------------|---------|
| Chamomillæ romanæ flores | II. 232 |
| Chærophyllum | I. 21 |
| bulbosum pro Cicuta venditur | — 34 |
| temulum pro eadem | III. 59 |
| Chermes | II. 70 |
| China chinæ | — 35 |
| Chinæ radix | — 150 |
| Christophoriana | III. 42 |
| Cicer | I. 12 |
| Cichorium | — 22 |
| Cicutæ vires | III. 58 |
| Cicutæ aquaticæ noxa | — 61 |
| Cicutaria palustris | — 62 |
| Cicutaria pannonica | I. 34 |
| Cinnabaris antimonii | II. 200 |
| Factitia | — 200 |
| Nativa | — 201 |
| Cinnamomum | I. 140 |
| Citrea | ib. 39 |
| Citrulli | — 40 |
| Clematis | III. 43 |
| Clupea | I. 84 |
| Clyfma pingue quibus profuit | III. 14 |
| Clyster tabacinus | II. 192 |
| Cobaltum unde dictum | III. 27 |
| Quid? | — 27 |
| Semimetallum est | — 27 |
| Venenum est | — 28 |
| Cobalti noxæ | III. 28 |
| Praeparata | — 29 |
| Cobitis | I. 85 |
| Cochlearia | II. 79 |
| Cochleae testæ | ib. 132 |
| Coccum cnidii | III. 43 |
| Colchicum | ib. 44 |
| Colophonía | I. 204 |
| | Co- |

INDEX RERUM.

| | |
|------------------------|----------|
| Colocynthis | II. 228 |
| Coluber | I. 80 |
| Columba | I. 75 |
| Conchae ostracodermata | II. 132 |
| Contraiervae radix | — 160 |
| Corallia alba | — 133 |
| Rubra | — 133 |
| Corallina | — 133 |
| Coriandrum | I. 143 |
| Coriaria | III. 44 |
| Corni | II. 16 |
| Corona imperialis | III. 44 |
| Cortex peruvianus | II. 35 |
| Cortex Winteranus | I. 142 |
| Cottus | ib. 82 |
| Coturnix | — 71 |
| Cremor lactis quid? | — 98 |
| Tartari | II. 137 |
| Crepitus lupi | ib. 43 |
| Creta | — 49 |
| Crocus | I. 114 |
| Croci menstrua | — 114 |
| Noxae | — 114 |
| Vires | — 114 |
| Praeparata | — 115 |
| Crystallus montana | III. 105 |
| Crystalli tartari | II. 137 |
| Cucumis asininus | III. 45 |
| Cucumeres | I. 41 |
| Cucurbitae | — 41 |
| Culilawan | — 139 |
| Cuminum | I. 144 |
| Cuprum quid? | III. 88 |
| | Cu- |

INDEX RERUM.

| | |
|-------------------|-----------|
| Cupri menstrua | III. 88 |
| Principia | — 89 |
| Vis venenata | — 89 |
| Medica | — 90 |
| Praeparata | — 90 |
| Curcuma | II. 175 |
| Cyclamen | III. 45 |
| Cydonia | I. 42. 43 |
| Cynara | — 43 |
| Hydropis auxilium | — 45 |
| Cynosbati | II. 16 |
| Cynosbati spongia | III. 116 |
| Cynoglossum | II. 235 |
| Cyprinus | I. 86 |
| Cyperus uterque | I. 144 |

D.

| | |
|----------------------------|-------------|
| Dactyli | I. 44 |
| Dama | — 66 |
| Datura | III. 63 |
| Daucus | I. 28 |
| Dentalium testae | II. 130 |
| Deplentia Chirurgica | III. 191 |
| Detergentia quid? | — 172 |
| Deterg. quando indicentur | — 172 |
| digestiva | — 172 |
| irritantia | — 175 |
| antiputredinosa | — 177 |
| Diaeta lactea | I. 95 |
| quibus conveniat | ib. 96 |
| anni temporibus conveniens | I. 92. seq. |
| aetatibus conducens | ibid. |
| temperamentis | ibid. |

Dieta-

INDEX RERUM.

| | |
|------------------------|----------|
| Dictamnus albus | I. 145 |
| creticus | — 145 |
| Digestiva quid? | III. 169 |
| Emollientia | — 169 |
| Balsamica | — 170 |
| Adstringentia | — 171 |
| Escharotica | — 171 |
| Diluentia quæ dicantur | — 152 |
| Diuretica quæ? | II. 173 |
| varia sunt | — 174 |
| quando indicentur | — 173 |
| Diuresim fistentia | II. 165 |
| Doronicum | III. 63 |
| Draba | II. 80 |
| Draco Marinus | I. 81 |
| Dracontium | III. 46 |
| Dulcamara | — 64 |

E

| | |
|---|---------|
| Ebuli baccae | II. 73 |
| Elaterium | III. 45 |
| Embrocatio oleosa convulsiones praevertit | — 14 |
| Emetica | II. 209 |
| quando indicentur | — 209 |
| Emollientia quæ? | — 3 |
| Emmenagoga quæ? | — 186 |
| Endivia | I. 23 |
| Ens Veneris Boyle | III. 90 |
| Enula | I. 148 |
| Equisetum | II. 23 |
| Errhinna quæ? | — 191 |
| Ervum | I. 13 |
| Eruca | II. 80 |

Crantz M. M. T. III.

O

Eryfi-

INDEX RERUM.

| | |
|------------------------|------------------|
| Erysimum | II. 81 |
| Eryngium | — 176 |
| Efula | III. 46 |
| Eupatorium | II. 176 |
| Euphorbium | III. 47 |
| Exhalationes animalium | I. 111 |
| Terrae | — 112 |
| noxiae | III. vide vapor. |
| Exsiccantia quid? | III. 179 |
| indicantur | ibid. |
| contra indicantur | ibid. |
| bibula | — 180 |
| Adstringentia | — 181 |
| Aromatica | — 183 |

F

| | |
|------------------|----------|
| Faba | I. 14 |
| Fagopyrum | — 2 |
| Farina fecalis | — 7 |
| Tritici | — 8 |
| Fabarum | — 14 |
| Lupinorum | — 15 |
| Ferrum | II. 65 |
| genesis | — 67 |
| Ferri principia | — 68 |
| proprietas | — 67 |
| usus Medicus | — 67 |
| praeparata | — 69 |
| Ficus | I. 44 |
| Ficedula | — 75 |
| Flores Antimonii | III. 104 |
| Benzoes | I. 175 |
| Rosarum rubrarum | II. 33 |

Flo-

INDEX RERUM.

| | | |
|--------------------------|--|----------|
| Flores Sal. ammon. simp. | | II. 92 |
| Martial | | ibid. |
| Sulphuris | | — 143 |
| Zinci | | — 65 |
| Fonticulus | | III. 195 |
| Formicae | | II. 117 |
| Fœniculum | | — 176 |
| Fœnu graecum | | — 8 |
| Fraga | | I. 45 |
| Fraxini cortex | | II. 35 |
| Fulica | | I. 69 |
| Fuligo | | II. 168 |
| Fumaria | | — 74 |
| Fumus Sulphuris | | III. 137 |
| Fungi | | — 116 |
| Fungus igniarius | | II. 43 |
| Fungus vinosus | | — 44 |
| Fungus Melitenfis | | ibid. |

G

| | | |
|---------------------|--|---------|
| Galanga utraque | | I. 146 |
| Gallina Corylorum' | | — 72 |
| Gallo - pavo | | ibid. |
| Gallus gallinaceus | | — 71 |
| Garrulus Bohemicus | | — 67 |
| Gallinago | | — 69 |
| Gelatinae animalium | | II. 121 |
| Genista | | — 210 |
| Gentiana | | I. 147 |
| Glans quercina | | II. 17 |
| Gnaphalium | | — 24 |
| Gummi quid? | | I. 163 |
| Menstrua | | — 166 |

Gum-

INDEX RERUM.

| | |
|-------------------------|-----------|
| Gummi ammoniacum | I. 167 |
| ibid. Bdelium | — 168 |
| — Elemi | — 177 |
| — Galbanum | — 169 |
| — Lacca | — 170 |
| — Opöpanax | — 175 |
| Gummi Arabicum | II. 122 |
| Gummi Ceraforum | — 123 |
| Gummi Tragacanth. | ibid. |
| Gummi gotrae | — 229 |
| Gummi-Resinae | I. 163 |
| — Principia | — 165 |
| Gummata artefacta quae? | II. 3 |
| Granata | II. 19 35 |
| Granatorum cortex | — 35 |
| Gratiola | — 229 |
| Grutum | I. 2 |
| Gypsum | III. 107 |

H

| | |
|--------------------------|---------|
| Halex | I. 85 |
| Hedera arborea | II. 24 |
| Helleborus niger | III. 47 |
| Hellebori nigri vis | — 48 |
| Hellebori Nigri analysis | — 49 |
| — praeparata | — ibid. |
| Helleborus albus | — ibid. |
| Hellebori albi noxae | — 50 |
| — analysis | — ibid. |
| — usus | — ibid. |
| Hermodactylus | — ibid. |
| Herniaria | II. 177 |
| Hepar Antimonii | III. 97 |

Hip-

INDEX RERUM.

| | | |
|------------------------------------|------|-------|
| Hippomane | III. | 51 |
| Hirudo | | 191 |
| Hordeum | I. | 3 |
| quotuplex? | | 3 |
| Hordei cremor | | 4 |
| farinae vis | | ibid. |
| Hortulanus | | 78 |
| Huso | | 78 |
| Hyacinthus | III. | 51 |
| Hyacinthus Tuberosus | I. | 125 |
| Hydromel | III. | 13 |
| Hyosciamus | | 64 |
| Hypericon | I. | 147 |
| Hypocistidis succus | II. | 41 |
| Hyslopus | I. | 148 |
| I | | |
| Jalappa | II. | 224 |
| eius refina | | ibid. |
| Jasmini flores | I. | 115 |
| Ichthyocolla | II. | 124 |
| Imperatoria | I. | 148 |
| Infantibus qualis-diaeta conveniat | | 106 |
| Insecta quae? | | 88 |
| Inspissantia quae? | II. | 120 |
| quando indicentur | | ibid. |
| ex quibus petantur | | ibid. |
| Obvolventia | | ibid. |
| ex coagulantibus | | 128 |
| Ipecacuanha | | 211 |
| Iris nostras | | 177 |
| Iris florentina | | 230 |

INDEX RERUM.

Juglans I. 45
 Juniperus — 149

K

Kermes minerale III. 102
 ufus — 103

L

Lac I. 91
 quid? — ibid.
 quibus componatur? — 92
 ex uberibus ductum optimum — 94
 Medicatum factum in corpore animali — 95
 Medicatum factum cum aquis Mineralibus — 97
 purgans — 95
 Lactis Bonitatis gradus — 93
 differentiae ex assumptis — 92
 a pastu — 98
 Lactis ex uberibus ducti usus — 94
 diversae partes — 98
 Lactis ferum — 99
 ferum artificiale — 100
 feri usus — 99
 faccharum — 100
 Lacerta III. 124
 Lactuca I. 23
 Ladanum — 125
 Lagopus — 73
 Lampetra — 78
 Lapathum II. 25
 Lapis armenus quid det III. 35
 an Medicinalis — ibid.
 La-

INDEX RERUM.

| | |
|------------------------------|----------|
| Lapis Lazuli quid det? | III. 35 |
| Lapis Haematites | II. 69 |
| Lapis infernalis | III. 74 |
| quando indicetur | ibid. |
| Lapis porcinus | II. 77 |
| Lapis, piedra de la Serpente | III. 24 |
| Lavendula | I. 150 |
| Laurus | — 151 |
| Laurocerafus | III. 86 |
| Legumina unde dicta? | I. 12 |
| Lepus | — 64 |
| cuniculus | ibid. |
| Lepus Marinus | III. 124 |
| Lens | I. 14 |
| Lentis noxae | — 15 |
| ufus | ibid. |
| Levisticum | II. 160 |
| Lilii albi flores | I. 116 |
| Lilii convallii flores | ibid. |
| Limax | — 89 |
| Limonia | — 47 |
| Linum | II. 8 |
| Liquiritia | — 124 |
| Liquor Manchini | — 63 |
| Liquor vini probatorius | III. 32 |
| Lithantraces | — 132 |
| Lolium | — 65 |
| Lucius | I. 87 |
| Lucio perca | — 82 |
| Lupinus | — 15 |
| Lupini farina | ibid. |
| Lycopodii semen | II. 45 |
| Lyfimachia | — 26 |
| Lythargyrus | III. 110 |

INDEX RERUM.

M

| | |
|---------------------------------------|---------------|
| Macis | I. 155 |
| Magisterium stanni | III. 115 |
| Magisterium sulphuris | II. 143 |
| Magnesia alba | — 102 |
| Maiorana | I. 152 |
| Malva | — 24 |
| Malicorium | II. 35 |
| Mammalia quae animalia? | I. 63 |
| Manati | — 64 |
| Manna | II. 218 |
| Margaritae | — 134 |
| Marrubium album | — 188 |
| Marum verum | I. 153 |
| Martialis fontium Medicatorum fœx | II. 69 |
| Mastix | I. 178 |
| Mastichina | — 154 |
| Materia Chirurgica | III. 140 seq. |
| Mater perlarum | II. 134 |
| Matricaria | — 189 |
| Mays | I. 4 |
| Mechoacanna | II. 224 |
| Melancholicis qualis diaeta conveniat | I. 105 |
| Mel quid? | III. 9 |
| vim plantarum habet | — 10 |
| venenatum | — 11 |
| Mellis differentiae unde? | ibid. |
| saponaceae vires | ib. seq. |
| usus Medicus | — 12 |
| Praeparata | ibid. |
| Melissa | I. 117 |
| Melones | — 48 |
| Mentha | — 154 |
| Mercurialis | II. 9 |
| | Mer- |

INDEX RERUM.

| | |
|----------------------------------|----------|
| Mercurius Rabei remedium. | II. 199 |
| Mercurii principia | — 196 |
| ufus Medicus | ibid. |
| Praeparata | — 200 |
| Mercurius praecipitatus' albus | — 203 |
| flavus | — 204 |
| ruber | — 203 |
| viridis | — 204 |
| Mercurius fublimatus corrofivus. | — ibid. |
| Mercurius dulcis | — 206 |
| Mergus | I. 68 |
| Merlangus | — 81 |
| Merula | — 76 |
| Mespili | II. 17 |
| Meum | — 178 |
| Milium | I. 4 |
| Millefolium | II. 233 |
| Millepedes | — 184 |
| Minerae quid? | — 50 |
| Minium | III. 104 |
| Miva Cydoniorum | I. 42 |
| Mollufca quae? | — 89 |
| Mora | — 40 |
| Mofchus | — 195 |
| Mucilaginis fubiecta | II. 9 |
| diverfa in diverfis quantitas | — 10. |
| Mugil | I. 87 |
| Mullus | — 83 |
| Mundificantia quid? | III. 172 |
| Mufcus caninus | II. 45 |
| Cumatilis | — 46 |
| Muftela | I. 81 |
| Muftum | — 60 |
| quid caufet | — 140 |

O 5

Myro-

INDEX RERUM.

| | | |
|------------------|---|--------|
| Myrobalani omnes | - | II. 18 |
| Myrthi baccae | - | — 19 |
| Myrrha | - | I. 171 |
| Myrtilli baccae | - | — 49 |
| Mytilus | - | — 90 |

N

| | | |
|---------------------|---|-------------------|
| Naphta vitrioli | - | II. 62 |
| Napus | - | I. 28 |
| Natra | - | II. 216 |
| Narcotica quæ? | - | II. 132. III. 232 |
| Nasturtium Hortense | - | II. 81 |
| aquaticum | - | ibid. |
| Nigella | - | II. 191. III. 52 |
| Nitrum quid? | - | II. 97 |
| ut generetur | - | — 98 |
| Antimoniatum | - | — 103 |
| Nitri principia | - | — 99 |
| proprietas | - | — 100 |
| Vis Medica | - | — 102 |
| Præparata | - | ibid. |
| Nux Moschata | - | I. 155 |
| Nux Vomica | - | III. 66 |

O

| | | |
|---|---|---------|
| Ocymum | - | I. 118 |
| Oenanthe | - | III. 67 |
| Olea quid? | - | — 13 |
| quam acrimoniam emendent | - | ibid. |
| Recentia pressa, nec aquæ, nec spiritui vini miscentur | - | — 14 |
| | | Olea |

INDEX RERUM.

| | |
|---|------------------|
| Olea pressa destillata spiritu vini solvuntur | III. 14 |
| Rancida venena sunt | ibid. |
| Omnia in saponem non coguntur | ibid. |
| ut possint aquæ miscibilia reddi | II. 14 |
| Olea acido laborantibus conveniunt | — 134 |
| Olei diversa ex diversis quantitas elicitur | — 11 |
| inunctio Hydropis auxil. | ibid. |
| Olea Empyreumatica | — 168 |
| Oleum ætherum terebinthinæ | I. 203 |
| Oleum animale Dippelii | II. 118 |
| Oleum palmæ | I. 201 |
| Oleum tartari | III. 81 |
| Oleum templinum | I. 206 |
| Oleorum vires | II. 10 & III. 13 |
| Oleander | III. 52 |
| Olera unde dicta? | I. 17 |
| Olerum natura | ibid. |
| Olivæ | — 50 |
| Omphacium | II. 60 |
| Ononis | — 178 |
| Opium quid? | III. 15 |
| Opium quotuplex | ibid. |
| An nobis verum | ibid. |
| Laudabile quod? | — 16 |
| Opii Menstrua | ibid. |
| Effectus | ibid. |
| Vires | ibid. |
| Dosis | — 19 |
| Præparata | — 20 |
| Opobalsamum | I. 201 |
| Opopanax | — 173 |
| Origanum vulgare | II. 161 |
| Creticum | ibid. |
| Oryza | I. 5 |
| Os sapiæ | II. 134 |
| Offa animalium calcinata | — 134 |

Oleo-

INDEX RERUM.

| | |
|-----------------------------|---------|
| Osteocolla | II. 47 |
| Ostracites | — 134 |
| Ostrea | I. 90 |
| Otis | — 69 |
| Ova | — 100 |
| Sunt multi nutrimenti | — 101 |
| Ovi partes | — 102 |
| pelliculae usus | — 103 |
| Ovis | — 67 |
| Ovorum albuminis vis medica | II. 125 |
| Ovorum testarum usus | I. 103 |
| Ovorum vitelli vis | II. 125 |
| Oxymel simplex | III. 13 |
| Oxymel squilliticum | — ibid. |
| Oxymel Helleboratum | — 59 |

P

| | |
|---------------------|----------|
| Palumbus | I. 75 |
| Panacea mercurii | II. 207 |
| Panicum | I. 6 |
| Panis quis optimus? | I. 10 |
| Ægris conveniens | — 11 |
| Panis fecalinus | — 7 |
| Paracenthesis | III. 195 |
| Paralyseos flores | I. 119 |
| Pareiræ bravæ radix | II. 178 |
| Parietaria | — 11 |
| Pastinaca | I. 29 |
| Passulæ | — 60 |
| Pedra del porco | II. 77 |
| Pentaphyllum | — 27 |
| Perca | I. 83 |
| Perdix | — 73 |

Per-

INDEX RERUM.

| | |
|-------------------------------------|----------|
| Perfica | I. 51 |
| Petafitis | II. 102 |
| Petroleum | I. 182 |
| eius proprietates | ibid. |
| principia | ibid. |
| Petrofelinum | II. 179 |
| Peruvianus cortex | — 35 |
| eius usus medicus | — 36 |
| Peucedanum | — 102 |
| Phalaris | I. 6 |
| Phaeolus | — 15 |
| Phasianus | — 72 |
| Colchicus | ibid. |
| Phellandrium | III. 62 |
| Phlebotome | III. 193 |
| Phosphorus | II. 169 |
| Pimpinella alba | I. 156 |
| Pimpinella sanguiforba | II. 29 |
| Pineæ nuces | I. 51 |
| Piper indicum | II. 82 |
| Pisa | I. 16 |
| Pisces qui? | — 80 |
| Pistachia | — 52 |
| Pituitosis qualis diæta conveniat | — 105 |
| Pix liquida | — 205 |
| Sicca | — 208 |
| Plantago | II. 28 |
| Plantæ tinctoriæ ossa non inficiunt | — 30 |
| Plastica quid? | II. 120 |
| Plumbum quid? | III. 108 |
| ustum | — 113 |
| Plumbi menstrua | — 108 |
| Principia | — 109 |
| Vis venenata | ibid. |
| Præparata | ibid. |

Pæo-

INDEX RERUM.

| | |
|-----------------------------------|----------|
| Pœonia | II. 163 |
| Polygala | — 179 |
| Polypodium | — 219 |
| Poma | I. 53 |
| Poma amoris. | III. 68 |
| Pomacea colicam pictonum inducunt | I. 53 |
| Porrum | II. 82 |
| Portulaca | I. 26 |
| Pofcæ vires | III. 5 |
| Potus qui? | I. 104 |
| Pruna | — 54 |
| Pfyllii femina | III. 117 |
| Ptharmica | II. 193 |
| quæ? | — 191 |
| Pulegium | I. 157 |
| Pulmonaria arborea | II. 46 |
| Pulvis alterans Plummer | III. 100 |
| Punica | II. 19 |
| Purgantia | — 213 |
| Quando indicentur | ibid. |
| Purgationem fiftentia | — 231 |
| Pyrethrum | — 195 |
| Pyrus | I. 54 |

R

| | |
|---------------------|---------|
| Raia | I. 78 |
| Rallus | — 70 |
| Rana | — 79 |
| Ranuncolorum noxæ | III. 37 |
| Rapa | I. 29 |
| Raphants | — 31 |
| Raphanus rufficanus | — 32 |
| Rapunculus | ibid. |

Re-

INDEX RERUM.

| | |
|--------------------------------|------------|
| Regulus antimonii | III. 96 |
| Relaxantia quæ? | — 149 |
| quando indicentur | ibid. |
| Relaxantium species | ibid. |
| Humectantia | ibid. |
| Emollientia | — 150 |
| Temperantia | — 151 |
| Repercutientia quid? | III. 141 |
| quando indicentur | ibid. |
| quando conraind. | — 142 |
| Repercutientium species | — 143 |
| Refrigerantia | ibid. |
| Astringentia | — 145 |
| Anodyna | — 147 |
| Resina quid? | I. 163 175 |
| abietina | — 204 |
| Resina ut distinguatur a gummi | I. 153 175 |
| Resinae Menstrua | — 163 |
| Principia | ib. seq. |
| Resolventia quæ? | III. 152 |
| quando indicentur | — 152 |
| Resolventium species | ibid. |
| Relaxantia | — 153 |
| Stimulantia | ibid. |
| Attenuantia | — 156 |
| Rhabarbarum monachorum | II. 219 |
| Verum | — 220 |
| Rhaponticum | — 219 |
| Rhodia radix | I. 126 |
| Rhodium lignum | ibid. |
| Rhombus | — 83 |
| Ribesia | — 55 |
| Risigallum venenatissimum | III. 30 |
| Rosarum rubrarum flores | II. 33 |
| Rosmarinus | — 163 |
| Rubia tinctorum | — 29 |

Ru-

INDEX RERUM.

| | |
|--------------------------------|----------|
| Rubrica fabrilis | III. 115 |
| Rubus idæus | I. 56 |
| Vulgaris | ibid. |
| Rupi capra | — 66 |
| Ruta | — 157 |
| Ruta muraria | II. 23 |
| Rufcus | — 181 |
| S | |
| Sabina | I. 158 |
| Sabulum nigrum fratorum | II. 69 |
| Saccharum | — 152 |
| Crudum | — 153 |
| Saccharum pyramidale | ibid. |
| Candum | — 154 |
| Saccharum ex quibus extrahatur | — 152 |
| Saccharum lactis | I. 100 |
| Saccharum saturni | III. 112 |
| Sago | I. 11 |
| Sagapenum | — 173 |
| Sal anglicum | II. 216 |
| Elfteranum | — 217 |
| Egranum | ibid. |
| Thermarum carolinarum | ibid. |
| Sedlicenfe | ibid. |
| Seidfchutzenfe | ibid. |
| Sal ammoniacus unde? | — 86 |
| Sal ammoniaci principia | — 87 |
| Proprietates | — 88 |
| Ufus medicus | ibid. |
| Præparata | — 89 |
| Salia alc. fixa | III. 76 |
| quotuplicia | ibid. |
| Sa- | |

INDEX RERUM.

| | |
|-------------------------------------|------------|
| Salium alc. fixorum proprietates | III. 78 |
| Principia | — 80 |
| Ufus | — 81 |
| Vis medica | — 83 |
| Salia alc. volatilia | — 84 |
| Salium alc. volatilium proprietates | — 85 |
| Vis mala | — 86 |
| Medica | ibid. |
| Sal decrepitatus | II. 108 |
| Sal digestivus Sylvii | — 110 |
| Sal fontium | — 104 |
| Sal Gemmæ | ibid. |
| Salis gemmæ proprietates | ibid. |
| Ufus medicus | ibid. |
| Sal Iovis | III. 115 |
| Sal Marinus | II. 105 |
| quomodo fiat | ibid. |
| Salis marini proprietates | — 107 |
| Principia | — 106 |
| Ufus Medicus | — 108 |
| Præparata | — 108 |
| Sal mirabile Glauberi | — 109 |
| Sal prunellæ | — 103 |
| polychrestus | ibid. |
| Sal sedativus Hombergii | — 95 |
| Sal fegniette | — 115 |
| Sal stipticum fabarum | I. 112 |
| Sal vegetabile | II. 115 |
| Sal volatile falis ammoniaci | — 91 |
| Salamandra | III. 124 |
| Sales diversi in diversis plantis | — 80 |
| Sales vegetantium ustulorum | II. 112 |
| Salivatio Hydrophobiæ remedium | — 198 seq. |
| Salivationem moventia | — 194 |
| inhibentia | — 208 |

Crantz M. M. T. III.

P

Salmol

INDEX RERUM.

| | | | |
|-----------------------------------|----------|------|-------|
| Salmo | | I. | 87 |
| Salvia | | — | 159 |
| Salvelinus | | — | 88 |
| Sambuci baccæ | | — | 57 |
| Sandaraca | | — | 178 |
| Sanicula | | II. | 30 |
| Sanguis draconis | | — | 42 |
| Sanguinèis qualis diætâ conveniat | | I. | 105 |
| Santalum | | II. | 174 |
| Sapa quid? | | I. | 8 |
| Sapo ex triplici naturæ regnò | | III. | 21 |
| Saponum differentiæ | | — | 21 |
| Sapo hispanicus | | II. | 77 |
| Sapo venetus quid? | | III. | 21 |
| Saponis veneti criteria | | — | 22 |
| | menstrua | — | ibid. |
| | vires | — | 23 |
| | dosis | — | ibid. |
| | noxæ | — | 23 24 |
| Saponaria | | II. | 75 |
| Sarfaparilla | | — | 125 |
| Sassafras | | I. | 127 |
| Saxifraga | | II. | 181 |
| Scabiosa | | — | 163 |
| Scarificatio | | III. | 193 |
| Scaminoneum | | II. | 225 |
| Scilla | | — | 83 |
| Scotopax | | I. | 70 |
| Scelopendria | | II. | 23 |
| Scomber | | I. | 83 |
| Scordium | | II. | 165 |
| Scorpio | | III. | 125 |
| Scorzonera | | I. | 32 |
| Secale | | — | 7 |
| | | | Seca- |

INDEX RERUM.

| | | | |
|--------------------------------|---|---|-----------|
| Secalis farina | - | - | I. 7 |
| flores | - | - | — 8 |
| Sebesten | - | - | II. 126 |
| Sedum minus | - | - | — 75 |
| maius | - | - | — 76 |
| Sempervivum | - | - | ibid. |
| Senibus qualis diæta conveniat | - | - | I. 106 |
| Senna | - | - | II. 225 |
| Sepia | - | - | I. 89 |
| Serpens | - | - | III. 125 |
| Serpentaria virginiana | - | - | II. 165 |
| Serpentum Radix | - | - | — 166 |
| Serpillum | - | - | I. 160 |
| Seri lactis usus | - | - | — 29 |
| Setaceum | - | - | III. 195 |
| Sevum quid? | - | - | — 13 |
| Sialagoga | - | - | II. 194 |
| quando indicentur | - | - | ibid. |
| quando contraindicentur | - | - | ibid. |
| quotuplicia | - | - | ibid. |
| Siler | - | - | — 166 |
| Siliqua dulcis | - | - | I. 59 |
| Silurus | - | - | — 82 |
| Simaruba | - | - | II. 38 |
| Sinapi | - | - | — 84 |
| Sifer | - | - | I. 33 |
| Smalta quid? | - | - | III. 29 |
| Soda | - | - | — 82 |
| Salis sodæ figura | - | - | ibid. |
| proprietates | - | - | — 82 seq. |
| Solanum | - | - | — 68 |
| Solea | - | - | I. 84 |
| Soldanella | - | - | II. 226 |
| Sonchus | - | - | — 76 |
| Sorbus | - | - | — 20 |
| domestica | - | - | — 21 |

INDEX RERUM.

| | |
|------------------------------|----------|
| Sperma ceti | II. 126 |
| Spicæ oleum genuinum non est | I. 151 |
| Spina cervina | II. 230 |
| Spinachia | I. 27 |
| Spiritus nitri acidus | II. 103 |
| dulcis | ibid. |
| Spiritus falis ammoniaci | 89 |
| Spiritus falis Marini acidus | 108 |
| dulcis | 109 |
| Spiritus Sulphuris | 143 |
| Spiritus vini | 169 |
| Stannum quid? | III. 113 |
| Stanni principia | ibid. |
| usus medicus | 114 |
| Præparata | 115 |
| Sternutationem moventia | II. 191 |
| inhibentia | 193 |
| Stimulantia quæ? | I. 163 |
| Stimulantia Nutrientia? | 120 |
| excitantia subtilia | 122 |
| fixiora | 128 |
| Sturnus | 76 |
| Styrax solida | 179 |
| liquida | 201 |
| Succinum | 184 |
| Suctio quando conveniat? | III. 24 |
| Sudorem sistentia | II. 172 |
| Sudorifera quæ? | 155 |
| ex quibus petantur | ibid. |
| Sulphur quid? | II. 139 |
| quotuplex | ibid. |
| indicantur | 141 |
| contraindicantur | 142 |
| Sulphuris principia | 139 |
| proprietas | 140 |

Sul-

INDEX RERUM.

| | | |
|----------------------------|----------|----------|
| Sulphuris usus Medicus | - | II. 141 |
| præparata | - | — 143 |
| Sulphuris accenfi fumur | - | III. 137 |
| Sulphur. auratum Antimonii | - | — 100 |
| | Liquidum | — 102 |
| Suppurantia quæ ? | - | — 159 |
| quando indicentur | - | ibid. |
| Suppurantium species | - | ibid. |
| Humida | - | — 160 |
| Relaxantia | - | — 161 |
| Stimulantia | - | — 165 |
| Suppurantium Emollientia | - | — 168 |
| Synopsis | - | — 115 |

T

| | | |
|-----------------------|---|----------|
| Tabacum | - | II. 192 |
| Tacamahaca | - | I. 180 |
| Tamarindi | - | II. 220 |
| Tagetes | - | III. 52 |
| Tamarisci cortex | - | II. 39 |
| Tanacetum | - | — 166 |
| Tarantula | - | III. 119 |
| Tartarus | - | II. 136 |
| Tartari præparata | - | — 137 |
| Tartarus emeticus | - | III. 99 |
| Tartarus solubilis | - | II. 115 |
| Tartarus Tartarifatus | - | — 114 |
| Tartarus Vitriolatus | - | — 64 |
| Terra foliata Tartari | - | — 112 |
| Terra Japonica | - | — 40 |
| Terra Sigillata rubra | - | — 49 |
| alba | - | — 50 |
| Lemnia | - | — 49 |
| Testudo | - | I. 79 |
| Thapsia | - | III. 53 |

INDEX RERUM.

| | |
|---------------------------|----------|
| Terebinthina | I. 202 |
| veneta | ibid. |
| Communis | — 203 |
| Argentoratensis | ibid. |
| Cocta | — 204 |
| Theriaca medicamenta quæ? | III. 3 |
| Thermæ | II. 213 |
| Turbithum minerale | — 204 |
| Thus | I. 174 |
| Thymus | — 161 |
| Thynnus | — 84 |
| Tigliæ grana | III. 53 |
| Tilia | II. 233 |
| Tinctura Antimonii | III. 104 |
| Tinct. g. Laccæ aluminofa | I. 171 |
| Tinctura Tartari | II. 116 |
| Tinca | I. 86 |
| Tormentilla | II. 31 |
| Torpedo | III. 126 |
| Toxicodendron | — 54 |
| Tragopogon | I. 33 |
| Trifolium fibrinum | II. 84 |
| Triticum | I. 8 |
| Tritici farina | ibid. |
| Principia habet animalium | — 9 |
| vires | ibid. |
| furfures | — 10 |
| Trochisci Alhandal | II. 228 |
| Trutta | I. 87 |
| Tuber | — 121 |
| Turdus | — 76 |
| Turpethum | II. 127 |
| Turtur | I. 75 |
| U V | |
| Urogallus | I. 73 |
| Urtica | II. 183 |
| | Uva |

INDEX RERUM.

| | |
|----------------------------|------------------------|
| Uva | I. 60 |
| Uva ursi | II. 31 |
| Valeriana | — 182 |
| Vanellus | I. 70 |
| Vapor carbonum | III. 131 |
| Lithanthracum | — 132 |
| Fodinarum | — 136 |
| Variolosum venenum | — 130 |
| Vegetabilium gratus | I. 114 |
| Venena alcalina | III. 76 |
| Venena mechanica | — 105 |
| Venenum quid? | — 3 |
| Venenum lamascense | — 69 |
| Venenum rabidorum | — 127 |
| Verbascum | II. 12 |
| Veronica | — 167 |
| Vesicatoria | III. vide Cantharides. |
| quibus morbis conveniant | ibid. |
| quibus partibus apponantur | ib. 123 |
| Vicia | I. 16 |
| Victorialis | II. 85 |
| Vincetoxicum | — 167 |
| Vina acida | — 182 |
| Vinacea | I. 60. seq. |
| Vinum ex quibus fiat | — 104 |
| Vini fermentantis halitus | III. 137 |
| Violæ flores | II. 234 |
| Vipera | III. 126 |
| Virga aurea | II. 183 |
| Vis electrica | I. 107 |
| usus non tutus | — III |
| Vitellus quæ solvat | I. 102 |
| Vitis idæa | — 59 |
| Vitriolum quotuplex | II. 53 seq. |
| Vitriolorum principia | — 54 |

Vi-

INDEX RERUM

| | | | |
|-----------------------------|---|---|----------|
| Vitriolorum proprietates | - | - | II. 58 |
| Ufus medicus | - | - | — 57 |
| Præparata | - | - | — 58 |
| Composita | - | - | — 59 |
| Vitrum | - | - | III. 106 |
| Vitrum antimonii | - | - | — 95 |
| ceratum | - | - | ibid. |
| Vitri antimonii cerati ufus | - | - | ibid. |
| Viscum quercinum | - | - | III. 117 |
| Vomitum fedantia | - | - | II. 212 |

Z

| | | | |
|---------------|---|---|---------|
| Zaphera quid? | - | - | III. 29 |
| Zea | - | - | I. 10 |
| Zibethum | - | - | I. 197 |
| Zinci flores | - | - | II. 65 |
| Zingiber | - | - | I. 162 |



