

INDEX
OMNIVM STIRPIVM
HIS LIBRIS DESCRIPTARVM.

| | | | | | | |
|----------|---|-----------------|--------------------------------------|-------------|---|----------|
| A | Balzemer | <i>pag.</i> 360 | Achillea, Achillea Sideritis | 100 | vesicaria | 657 |
| | <i>Abies</i> | 865.866 | Achimilla | 140.141 | Veneta | 657 |
| | <i>eius species</i> | 866 | Acinos | 280 | Alchilel | 574 |
| | <i>femina</i> | 865 | Acinus vuæ | 416 | Alchimilla | 140.141 |
| | <i>mascula</i> | 865 | Aconachia | 738 | Alcibiacum | 631 |
| | <i>Abietis lachryma</i> | 866 | Aconitum bacciferum | 402 | Alechorolophos | 556 |
| | <i>Abiegna resina</i> , <i>Abiegnum oleum</i> | 865 | hiemale, siue hibernum | 440 | Alexardahune | 48 |
| | <i>Abiga</i> | 45 | Lycostomum luteum maius, & | | Alfasafa | 576 |
| | <i>Abrong</i> | 455 | <i>minus</i> | 440 | Alga | 478 |
| | <i>Abrotонum</i> | 21 | pardalianches, & <i>eius species</i> | | Alga palustris | 568 |
| | <i>campestre</i> | 22 | 437 | | Alica, & <i>eius species</i> | 497 |
| | <i>femina</i> , seu <i>Santolina</i> | 269 | Theophrasti | 440 | Alimonia | 578 |
| | <i>femina arborescens</i> | 21.22 | Acorna | 728 | Alisma | 179.180 |
| | <i>humile odoratum</i> | 22 | <i>Acorum, aut Acrū siluaticum</i> | 100 | Alisma quorundam | 264.606 |
| | <i>maiis</i> | 21 | Acorus | 248.249.250 | Alkali | 82 |
| | <i>mas, marinum, Siculum, Galatium</i> | | Acrocorion | 215.218 | Alkckengi | 454 |
| | <i>ticum</i> | 22 | Acrosorodon | 218 | Alkermes, | 828 |
| | <i>minus</i> | 22 | Acula | 702 | Alleluia | 578 |
| | <i>montanum</i> | 22 | Aculeosa | 733 | Alliaria, Alliaris | 686 |
| | <i>Abrugi</i> | 455 | Acus moschata, | 61.64 | Allium, & <i>eius species</i> | 682. |
| | <i>Absinthium</i> | 23 | Acus pastoris | 61.63 | & seqq. | |
| | <i>Ægyptium</i> | 25 | Acutella | 743 | Cyprium | 682. |
| | <i>angustifolium</i> | 26.27 | Acyron | 179 | Vipicum | 682. |
| | <i>angustifolium foliis fissis</i> | 26 | Adiantum | 469 | Allium filuestre, & <i>eius species</i> | |
| | <i>fatuum, inodorum, insipidum</i> | | <i>candidum</i> | 470 | 683.684 | |
| | | | <i>nigrum</i> | 466.469 | Alpinum | 684 |
| | <i>latifolium</i> | 23 | Adonis flos | 456 | anguinum | 684 |
| | <i>marinum</i> | 25 | Ador, Adoreuma | 493 | non bulbosum | 686 |
| | <i>Ponticum</i> | 22. 23. 24 | Ægilops herba | 538.539 | ceruinum | 684 |
| | <i>Romanum</i> | 23. 24 | Ægilops arbor | 831 | nemorense | 684 |
| | <i>rusticum</i> | 23 | Ægipytus | 743 | Taxi | 684 |
| | <i>Santonicum</i> | 24 | Ægolettron | 432 | tenuifolium | 683 |
| | <i>Seriphium</i> | 25 | Ægonychon | 83 | vrsinum seu latifolium | 683 |
| | <i>Seriphium femina</i> | 27 | Ægylops | 218 | Alnus | 839 |
| | <i>Supinum</i> | 23 | Ælchynomene | 660 | Alnus nigra | 784 |
| | <i>tenuifolium</i> | 24 | Æsculus | 831 | Aloë | 359 |
| | <i>Abutilon</i> | 655.656 | Æthiopis | 148 | ex America | 359.360. |
| | <i>Acacia</i> | 752 | Agaricus, & <i>eius species</i> | 485. | Galica | 342 |
| | <i>altera</i> | 752. 753 | 486. 869 | | Alopecuros | 541 |
| | <i>Germanica</i> | 753 | Ageraton quorundam | 268 | Alphesera | 400 |
| | <i>Pontica</i> | 753 | Agliophotis | 195 | Alticebran, Alscobran | 374 |
| | <i>Acanos</i> | 738 | <i>marina & terrestris</i> | 195 | Alfine maior | 29 |
| | <i>Acanthium</i> , & <i>eius species</i> | 720. | Agnus castus | 774. 775 | marina | 30 |
| | | 721 | Agresta | 423 | minor | 29 |
| | <i>Acanthus</i> | 719 | Agrifolium | 400.758 | minima | 30 |
| | <i>satiuus, siluestris</i> | 719 | Agrimonia | 27.28 | repens | 403 |
| | <i>laevis</i> | 720 | Agromonia siluestris | 599 | Alfines spuriae | 31 |
| | <i>Acaria</i> | 728 | Aiuga | 45 | Alterculum | 450 |
| | <i>Accipitrina</i> | 640 | Alabastrum | 188 | Althea | 654.655 |
| | <i>Acer</i> | 840 | Alas | 773 | hortensis siue peregrina | 654. |
| | <i>maior, minor</i> | 840.841 | Alaseleti | 576 | 655 | |
| | <i>Acetabulum</i> | 132 | Albarus | 835 | quorundam | 656 |
| | <i>Acetosa</i> | 649 | Albinum | 65 | Aluardachule | 48 |
| | <i>minima</i> | 649.650 | Albicum, Albucus | 207 | Alumen catinum | 82 |
| | <i>Romana</i> | 649 | Album olus | 646.647 | Alus Gallica | 134 |
| | <i>tuberosa</i> | 649 | Alcea, & <i>eius species</i> | 179. | Altercangenum | 450 |
| | <i>Acetosella</i> | 749.750 | 656 657 | | Altercum | 450 |
| | <i>Acharnica irrigua</i> | 412 | vulgaris | 656 | Alyslum, Alyssos Dioscoridis | 89 |
| | | | | | Galeni | |

INDEX OMNIVM STIRPIVM.

| | | | | | |
|---------------------------------|-------------------|---------------------------------|---------------|-----------------------------|--------------|
| Galeni | 88. 356 | Anthemis chrysanthemos | 259. | clematitis | 324. |
| Plinij | 356 | 263 | | longa | 323. 324. |
| Alzelin | 340 | cranthemos | 261 | mas | 325 |
| Amantilla Valentiana | 350 | leucanthemos | 257. 259 | polyrrhizos | 325 |
| Amaracum, Amaracus | 271. 309 | Anthemisium | 258 | rotunda | 323. 324. |
| Amara dulcis | 402 | Anthera | 188 | femina | 325 |
| Amaranthus purpureus | 185 | Anthericus | 207 | Saracenica | 325. 326 |
| 267. 618 | | Anthora | 443 | Armeniacum | 798 |
| maior floribus obsoleti colo- | | Anthyllis Lenti similis | 551. 552 | Armerius flos | 175 |
| ris | 185. 618 | altera | 552 | eius variae species | 176. 177 |
| Amarella | 35 | Anthyllis altera | 47. 48 | Armoracia | 677 |
| Amarena | 809 | Antirrhinon | 171 | Aronia | 330 |
| Amarodulcis | 402 | Antirrhinum | 181. 182 | Arresta bouis | 743 |
| Ambarualis flos | 253 | silvestre, sive minus | 182 | Artemisia latioris folij | 33 |
| Ambubeia | 634 | Antoniana | 85 | tenuifolia | 33 |
| Ambugia | 634 | Apatine | 353 | Tragant | 36 |
| Ambuxum | 406 | Aphace, Aphaca | 531. 545 | Artemisia marina quorūdam | 642 |
| Ambrosia | 35 | Theophrasti, seu Aphaca olus | | Arthanita | 338 |
| quorumdam | 34. 221 | 545. 640 | | Arthetica | 147 |
| Amedanus | 839 | Fuchsij | 543 | Arum | 318 |
| Amellus flos | 261. 267 | Aphyllantes | 124. 125 | Ægyptium | 318 |
| Amellus marinus | 380 | Apiastellum | 91. 400. 427 | palustre | 331 |
| Amentum | 306 | Apiastrum | 91 | Arundo | 602. & seqq. |
| Ameos, Ammios | 301 | Apium | 375. 694. 695 | candicans | 603 |
| Ammi | 301 | aquatile | 590. 695. 699 | Cretica, Cypria, sive Donax | |
| vulgare | 301 | hortense | 694 | 602. 603 | |
| Ammoniacum | 321. 322 | montanum | 695. 696 | elegia | 603 |
| Ampeloprasum | 689. 690 | palustre | 427. 695 | femina | 603 |
| Amuleum frumentum | 494 | rusticum | 695 | fistularis | 603 |
| Amydum | 498 | silvestre | 428. 697. 699 | gracilis | 603 |
| Amygdala dulcia | 798 | Apium rufus | 427. 428 | inanis | 603 |
| amara | 799 | Apollinaris | 450 | Laconica | 603 |
| Amygdalus, Amygdalum, A- | 798 | Apollinaris minor | 455 | lithopermos | 506 |
| mygdala | 798 | Aqua ardens | 424 | Orchomenia | 603 |
| Amylum | 498 | Aqua toris solis | 474 | phragmites | 602. 603 |
| Amyrberis | 750 | Aqua vite | 422 | plotia | 603 |
| Anabasis | 74 | Aquifolia | 829 | sagittaria | 603 |
| Anagallis aquatica, vel aquati- | 593 | Aquifolium, Aquifolia | 758 | sepiaria, sepicularis | 603 |
| lis | 593 | Aquileia, Aquilina | 180. 181 | spado | 603 |
| mas | 32 | multiplici flore | 181 | syringias | 603 |
| femina | 32 | Arabis | 713 | textilis | 603 |
| Anagyris | 785 | Arachus | 542 | tibialis | 603 |
| Anblatum | 553 | latifolius, & alia eius species | | vallatoria | |
| Anchomanes | 330 | 543. 544 | | vulgaris | 603 |
| Anchusa, & variae eius species | | minor | 542. 543 | Afabaſaſra | 241 |
| 629. 630 | | prior | 542. 543 | Aſara bacara | 294 |
| onoclia | 629 | Aracus | 522. 523 | Aſatum | 358 |
| Alcibiadion | 629 | Arblutilon | 636 | Aſarum Cratæuzæ | 294 |
| Androsace | 555 | Arbor Iudæ | 786 | Asclepias | 330. 407 |
| Androſemum | 76. 78 | vitæ | 857. 858 | Ascolymbros | 726 |
| Anemone | 433. 434. & seqq. | vitis | 818 | Aſcyroides | 78 |
| hortensis, & eius species | 433. | Arbutus | 803. 804 | Aſcyrum | 78 |
| & seqq. | | Archangelica | 318. 319 | Aſparagus | 703. 704 |
| Pannonica | 436 | Arctium | 38 | hortensis | 703 |
| filueſtris, & eius species | 436 | Arctium | 149 | ſilueſtris | 703 |
| trifolia | 436 | Ardaſtylida | 736 | eius species | 704 |
| Anemone flos | 261 | Ardifrigi | 747 | Aſpergula odorata | 356 |
| Anerhum | 298 | Arenaria | 110 | Aſperugo | 354 |
| Anethū tortuosū & silvestre | 305 | Argentina | 139. 159. 600 | ſpiria | 356 |
| Angelica | 317 | Aria | 830 | Aſperula | 355 |
| aquatica | 319 | Ariena | 795 | cærulea | 355 |
| maiſatiua | 317. 318 | Arilli | 416 | odorata | 355 |
| ſilueſtris minor | 318. 319 | Arinca | 495 | Aſphaltium | 566 |
| Anguria | 664. 665 | Aris | 332 | Aſphodelus | 206 |
| Aniſum | 298. 299 | Arisatum | 331 | albus | 206. 207 |
| Anonis | 743 | angustifolium | 331. 332 | minor | 206. 207 |
| Anonymos | 783 | latifolium | 331. 332 | Aſphodelus bulbosus | Galeni |
| Anteuphorbium | 378 | Aristolochia | 323 | 208. 209 | |

INDEX

| | | | |
|--|----------|---------------------------------------|-----------------|
| <i>Asphodelus luteus, palustris</i> | 593 | <i>crispæ</i> | 622.623 |
| 207.208 | | <i>Cumana</i> | 623 |
| <i>Asplenium, Asplenum</i> | 468 | <i>Cypria</i> | 624 |
| <i>Asplenium magnum aut siluestris</i> | | <i>Imperialis</i> | 623 |
| 469 | | <i>lacuturris capitata</i> | 623 |
| <i>Asprella</i> | 74 | <i>leporina</i> | 644 |
| <i>Assa</i> | 321 | <i>leuis</i> | 623 |
| <i>Assa foetida</i> | 321 | <i>marina</i> | 626 |
| <i>Astaphis agria</i> | 366 | <i>montana</i> | 626 |
| <i>Aster Atticus</i> | 261.266 | <i>nigra</i> | 614.615 |
| marinus | 706 | <i>Pompeiana</i> | 624 |
| supinus, & alia species | 266 | <i>rosacea</i> | 623 |
| <i>Aster marinus</i> | 380 | <i>rustica</i> | 626 |
| <i>Asterion</i> | 267 | <i>Sabauda</i> | 624 |
| <i>Asteriscon</i> | 267 | <i>Sabellica</i> | 623 |
| <i>Asterition</i> | 319 | <i>Selinoïdes</i> | 622 |
| <i>Astragaloïdes</i> | 551 | <i>siluestris, seu Crambe</i> | 623 |
| <i>Astragalus</i> | 550 | <i>siluestris</i> | 625.626 |
| <i>Astrantia</i> | 519.520 | <i>siluestris perfoliata</i> | 626 |
| <i>Astrantia nigra</i> | 387 | <i>Tritiana</i> | 624 |
| <i>Athanasia</i> | 37 | <i>vulgaris sativa</i> | 621.623 |
| <i>Athera</i> | 498 | <i>Britannica</i> | 333 |
| <i>Atractylis recticaulis</i> | 736 | <i>Briza</i> | 494.500 |
| hirsutior | 736 | <i>Bromus herba</i> | 540 |
| <i>Atriplex</i> | 614.615 | <i>Brumaria</i> | 69 |
| hortensis siue sativa | 614.615 | <i>Brunella</i> | 136 |
| marina | 614.615 | <i>Bruscas</i> | 744 |
| siluestris, & eius species | 614. | <i>Bruta</i> | 855 |
| 615 | | <i>Bryonia</i> | 399 |
| <i>Auena</i> | 510.511 | alba | 399.400 |
| nuda | 511 | nigra | 399.400 |
| <i>Auis pes</i> | 544 | <i>Bryopteris</i> | 465 |
| <i>Auornus</i> | 784 | <i>Bubonium</i> | 267 |
| <i>Auricomum</i> | 427 | <i>Bucinum, Bucinus, Bucinus mi-</i> | |
| <i>Auricula muris</i> | 30.31.67 | <i>nor</i> | 253 |
| <i>Auricula vifsi</i> | 148 | <i>Buglossa, Buglossum, Buglossus</i> | |
| <i>Axungia vitri</i> | 82 | 627 | |
| <i>Azedarach, Azedaraeth</i> | 848 | <i>domestica</i> | 628 |
| | | <i>Hispanica</i> | 630 |
| B <i>Aaras</i> | 195 | <i>magna</i> | 738 |
| <i>Bacanon</i> | 676 | <i>siluestris</i> | 628 |
| <i>Bacca Iuniperi</i> | 852 | <i>vulgaris</i> | 627.628 |
| <i>Bacca Lauri</i> | 849.850 | <i>Buglum</i> | 135 |
| <i>Baccharis</i> | 138.294 | <i>Bugula</i> | 135 |
| <i>Bacchica</i> | 413 | <i>Bulbine, Bulbina</i> | 215.218 219 |
| <i>Bacchion</i> | 38 | <i>Bulbonac, Bolbonac</i> | 161 |
| <i>Balaustion</i> | 794 | <i>Bulbus agrestis</i> | 460 |
| <i>Ballote</i> | 89.90 | eriophorus | 692 |
| <i>Balfamella</i> | 671 | leucanthemus, & eius species | |
| <i>Balfamina mas</i> | 670 | 220.221 | |
| amygdaloïdes | 671 | <i>siluestris</i> | 222 |
| femina | 671 | trichodes | 693 |
| <i>Balfaminum</i> | 671 | vomitorius | 226 |
| <i>Balfamita maior, minor</i> | 295.296 | <i>Bunium</i> | 315 |
| <i>Barba Aron</i> | 328 | spurium | 712 |
| <i>Barba Louis</i> | 127 | <i>Buphthalmū</i> | 252.261.262.263 |
| <i>Barbarea</i> | 711.712 | <i>Bupleurum</i> | 632 |
| <i>Barbarica</i> | 175 | angustifolium | 632.633 |
| <i>Barba siluana</i> | 606 | latifolium | ibid. |
| <i>Barcaman</i> | 380 | <i>Burgispina</i> | 757 |
| <i>Bardana</i> | 38 | <i>Burfa pastoris</i> | 103 |
| <i>Basilica</i> | 342 | <i>Butomum</i> | 601.602 |
| <i>Basilicum</i> | 279 | <i>Buxus</i> | 781.782 |
| <i>Basilicum garyophyllum</i> | 279 | humilis Buxus | 782 |
| <i>Bati</i> | 706 | <i>Buzeiden, Buzidan</i> | 241 |
| <i>Batrachion</i> | 420 | | |
| <i>Batrachion Apuleij</i> | 431 | | |
| <i>Baucia</i> | 681 | | |
| | | | |
| | | C <i>Achla</i> | 262 |
| | | <i>Cactus</i> | 724.725 |
| | | Cady- | |

OMNIVM STIRPIVM.

| | | | | | |
|-------------------------------|-------------|------------------------------|---------|----------------------------------|----------|
| Cadytas | 355 | Capparis leguminosa | 747 | Catanance | 528.529 |
| Calectis | 245 | Capri barba | 57 | Cataputia maior | 367 |
| Cæli flos | 170 | Caprificus | 812 | minor | 375 |
| Cæli rosa | 170 | Caprifolium | 410 | Cattaria | 99 |
| Calabrina | 469 | Germanicum | 410.411 | folio longiore | 99 |
| Calamentum, Calamétum mon- | | Italicum | 410.411 | Caucafon | 686 |
| tanum | 98 | Capriola | 560 | Caucalis | 699.700 |
| Calamincha montana | 97.98 | Capsella | 713 | Cauchun | 48 |
| altera | 98 | Capricum, & eius species | 716. | Caucon | 74 |
| Calamus aromaticus | 250 | 717 | | Cauda equina | 74 |
| Calatiana viola | 169 | Cardamum hibernum | 712 | murina, aut muris | 111.112 |
| Calcatrippa | 252 | Cardiaca | 94 | vulpina | 541 |
| Calceolus D. Mariæ, Marianus, | | Cardobenedictus | 736 | Caulis | 6.3 |
| sive Sacerdotis | 180 | Cardopatium | 716 | rubra | 623 |
| Calendula | 254 | Carduus | 724.725 | Cechramides | 812 |
| Callion | 454 | benedictus | 736.737 | Cedrelate | 867 |
| Callionymum, Callionymus | 206 | chrysanthemus | 725 | Cedria | 865.867 |
| Callitrichum | 469 | eriocephalus | 723 | Cedris | 854 |
| Caltha | 254.262.263 | ferox | 738 | Cedrium | 865.867 |
| Africana | 255 | fullonum | 735 | Cedrus acuta, humilis, seu mi- | |
| Alpina | 254 | lacteus | 721 | nor, &c. | 853 |
| palustris & eius species | 598. | leucographus | 721.722 | humilis Lycia | 853.854. |
| 599 | | Maria | 721 | humilis Phœnicea, seu Pu- | |
| Calcularis | 451 | niger | 730 | nica | ibidem |
| Calyx Glandis | 824 | ramptarius | 721 | Celidonium | 48 |
| Camelina | 532 | filuestris | 739 | Celtis | 847 |
| Camomilla | 257 | filuestris secundus | 739 | Centauris, Centaurida | 335. |
| Camomilla foetida | 258 | filuestris tertius | 739.740 | 361. 362 | |
| Campana carulea | 396 | sphærocephalus | 722 | Centaurium maius, & eius spe- | |
| lazura | 396 | sphærocephalus acutus | 722 | cies | 334.335 |
| Campanella | 393 | stellatus | 733 | minus | 335.336 |
| Campanula | 164. 166 | suarius | 728 | Centrum galli | 293 |
| atruensis minima | 167.168 | Veneris | 735 | Centum capita | 731 |
| Autumnalis | 168 | Carium | 299 | Centummorbia | 600 |
| major | 166 | Carica | 373.812 | Centumnodia | 114 |
| media | 166.167 | Carlina | 726.727 | Centuncularis | 65 |
| filuestris minima | 167 | filuestris | 727.728 | Centunculus | 65 |
| Canchrys | 306 | filuestris minor | 728 | Cepa, Cepe, & eius variæ species | |
| Cancri chela | 589 | Carnabadi | 299 | 687 | |
| Cancri forficula | 589 | Carobe | 787 | muris | 691 |
| Candela regia | 144 | Carbole | 787 | oblonga | 687 |
| Candelaria | 144 | Carœnum | 418 | rotunda | 687 |
| Canella | 144 | Carolina | 726 | Cepæa | 593 |
| Canica | 788 | Carpesium | 744 | Cerasa | 809 |
| Canina | 491 | Lærtium | 744 | Hispanica, Lusitana | 809 |
| Canina lingua | 659 | Ponticum | 744 | Cerasus, & eius species | 807. |
| Canina Malus | 53 | Carpinus | 841 | 808.809 | |
| Canina Rosa | 457 | Carthamus filuestris quorum- | | Ceratonia | 786.787 |
| Canina sentis | 187 | dam | 736 | Ceraunia | 128 |
| Canirubus | 189 | Carui | 299 | Cercis | 786 |
| Canirubus quorumdam | 746 | Carum | 299 | Cerefolium, Cerofolium | 700 |
| Canis cerebrum | 182 | Caryophyllata | 137 | Cerinthe | 632 |
| Cannabina | 28 | montana | 137.138 | Cerithus | 852. |
| Cannabis | 534.535 | Caryophylleus flos | 173 | Cerris, Cerrus | 831 |
| fecunda | 535 | eius variæ species | 174.175 | Ceruicaria, Ceruicaria maior | |
| filuestris | 656 | filuestris | 177 | 164 | |
| sterilis | 656 | Caryotæ | 819 | minor | 164 |
| Cantabrica | 535 | Cafia fistula | 788 | Cerui ocellus | 681 |
| Capillaris | 175 | Cafia Virgilij | 274 | Ceruisia | 504 |
| Capillus Veneris | 469.471 | Cafia nigra | 787 | Ceterach | 468 |
| Capitulum Martis | 469.470 | Cafignete | 105 | Chærefolium | 700 |
| Cepnos | 731 | Cassia fistula | 788 | Chærepillum | 700 |
| chelidonia | 59 | Cassilago | 451 | Chalbanum | 321.322 |
| fruticosa | 327 | Cassutha, Cassytha | 554 | Chamæcerasus | 808 |
| prior Plinij | 60 | Castanea | 814.815 | Chamæcis | 393.394 |
| altera | 60 | aquatica | 581 | eius species | 394 |
| Capparis | 60 | equina | 814.815 | Chamæcypris | 269 |
| Capparis fabago | 746 | Castrangula | 50 | Chamædaphne | 405 |

Cha-

INDEX

| | | | | | |
|----------------------------|----------|-------------------------------|-------------|----------------------------------|-----------------------|
| Chamædrys assurgens | 44 | Cichorion, Cichorium | 633.634 | minor | 136.265 |
| major repens | 43 | Constantinopolitanum | 636 | regalis Fuchsij | 261 |
| minor repens | 43 | fætidum | 640 | regalis quorumdam | 252 |
| silvestris ac spuria | 44.45 | latrioris folij | 633.634 | Saracenica | 142 |
| Chamægenista | 764 | silvestre angustifolium & lu- | | Convolvulum album | 393 |
| Chamæritis | 247 | teum | 634.635 | caruleum | 396 |
| Chamelæa | 363 | verrucarium | 640 | marinum | 395 |
| Chamelea Germanica | 364 | Cicuta | 461 | minus | 393 |
| Chamelægnos | 780 | Cicutaria | 61 | nigrum | 393.396 |
| Chamæleon, & eius species | 728. | Cinamomum | 138 | Conus | 859 |
| 729.730 | | Cinara | 724 | Conyza, & eius species | 52 |
| albus | 728 | Cincinnalis | 469 | Corago | 627 |
| niger Cortusi | 729 | Cineraria | 642 | Corallina | 476.477 |
| niger Salmanticensis | 729.730 | Circæa | 457 | Corallion | 32 |
| Chamæleuce | 596 | Circion, & eius species | 737 | Coralloides | 163 |
| Chamæmelum odoratum, leu- | | quorumdam | 628 | Corchorus | 32 |
| canthemum, chrysanthemum, | | Cistus | 191 | Corculum Ferulae | 322 |
| nobile, Romanum | 259.260 | Cistus Ledon | 192 | Cordialis | 356 |
| vulgare | 257 | Citocacium | 363 | Coriandrum | 302 |
| Chamænerion | 85 | Citrago | 91 | Coriandrum putei | 469 |
| Chamæpitys | 45.46.76 | Citromalum | 792 | Coriannum | 302 |
| alia | 375 | Citrones | 792 | Cor Indicum | 455 |
| spuria | 47 | Citrulus, vulgaris Cucumis | 663. | Corion | 76.302 |
| Chamæplium | 714 | 664.665 | | Coris | 76 |
| Chamætriphes | 820 | Clava Herculis | 386 | Cornu cerui, ceruinum | 109 |
| Chamælyce | 376.377 | Clavicula | 414 | repens | 110 |
| Chamæylon | 65 | Clavus Veneris | 586 | Cornum | 802 |
| Chamæzelon | 65 | Clematis altera | 406 | Cornus femina, silvestris, falsa | |
| Charantia | 670 | Clematis Daphnoïdes | 405 | aut spuria | 782 |
| Chartamus | 362 | Daphnoïdes maior | 406 | mas | 802 |
| Chasuth | 554 | polygonoïdes | 405 | Corona fratrū | 723 |
| Chelidonium, Chelidonia | 48 | Cleoma herba | 432 | imperialis | 202 |
| maius | 48 | Clinopodium | 271 | regia | 459.568 |
| minus | 49 | Cneus | 362 | terrae | 394 |
| Cheruillum | 681 | supinus | 736 | Coroneola | 84 |
| Chesmes | 828 | Cneoron | 274.364.365 | Coronopus | 110 |
| Chiliodynamis | 172 | album | 365 | ex Cod. Cæl. | 109.110 |
| quorumdam | 343 | nigrum | 365 | Corriola | 114 |
| Chondrilla, & eius species | 637 | Cnicus | 362 | Corruða | 703 |
| Chondrus, & eius species | 497 | filuestris | 736 | Corsium | 573 |
| Chondrylon, Chondrylle | 638 | Coccus infectoria | 828 | Cortex Granatorum | 794 |
| Christophoriana | 401.402 | Cochlearia | 593.594 | Corydalis | 60 |
| Chrysanthemum | 263 | Britannica | 594 | Corylus | 816.817 |
| batrachion | 263 | Coggogria | 779 | Corymbe | 170 |
| Democriti | 427 | Colchicum | 460 | Costus hortensis | 295 |
| elychrysum | 263 | eius species | 461 | niger | 402 |
| latifolium | 263 | molochia | 328 | Cot | 576 |
| Peruvianum | 264 | Colocynthis | 382.665 | Cotinus | 821 |
| Chrysitis | 268 | Coloquintida | 382 | coriaria | 779.780 |
| Chrysocomae | 268 | Colubrina | 332 | Cotonaria | 65 |
| Chrysogonon | 145 | minor | 330 | Cotula alba, aut non fætida | 258 |
| quorumdam | 118 | Columbina | 150 | fætida | 258 |
| Chrysolachanon | 616 | supina | 150 | lutea | 259 |
| quorumdam | 651 | Colus rusticæ | 736 | Cotum | 65 |
| Chutli | 222 | Colutea, aut Coloutea | 784 | Cotyledon | 131.132 |
| Cicer sativum | 524 | Colymbades | 822 | altera | ibidem |
| album sive candidum | 524.525 | Coma | 256 | palustris | 132.133 |
| arietinum | 524.525 | Comosandalus | 201 | Coulcoul | 818 |
| columbinum | 524 | Concilium | 167 | Cracca | 542.543. altera ibid. |
| nigrum | 524.525 | Concordia | 28 | Crasis | 421 |
| rotundum | 524 | Condisi | 178 | Crassula | 130 |
| rubrum | 525 | Conila | 701 | fabaria | 131 |
| silvestre, & eius species | 525. | Consecratrix | 245 | maior | 131 |
| 526 | | Consiligo | 261 | minor | 128 |
| Venereum | 524 | quorumdam | 386 | Crataegus | 758 |
| Cicera | 523 | Consolida major | 134 | Crateogonum | 563 |
| Cicerbita | 644 | media | 135 | Crepitus lupi | 484 |
| Cicercula | 522 | media quorumdam | 266 | Credula | 854 |

Crepus-

OMNIVM STIRPIVM.

| | | | | | |
|-----------------------------------|-----------------|----------------------------------|-----------------|-----------------------------|-----------------------|
| Crepula | 720 | tertia Plinij | 206 | tertius | <i>ibid.</i> |
| Crepinus | 750 | Cydonium | 795 | Dolichus | 518.519 |
| Cressio | 711 | Cyix | 218 | alter | 520 |
| Creta marina | 706 | Cyminalis | 342 | Dorcadion | 330 |
| Cretatum | 706 | Cyminum | 300 | Doris | 630 |
| Crimnum | 503 | Cynocrambe | 659 | Donicum | 438 |
| Crinita | 469 | Cynoglossum | 53 | Offic. & vulgi | <i>ibid.</i> |
| Crista galli, aut gallinacea | 150. 555.556 | abique flore | 54 | Dorycnion | 456 |
| | | cum flore | 54 | Draba | 713 |
| Crithmum, & eius species | 705. | Cynosbatus | 189 | Draco herba | 709 |
| | 706 | quorumdam | 741.746 | filuestris | 709.710 |
| Chrysanthemum | 708 | Cynosorchis, & eius species | | Dracontea | 330 |
| fruticosum | 705 | 234.235 | | Dracontium, & eius species | 329 |
| marinum | 705 | Cynopastos | 189.195 | aquatilis | 331 |
| spinosum | 705 | Cyperis | 339 | maius sive magnum | 329 |
| Crocodilion | 330 | Cyperus, Cypirus | 338.339 | minus | 329.330 |
| Crocus, Crocum | 212.213 | rotundus | 338 | Dracunculus | 330.331 |
| hortensis | 362 | longus | 338 | aquatilis | 331 |
| Saracenicus | 362 | Cyprellus, <i>vide</i> Cupressus | | henicophyllos | 330 |
| Crocus filuestris, & eius species | | Cypruss | 775.776 | polyphyllus | 330 |
| 214. & seqq. | | Cytinus | 793.794 | Dryophonon | 714 |
| Autumnalis | 214 | Cytisus | 569 | Dryopteris | 465 |
| montanus | 214 | Marcelli | 569 | candida | 465 |
| vernalis latifolius | 214 | quorumdam | 568. 571.577 | nigra | 466 |
| Crucialis | 357 | filuestris, & eius species | 570 | Dulcamara | 402 |
| Crucita | 343.356.357 | Dactylus | 819 | Dulcichinum | 339.340 |
| Cubebe | 744 | Dæmonum oua | 483 | Dulcis radix | 340.341 |
| Cucubalum | 453 | Damasonium | 179264 | Dulcisida | 194 |
| Cuculi flos | 592 | Daphnoïdes | 365 | Duracinum | 797 |
| Cucumber, Cucumis, & eius spe- | | Dardana | 38 | Durinigi | 438 |
| cies | 662. & seqq. | Daucus | 679 | E | Bolus, Ebulum 380.381 |
| agrestis & erraticus | 381 | Creticus | 305 | Echinastrum | 61 |
| anguinus quorumdam | 381 | filuestris | 700 | Echinion | 377 |
| afininus | 381 | Theophrasti | 679 | Echium | 630.831. |
| citrulus | 663.664.665 | Defrutum | 417 | eius alia species | <i>ibid.</i> |
| Galeni | 663.664 | Deliarium | 53 | Eghelo | 785 |
| oblongus, satius, vulgaris | 662.663 | Delphinium | 252 | Eglenterium | 189 |
| filuestris | 381.382.663.664 | Demetria | 150 | Elaeterium | 382 |
| Cucurbita, & eius species | 668. | Dens caballinus | 451 | Elæagnus | 780 |
| & seqq. | | caninus | 202.203 | Elaphoboscum | 681 |
| cameraria | 669 | leonis | 635.636 | Elaphoboscum quorumdam | 633 |
| edulis, sativa | 668 | eius alia species | 636 | Elate | 819.820 |
| Iatior, longior | 669 | Dentaria | 162.400.427.451 | Elaterium | 381 |
| plebeia | 669 | eius species | 162.163 | Elatine | 41.42 |
| filuestris | 382.669.670 | Desiderium | 178 | Eleoselinum | 695 |
| Culices Vlmi | 837 | Diagridium | 391.392 | Elephantosis | 38 |
| Cuminum | 300 | Diapensia | 140 | Elichryfon, Eliochochyson | 267 |
| satiuum, | 300 | Dichomenium | 195 | Elleborastrum | 261.262 |
| Æthiopicum Regium | 300.301 | Dictamnum | 281 | Eminion | 330 |
| filuestre | 330 | album | 348 | Empetron, Empetrum | 82.277 |
| filuestre alterum | 253 | Creticum | 281 | Enchusa | 630 |
| Cunila | 285.289 | Digitalis | 169 | Endiuia | 634 |
| Cunilago | 53 | purpurea, & alia species | <i>ibid.</i> | Endiuia Officinarum quarum- | |
| Cupressus | 856 | Digiti citrini | 241 | dam | 646 |
| Cretica | 855 | Digitus Venetis | 586 | Enneadynamis | 564 |
| filuestris | 857 | Dionysia | 413 | Ensis | 210 |
| Cupula Glandis | 824 | Dionysias | 78 | Enula campana | 344 |
| Curmi | 504 | Dionysionymphas | 105 | quorumdam | 309 |
| Cusculum | 828 | Diosporon, Diospyron | 83 | Ephedra, Ephedron | 74 |
| Cuscuta | 554 | Dipcadi | 217 | Ephemeron non letale | 246 |
| Cyanoïdes flos | 251 | Dipcadi Chalcedonicum | 218 | Ephemeron Diocoridis | 203 |
| Cyanus flos, & eius species | 250. 251 | Diptamnum | 281 | Matthioli | 203 |
| Cyclamen | 338 | Diptatum | 348 | Epilobion | 85 |
| Cyclamenus | 338 | Dipsacus, & eius species | 734. | Epimedium | 599 |
| altera | 403 | 735 | | Epistæbe | 554 |
| orbicularis & eius species | 337 | satiuum | <i>ibidem</i> | Epithymbrum | 554 |
| | | filuestris | <i>ibid.</i> | Epithymum | 554 |

Equa-

M V I N D E X

| | | | | | |
|---|----------|---|-------------|------------------------------------|---------|
| <i>Equapium</i> | 697 | <i>Fabaria</i> | 131 | <i>Flammula Ranunculus</i> | 432 |
| <i>Equinalis</i> | 74 | <i>Fabium</i> | 48 | <i>folio serrato</i> | 432 |
| <i>Equisetis</i> | 74 | <i>Fabulonia</i> | 451 | <i>Flos Adonis</i> | 436 |
| <i>Equisetum</i> | 72.73.74 | <i>Fax vini</i> | 423 | <i>Africanus</i> | 254.255 |
| minus | 74 | <i>Fagotriticum</i> | 512 | <i>Ambarualis</i> | 253 |
| <i>Equition</i> | 74 | <i>Fagus</i> | 832 | <i>cæli</i> | 170 |
| <i>Eranthemum vulgare</i> | 260 | <i>Fat</i> | 493 | <i>Constantinopolitanus</i> | 178 |
| <i>Ereuthedanum Theophrasti</i> | 352 | <i>candidum</i> | 493 | <i>Creticus</i> | 178 |
| <i>Erica, & eius varia species</i> | 767. | <i>Clusinum</i> | 493.496 | <i>Crystalli</i> | 82 |
| 768 | | <i>Far factitium</i> | 496 | <i>cuculi</i> | 592 |
| <i>Etigerum, & eius varia species</i> | 640.641 | <i>Far Venniculum album, rutilum</i> | | <i>equestris</i> | 252 |
| <i>marinum</i> | 642 | 493.494 | | <i>farinæ</i> | 491 |
| <i>Eriophorus bulbus</i> | 692 | <i>barbatum</i> | 494 | <i>frumentorum</i> | 251 |
| <i>Eriphion</i> | 327 | <i>Gallicum</i> | 494 | <i>S. Iacobi</i> | 642 |
| <i>Eritace</i> | 852 | <i>Farfara</i> | 596 | <i>Ierosolymorum</i> | 178 |
| <i>Eruangina</i> | 555 | <i>Farfarella</i> | 596 | <i>Louis</i> | 170 |
| <i>Eruca herba</i> | 708 | <i>Farfarus</i> | 835 | <i>Regius, & eius species</i> | 252 |
| <i>satiua, silvestris</i> | 708.709 | <i>Farfum</i> | 443 | <i>Regius Fuchsij</i> | 261 |
| <i>Eruilia</i> | 521 | <i>Farina</i> | 491 | <i>solis</i> | 193.264 |
| <i>silvestris</i> | 521.522 | confusanea, & alia eius species | ibid. | <i>tigridis</i> | 693 |
| <i>Eruum</i> | 524.527 | <i>Farrago</i> | 499 | <i>Fluida</i> | 779 |
| <i>Officinarum</i> | 531 | <i>Faselas, siue Faselus</i> | 513.& seqq. | <i>Fœniculum</i> | 297 |
| <i>silvestre</i> | 528.529 | <i>Faselus hircinus</i> | 580 | <i>porcinum</i> | 305.317 |
| <i>Erynge</i> | 731 | maior | 513 | <i>silvestre</i> | 297 |
| <i>Eryngium, & eius species</i> | 730. | minor | 515 | <i>tortuosum</i> | 312 |
| & seqq. | | <i>silvestris</i> | 516 | <i>Fœniculus marinus</i> | 706 |
| <i>Alpinum</i> | 733 | <i>Fasiolus vel Phasiolus</i> | 514 | <i>Fœnumgræcum</i> | 536 |
| <i>Borussicum</i> | 733 | minor | 515 | <i>silvestre, eius species</i> | 546.547 |
| <i>campestre</i> | 730 | <i>Febrifuga</i> | 53 | <i>Fontalis & eius species</i> | 582 |
| <i>marinum</i> | 730 | <i>Febrifugia</i> | 336 | <i>Fraga</i> | 671.672 |
| <i>non spinosum</i> | 733 | <i>Fegopyrum</i> | 511.512 | <i>Fragaria, Fragula</i> | 672 |
| <i>planum Matthiolii</i> | 731.732. | <i>Fel terra</i> | 335.336 | <i>Frangula</i> | 783.784 |
| 733 | | <i>Ferraria</i> | 50.510 | <i>Fraxinella</i> | 348 |
| <i>pumilum Clusij</i> | 731.732 | minor | 28 | <i>Fraxinus</i> | 833 |
| <i>Spurium, & eius species</i> | 731. | <i>Ferrum equinum</i> | 546 | bubula campestris magna | 834 |
| & seqq. | | <i>Ferula</i> | 321.322 | montana | 834 |
| <i>Erysimum</i> | 714 | <i>Ferulago</i> | 321.322 | <i>silvestris</i> | 834 |
| <i>Galeni & Theophrasti</i> | 532 | <i>Festuca</i> | 539 | <i>vulgaris</i> | 834 |
| <i>Esula, & eius species</i> | 374 | Plinij | 539 | <i>Fritillaria</i> | 232 |
| <i>rotunda</i> | 375 | prior & altera | 539 | <i>Frugiperda</i> | 843 |
| <i>Eufrasia, Eufragia</i> | 54 | <i>Ficaria minor</i> | 49 | <i>Frumentum amuleum</i> | 494 |
| <i>altera</i> | 55 | <i>Ficus, Ficus satiua, siue urbana</i> | | barbatum | 494 |
| <i>quorumdam</i> | 565 | 811.812 | | locar, loculare | 494 |
| <i>Euonymus</i> | 783 | <i>Ægyptia</i> | 811 | D.Petri | 495 |
| <i>Eupatoria</i> | 27 | Indica | 813 | pullare | 494 |
| <i>Eupatorium</i> | 27.28 | Indica Theophrasti | 814 | Turcicum | 509.510 |
| <i>adulterinum</i> | 28 | Pharaonis | 811 | <i>Fucus</i> | 478 |
| <i>Mesuæ</i> | 296 | pumila 112 | 812 | capillaceo folio | 478 |
| <i>Euphorbium</i> | 378 | <i>Filago</i> | 66.67 | Creticus | 478 |
| <i>Euphosyne</i> | 55 | minor | 66.67 | folio graminis | 478 |
| <i>Euphosynum</i> | 627 | alia species | 67 | latifolius | 478 |
| <i>Exupera</i> | 150 | <i>Filiastrum</i> | 464 | marinus | 478 |
| <i>Ezula, & eius species</i> | 374 | <i>Filicula</i> | 465.471 | marini varia species | 479.480 |
| <i>rotunda</i> | 375 | <i>Filipendula</i> | 56 | trichophyllus | 478 |
| | | montana | 56 | <i>Fucus herba</i> | 630 |
| F aba | 514.516 | <i>Filius ante pattern</i> | 85 | <i>Fuga dæmonum</i> | 76 |
| <i>Ægyptia</i> | 518 | <i>Filix</i> | 462 | <i>Fuligo</i> | 864 |
| <i>fresa, aut fræta</i> | 517 | aquatilis | 464 | <i>Fumaria</i> | 59 |
| <i>Græca</i> | 517 | mas | 462.463 | <i>Fumaria altera</i> | 60 |
| <i>inuersa</i> | 456 | femina | 462.463 | <i>Fumus terræ</i> | 59 |
| <i>lupina</i> | 451 | Latifolia | 464 | <i>Fungus, Fungi</i> | 481 |
| <i>major</i> | 513 | palustris | 463.464 | arboreus | 485 |
| <i>minor</i> | 515 | querna | 465 | Autumnalis | 481 |
| <i>silvestris</i> | 516 | <i>Fistici</i> | 818 | lucernarum | 485 |
| <i>suilla</i> | 450 | <i>Fistularia</i> | 556 | marinus | 482.483 |
| <i>vera antiquorum</i> | 516 | <i>Flammula</i> | 404.405.432 | orbicularis | 484 |
| <i>vulgaris</i> | 513 | folio ferrato | 432 | populneus | 482 |
| | | | | præcox | 481 |
| | | | | semi- | |

OMNIVM STIRPIVM.

| | | | | | |
|--|-------------|---------------------------|-------------|---------------------------|-------------|
| semiorbicularis | 485 | Gluten | 498 | mollis | 396 |
| serotinus | 482 | Glycyrrhiza | 340.341 | muralis | 414 |
| fullus | 482 | vulgaris | 341 | nigra | 413.414 |
| venenosus | 482 | Gnaphalium marinum | 65 | pluviatica | 395 |
| Funis arborum | 393 | montanum | 69 | rigens | 414 |
| Fusanum, Fusanus | 783 | Gniacardus | 726 | spinosa | 399 |
| Fulsterna | 866 | Gordylion | 314 | sterilis | 395 |
| Fufus agrestis | 736 | Gorgonium | 83 | terrestris | 393.394 |
| | | Goslipium | 65.66 | virens | 413 |
| G Albuli | 857 | Gtalega | 547 | Hederalis | 407 |
| G Galedragon Plinij | 735 | Gramen | 558 | Hedynpois | 634 |
| Galega, & eius species | 547. 548 | aculeatum quorumdam | 560 | Hedyfarū, & eius species | 545.546 |
| filuestris aut Germanica | 548 | arundinaceum | 602 | Helenum | 344 |
| Galla | 824 | eriophoron | 562 | Ægyptium | 344.549 |
| maior, minor | 825 | iuncicum | 562 | Apuleij | 344 |
| omphacitis | 825 | leucanthemum | 563 | Crateuæ | 549 |
| vini, asinina | 825 | Mannæ primum | 519 | Plinij | 549 |
| viridis, mollis | 825 | alterum | 560 | quorumdam | 304 |
| Gallitricum | 291 | Patnasium | 564 | Theophrasti | 344.549 |
| Gallium | 354.355 | polyanthemum maius, minus | | Helianthe | 193 |
| palustre | 354 | 563.564 | | Helianthemum | 193 |
| Garipot | 864 | pratense, & eius species | 560. | Heliocallis | 193 |
| Garofimus | 616 | 561.562 | | Heliochryson | 267 |
| Gelotophyllum | 428 | Granum alzelin | 340 | Heliotropium | 69 |
| Gellemimum | 410 | Nil | 396.397 | maiis, siue magna | 69.70 |
| Geminalis | 294 | regium | 367 | minus, siue paruum | 70.71 |
| Gemma Populi | 8,6 | tinctorium | 828 | supinum | 9 |
| Genicularis | 170.350 | zelin | 340 | tricoccum | 7 |
| Geniculata | 346 | Gratia Dei | 193.631 | Helleborastrum | 24 |
| Genista, Genesta, & eius variae species | 761.& seqq. | quorumdam | 633 | Helleborine | 362.383 |
| humilis | 763 | Gratiola | 193.361.362 | Helleborum | 383 |
| Italica | 761 | Grias herba | 714 | album | 383 |
| spinosa | 759 | Grossularia | 748 | nigrū, & aliq species | 385.& seqq. |
| enius alia species | ibid. | rubra | 748 | Helmus | 483 |
| tinctoria | 762.763 | transmarina | 748 | Helxine cissampelos | 396 |
| cum rapo | 761 | Grossus | 812 | Hemerocallis | 199.201.202 |
| Genitella | 760 | Gruina | 61 | Hemerocallis frutex | 204 |
| Gentiana | 342 | Gruinalis | 61 | flos | 204 |
| minor, & eius species | 343 | Guadum | 80 | Hemionitis | 467 |
| Geranium batrachoides | 63.64 | Gummi Tragacanthæ | 751 | peregrina | 467 |
| bulbosum | 61 | Dragantii | 751 | Henne | 776 |
| columbinum | 61 | Arabicum | 752 | Hepatica | 356.579.473 |
| alterum Dioscoridis | 61 | H Ab al Nil | 397 | alba | 564.587 |
| gruinum | 6+ | Habalzelin | 340 | aquatica | 587 |
| montanum | 64 | Halica, & eius species | 497 | petraea | 473 |
| Robertianum | 62 | Halicacabus | 454 | Hepatorium aquatile | 594.595 |
| supinum | 62.63 | peregrinus | 455 | vulgare, siue adulterinum | 28 |
| tuberofum | 60.61 | Halicastrum | 493 | Hepsema | 418 |
| Gethyon, Gethyū | 456.688.689 | Haliphloëos | 832 | Heracleos | 83 |
| Geum | 238 | Halmades | 822 | Heraculum | 285 |
| Gilarum | 278 | Halymus | 771 | Herba alba | 27 |
| Gingidiū, & eius species | 702.703 | Handacocha | 516 | S. Antonij | 50 |
| Gith | 173.304 | Hareoman | 508 | benedicta | 138.350 |
| ex tritico | 173 | Harmala | 321 | casta | 194 |
| Githago | 173 | Harmel | 321 | cancti | 70 |
| Giula | 296 | H. stula regia | 207 | catti, cattaria | 99 |
| Gladiolus | 209.210 | Hebulben | 818 | S. Christophori | 402 |
| aquatilis, siue palustris | 600. | Hedera | 412 | Clauellata | 1,8 |
| 601 | | arborea | 414 | coxendicum | 132 |
| vtrimeque floriferus | 209 | assurgens, attollens | 414 | Doria | 141 |
| segetalis | 210 | candida | 412 | fortis | 142 |
| Glans | 814 | Cilicia | 399 | Gallica | 547 |
| terrestris | 373.550 | excelsa | 414 | Gerardi | 319.320 |
| vnguentaria | 778 | helix | 413 | Hungarica | 656 |
| Glaustum | 79 | herbacea | 413 | S. Iacobi | 642 |
| Glaucium | 448 | maior | 412.414 | Iudaica | 93 |
| Glaux | 577 | minor | 413 | Laffulata | 295 |
| | | | | leporina | 574 |
| | | | ff | Mal- | |

I N D E X

| | | | | | |
|---------------------------|----------|--------------------------------|--------------|-------------------------------|---------------|
| Malhorquiana | 477 | distichon | 501 | filuestris | 830 |
| Margarita | 265 | Galaticum | 500 | Illecebra | 129.661 |
| S. Mariæ | 96.295 | murinum | 540 | altera | 131 |
| papagalli | 618 | nudum | 501 | Impatiens herba | 659 |
| paralyfis | 147 | trimestre | 500 | Imperatoria | 319 |
| Paris | 444 | Horminum | 293.294 | Imperatrix | 305 |
| pedicularis | 366 | filuestre, luteum, Tridentinum | | Impia | 66.67 |
| S. Perri | 147 | 293 | | Indicum, color | 80 |
| pinula | 451 | Humibuxus | 782 | Inguinalis | 267 |
| pulicaris | 115 | Humirubus | 742 | Infana | 450 |
| Roberti, aut Robertiana | 62 | Hyacinthus | 218 | Intubum, Intybum | 53.633 |
| Rutinalis | 306 | Autumnalis maior | 218 | agreste | 171.634.640 |
| sacra | 452 | minor | 219 | erraticum | 634 |
| sagminalis | 150 | botryoïdes | 217 | satiuum | 633.634 |
| salax | 709 | comosus | 219 | filuestre | 634 |
| salutaris | 755 | ferrugineus | 200 | Inula, Inula campana | 344 |
| sancta | 452 | Fuchsij | 219 | quotundam | 309 |
| Sardoa | 428 | moschatus | 218 | rustica | 134 |
| scelerata | 427 | poëticus | 200 | Iosimum | 410 |
| Simeonis | 656 | racemosus | 217 | Iouis barba | 127 |
| Siminina | 182 | spurius, eiusque species | 217 | flos | 170 |
| stella | 109 | & seqq. | | glans | 815 |
| Trinitatis | 158.579 | scriptus | 200 | Iringus | 731 |
| Tunica | 172.179 | non scriptus | 215.216 | Irio, Irion | 533.714 |
| Turca | 114 | eius species | 216 | Iris, & eius species | 243. 244. |
| venti | 436 | serotinus | 219 | & seqq. | |
| Herbacantha | 720 | stellatus | 220 | Africana | 245 |
| Herbutum | 640 | Hydrolapathum | 647 | agrestis | 205 |
| Herculania | 150 | Hydropeperi | 331 | afragalites | 247 |
| Herculis sanguis | 384 | Hydropiper | 607 | biflora Lusitanica | 244 |
| Hermodactylus | 460.461 | Hydroselinon | 590.695.699 | bulbosæ | 211 |
| eius species | 461 | Hyophthalmon | 267 | cærulea | 245 |
| Matthioli | 249 | Hyoscyritis | 634 | candida | 245 |
| Hernaria | 114 | Hyoscyamus | 450. & seqq. | Florentina | 245 |
| Herniola | ibid. | albus | 450.451 | Illyrica | 245 |
| Hesperis | 160 | luteus | 450 | Illyrica Plinij | 246. 247 |
| Hiberis | 714 | niger | 450 | latifolia | 212 |
| Hieracium, & eius species | 638. | Peruianus | 451. 452 | Lusitanica | 211 |
| 639. 640 | | Peruianus Cordi | 460 | lutea | 245 |
| magnum, paruum | 640 | Hyosiris | 634 | lutea Hispanica | 212 |
| Hierobulbus, Hieribulbus | 212 | Hypécoum | 449 | Macedonica | 245 |
| Hippace | 342 | Hypericon | 75.76 | minor | 244 |
| Hippia maior | 30 | minus | 76 | minor tenuifolia | 246 |
| minor | 30 | supinum | 76.77 | purpurea | 245 |
| Hippion | 377 | Hypocistis | 191 | filuestris | 245. 246. 248 |
| Hippoglossum | 745 | Hypoquistidos | 191 | filuestris lutea | 248 |
| Hippolapathum | 648. 649 | Hyslopus vulgaris | 287 | tuberosa | 248. 249 |
| Hippomanes | 372.373 | vtrime florifera | 287 | Isatis sativa | 79 |
| Hippomarathrum | 297 | ex codice Cæfarco | 288 | filuestris | 79 |
| Hippope | 377 | Iacea | 158 | Isophyllum Valerij Cordi | 632 |
| Hippophae | 371.377 | nigra | 124 | Isopyrum | 580 |
| Hippophætum | 377 | Iacobea, & eius species | 642 | Iua Arthetica, seu moschata | 45 |
| Hippophanes | 377 | marina | 642 | Iuiubæ | 806 |
| Hippophyes | 377 | Iarus | 328 | Iuncus, & variae eius species | 605. |
| Hipposelinum | 697.698 | Iastone | 167 | 606 | |
| Hippuris maior | 72.73 | Iasminum | 409 | acutus | 605.606 |
| minor cum flore | 73 | Iberis | 714.715 | angulosus | 339 |
| minor absque flore | 73 | Ibiga | 45 | artifer | 606 |
| Hitci barba | 256 | Ibiscus | 654.655 | frugifer | 606 |
| Hirundinaria | 48.407 | Iecoraria | 356 | holoschœnos | 605.606 |
| maior | 48 | Iesemin | 410 | laevis | 605.606 |
| minor | 49 | Iesemimum | 410 | mariscus | 606 |
| Hispanac | 619 | Ilex | 827.828.829 | odoratus aquatilis | 590.591 |
| Hispanicum olus | 619 | femina | 830 | quadratus | 339 |
| Holoschœnos iuncus | 605.606 | maior, siue glandifera | 829 | sterilis | 606 |
| Holostium | 111 | minor coccigera, aut coccifera | 829 | triangularis | 339 |
| Hordeum | 500.501 | 827.828 | | Iuniperus | 851.852 |
| Cantherinum | 500 | | | maior, minor | 851.852 |
| | | | | Iusquia- | |

O M N I V M S T I R P I V M.

| | | | | | |
|----------------------------------|--------------|---------------------------------|--------------|-----------------------------|--------------|
| Iusquiamus | 451 | ruberum | 649 | Leuisticum vulgare | 372 |
| Ixia | 728. 826 | satiuum | 648. 649 | Libadion | 335. 336 |
| Ixine | 728 | siuestre | 648. 649 | Libanium | 627 |
| | | tuberosum | 649 | Libanotis | 53. 305. 306 |
| K Ali | 81 | Lapdanum | 192 | ferulacea | 305 |
| album | 81. 82 | Lappa inuersa | 28. 39 | fecunda, sterilis | 305 |
| articulatum | 82 | maior | 38 | Theophrasti | 313 |
| Kermes | 828 | minor | 39. 354 | Lichen | 473 |
| Kerugha, Keruagh | 367 | Lappago | 354. 377 | Licinia | 150 |
| Kefluth | 554 | Larix | 868. 869 | Ligusticum | 311 |
| Keyri | 160 | Laset | 321 | Ligustrum | 775 |
| Kittan | 865 | Cyrenaicum, Medicum, Sy- | | album | 393 |
| | | riacum | 321 | nigrum | 396 |
| L Abeonia | 88 | radicarium | 321 | Lilago | 204 |
| Labrum Venetis | 735 | scapatium | 321 | Lilialis | 245 |
| Labrusca | 415 | Laserpitium | 311. 320 | Liliophodelum | 204 |
| Laburnum | 785 | Lathyris | 375 | Liliastrum | 204 |
| Lachryma Abietis, siue Abiegna | 866 | Lathyrus | 522 | Lilium | 197 |
| | | siluestris | 523 | eius variae species | 179. 198. |
| Iobi | 506 | Lauanda, Lauandula, Lauendula | | & seqq. | |
| Iuniperi | 852 | 273 | | agreste | 205 |
| Tragacanthæ | 751 | mas, femina | 274 | Alexandrinum | 221 |
| Lactaria | 371 | flore Absinthij | 27 | non bulbosum | 204 |
| Lactero | 644 | filuestris | 86 | non bulbosum obsoleto colo- | |
| Lactoris | 371 | Lauer | 590 | re rubens | 204 |
| Lactuca, & variae eius species | 644. & seqq. | Laurentina | 135 | candidum | 197 |
| | | Laureola | 365 | conuallium | 205 |
| Bætica | 645 | quorumdam | ibid. | marinum | 205 |
| Cæciliana | 645 | Laurio | 278 | Perficum | 220 |
| capitata | 645 | Laurus | 849 | purpureum | 198. 199 |
| caprina | 371 | Alexandrina | 745 | siluestris, & eius species | 199. |
| crispa | 644. 645 | Idra | 745 | 201. 202 | |
| Cypria | 645 | filuestris, aut siluatica | 850 | inter spinas | 410 |
| Græca | 645 | Lectipes | 272 | Susianum | 220 |
| hortensis, siue sativa | 644. 645 | Lecythos | 521 | vniifolium | 205. 206 |
| Laconica | 645 | Ledon, & eius genera | 192 | Lillach | 778 |
| leporina | 644 | Lens, & eius species | 526. 527 | Limnesion | 361 |
| marina | 371 | lacustris, aquatilis, palustris | | Limones | 792 |
| nigra | 644 | 586. 587 | | Limodorum | 552 |
| Romana | 645 | Lenticula | 527 | aliae species | 553 |
| rubens | 644 | Lenticula aquæ | 587 | Limonium herba | 53. 351 |
| teffilis | 645 | Lentiscus | 871 | Gefneri | 333 |
| siluatica | 640 | Leo herba | 182 | Linaria | 183 |
| filuestris | 646 | Leo | 738 | purpurea | 183 |
| Lactaria solsequia | 371 | Leporinus pes | 578 | odorata | 184 |
| Lactucella | 644 | Leontium | 83 | Valentina | 184 |
| Lidanum | 192 | Leontopetalon | 69. 171. 326 | Lingua auis | 833 |
| Lagopus | 577 | Leontopodium | 68 | bubula aut bouis | 627 |
| major folio Trifolij | 577 | aliud | 69 | canis | 53 |
| major alter | 378 | Lepidium | 703. 714 | cetrina | 210. 463 |
| Lagopyrus | 578 | Plinianum | 715. 716 | ceruina Officinarum | 466 |
| Lamium | 153 | Leucantha | 726. 727 | paganæ | 745 |
| luteo flore | 153 | Leucas, & eius species | 284 | paſſerina | 833 |
| Lampsana | 675 | montana | 44 | serpentina | 139. 588 |
| Lampuca | 640 | satiua | 44 | Linum | 533 |
| Lanaria | 144 | Leuce | 284 | marinum | 534 |
| Lanaria radix | 178 | Leucographis | 632 | satiuum | 533 |
| Lancea Christi | 139 | Leucoion Autumnale minimum | | siluestris, & eius species | 534 |
| Lanceola, Lanceolata | 108 | 230. 231 | | Liquiritia | 342 |
| Lantana | 781 | bulbosum | 229 | Litium | 211. 225 |
| Lanugo | 65 | bulbosum polyanthemum | | alterum | 228 |
| Lapathium acutum | 649 | 230 | | Lithospermum | 82 |
| Lapathum, eiusque variae species | 649 | hexaphylon | 230. 231 | aliae species | 83 |
| 647. & seqq. | | triphyllum | 219. 230 | Lolium | 538 |
| acidum | 649 | Leucoium candidum maius | 159 | muriuum | 540 |
| aquatile | 649 | luteum | 160 | rubrum | 540 |
| magnum | 649 | multiplici flore | 159 | Lomentum | 517 |
| nigrum | 649 | siluestre angustifolium | 160 | Lonchitis | 249 |

ff 2

spc.

INDEX

| | | | | | |
|-----------------------------------|-------------|---------------------------|---------|-----------------------------|------------|
| aspera | 469 | Theophrasti | 657 | Medion | 169 |
| prior | 249 | Maluaifcus | 654 | Mel frugum | 507 |
| Longina | 469 | Malum | 790 | Melampcdion | 386 |
| Lora | 422.423 | Aethiopicum | 459 | Melampyrum | 541.542 |
| Lotus arbor | 846.847 | Armeniacum | 798 | Melandrium | 259 |
| Ægyptia | 847 | aureum | 458 | Melanthium | 173.303 |
| Africana | 847 | Granatum | 794 | Damascenum | 303.304 |
| Lotus herba | 571.572 | insanum | 458 | ex Tritico | 173 |
| Ægyptia | 572.573 | Perficum | 797 | satiuum, filuestrē | 303 |
| domestica, sativa, seu urbana | 572 | Punicum | 794 | Melanzana | 458 |
| filuestris, & eius species | 572 | spinosum | 459 | Meleagris | 232.233 |
| filuestris alia | 574 | Malus. | 789.790 | Melica, & eius species | 508 |
| Ysaaci siue Serapionis, & Ara- | | Anerancia, siue Anarantia | 792 | Melich | 574 |
| bum | 574 | Armeniaca | 797 | Melilotus | 567 |
| Lucciola | 139 | Affyria | 791.792 | alba siue candida | 567 |
| Lunaria, Lunaria botrytis | 139.140 | aurea | 795 | Cilicia | 567 |
| Græca | 162 | Citria | 792 | Germanica, seu Officinarū | 567 |
| maior | 464 | Cotonea | 795 | Germanica Fuchsij | 574 |
| Lunaris, Lunaria Pæonia | 195 | humilis | 790 | Italica | 547 |
| Luparia | 439 | Limonia | 791 | lutea | 567 |
| Luph crispum | 330 | Medica | 790.791 | peregrina | 567 |
| Luph planum | 330 | Persica | 796 | Melilla | 91 |
| Lupha | 329 | Punica | 793.794 | Melissophyllum | 91 |
| Lupi crepitus | 484 | siluestris | 794 | Melittena | 88 |
| Lupinus | 529 | Malus flos | 651 | Melitis | 91 |
| sativus | 529 | Malus Henricus | 651 | Melo | 663.664 |
| filuestris | 530 | Mamiras | 48 | Melongena | 458 |
| Lupulus | 408.409 | Mamolaria | 720 | Melopepo | 663 |
| Lupus, Lupulus salictarius | 409 | Mandragoras | 457 | Galeni | 663 |
| Lultrago | 150 | femina, mas | 457 | Moschatellinus | 664 |
| Lutum herba | 80 | morion | 457 | Melospinum | 459 |
| Lugula | 578 | Theophrasti | 456 | Memæcyton | 804 |
| Lychnis coronaria | 170.178 | Manifolium | 38 | Memiran, Mamiran | 48 |
| siluestris, & eius variæ species | 171.182 | Manium oua | 483 | Memiren | 49 |
| Lychnitis | 144 | Manus Martis | 117 | Memitha | 448 |
| Lycium | 757 | Marica radix | 245 | Menion | 195 |
| succedaneum | 335.758.779 | Marinella | 350 | Menogenion | 195 |
| Lycodonum, & eius species | 439 | Marisea cepa | 687 | Mentha | 95 |
| Ponticum | 439 | Mariscus | 606 | corymbifera | 26 |
| flore Delphinij | 440.441 | Marmorella | 28 | cruciata angustifolia | 96 |
| cæruleum paruum, & eius spe- | | Marum | 270 | Græca | 295 |
| cies | 441 | vulgare | 271 | Romana, Cardiaca, alba, | 96 |
| Lycopersium | 255 | Marrubiastrum | 89 | Sarracenica | 96.295 |
| Lycopodium | 472.473 | aquatile ac palustre | 595 | siluestris | 96 |
| Lycopsis | 628 | candidum | 87 | Menthastrum | 96 |
| Lycostaphylos | 846 | nigrum | 89.90 | Mercurialis, & eius species | 658. |
| Lyron | 179 | spurium | 89 | 659 | |
| Lysimachia, Lysimachium | 84 | Martagon | 201 | mas, femina | 658 |
| aquatile | 607 | Maru herba | 631.632 | filuestris | 659 |
| Macedonica | 53 | Maspeton | 320.321 | Merenda | 809 |
| Macia | 32 | Massa | 605 | Mergina | 399 |
| Madon | 400 | Massepanes | 503 | Merithrys | 63 |
| Madrya | 805 | Mastiche | 872 | Mesoleucon | 284 |
| Magudatis | 319.321 | Mastix | 872 | Mespilum | 801 |
| Mahaleb | 776.777 | Mater herbarum | 33 | Melpilus vulgaris | 800.801 |
| Maizium, Maizum | 510 | Herculania | 586 | Aronia | 801 |
| Maiorana | 270 | Violarum | 157 | Methel nux | 460 |
| Malhorquiana herba | 477 | Matrefillon | 125 | Meum | 304.305 |
| Malicorium | 794 | Matricalis | 150 | Athamanticum | 34 |
| Malinathalla | 458 | Matricaria | 35 | Officinarum quondam | 699 |
| Maltum | 503 | Matrifalvia | 293 | Mczereon Arabum | 363 |
| Malua, & eius variæ species | 651. | Maza | 410 | Officinarum | 364 |
| & seqq. | . | Mechoacan | 503 | Miliandrum | 451 |
| hortensis siue sativa | 651.652 | Meconicum | 397.398 | Militaris | 53.100.150 |
| siluestris procerior, pumila, at- | | Medica herba | 446 | aquaulis | 589 |
| borescens | 653.654 | Medica matina | 575.576 | Milium | 505.506 |
| | | | 574 | Soler | 83 |
| | | | | Solis | 83 |
| | | | | Mille- | |

OMNIVM STIRPIV M.

| | | | | | |
|----------------------------|----------|--------------------------------|----------|----------------------------|---------|
| Millefolium | 36.100 | Myrica | 766 | Nux auellana | 816.817 |
| aquatile | 584 | quorumdam | 768 | auellana urbana | 817 |
| luteum | 101 | Myriophyllum aquatile | 584 | Heracleotica | 817 |
| minus | 101 | Myrrha | 701 | iuglans | 815.816 |
| purpurei floris | 100 | Myrrhis | 63.701 | Methel | 460 |
| filuestre | 56 | Myrtidanum | 773 | Perfica | 797.815 |
| Millegrana | 114 | Myrtilli | 768 | Pontica | 817 |
| Millemorbia | 50 | Myrtus | 772 | Prænestina | 817 |
| Mimulus herba | 556 | aliae eius species | 773 | Regia | 815 |
| Minetuum | 69 | Brabantica | 780 | Velutaria | 818 |
| Misèbar | 632 | filuestris, seu acuta | 744 | Nymphaea, & eius species | 585. |
| Mochus | 523. 524 | Myxa | 806 | 586 | |
| Mollugo | 354 | Myxa, siue Myxaria | 806 | alba | 585 |
| montana | 354 | | | lutea | 585 |
| Molucca lœuis | 92 | N Apellus | 441. 442 | lutea minor | 586 |
| spinosa | 92 | luteus | 439 | parua | 583.586 |
| Moly, & eius species | 121.685 | Moyfis | 444 | | |
| angustifolium | 685 | Napium | 676 | O Cellus Barbaricus | 175 |
| Dioscoridis | 686 | Napus | 674 | Ocellus, Ocellus Dama- | |
| Indicum | 685 | Narcissus | 223 | scenus | 175 |
| latifolium | 685 | autumnalis, & eius species | | Ochrus | 521 |
| montanum | 120 | 228 | | filuestris | 521.522 |
| Theophrasti | 686 | iuncifolius luteus, maior, mi- | | Ocimastrum | 171.280 |
| Molybdena | 608 | nor | 226 | Ocimooides | 280 |
| Momordica | 670 | marinus | 228. 229 | Ocimum, ciusque species | 278. |
| Monococcon | 493 | Marcelli Virgilij | 228 | 279 | |
| Montapium | 696 | medio luteus | 223 | minus | 279 |
| Montulmus | 837 | medio luteus latifolius | 224 | filuestris vulgare | 280 |
| Mora bati | 742 | medio purpureus | 223 | tertium maximum | 279 |
| bassi | 742 | multiplex | 224 | Ocularis | 55 |
| Morandula | 135 | filuestris luteus | 227 | Oculus bouis | 258 |
| Morella | 453 | eius species | ibid. | Oculus Populi | 836 |
| Morosycus | 811 | totus albidus | 224 | Ocymum | 512 |
| Morsus diaboli | 124.640 | Nardum rusticum | 294 | Oenanthe | 416 |
| gallinæ | 30.31 | Nardus Cretica | 350 | Oenanthe herba | 57 |
| ranae | 583 | Italica | 274 | Oenothera | 85 |
| Morum | 810 | rustica | 138. 358 | Olea Aethiopica | 821 |
| Morum rubi | 742 | filuestris | 350 | urbana siue sativa | 820.821 |
| Morus | 809.810 | Naronica radix | 245 | filuestris | 820.821 |
| Ægyptia | 811 | Nasturtiaria | 591 | Oleago | 363 |
| candida | 819 | Nasturtium aquaticum | 591. 592 | Oleander | 851 |
| Morus, Morum Celsi | 810 | aquaticum minus, vel aquati- | | Oleastellum | 363 |
| Mosa, siue Musa | 792 | le alterum | 592 | Oleaster | 821 |
| Mugo | 862 | hortense | 711 | Germanicus | 755 |
| Mula herba | 468 | hibernum | 712 | Oleum Tartari | 424 |
| Muliones | 837 | Indicum | 397 | Oliua | 821 |
| Multibona | 696 | filuestre | 714 | Oliuella | 363 |
| Multiradix | 362 | tectorum | 713 | Olus album | 646.647 |
| Mumia | 868 | Naueta | 674 | atrum | 697 |
| Muralis | 102 | Nautica radix | 350 | aureum | 614 |
| Muralium | 102 | Nenuphar | 586 | aureum quorumdam | 658 |
| Murica | 766 | Neottia | 553 | Olsenichium | 699 |
| Muricida | 442 | Nepa | 760 | Olyra | 495 |
| Murtiradix | 336 | Nepeta | 99 | Omphacis | 824 |
| Muscarî | 218 | Nephelion | 38 | Omphacium | 423 |
| Muscipula | 177 | Nerion | 851 | Onagra | 85 |
| Muscus arboreus | 471 | Neuropastos | 189 | Onitis | 285 |
| capillaris | 475 | Nicophoros | 399 | Onobrychis | 548 |
| marinus, & eius species | 475. | Nicotiana | 452 | altera | 549 |
| & seqq. | | Nigella | 304 | Onoclia | 630 |
| marinus virens latifolius | 477 | Nigella Damascena | 304 | Ononis | 743 |
| tenuifolius | 477.478 | Nigellastrum | 173 | Onopordon | 738 |
| palustris | 472 | Nil Auicennæ | 396.397 | Onuris | 85 |
| terrestris, & eius species | 472. | Noli me tangere | 660 | Opalis grata | 182 |
| 473 | | Nuces Cupressi | 857 | Ophioglossum | 139 |
| Musteros | 53 | Fagi | 832 | Ophthalmica | 55 |
| Mustum | 417 | Pineæ | 860 | Opium | 446 |
| Myagrion | 532 | Nummularia | 600 | Opopanax, Oppoponacum | 310 |

ff 3 Opla-

INDEX

| | | | | | |
|--|---------------|---------------------------------|---------------|---|---------------|
| O psago | 455 | Paliurus | 755. 756 | Passula de Corintho | 415 |
| O puntia herba | 814 | eius alia species | 756 | Passula montana | 366 |
| O rbicularis | 338 | Pallacana | 688 | Pastinaca | 678. 679. 680 |
| Orchis, & eius species | 234. 235. | Palladium | 69 | latifolia sativa | 680 |
| & seqq. | | Palma | 819 | latifolia silvestris | 680 |
| O reoselinum | 695. 696 | Palma Christi | 241. 367 | marina | 706 |
| O rganum, & eius species | 284. | Palma cerebrum | 820 | sativa | 678 |
| 285 | | Palmites | 820 | silvestris | 679 |
| A nglicanum | 285 | Palmula | 819 | tenuifolia sativa, rubens, lucea | |
| H eracleoticum | 285 | Paludarium | 695 | 678. 679 | |
| H ispanicum | 285 | Panaces | 307 | tenuifolia silvestris | 679 |
| o nitis | 285 | Æsculapium, seu Asclepiū | 308 | Passiuclutum | 185 |
| s ilvestre | 285 | chironium | 193. 295. 309 | Paftoria bursa | 102. 103 |
| O rixa, Oryza | 508. 509 | Herachium | 285. 307 | Pata equina | 596 |
| O rixa Germanica | 494 | Herculanū, Herculeum | 308 | Pata leonis | 69 |
| O rneoglossum | 833 | latifolium | 335 | Patientia | 649 |
| O rnithogalum, & eius species | | peregrinum | 308. 309 | Pecten Veneris | 701. 702 |
| 220. 221. & seqq. | | Syriacum | 307 | Pedes gallinacei | 60 |
| D ioscoridis | 221 | tenuifolium | 336 | Pedicularis | 556 |
| l uteum | 222 | Pancratium | 691 | Pedua | 255 |
| M arthioli | 221 | marinum quorumdam | 229 | Peduncularia | 319 |
| N arbonense | 222 | Panicum | 506. 507 | Peduncularis | 386 |
| R uellij | 221 | Indicum | 507. 508 | Pelecinon | 377 |
| O rnithopodium, & eius species | | aliud quorumdam | 508 | Pellibossa | 84 |
| 544 | | palustre | 560 | Pentadaçylon | 367 |
| O rnus | 834 | peregrinum | 508 | Peplion | 376. 661 |
| O robanche | 552. 553 | filuestre | 560 | Pepis | 376. 661 |
| O robanche Theophrasti | 555 | Panion | 53 | Peplus | 375 |
| O robus | 527 | Panis | 491 | Pepo, & eius species | 665. |
| O rontium | 183 | confusaneus | 491 | & seqq. | |
| O ruala, Orualla, eiusque species | | cuculi | 578 | H ispanicus | 667 |
| 291. & seqq. | | porcinus | 338 | l atus | 666 |
| O ruala filuestris | 493 | silagineus, similagineus, ciba- | | m arinus | 667 |
| O shriaca | 654 | rius, & aliæ plutimæ eius | | M ali odorem referens | 664 |
| O lmunda | 464 | species | 492 | ob longus maior | 665 |
| O steocollon | 134 | Panus | 831 | rot undus maior, minor | 666 |
| O steritium | 319 | Papaver album | 445. 446 | fil uestris | 667. 668 |
| O strurium | 319 | agreste | 446 | T urcicus | 667 |
| O strya, Ostrya | 832 | corniculatum maius & minus | | P eponella | 105 |
| O syris | 101 | 448 | | P era pastoris | 103 |
| O thonna | 48. 255 | corniculatum rubrum & vio- | | P erdicium | 102 |
| O ua Manium, siue dæmonum | | laceum | 448. 449 | P erfoliata, P erfoliatum | 103. 104 |
| 483 | | erraticum, & eius species | 446. | P erfoliata rubra | 104 |
| O uchinastrum | 61 | 447 | | P erforata | 76 |
| O xalis, & varia eius species | 647. | fluidum | 447 | P ericlymenum | 410 |
| & seqq. | | hortense, & eius species | 445 | P ericlymenum flans | 411 |
| o mina | 649. 650 | luteum | 448 | P eriploca | 407. 408 |
| R omana | 649 | marinum | 448 | repens | 407. 408 |
| r otundifolia | 647. 649 | minus | 445 | P erpensa | 294. 358 |
| t uberosa | 647. 649 | nigrum | 304. 445. 446 | P ersa | 270 |
| O xya | 832 | palustre | 586 | P ersica | 796 |
| O xyacantha | 749. 750 | paralium | 448 | P ersica nux | 815 |
| O xyacanthus | 751 | rubrum | 447 | P ersicaria | 608 |
| O xycedrus | 852. 853 | satiuum, & eius species | 445 | P ersicum | 797 |
| L ydia | 853 | filuestre | 447 | P ersonata, P ersonatia | 38 |
| P heœnices | 853 | spumeum | 172 | P esanferinus | 616 |
| O xcoccon | 771 | Papauerculum | 69 | aspinus | 686 |
| O xylapathum | 648. 649 | Papinula | 105 | auis | 544 |
| O xymyrsine | 744 | Paralyfis herba | 147 | columbinus | 61 |
| O xs Plinij | 578. 579 | Paralytica Alpina | 148 | coruinus | 427 |
| O xytiphylon Scribonij | 577 | Parietaria, Patitaria | 102 | gallinaceus | 700. 713 |
| P æonia | 193 | Patis herba | 444 | leonis, leoninus | 69. 141 |
| f emina | 193. 194. 195 | Paronychia vulgaris | 112. 113 | leporis | 578 |
| m as | 193. 194 | altera | 112. 113 | lupi | 473 |
| a lia species | 195 | Parthenium | 35 | miluinus Columellæ | 111 |
| P ala | 795 | Parthenium Fuchsii | 258 | pulli | 700 |
| P alalia | 338 | Paspale | 506 | vituli | 328 |
| | | Passula | 416 | Petasites | 197 |
| | | | | Peti- | |

O M N I V M S T I R P I V M.

| | | | | | |
|------------------------------|----------------------|---------------------------------|----------|-----------------------------|----------|
| Petilius flos | 255 | Pinastellum | 317 | angustifolium | 346 |
| Petræfindula | 314 | Pinaster | 860.862 | latifolium | 346 |
| Petranciani | 458 | Pinus | 859 | ramosum | 346 |
| Petrarium | 697 | humilis | 862 | Polygonon, Polygonum | 353 |
| Petroselinum | 694 | mansueta, sativa, urbana | 859 | mas | 113 |
| Alexandrinum | 698 | maritima major | 861 | femina | 113 |
| Macedonicum | 697 | maritima minor | 861. 862 | Polyhydion <i>μυρωτόν</i> | 335 |
| Macedonicū ex Lobelio | 697 | siluestris montana, & eius spe- | | Polypodium, & eius species | |
| Macedonicum Fuchsij | 696. | cies | 860.861 | 464.465 | |
| | 697 | Pionia | 194 | Polytrichum | 469 |
| Macedonicum Officinarum | 698 | Piper agreste | 774 | Fuchsij | 475 |
| | Macedonicum Venetorū | aquaticum, sive aquatile | 607 | Pomum | 790 |
| Pettimborsa | 168 | Bresilianum | 717 | acerbum sive austерум | 790 |
| Peturum | 452 | Calecutthium | 717 | acidum | 790 |
| Peucedanum | 316.317 | Hispanum | 717 | Adami | 792 |
| Pezicæ | 484 | Indianum, vel Indicum | 717 | Arantium, Aranium | 792 |
| Phalangites | 106 | montanum | 365 | Allyrium | 792 |
| Phalangium Cretæ | 207 | Piperitis | 717 | Aurantium | 792 |
| ramosum | 106 | Piperitis quorumdam | 716 | Aurengium | 792 |
| non ramosum | 106 | Pissa | 53 | aureum | 795 |
| Phalaris | 510 | Pistacia | 818 | Citrium | 792 |
| Phallus Hadr. Iunij | 483 | Pistacion, Pistacium | 817.818 | Cotoneum | 795 |
| Pharnaceon | 335 | Germanicum | 818 | Cydonium | 795 |
| Phasellus | 513. & seqq. | Pistana | 588 | dulce | 790 |
| maior | 513 | Pistochia | 325 | Granatum | 794 |
| minor | 515 | Pisum cordatum | 455 | Ierosolymitanum | 670 |
| siluestris | 516 | maiuss | 520 | D. Ioannis | 790 |
| Phaseolus | 518. 519 | minus | 521 | Limonium | 792 |
| peregrinus | 519. 520 | Romanum | 520. 521 | Medicum | 792 |
| Phasganon | 210 | Pituitaria | 366 | medij saporis | 790 |
| Phasiolus | 514 | Pityocampæ | 163 | mirabile | 670 |
| hircinus | 580 | Pitys Arcadum | 859 | Paradisi | 790 |
| minor | 515 | Pityusa | 374 | spinosum | 459. 460 |
| parvus vel Alexandrinus | 520 | Pix | 865 | Pomus | 789. 790 |
| Phellandrium | 591 | arida, sicca | 865 | Pontica radix | 389 |
| Phelodrys | 830 | iterata | 865 | Populago | 596 |
| Phellos | 829. 830 | liquida | 865 | Populus alba, nigra | 835.836 |
| Pheminalis | 144 | naualis | 865 | Lybica, montana, tremula | 836 |
| Phlerarium | 172 | Planta leonis | 141 | Porcellia | 640 |
| Philpendula | 56 | Plantago | 107.108 | Porrago | 627 |
| Phillyrea | 775 | angustifolia, albida, Hispa- | | Postrum, Porrus | 688.689 |
| Philyreæ | 758 | nienensis | 111 | capitatum | 689 |
| Phistacion | 818 | aquatica | 606 | iuncicum | 689 |
| Phleus, & eius species | 604 | maior, minor, media, angusti- | | sectuum, sectile | 689 |
| Phœnicion | 32 | folia, rubra, quinquener- | | Vitium, aut vitigineum | 690 |
| Phœnix | 540 | uia | 108 | Portulaca, & eius species | 660. |
| Phocas | 504 | Platanaria | 601 | 661 | |
| Phragmosa | 53 | altera | 601.602 | marina | 661.771 |
| Phu | 350 | Platanus | 841.842 | sativa | 661 |
| Phyllitis | 466.467 | Platypyllos | 831 | siluestris | 376.661 |
| laciniata | 467 | Plumbago | 608 | Potamogeton, & eius species | |
| Phyllon Dioscoridis | 660 | Pneumonanthe | 161 | 582 | |
| Phyllon Theophrasti | 658 | Podagra lini | 554 | Potentilla | 599 |
| Phyteuma | 183 | Polemonium | 172 | Pothus flos | 178 |
| Picea | 863 | Absytti | ibid. | Præsepium | 736 |
| Picris | 634. 635 | Polenta | 502 | Prasium | 287 |
| Piganum | 59 | Policaria | 53 | Prassium | 88 |
| Philosella | 67 | Polyum | 282. 283 | Prassium fœtidum | 89 |
| maior | 67 | campestre, siluestre, monta- | | Primula Veris | 146.265 |
| minor | 68 | num, marinum | 284 | eius species | 147 |
| Pilula Quercus | 824. 825 | Pollen | 491 | Proserpinaca | 114 |
| Pilulæ Cupressi | 857 | Polyacantha | 733 | Protomedia | 105 |
| Pimpinella sanguisorba | 104.105 | Polyanthemum | 426 | Prunella | 136 |
| filuestris sanguisorba maior | 105 | Polyanthemum aquatile | 587 | Prunum | 805 |
| Pimpinella saxifraga | 314 | Polygalon, Polygalum | 253. 254 | Damascenum | 805 |
| Fuchsij & Sardi | 314 | quorumdam | 537. 544 | Hispanicum | 805 |
| saxifraga minor | 314 | Polygonatum | 345 | Hungaricum, Moraicum, | |
| | | alterum | 345 | Gallicum | 805 |
| | | | | ff 4 | Panno- |

I N D E X

| | | | | | | |
|---------------------------------|---------------|-----------------------------|---------------------------|--------------------------------|--------------|----|
| Pannonicum | 805 | Quinqueneria | 108 | Raued Seni | 389 | |
| Prunus | 804.805 | Quisquilion | 828 | Turicum | 389 | |
| siluestris | 753 | R | Acemus | 416 | Regina prati | 57 |
| Pseudanchusa | 630 | Radicula | 676.677 | Remenia | 451 | |
| Pseudoacoron | 248 | magna | 677.678 | Remora aratri | 743 | |
| Pseudoagnus | 777 | rusticana | 677 | Resina | 864 | |
| Pseudoaphodelus | 207 | satiua | 676 | abietina | 864 | |
| luteus | 208 | satiua minor | 676 | colophonia | 864 | |
| Pseudobunium | 712 | filuestris | 677 | confusanea | 864 | |
| Pseudocapsicum | 718 | Radiolus | 466 | fricta | 864 | |
| Pseudocyperus | 339 | Radix caua maior, minor | 326. | larigna & laricea | 869 | |
| Pseudocytisus | 570 | 327 | | lentiscina | 871 | |
| Pseudodictamnum | 281.348 | dulcis | 726 | liquida, sponte fluens, primi- | | |
| Pseudohelleborum | 386 | Macedonica | 631 | flua | 864.869 | |
| Pseudohermodactylus | 203 | Marica, aut Maronica | 245 | Pini | 864 | |
| Pseuderis | 248 | Nautica | 250 | pityina | 864 | |
| Pseudoligustrum | 777 | Rhodia | 347 | Strobilina | 864 | |
| Pseudolysimachium purpureum | | Singentiana | 250 | terebinthina | 869 | |
| primum | 84 | squamata | 553 | Resta bouis | 745 | |
| minus | 85 | vnguentaria | 250 | Reu Barbarum | 389 | |
| purpureum alterum | 85.86 | Ranæ morsus | 583 | Rha album | 398 | |
| cæruleum | 86 | Ranunculus | 425 | Rha, Rha Barbarum, Rha Bar- | | |
| Pseudomelanthium | 173 | aquatalis | 427.587 | baricum | 389 | |
| Pseudomyrsine | 780 | atuenfis | 426.427 | Rhabarbarum monachorum | 59. | |
| Pseudonarcissus, & eius species | 227 | auricomus | 427 | 648.649 | | |
| Pseudorchis | 242 | cæruleus | 64 | Rha Ponticum quarumdam Of- | | |
| Pseudophu | 352 | Constantinopolitanus | 430 | ficinarum | 335 | |
| Pseudo-Rhabarbarum | 59 | echinatus | 427 | Rhacomia | 389 | |
| Pseudostachys | 91 | flore albo | 429.430 | Rhamnus, & eius species | 754. | |
| Psiittaci herba | 618 | flore globoſo | 430 | 755 | | |
| Pſyllium | 115 | folio graminis | 428 | albus | 754 | |
| Ptarmice | 709.710 | hiemalis | 429 | niger | 755 | |
| Austriaca | 710 | hortensis | 425 | solutius | 756 | |
| Ptifana | 502 | alter | 426 | Rheon | 389 | |
| Pulegium, Pulegium Regale | 282 | Illyricus | 428 | Rhizotomos herba, Plinij | 246 | |
| montanum | 277 | longifolius | 432 | Rhodia radix | 347 | |
| filueſtre | 98. 281 | Lusitanicus | 429 | Rhododaphne | 851 | |
| Pulicaria | 53.115 | montanus | 429 | Rhododendrum | 851 | |
| Pulmonaria | 474 | Pannonicus | 430 | Rhodora | 57 | |
| Pulmonia | 61 | tuberous, & eius species | 431 | Rhoë | 778 | |
| Pulmonalis, Pulmonaria | 135 | filueſtriſ, & eius species | 426. | coriaria | 778.779 | |
| Puls | 499 | 427 | culinaria siue obſoniorum | | | |
| Pulsatilla, & eius species | 432.433 | Rapa | 674 | 779 | | |
| Pycnitis | 144 | Rapeium | 69 | Rhus | 778 | |
| Pyraſter | 800 | Raphanis | 676 | coriaria | 778.779 | |
| Pyrethrum | 347 | magna | 677.678 | culinaria, siue obſoniorum | 779 | |
| filueſtre quorundam | 710 | satiua | 676 | filueſtriſ | 780 | |
| Pyrus cultiua siue vrbana | 799. | satiua minor | 676 | Ribes Bellonij | 749 | |
| 800 | | filueſtriſ | 677 | Serapionis | 748 | |
| filueſtriſ | 799 | filueſtriſ quorundam | 716 | Ribes, Ribesium | 748 | |
| Pyrola, Pirola | 138 | Raphanus | 676 | fructu rubro | 748.749 | |
| Pyrum | 799 | magnus | 677 | fructu nigro | ibid. | |
| Pythonion | 330 | rusticanus | 677 | Ricinus | 366. 367 | |
| Pyton | 215. 218 | filueſtriſ quorundam | 716 | Rincum marinum | 706 | |
| Pyxacantha | 757 | Theophrasti | 623 | Roberti herba, Robertiana | 62 | |
| Q | Vercula maior | Rapifum | 675 | Robur | 824 | |
| Quercula minor | 43 | D. Antonij | 673.674 | Robus | 489 | |
| Quercus | 823 | Genistæ | 431 | Roggia | 499 | |
| hemeris, placida, satiua & vr- | | oblongius | 761 | Rorastrum | 400 | |
| bana | 823. 824 | porcinum | 673 | Rorella | 474 | |
| humilis | 823 | filueſtre Dioscoridis | 338 | Ros folis | 474 | |
| latifolia | 831 | terræ | 338 | Rosa, eiusque species | 186. 187. | |
| marina | 480 | vulgare | 673 | & seqq. | | |
| filueſtriſ | 823.824 | Rapunculum | 165 | Alabandica | 187 | |
| Quinquefolium | 116 | alopecuron, & aliae species | 165. 166 | alba | 189 | |
| eius species | 116.117 | | | cæli | 170 | |
| | | | | Campana | 187 | |
| | | | | canina | 187. 189 | |
| | | | | cina- | | |

O M N I V M S T I R P I V M.

| | | | | |
|------------------------------|--------------|-----------------------------------|--------------------------------|---------|
| cinamomina | 187.189 | Sagitta, Sagittalis maior & minor | Sauraria | 330 |
| Damascena | 189 | 587.588 | Saurion quorumdam | 707 |
| dominarum | 170 | Sagminalis, Sagmen | Sauromatōn | 332 |
| Dunensis | 187.189 | Sal Alkali | Saxifraga, Saxifragia | 314. |
| fatuina | 194 | Salicaria | & seqq. | |
| Francha | 189 | Salicastrum | alba | 315.316 |
| Græca | 170.187 | Salicornia | Anglicana | 311 |
| Græcula | 187 | Salicularis | aurea | 316 |
| hiemalis | 652 | Salix | hircina | 314 |
| incarnata | 189 | Amerina | lutea Fuchsij | 567 |
| Iunonis | 197 | equina | magna sive maior | 314.315 |
| lutea | 189 | marina | minor sive parua | 314.315 |
| Mariana | 170 | maior, sive perticalis | Saxifraga | 277 |
| Milefia | 187 | minor, yiminalis, Gallica, Sa- | Scabiosa | 121 |
| Moschettæ | 187 | bina | cius variæ species | 122.123 |
| moschata | 189 | pumila, & eius species | ouilla | 123 |
| mosceuton | 188.652 | 844 | Scamonea | 391 |
| Pampinula | 189 | Salficortex | Scammonium | 391 |
| Prænestina | 187.189 | Salsitora | Americanum | 398 |
| Prouincialis | 189 | Saluia, & eius species | Scanaria herba | 702 |
| satiua | 186 | agrestis | Scandix | 701 |
| spineola | 187.189 | maior, minor | Scandulaceum | 713 |
| siluestris | 186.189 | Romana | S arlata | 177 |
| Trachinia | 187.189 | vitæ | Scarlea | 293 |
| vltramatinæ | 652 | Salusandria | Scatellum | 132 |
| Rosea arbor | 851 | Sambucus | Scatum cæli | 132 |
| Rosea Laurus | 851 | aquatica | Sclarea | 291 |
| Rosmarinum | 306 | lacinioso folio | Scebran | 374 |
| coronarium | 272 | montana, aut siluestris | Sceyle | 538 |
| siluestre | 272.273 | palustris | Schistæ, cepæ | 687 |
| Rostrum ciconiæ | 61 | Samera | Schœnopræsum | 689 |
| gruis | 61 | Sampetra | Schœnos | 330 |
| porcimum | 634 | Sampyrum | Scilla | 690.691 |
| Rubeia | 352 | Dioscoridis | mas, femina | 692 |
| Rubeita | 62 | Sanamunda | quorumdam | 229.692 |
| Rubia | 352 | Sandaracha, Sandarax | Scirpus | 601 |
| marina | 357 | Sanguinalis | Seiscima | 832 |
| siluestris | 354 | Sanguinalis femina | Scolecion | 828 |
| tinctorum | 352 | Sanguinaria | Scolopendria | 466 |
| Rubigo, Robigo | 542 | Sanguinaria, Sanguinalis | Scolopendrium | 468 |
| Rubus | 741.742 | Sanguinaria radix | Scolymus Dioscoridis | 724. |
| ceruinus | 399 | Sanguinus | 740 | |
| Idæus | 742.743 | Sanguis Herculis | Plinij | 739 |
| minor | 742 | Sanicula | Theophrasti | 726 |
| Rumex, & variae eius species | 647. & seqq. | Alpina | Scopa regia | 744 |
| acidus | 649 | femina | Scordium | 126 |
| acutus | 649 | maior | Scordonia | 291 |
| niger | 649 | Santalum Plinij | Scorodothlaspi | 713 |
| palustris | 649 | Santolina, & eius species | Scorpioides prius | 71.72 |
| satiua | 469 | 269 | Matthioli | 71.72 |
| Ruscum, Ruscus | 744 | Sapa | tertium | 72 |
| Ruta caparia | 547 | Sapinus | Scorpiuron | 70.71 |
| graeolens hortensis | 119 | Saponaria | Scorpius herba | 70.71 |
| montana | 120 | 171.178.179.180 | Scorpius Theophrasti | 760 |
| muraria, muralis | 470 | Satacenica | Scorzonera | 257 |
| palustris | 59 | Sardinia glans | Scotinus | 779 |
| filuestris | 121 | Sardoa herba | Scrophularia maior | 50 |
| filuestris graeolens | 119 | Sarxiphagon | minor | 49 |
| filuestris hypericoïdes | 76.77 | Satureia | Scythica herba, Scythica radix | |
| filuestris minima | 120 | Satyrium | 342 | |
| | | Erythronium, sive Erythrai- | | |
| | | cum | Sebete | 806 |
| | | 203.232.233 | Secacul | 346.682 |
| | | trifolium | Secale | 499 |
| S Abdarifa | 657 | Satyrium basilicum mas, semina, | Securidaca | 545 |
| Sabina | 854 | foliolum, minus, & aliæ | Sedum aquatile | 388.589 |
| eius species | 855 | species | arboreifrons maius | 127 |
| quorumdam | 854 | Sauchromaton | Columellæ | 360 |
| Sacra herba Agrippæ | 290 | Sauimera | minus | 128 |
| Sagapenum | 321.322 | Sauina | ferra- | |

I N D E X

| | | | | | |
|-------------------------------|-----------------|--------------------------|-------------|------------------------------|-------------|
| ferratum | 132 | Sida | 602.654 | Sol Indianus | 264 |
| Segetalis | 210 | Sideritis prima | Dioscoridis | Solidago | 134 |
| Selenion | 195 | 93. 94 | | minor | 136 |
| Selinitis | 395 | Achillea | 38 | Saracenica | 141.142 |
| Selinitium | 413 | altera | 105 | Solis saceulum | 36 |
| Selenogonion | 195 | Heracles, aut Herculana | 93.94 | Solsequium | 254.634 |
| Semen Adoreum | 493 | tertia | 62 | Sonchus | 643 |
| contra lumbicos | 27 | Sodium | 794 | asper, asperior, lauis | 643 |
| leoninum | 69 | Sigillum B. Mariæ | 401 | marinus | 644 |
| sanctum | 27 | Sigillum Salomonis | 346 | tenerior | 644 |
| trimestre | 493 | Sigingiaria | 330 | filuestror | 644 |
| Zedoariæ | 27 | Siler | 310 | Sophia | 133 |
| Sementina | 27 | alterum pratense | 310 | Sorbum | 803 |
| Seminalis | 114 | montanum | 310 | Sorbus | 802.803 |
| Semperflořium | 128 | Silicia | 536 | filuestris siue terminalis | 803 |
| Semperiuum maius | 127 | Silicula | 536 | filuestris Matthioli | 834 |
| eius species | 127.128 | Siligo | 489.491 | Sorghum | 508 |
| marinum | 360 | Siliqua | 519. 536 | Spagas | 864 |
| minus | 128. 129 | Siliqua, Siliqua dulcis | 787 | Sparagus | 704 |
| eius species | ibid. | Siliquastrum | 717 | Spartumi, Spartum frutex, & | |
| ferratum | 132 | Silphion | 321 | eius species | 764 |
| filueſtre | 131 | Siluz mater | 410.414 | herba, & eius species | 564. |
| tertium | 129 | Simila, Similago | 491 | 765 | |
| Sena | 360. 361 | Sinapi | 706 | Spatula | 245 |
| Senecio, & varia eius species | | rusticum | 713 | Spatula fœtida | 247 |
| 640. 641 | | satiuum prius | 706 | Speculum Veneris | 168 |
| Sentis | 741 | alterum | 707 | Spelta | 492.493 |
| Septineruia | 108 | filueſtre | 675.707 | Speragus | 704 |
| Setica | 806 | Sinapium | 707 | Spergula | 537 |
| Setiola | 634 | Singentiana radix | 250 | Sphaeculus | 291 |
| Seriphium | 25 | Siræum | 418 | Sphaeritis ex codice Cæſareo | 126 |
| Serpentaria | 257.332.600.631 | Sisamum | 532 | Spica Celtica | 473 |
| major | 330 | Sisarum | 681 | Spicata, & eius species | 582 |
| minor quorumdam | 329.330 | Siser | 681 | Spina acida | 749.750 |
| Serpentina | 110 | Sison | 301 | Spina acuta, & eius species | 750. |
| Serpentina Matthioli | 109 | Sisilieteris | 105 | Ægyptia | 752 |
| Serpillum, Serpillum vulgare | | Sisymbrium | 97 | alba | 721.726 |
| 277 | | Sisymbrium alterum | 591 | alba quorumdam | 755 |
| hortense | 278 | Sisyrinchium maius | 210.211 | buxea | 757 |
| filueſtre | 278 | minus | ibidem | cerualis | 755 |
| verum | 278 | Sium, & eius species | 589.590 | cerui | 757 |
| veterum | 277 | Cratævæ | 592 | hirci | 751 |
| Serratula | 39.42 | Plinij | 592 | infectoria | 757 |
| maior | 44 | Smilax aspera | 398 | mollis | 738 |
| minor | 43 | læuis major | 392 | peregrina | 723 |
| Sertiola | 634. 646 | læuis minor | 393 | salutaris | 755 |
| Serta, Sertula Campana | 568 | Smilax arbor Theophrasti | 829 | sepicularis | 751 |
| Seruilla, Seruillum | 681 | Smyrrhis | 701 | foliſtitalis | 733.734 |
| Sesamum, Sesama | 531. 532 | Smyrnium Amani montis | 698 | vallaris | 751 |
| Officinarum | 532 | Fuchsij | 311 | Spinacia, Spinacheum olus | |
| filueſtre | 367 | quorumdam | 697 | 619 | |
| Sesamoïdes | 388 | Soda | 82 | Spiniuineta | 750 |
| magnum | 388 | Solanum | 453 | Splitth | 60 |
| paruum | 388 | fruticosum | 402 | Spondylium | 306.307 |
| Seleleos | 311 | furoſum | 456 | Spondylium alterum | 307 |
| Seseli, & eius varia species | 312 | hottense | 453.454 | Spongiola Rosæ | 187 |
| & seqq. | | lethalè | 456 | Spongiola | 482 |
| Æthiopicum frutex | 312 | lignosum | 718 | Solis | 634 |
| Æthiopicum herba | 312.313 | manicum | 456 | Squilla | 691 |
| Creticum | 305.313.314 | rubrum | 718 | Stachys | 90 |
| herbaceum | 313 | soporiferum | 455 | Fuchsij | 90 |
| Masiliense | 312 | tetraphyllum | 454 | spuria | 91 |
| Peloponnense | 313 | vesicarium | 454 | Staphis agria, Staphisagria | 366 |
| Seselis | 700 | Solatrum | 453 | Staphylocerdron | 818 |
| Setaniæ, cepæ | 687 | Solatrum lethale | 456 | Stataria | 317 |
| Setanion, Setanium | 215. 218. | Solbastrella | 105 | Stellaria | 141.356.733 |
| 489 | | Soldana | 395 | quorumdam | 110 |
| Sicla | 620 | Soldanella | 395 | Stæbe | |

OMNIVM STIRPIVM.

| | | | | | |
|-------------------------------|-----------|----------------------------------|--------------|-----------------------------------|----------|
| Stoebe | 123 | Terebinthina resina | 369 | marinus | 371 |
| ex codice Cæsareo | 123 | Terebinthus | 370. 371 | mas | 367 |
| Stœchados | 274 | Indica | 318. 370 | Myrsinites | 369 |
| Stœchas | 274 | Terminalium | 344 | paralius ex locis maritimis | |
| in Belgio nata | 275 | Terra capillus | 469 | 369. 370 | |
| foliо ferrato | 275 | glandes | 349. 350 | ex hortis | 370 |
| Stœchas citrina, sive Stichas | 267. 268 | malum | 338. 357 | Solsequius | 371 |
| | | rapum | 338 | platyphyllos | 370. 372 |
| Sttamonia | 459. 460 | Terrestris glans | 373 | tenuifolius | 371 |
| Strangulator adip | 439 | Terrestriis malus | 457 | tuberofus | 373 |
| lupi | 439 | Terzola | 28 | Tomentitia | 65 |
| Strangulator leopardi | 438 | aquatica | 595 | Tordylon, Tordylum | 305. |
| Stratiotes millefolius | 101 | Teucrium | 43 | 313. 314. | |
| potamios | 588. 589 | palustre | 45 | Tomentilla | 218 |
| Strobilus | 860 | Tetrahil, Tetrahit | 93 | Tora bona | 291. 651 |
| Strumaria | 39 | Testiculus canis, & eius species | | Toxicum | 442 |
| Strumea | 427 | 234. 235 | | Trachia | 413 |
| Strumum, Strumus | 453 | hitci | 237 | Tragacantha | 751 |
| Struthia | 795 | lepotis | 237 | Traganos | 75 |
| Struthion | 710 | morpionis mas & femina | 236 | Tragium | 348 |
| Strutiopteris | 469 | odora:us maior & minor | 239 | Germanicum | 616 |
| Suber | 819. 830 | Serapias | 237 | primum | 348 |
| Succinum | 836 | eius species | 238 | Tragonis | 348 |
| Succisa | 124 | Serapias Dioscoridis | 238 | Tragopogon, & eius species | 256 |
| Sumach | 779 | Thalietrum magnum | 58 | Tragorchis | 237 |
| Supercilium terræ | 469 | minus | 58 | Tragotiganum | 286 |
| Supercilium Veneris | 100. 584 | eius species aliae | 58 | Clusij | 286. 287 |
| Sycomorus | 786. 811 | Theriacaria | 350 | Tragus | 75. 498 |
| Symphoniaca | 450 | Therion | 330 | Traſi, Tragi, Traſci | 339 |
| Sympyton maius, sive ma- | | Theriophonon | 330 | Tribulus aquatilis sive aquaticus | |
| gnum | 133. 134 | Thesium | 327 | 581 | |
| tuberofum | 134 | Thlaspi, & eius species | 712 | Dioscoridis | 557 |
| maculofum | 135 | alterum | 712 | lacustris | 581 |
| petraeum | 135 | Candiae | 713. 714 | marinus | 581 |
| Sytinga | 777 | Crateuæ | 162. 713 | terrestris | 556. 557 |
| candida | 778 | latius | 712 | Trichodes bulbus | 693 |
| carulea, sive Lillach | 778 | minimum | 713 | Trichomanes | 471 |
| | | quorumdam | 707 | Trifolium | 565 |
| T Abaco | 452 | Thora | 442 | acetosum, & eius species | 578 |
| Tamariscus, Tamarix | 765. 766. | Valdensis | 443 | acetosum flore lateo | 579 |
| Tamariscus Officinarum | 858 | Thridacina | 646 | acutum | 566 |
| Tamecnemum | 104 | Thya | 854. 857 | agrarium | 576 |
| Tamus | 401 | Thymbra | 218 | aphalition | 566 |
| Tanacetum | 36 | Thymelea | 363. 364 | ex America | 566. 567 |
| crispum | 36 | Thymum, Thymus | 275. 276 | aureum | 579 |
| inodorum | 37 | capitatum | 275. 276 | bituminosum | 565. 566 |
| minus, sive album | 37 | durius | 275. 276 | caballinum | 567 |
| Peruvianum | 255 | filicifolium | 277 | cochleatum, & eius species | |
| filicifolium | 600 | Thrysus | 179 | 574. 575 | |
| Tanus | 401 | Thysellum | 699 | candidum | 576. 577 |
| Tapsus barbatus | 144 | Tiguar | 380 | cornicolatum, & eius species | |
| Taraxacon | 634. 636 | Tigridis flos | 693 | 573. 574 | |
| Tarcon | 709 | Tilia | 848 | equinum | 567 |
| silueſtre | 710 | femina, mas | 838 | fibrinum | 580 |
| Tatifilon | 566 | Tipcadi Chalcedonicum | 218 | fruticans | 570. 571 |
| Tartarum | 423 | Tinearia | 268 | minus | 572 |
| vstum | 424 | Tinus | 850 | odoratum | 566. 567 |
| calcinatum | 424 | Tithymalus | 367. & seqq. | odoratum alterum | 571 |
| Taura | 442 | Characias, & eius species | 367. | palustre | 580 |
| Valdensis | 443 | 368. 369 | | pratense | 565 |
| Taxus | 858. 859 | cyparissius | 369. 371 | vrsinum | 567 |
| Teda | 862 | dendroides | 370 | Trinitas, Trinitatis herba | 579 |
| Telephium | 130 | dendroides ex codice Cæsa- | | Tripolium | 379 |
| semperiumnum | 131 | reo | 372 | Triticum | 489 |
| alia: species | 130. 131 | femina | 369 | Bactrianum | 510 |
| Terdina | 350 | helioscopius | 369. 371 | bounnum | 541 |
| | | | | Italicum | 490 |
| | | | | Mar. | |

I N D E X

| | | | | | |
|----------------------------|---------------|----------------------------------|--------------------|---------------------------------|---------------|
| Martium | 489 | Veriquerucus | 824 | alia margine crenato | 142 |
| mutinum | 540 | Vermicularis | 128 | pastoris | 735 |
| Romanum | 490 | Vernilago | 730 | sanguinea | 782 |
| trimestre | 489 | Vernix | 852. 854 | Viscaria | 177 |
| Typhinum | 490 | Veronica | 40 | Viscum | 826 |
| vaccinum | 541 | assurgens | 40 | Visnaga | 703 |
| Trixago, aut Trifago maior | 44 | erecta | 86 | Visumarus | 565 |
| minor | 43 | femina | 41. 42 | Vitalba | 404 |
| palustris | 126 | mas serpens | 40 | Vitalis | 128 |
| Trixis | 367 | patens | 41 | Vitæ salvia | 470 |
| Trollius flos | 430 | Vertipedium | 150 | Vitex | 774 |
| Tuber terræ | 338 | Vesicaria | 454 | Vitis Alexandrina | 415. 769 |
| Tubera | 486 | Vesicaria peregrina | 455 | Chironia | 400 |
| Tune | 814 | Vetonica | 39 | Idæa | 415. 769 |
| Tunica herba | 172. 179 | Vetonica, Vettonica, altilis aut | | Idæa rubris acinis | 770 |
| Tulipa, Tulipan | 231 | coronaria | 175 | infana | 416 |
| minor Narbonensis | 232 | altera | 175 | nigra | 400 |
| Tura | 442 | agrestis, aut silvestris | 177 | silvestris | 400. 401 |
| Valdensis | 443 | Vettonicum coronarium | 175 | vinifera | 414. 415 |
| Turbith | 380 | Viburna rosarum | 188 | maior | 414 |
| Turfani | 202 | Viburnum | 781 | minor, siue patua | 415 |
| Tussilago | 596 | Vicia | 530. 531 | filuestris | 415 |
| Typha cerealis | 495 | filuestris | 548 | trifera | 416 |
| Typha palustris, lacustris | 604 | Viciastrum | 543 | Viticella | 400. 670 |
| Typhonion | 330 | Victoriae femina, siue rotunda | | Vitraria | 102 |
| | | 210 | | Vlceratia | 88 |
| V accaria | 103. 104 | longa | 684 | Vlmaria | 57 |
| Vaccinia, fructus | 768 | Victoriola | 745 | Vlmus | 837 |
| nigra | 768 | Vinacea | 416 | Atinia | 837 |
| palustria | 770 | Vinago | 826 | Gallica | 837 |
| rubra | 770 | Vinca Peruina | 405 | Vlpicum | 682 |
| Vaccinium | 157. 216 | Vincetoxicum | 407 | Vlticana herba | 455 |
| Valentina | 33 | Vincus | 843 | Vmbilicus Veneris | 132 |
| Valeriana, & eius species | 349. | Vineale Reuelium | 376 | Vnedo | 801. 804 |
| & seqq. | | Vinum | 418. 419. 420. 421 | Vnefera | 335 |
| domestica | 350 | album | 420 | Vnguentaria radix | 250 |
| Græca | 351. 352 | Apyites | 418 | Vngula caballina | 596 |
| hortensis | 349 | aquosum | 418 | Vnifolium | 205 |
| minima | 350 | austerum | 420 | Vniola | 553 |
| peregrina | 352 | coctum | 418 | Volubilis maior | 395 |
| rubra | 172. 350. 351 | Cydonites | 418 | media | 396 |
| filuestris | 349. 350 | dulce | 420 | minor | 393 |
| Veelgutta | 696 | fuluum | 420 | nigra | 396 |
| Venetea | 250 | hordeaceum | 418 | Volucrum maius | 410 |
| Veneris labrum | 735 | nigrum | 420 | Vrceolaris, Vrceolaria | 102 |
| Venniculū rutilus, candidū | 495 | omphacites | 423 | Vrinalis | 184 |
| Venusta minor | 182 | Rhoites | 418 | Vrtica vrens | 151 |
| Vepres | 741 | Viola alba | 159. 160 | Romana | 152 |
| Veratrum album | 383 | aquatis, siue palustris, & | | mas, filuestris, femina, maior, | |
| Anticyranum | 388 | eius species | 584. 585 | minor, minima | 152 |
| nigrum, & eius species | 261. | assurgens | 158 | iners, vel mortua | 153. 154. |
| 385. 386 | | Calathiana | 169 | eius species | ibid. |
| nigrum adulterinum | 385 | dentaria | 162 | labeo | 154 |
| nigrum Dioscoridis | 386. 387 | flammea | 159 | Vsnea | 471 |
| Selamaccum | 388 | flore multiplici | 156 | Vsnen | 82 |
| Verbascula | 147 | latifolia | 161 | Vstilago | 542. |
| Verbascum angustius | 143. 144 | Mariana | 163 | Vstilago rustica | 281 |
| latius | 143 | matronalis | 161 | Vua | 416 |
| leptophyllum | 145 | nigra | 156 | crispæ | 747. 748 |
| nigrum | 144 | peregrina | 161 | crispina | 748 |
| filuestre | 145 | purpurea | 156 | lupina | 444. 453. 846 |
| eius species | 145. 146 | filuestris inodora | 156 | marina | 75 |
| Verbena, Verbenaca recta | 149. | tricolor, & eius alia species | | passa | 416. 417 |
| 150 | | 157. 158 | | spina | 748 |
| femina | 150 | Violaria | 157 | spinella | 748 |
| mas | 150 | Viperaria, Viperina | 257 | Taminia | 366. 400. 401 |
| supina | 149. 150 | Virga aurea | 142 | verla | 444 |
| | | | | vulpis | |

OMNIVM STIRPIVM.

| | | | | | |
|---------------------|----------|---------------|---------|----------------------|----------|
| vulpis | 453 | Xyris | 246.248 | Zedoariæ | 444 |
| Vulgago | 358 | | | Zeopytron | 494 |
| Vuulatia | 164.745 | Z Acintha | 638 | Zerumbeth, Zurumbeth | 444 |
| Xanthium | 39 | Zahara | 552 | Zezulus | 806 |
| Xeris | 248 | Zambach | 410 | Zinziber caninum | 717 |
| Xylocaracta | 787 | Zarza Parilla | 399 | Zizipha | 806 |
| Xylon | 65. 66 | Zea | 492 | Zizyphus | 806. 807 |
| Xylosteum | 411. 412 | dicoccos | 493 | Cappadocia | 807 |
| eius altera species | 411.412 | Mnesithei | 493 | Zura | 756 |
| | | simplex | 493 | Zythum | 504 |

I N D E X

ARABICARVM, BARBARARVM,
ET OFFICINIS RECEPTARVM
APPELLATIONVM.

| | | | | | |
|----------------------|---------|------------------------------|--------------|--------------------------------------|---------|
| A Balzemer | 360 | <i>Axungia vitri</i> | 82 | <i>Camelina</i> | 532 |
| Abrong | 455 | <i>Azedarach, Azedaraëth</i> | 848 | <i>Camomilla</i> | 257 |
| Abrugi | 455 | B <i>Aaras</i> | 195 | <i>Campanula</i> | 396 |
| Abutilon | 655.656 | <i>Badiis</i> | 586 | <i>Cancri chela</i> | 589 |
| Acetosa | 649 | <i>Balanstium</i> | 794 | <i>Candalaria</i> | 589 |
| Acomachia | 738 | <i>Baptisecula</i> | 250 | <i>Canella</i> | 144 |
| Acorns | 248 | <i>Barba-Aaron</i> | 328 | <i>Canum Cerasa</i> | 788 |
| Acus moschata | 64 | <i>Barba-siluana</i> | 606 | <i>Capillæ Veneris</i> | 411 |
| Agnus castus | 774.775 | <i>Barcamañ</i> | 380 | <i>Cardiaca</i> | 470 |
| Agrimony | 27.28 | <i>Bardana</i> | 38 | <i>Cardobenedictus</i> | 94 |
| Alu | 773 | <i>Basilicum</i> | 279 | <i>Cardopatium</i> | 736 |
| Alasfeteti | 576 | <i>Baucia</i> | 681 | <i>Carnabadios</i> | 726 |
| Albarus | 835 | <i>Becabunga</i> | 593 | <i>Carobe</i> | 299 |
| Albotin | 871 | <i>Bedeguar</i> | 189.721 | <i>Carobole</i> | 787 |
| Alchitel | 574 | <i>Bedoard</i> | 721 | <i>Carui</i> | 299 |
| Alexardahune | 48 | <i>Been album</i> | 172.351 | <i>Cassa fistula, Cassia fistula</i> | 788 |
| Alfasafa | 576 | <i>Been rubrum</i> | 351 | <i>Cassilago</i> | 451 |
| Alkali | 82 | <i>Bella dona</i> | 456 | <i>Castrangula</i> | 50 |
| Alkanna | 776 | <i>Ben</i> | 778 | <i>Cataputia maior</i> | 367 |
| Alkekengi | 454 | <i>Berberis</i> | 750 | <i>minor</i> | 375 |
| Alleluia | 578 | <i>Berula</i> | 593 | <i>Caucafon</i> | 686 |
| Alphosera | 400 | <i>Besasa</i> | 121 | <i>Cauchan</i> | 48 |
| Alscobran, Alscobran | 374 | <i>Beza</i> | 844 | <i>Cauda equina</i> | 74 |
| Altercangenum | 450 | <i>Bisaria</i> | 330 | <i>vulpina</i> | 541 |
| Altercum | 450 | <i>Bismalus</i> | 654 | <i>Centummorbia</i> | 600 |
| Alnusdachule | 48 | <i>Blattaria</i> | 144.145 | <i>Centumnodia</i> | 114 |
| Alzelin | 430 | <i>Bolbonac</i> | 161 | <i>Cestum morionis</i> | 604 |
| Amarella | 35 | <i>Bompax</i> | 65 | <i>Ceterach</i> | 468 |
| Ameos, Ammios | 301 | <i>Buna</i> | 513. & seqq. | <i>Chanach adip</i> | 439 |
| Amoris poma | 548 | <i>Bonus genius</i> | 317 | <i>Chariamus</i> | 362 |
| Amydum | 498 | <i>Bonus Henricus</i> | 651 | <i>Chasuth</i> | 554 |
| Amygdala | 798 | <i>Boscisalvia</i> | 291 | <i>Chelidonia</i> | 48 |
| Amyberis | 750 | <i>Botin</i> | 871 | <i>Chernillum</i> | 681 |
| Anthera | 183 | <i>Branca leonina</i> | 681 | <i>Chesmes</i> | 828 |
| S. Antonij herba | 50 | <i>Branca vrsina</i> | 306 | <i>Cicer rubrum</i> | 525 |
| Apism | 695 | <i>Brunella</i> | 136 | <i>Cicorea</i> | 634 |
| Arblutilon | 656 | <i>Bryscus</i> | 744 | <i>Citrones</i> | 792 |
| Archencas | 852 | <i>Buglossa</i> | 627 | <i>Colocasia</i> | 328 |
| Arconas | 852 | <i>Bugula</i> | 135 | <i>Coloquintida</i> | 382 |
| Ardifrigi | 747 | <i>Bulbonac</i> | 161 | <i>Concordia</i> | 28 |
| Arilli | 416 | <i>Burgifpina</i> | 757 | <i>Condisi</i> | 178 |
| Arresta bonis | 743 | <i>Buzeiden, Buzidan</i> | 241 | <i>Consolida maior</i> | 134 |
| Aribanita | 338 | C <i>Alamentum</i> | 98 | <i>Corallina</i> | 476.477 |
| Asubasfra | 241 | <i>Calamas aromaticus</i> | 250 | <i>Corona fratrum</i> | 723 |
| Avara bacara | 294 | <i>Calcatrippa</i> | 252 | <i>Corrigiola</i> | 114 |
| Affa | 321 | | | <i>Cortex Granatorum</i> | 494 |
| Affa foetida | 321 | | | 88 | Coz |