Regultrum

Defue cum Dini Joanis (Laplin.iq. cuacuando

in secunda (Postes ctuositatis aut est

cet eas nem fuscipiunt ipfa est mentum

ciballis supra euone farmaci ttersum (L'Ponit

eft magna Accipe tollif boc Oleum aut

de coplexionis

quanticunts personn en selt reodiuntur. iploest r frigidis eius vosis repar rabscidis

Pillule; alandabal cados tione educit

k

Colcum veci.

Oleum ve fer.

predictum

In nomine

©De melia.
pillulas
©De paralifi
©De fpaim

m exeis. aut ex Bellebori (Sabor n

fumac ma cum; autem est (Loboc

vel suspitione (Escandam fermentum ctilia s p nna.3.4. vidiffe pofitit quando

Q Quartam magis ad Fm fapientiam cor romnia

r epiglotis cisacetosa Et si semel coliry z

Et ex eis pellendo res conditi toto corpore

t influens teitruli gar.3.4. des renum

ipfius
In bypofarca
cum-3.5.
remus

ne patiens dam Euacuant exitum placuerit z eins gis remota dafengi •xx.coziandri:

lapidem agni casti ginis lingue neruostratem

aly scous dino: r acerbo rtunc

Caplin lozmenstruoz ad ipm trispustulaz

babentibus rens t bure que tate:fi aa

fine granis
ne in qua
tice nifi
antecedente
bb
materie
contrarys
totum cozpus

ne:non

cc abscindit non fieri propter extra corpus

remanet quenti vero nociuis auxilio

ce ralozem gabis modo quandocs cutis rara

fetens z (Incipit licet boc pozeamarazz

reumate corticibus ana.3.5. tres annos bb caro dicit

bat expellendo eodem modo tur. (Collicis y faci. cospus, ti:zboc (C) tem res ratio medicine

bat fua

kk babentes fi medicus. medicina. idem facit

33Z

tunc interioza tum ad fitate z

mm apponendis bominetur Ad primum aliqualiter,

nn bet femen do ligni creta

quousque pp tyenis (Poillule pe scarlato (Secta pticula Est quita

şınıs.















